



Supplement of

Evaluating the strength of the land-atmosphere moisture feedback in Earth system models using satellite observations

Paul A. Levine et al.

Correspondence to: Paul A. Levine (plevine@uci.edu)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.



Figure S1: Ensemble histogram of forcing metrics from LENS (grey bars) and LENS plus random noise (white bars), with the satellite observations from GRACE/AIRS/GPCP/CERES (solid black line) and the alternate observations from GRACE and ERA-Interim (dashed black line), averaged across land regions within different latitude bands.

1



Figure S2: Ensemble histogram of response metrics from LENS (grey bars) and LENS plus random noise (white bars), with the satellite observations from GRACE/AIRS/GPCP/CERES (solid black line) and the alternate observations from GRACE and ERA-Interim (dashed black line), averaged across land regions within different latitude bands.



Figure S3: Ensemble histogram of forcing metrics from LENS with explicit TWS (grey bars) and accumulating residuals of the water balance (white bars) with the satellite observations from GRACE/AIRS/GPCP/CERES (solid black line) and the alternate observations from GRACE and ERA-Interim (dashed black line), averaged across land regions within different latitude bands.



Figure S4: Ensemble histogram of response metrics from LENS with explicit TWS (grey bars) and accumulating residuals of the water balance (white bars) with the satellite observations from GRACE/AIRS/GPCP/CERES (solid black line) and the alternate observations from GRACE and ERA-Interim (dashed black line), averaged across land regions within different latitude bands.

