

Place	Source	$\delta D$ ‰ VSMOW			$\delta^{18}O$ ‰ VSMOW			$^3H$ TU			$^{14}C$ pMC			$\delta^{13}C$ ‰		
		Min.	Max.	Mean	Min.	Max.	Mean	Min.	Max.	Mean	Min.	Max.	Mean	Min.	Max.	Mean
Zone 1	SNW			-77.0			-11.9									
	PW	-85.3	-71.6	-75.2	-10.9	-9.3	-10.0									
	RW	-75.4	-64.8	-68.7	-11.1	-9.3	-10.1									
	GW			-65.0 <sup>a</sup>			-9.7 <sup>a</sup>									
Zone 2	PW	-68.1	-66.2	-67.2	-10.1	-9.7	-9.9									
	RW	-67.5	-63.2	-65.4	-10.7	-8.8	-9.6									
	SGW	-74.7	-58.0	-64.5	-10.9	-8.8	-9.8	20.0	56.3	35.5	30.6	57.9	42.5			
Zone 3	RW	-70.	-46.7	-63.6	-10.6	-4.8	-8.8									
	SGW	-74.8	-43.4	-63.5	-10.8	-4.3	-8.8	12.1	25.7	21.1	19.5	41.2	32.5			
	DGW	-82.9	-52.1	-71.6	-11.2	-8.4	-10.3	<1	10.1		0.7	49.2	23.4	-4.6	-1.7	-2.8
Zone 4	RW	-67.7	-67.2	-67.5	-9.4	-7.1	-8.2									
	SGW	-75.6	-56.0	-68.0	-11.3	-7.1	-9.6	14.4	17.5	16.0	11.9	42.2	27.3			
	DGW	-91.3	-51.4	-77.1	-12.8	-8.3	11.2	<1	4.1		1.9	38.6	14.8	-5.5	-3.9	4.8
Zone 5	RW			-51.3 <sup>a</sup>			-6.6 <sup>a</sup>									
	FLW			-20.0 <sup>a</sup>			0.6 <sup>a</sup>									
	SLW	-27.0	-4.0	-17.0	0.4	4.5	2.6									
	GW	-66.0	-2.0	-46.3	-10.8	-0.6	-8.2			18.9 <sup>a, b</sup>						