Supplement of Hydrol. Earth Syst. Sci., 25, 5717–5732, 2021 https://doi.org/10.5194/hess-25-5717-2021-supplement © Author(s) 2021. CC BY 4.0 License.





Supplement of

Attributing correlation skill of dynamical GCM precipitation forecasts to statistical ENSO teleconnection using a set-theory-based approach

Tongtiegang Zhao et al.

Correspondence to: Tongtiegang Zhao (zhaottg@mail.sysu.edu.cn)

The copyright of individual parts of the supplement might differ from the article licence.




Figure S1: As in Figure 4 but for MAM seasonal precipitation forecasts generated in March.




Figure S2: As in Figure 4 but for JJA seasonal precipitation forecasts generated in June.




Figure S3: As in Figure 4 but for SON seasonal precipitation forecasts generated in September.




Figure S4: As in Figure 6 but for MAM seasonal precipitation forecasts generated in March.




Figure S5: As in Figure 6 but for JJA seasonal precipitation forecasts generated in June.




Figure S6: As in Figure 6 but for SON seasonal precipitation forecasts generated in September.




Figure S7: As in Figure 4 but for November (1-month lag) Niño3.4 index.




Figure S8: As in Figure 4 but for October (2-month lag) Niño3.4 index.




Figure S9: As in Figure 4 but for September (3-month lag) Niño3.4 index.




Figure S10: As in Figure 9 but for DJF seasonal precipitation with (a-b) November (1-month lag), (c-d) October (2-month lag) and (e-f) September (3-month lag) Niño3.4 index.




Figure S11: As in Figure 4 but for DJF seasonal precipitation forecasts generated in November (1-month lead).




Figure S12: As in Figure 4 but for DJF seasonal precipitation forecasts generated in October (2-month lead).




Figure S13: As in Figure 4 but for DJF seasonal precipitation forecasts generated in September (3-month lead).




Figure S14: As in Figure 9 but for DJF seasonal forecasts generated in (a-b) November (1-month lead), (c-d) October (2-month lead) and (e-f) September (3-month lead).