



Corrigendum to “Coherence of global hydroclimate classification systems” published in Hydrol. Earth Syst. Sci., 25, 6173–6183, 2021

Kathryn L. McCurley Pisarello^{1,a} and James W. Jawitz²

¹USDA-ARS, Southeast Watershed Research Laboratory, 2316 Rainwater Road, Tifton, Georgia 31793, USA

²Soil and Water Sciences Department, University of Florida, Gainesville, Florida 32611, USA

^acurrently at: American Farmland Trust, National Land Use and Protection Research Initiative, 2000 Pennsylvania Avenue NW, Suite 5005, Washington, DC 20006, USA

Correspondence: Kathryn L. McCurley Pisarello (kpisarello@farmland.org)

Published: 25 September 2024

In the original publication, the classification categories for zones 9 and 10 as given in Fig. 5 were incorrect.

The authors now provide an updated figure below that illustrates the correct classification categories for zones 9 and 10. Moreover, the updated Water-Energy Clustering (WEC) classification system data file (.nc) is also provided in our corresponding Zenodo repository (<https://doi.org/10.5281/zenodo.13750303>, Pisarello and Jawitz, 2021).

The affiliations and correspondence of Kathryn L. McCurley Pisarello have also been updated in this corrigendum.

References

Pisarello, K. and Jawitz, J.: ktpisa/Coherence-of-global-hydroclimate-classification-systems. In Coherence of global hydroclimate classification systems (Version V2, Bd. 25, Nummer 12, S. 6173–6183), Zenodo [data set], <https://doi.org/10.5281/zenodo.13750303>, 2021.




Figure 5. Spatial distribution of the Water-Energy Clustering (WEC) (a) and Köppen-Geiger (KPG) (b) classification systems. Europe and North America are magnified.