

S1 The spatial distribution of natural resources in China

The spatial distribution of coal fields shows significant regional differences, with dense concentrations in the coal-bearing areas of North and South China (Fig. S1). Among them, the southern Inner Mongolia, Shaanxi, Shanxi, and Henan provinces have the highest density of coal mines and mine production capacity. Besides, the coal resources of the junction of Anhui and Shandong provinces as well as Yunnan, Guizhou, Sichuan, and other provinces in southwest China are relatively rich (Xiao et al., 2021). Besides, the total sulfur content in different coal-bearing areas in China is shown in Fig. S2.




Figure S1. The spatial distribution of main coal-bearing areas in China (originated from China National Administration of Coal Geology).




Figure S2. The total sulfur content (%) in different coal-bearing areas in China (adapted from [Tang et al., 2015](#)).

As shown in [Fig. S3](#), China is rich in non-ferrous metal mineral resources. The predominant types are copper, lead-zinc, tin deposits, etc., mainly distributed in the provinces of Jiangxi, Yunnan, and Inner Mongolia. For example, the Dexing copper mine in Jiangxi province ranks as one of the largest copper deposits in China, while the Gejiu tin mine in Yunnan province is a world-renowned tin-producing area. Additionally, substantial precious metal mineral resources (gold and silver deposits) are predominantly located in Shandong, Henan, and Guizhou provinces. For example, the Zhaoyuan gold mine in Shandong province is a historically significant gold-producing region.

It is noteworthy that the national mineral deposit database of China developed by [Li et al. \(2019\)](#), covering 232 mineral resources in 27 569 deposits in 29 provinces (cities or districts), is of great importance to study the national natural resources. It can help readers catch more authoritative information, such as ore species, deposit name, location, latitude (N), longitude (E), genetic type of deposit, paragenetic mineral, associated mineral, deposit scale, ore-forming age, and mining status, enabling comprehensive analysis of China's natural resources.




Figure S3. The spatial distribution of the major non-ferrous mineral resources in China (adapted from China Natural Resources Atlas, China Geological Survey, 2015, https://www.cgs.gov.cn/xwl/dzzl/201603/t20160309_304269.html).

S1-References

- Li, C. Y., Liu, F. Y., Li, J., He, C. Z., Wang, X. C., and Wang F.: National mineral deposit database of China, *Geology in China*, 46(S2), 1-8, <https://doi.org/10.12029/gc2019Z201>, 2019 (in Chinese with English abstract).
- Tang, Y. G., He, X., Cheng, A. G., Li, W. W., Deng, X. J., Wei, Q., and Li, L.: Occurrence and sedimentary control of sulfur in coals of China, *J. China Coal Soc.*, 40(9), 1977-1988, <https://doi.org/10.13225/j.cnki.jccs.2015.0434>, 2015 (in Chinese with English abstract).
- Xiao, W., Chen, W. Q., and Deng, X. Y.: Coupling and coordination of coal mining intensity and social-ecological resilience in China, *Ecol. Indic.*, 131, 108167, <https://doi.org/10.1016/j.ecolind.2021.108167>, 2021.

S2 Database establishment

The typical mine lists are shown in [Table S1](#) in the [ESM2.xlsx](#) document. The sources (i.e., 293 research papers) of high-quality data are listed in the section of ***References*** at the end of the text.

S3 Risk assessment

Table S2. The main parameters used to assess the potential human health risks (i.e., non-carcinogenic risks and carcinogenic risks) for adults and children in the study.

Parameter	Description	Unit	Value		Source
			Adult	Children	
<i>IR</i>	Ingestion rate	L d ⁻¹	2.50	0.78	[1], [2]
<i>EF</i>	Exposure frequency	d yr ⁻¹	350	350	[1], [2]
<i>ED</i>	Exposure duration	years	24	6	[2]
<i>ET</i>	Time of contact	h d ⁻¹	0.58	1.00	[3], [4]
<i>SA</i>	Skin surface area	cm ²	19652	6365	[1], [2]
<i>CF</i>	Conversion factor	L cm ⁻³	0.001	0.001	[2], [5]
<i>BW</i>	Body weight	kg	70	15	[1], [3], [4]
<i>AT</i>	Averaging time ^a	d	8760	2190	<i>ED</i> × 365 d yr ⁻¹
	Averaging time ^b	d	25550	25550	70 × 365 d yr ⁻¹

Note: ^a averaging time used for non-carcinogenic risks (NCRs), and ^b averaging time used for carcinogenic risks (CRs), which is equal to a lifetime (70 yr in the study) × 365 d yr⁻¹. The parameter values used in the study are obtained from the following literature sources: [1] [Meng et al. \(2024\)](#); [2] [Shi et al. \(2023\)](#); [3] [Tong et al. \(2021\)](#); [4] [Wang et al. \(2021\)](#); and [5] [Yuan et al. \(2023\)](#).

Table S3. The values of main parameters including permeability coefficient of skin (K_p), reference dose (RfD_o), gastrointestinal digestion coefficient (ABS_{GI}), and slope factor (SF) for each element.

Parameter	K_p	RfD _o	ABS _{GI}	SF	Source
	(cm h ⁻¹)	(mg kg ⁻¹ d ⁻¹)	(-)	(kg·d mg ⁻¹)	
Fe	0.001	0.7	0.2	-	[1], [2], [3], [4], [6]
Mn	0.001	0.024	0.04	-	[1], [2], [3], [4], [6]
Cr	0.002	0.003	0.025	0.5	[1], [3], [6], [7]
Ni	0.0002	0.02	0.04	-	[1], [2], [3], [4], [6], [7]
Cu	0.001	0.04	0.2	-	[1], [2], [3], [4], [6], [7]
Zn	0.0006	0.3	0.2	-	[1], [2], [3], [4], [5], [6]
As	0.001	0.0003	1	1.5	[1], [3], [7]
Cd	0.001	0.0005	0.05	0.38	[2], [3], [4], [6]
Pb	0.0001	0.0014	0.3	-	[1], [3], [6]

Note: The parameter values for each element are obtained from the following literature sources: [1] [Meng et al. \(2024\)](#); [2] [Shi et al. \(2023\)](#); [3] [Tong et al. \(2021\)](#); [4] [USEPA \(2002\)](#); [5] [USEPA \(2014\)](#); [6] [Wang et al. \(2021\)](#); and [7] [Zheng et al. \(2023\)](#).

S3-References

- Meng, F., Cao, R., Zhu, X., Zhang, Y., Liu, M., Wang, J., Chen, J., and Geng, N.: A nationwide investigation on the characteristics and health risk of trace elements in surface water across China, *Water Res.*, 250, 121076, <https://doi.org/10.1016/j.watres.2023.121076>, 2024.
- Shi, J., Zhao, D., Ren, F., and Huang, L.: Spatiotemporal variation of soil heavy metals in China: The pollution status and risk assessment, *Sci. Total Environ.*, 871, 161768, <https://doi.org/10.1016/j.scitotenv.2023.161768>, 2023.
- Tong, S., Li, H., Tudi, M., Yuan, X., and Yang, L.: Comparison of characteristics, water quality and health risk assessment of trace elements in surface water and groundwater in China, *Ecotox. Environ. Safe.*, 219, 112283, <https://doi.org/10.1016/j.ecoenv.2021.112283>, 2021.
- USEPA: Risk-based Concentration Table, U.S. Environment Protection Agency (Washington DC), 2002.
- USEPA: Human health evaluation manual, supplemental guidance: update of standard default exposure factors, Environment Protection Agency (Washington DC), 2014.
- Wang, J., Liu, G., Liu, H., and Lam, P. K. S.: Multivariate statistical evaluation of dissolved trace elements and a water quality assessment in the middle reaches of Huaihe River, Anhui, China, *Sci., Total Environ.*, 583, 421-431, <https://doi.org/10.1016/j.scitotenv.2017.01.088>, 2017.
- Yuan, R., Li, Z., and Guo, S.: Health risks of shallow groundwater in the five basins of Shanxi, China: Geographical, geological and human activity aspects, *Environ. Pollut.*, 316, 120524, <https://doi.org/10.1016/j.envpol.2022.120524>, 2023.
- Zheng, X., Lu, Y., Xu, J., Geng, H., and Li, Y.: Assessment of heavy metals leachability characteristics and associated risk in typical acid mine drainage (AMD)-contaminated river sediments from North China, *J. Clean. Product.*, 413, 137338, <https://doi.org/10.1016/j.jclepro.2023.137338>, 2023.

S4 Overview of mining-affected water in China




Figure S4. The spatial distribution of the sample size of (a) pH, (b) SO_4^{2-} , (c) Fe, (d) Mn, (e) Cr, (f) Ni, (g) Cu, (h) Zn, (i) As, (j) Cd, (k) Hg, and (l) Pb in mining-affected water on the 0.5° grid.




Figure S5. The relationship between pH and the respective concentrations including (a) Cr, (b) Ni, (c) Cu, (d) Zn, (e) As, (f) Cd, (g) Hg, and (h) Pb, in coal and metal mines. The binned frequency distribution of the samples is shown along the x and y axes.




Figure S6. The median concentrations of the main species in mining-affected water from coal and metal mines (units are mg L^{-1} except for pH). CAW and MAW denote acid water from coal and metal mines; and CNAW and MNAW represent neutral/alkaline water from coal and metal mines, respectively.

Table S4. Statistical summary (minimum, median, average, and maximum) of the main species aggregated from all samples measured in acid or non-acid mining-affected water in China (units are mg L⁻¹ except for pH).

Item	Acid mining-affected water						Non-acid mining-affected water					
	Coal mine			Metal mine			Coal mine			Metal mine		
	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max
pH	1.90	4.50	6.50	1.20	3.10	6.50	6.51	7.82	11.51	6.51	7.70	12.60
Na ⁺	0.02	18.55	1305.33	0.00	13.72	1613	0.23	234.75	7594.32	0.55	27.30	9371
K ⁺	0.04	3.50	37.00	0.00	2.99	172.00	0.00	2.84	164.42	0.20	3.80	419.00
Ca ²⁺	0.83	277.84	987.97	1.70	310.00	893.00	0.00	61.38	689.10	0.01	80.20	4841.70
Mg ²⁺	0.01	59.60	1665	0.10	89.52	10992	0.00	19.09	485.44	0.10	18.54	12752
Cl ⁻	0.06	2.51	477.24	0.00	9.20	3097.40	0.00	65.20	6462.75	0.35	19.00	26265
SO ₄ ²⁻	15.00	1381.59	17870	0.56	2982	181000	0.01	193.51	10110	0.09	157.41	52915
HCO ₃ ⁻	0.00	0.00	532.96	0.00	15.51	769.00	0.00	280.60	4976.61	0.62	169.50	2482
NO ₃ ⁻	0.00	0.55	143.65	0.00	1.45	735.60	0.00	3.00	356.97	0.00	11.00	1774.95
F ⁻	0.00	0.67	238.34	0.01	0.80	67.40	0.00	0.91	11.65	0.01	0.72	100.00

Item	Acid mining-affected water						Non-acid mining-affected water					
	Coal mine			Metal mine			Coal mine			Metal mine		
	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max
Fe	0.00	77.41	2331.86	0.00	113.77	65250	0.00	0.2500	205.00	0.00	0.0320	495.43
Mn	0.00	3.50	88.40	0.00	15.82	5050	0.00	0.0204	5.02	0.00	0.7612	200000
Al	0.00	12.87	440.00	0.00	152.00	13679	0.00	0.0200	25.00	0.00	0.0500	2.09
Cr	0.00	0.0080	0.19	0.00	0.0500	52.27	0.00	0.0022	0.31	0.00	0.0041	0.09
Ni	0.0007	0.1796	2.73	0.00	0.2142	216.00	0.0001	0.0040	0.23	0.00	0.0059	0.12
Cu	0.00	0.0431	18.50	0.00	1.7325	9777.77	0.0001	0.0010	2.56	0.00	0.0180	1.14
Zn	0.0026	0.4211	23.00	0.00	7.2000	1834	0.00	0.0048	0.98	0.00	0.0617	39.30
As	0.00	0.0034	2.16	0.00	0.0281	641.70	0.0001	0.0016	0.37	0.0001	0.0040	13.00
Cd	0.00	0.0036	0.19	0.00	0.0383	110.00	0.00	0.0000	0.03	0.00	0.0010	0.67
Hg	0.00	0.0004	0.01	0.00	0.0090	13.36	0.00	0.0001	0.78	0.00	0.0003	0.01
Pb	0.00	0.0023	7.43	0.00	0.1498	35.68	0.00	0.0003	1.22	0.00	0.0064	0.94

Non-parametric tests do not rely on assumptions about the distribution of the data and are suitable for non-normally distributed datasets or those containing outliers. These methods statistically compare central tendencies, typically represented by medians, rather than means. The result of the Mann-Whitney U test ($p < 0.05$) shows a statistically significant difference in the critical parameters (except Fe) of mining-affected water based on the different mine types (coal mine vs. metal mine), indicating the differences caused by geological factors, mining practices, surrounding environment, etc. Besides, Fig. S7 shows the Spearman correlation coefficients between the hydrochemical compositions in the mining-affected water. It can be seen that strong negative correlations are observed between pH and SO_4^{2-} , Fe, Mn, Al, and heavy metals, while positive correlations are observed between SO_4^{2-} and metal components, implying that the spatial consistency of acid water, high sulfate, high Fe and Mn, and high heavy metal mining-affected water.




Figure S7. The Spearman correlation coefficient between the hydrochemical compositions in the mining-affected water (* is $p \leq 0.05$ and ** is $p \leq 0.01$).

S5 Spatial patterns of mining-affected water pollution in China

Table S5. The categories of the Environmental Quality Standards for Surface Water (GB 3838-2002)

(units are mg L⁻¹ except for pH).

Item	Class I	Class II	Class III	Class IV	Class V
pH			6.0 – 9.0		
SO ₄	-	-	-	-	-
Fe	-	-	-	-	-
Mn	-	-	-	-	-
Cr	0.01	0.05	0.05	0.05	0.1
Ni	-	-	-	-	-
Cu	0.01	1.0	1.0	1.0	1.0
Zn	0.05	1.0	1.0	2.0	2.0
As	0.05	0.05	0.05	0.1	0.1
Cd	0.001	0.005	0.005	0.005	0.01
Hg	0.00005	0.00005	0.0001	0.001	0.001
Pb	0.01	0.01	0.05	0.05	0.1

Table S6. The categories of the Standard for Groundwater Quality (GB/T14848-2017) (units are mg L⁻¹ except for pH).

Item	Class I	Class II	Class III	Class IV	Class V
pH		6.5 – 8.5		5.5 – 6.5 and 8.5 – 9.0	< 5.5 and > 9.0
SO ₄	50	150	250	350	> 350
Fe	0.1	0.2	0.3	2.0	> 2.0
Mn	0.05	0.05	0.1	1.5	> 1.5
Cr	0.005	0.01	0.05	0.1	> 0.1
Ni	0.002	0.002	0.02	0.1	> 0.1
Cu	0.01	0.05	1.0	1.5	> 1.5
Zn	0.05	0.5	1.0	5.0	> 5.0
As	0.001	0.001	0.01	0.05	> 0.05
Cd	0.0001	0.001	0.005	0.01	> 0.01
Hg	0.0001	0.0001	0.001	0.002	> 0.002
Pb	0.005	0.005	0.01	0.1	> 0.1




Figure S8. The spatial distribution of mean concentration of individual components (mg L⁻¹) showing respective (a) Cr, (b) Ni, (c) Cu, (d) Zn, (e) As, (f) Cd, (g) Hg, and (h) Pb in mining-affected water on the 0.5° grid. The classification thresholds for the main components are based on the distribution of all collected data, as well as regulatory benchmarks from GB 3838-2002 and GB/T 14848-2017 in China.

S6 Risks of mining-affected water in China




Figure S9. The cumulative distribution function (CDF) of (a) total carcinogenic risk (TCR) and (b) hazard index (HI) in mining-affected water. $TCR > 10^{-4}$ signifies a significant risk to human health, while $10^{-6} \leq TCR \leq 10^{-4}$ represents an acceptable risk level. Similarly, $HI > 1$ suggests potential adverse health effects, whereas $HI < 1$ indicates no non-carcinogenic risk (NCR). The T1 category includes mine drainage, mine water, and leachate water, while the T2 category indicates mining-affected surface water and groundwater.




Figure S10. The spatial distribution of total carcinogenic risk (TCR) levels for (a) T1-Adult, (b) T1-Children, (c) T2-Adult, and (d) T2-Children. $TCR > 10^{-4}$ signifies a significant risk to human health, while $10^{-6} \leq TCR \leq 10^{-4}$ represents an acceptable risk level. The T1 category includes mine drainage, mine water, and leachate water, while the T2 category indicates mining-affected surface water and groundwater.




Figure S11. The spatial distribution of hazard index (HI) levels for (a) T1-Adult, (b) T1-Children, (c) T2-Adult, and (d) T2-Children. HI > 1 suggests potential adverse health effects, whereas HI < 1 indicates no non-carcinogenic risk (NCR). The T1 category includes mine drainage, mine water, and leachate water, while the T2 category indicates mining-affected surface water and groundwater.

References

- [1] Bao, Y., Guo, C., Wang, H., Lu, G., Yang, C., Chen, M., Dang, Z., 2017. Fe- and S-metabolizing microbial communities dominate an AMD-contaminated river ecosystem and play important roles in Fe and S cycling. *Geomicrobiol. J.*, 34(8), 695-705. <https://doi.org/10.1080/01490451.2016.1243596>.
- [2] Cao, L.H., 2007. Research on the structure of microbial communities of acid mine drainage of Yinshan lead-zinc mine. Central South University, Hunan, China (in Chinese with English abstract).
- [3] Cao, X., Zhou, S., Xie, F., Rong, R., Wu, P., 2019a. The distribution of rare earth elements and sources in Maoshitou reservoir affected by acid mine drainage, Southwest China. *J. Geochem. Explor.*, 202, 92-99. <https://doi.org/10.1016/j.gexplo.2019.03.019>.
- [4] Cao, Z.M., Banda, J.F., Pei, L.X., Wei, P.F., Xin, R.R., Dong, H.Y., Hao, C.B., 2019b. Microbial community structure characteristics in different mine drainage lakes of an iron mine in Anhui Province. *Acta Microbiologica Sinica*, 59(6), 1076-1088 (in Chinese with English abstract). <https://doi.org/10.13343/j.cnki.wsxb.20180560>.
- [5] Chai, Y., Bai, M., Chen, A., Yuan, J., Peng, L., Shao, J., Zhang, J., Qin, P., Peng, C., Zhou, Z., 2022. Introduction of acid mine drainage in the direct production of 5-hydroxymethylfurfural from raw biomass and expanding the use of biomass conversion residue. *Bioresour. Technol.*, 364, 128094. <https://doi.org/10.1016/j.biortech.2022.128094>.
- [6] Chang, W., Ke, X., Wang, W., Liu, P., 2024. Identifying sources of acid mine drainage and major hydrogeochemical processes in abandoned mine adits (Southeast Shaanxi, China). *Environ. Geochem. Health*, 46, 60. <https://doi.org/10.1007/s10653-024-01858-y>.

- [7] Chen, A., Lin, C., Lu, W., Wu, Y., Ma, Y., Li, J., Zhu, L., 2007. Well water contaminated by acidic mine water from the Dabaoshan Mine, South China: Chemistry and toxicity. *Chemosphere*, 70, 248-255. <https://doi.org/10.1016/j.chemosphere.2007.06.041>.
- [8] Chen, C., Li, B., Zhu, M., Wang, X., Liu, G., Deng, Y., 2023a. Multi-isotope identification of key hydrogeochemical processes and pollution pathways of groundwater in abandoned mining areas in Southwest China. *Environ. Sci. Pollut. Res.*, 30, 78198-78215. <https://doi.org/10.1007/s11356-023-27607-9>.
- [9] Chen, D., Chen, Y.-P., Lin, Y., 2021a. Heavy rainfall events following the dry season elevate metal contamination in mining-impacted rivers: A case study of Wenyu River, Qinling, China. *Arch. Environ. Contam. Toxicol.*, 81, 335-345. <https://doi.org/10.1007/s00244-021-00870-y>.
- [10] Chen, D., Zhang, J., Chen, Y., 2021b. Ecotoxicity assessment of a molybdenum mining effluent using acute lethal, oxidative stress, and osmoregulatory endpoints in zebrafish (*Danio rerio*). *Environ. Sci. Pollut. Res.*, 28, 5137-5148. <https://doi.org/10.1007/s11356-020-10841-w>.
- [11] Chen, D., Zhang, Y., Feng, Q., 2023b. Hydrochemical characteristics and microbial community evolution of Pinglu River affected by regional abandoned coal mine drainage, Guizhou Province, China. *Environ. Sci. Pollut. Res.*, 30, 70671-70687. <https://doi.org/10.1007/s11356-023-27403-5>.
- [12] Chen, J.Y., 2019. Risk assessment of groundwater pollution of heavy metal in lead-zinc mine area in Daliangzi, Sichuan Province. Chengdu University of Technology, Chengdu, China (in Chinese with English abstract).

- [13] Chen, K., Liu, Q., Yang, T., Ju, Q., Feng, Y., 2022a. Statistical analyses of hydrochemistry in multi-aquifers of the Pansan coalmine, Huainan coalfield, China: implications for water-rock interaction and hydraulic connection. *Heliyon*, 8, e10690. <https://doi.org/10.1016/j.heliyon.2022.e10690>.
- [14] Chen, K., Sun, L., Xu, J., 2021c. Statistical analyses of groundwater chemistry in the Qingdong coalmine, northern Anhui province, China: implications for water-rock interaction and water source identification. *Appl. Water Sci.*, 11, 50. <https://doi.org/10.1007/s13201-021-01378-5>.
- [15] Chen, L.-W., Xu, X.-C., Wang, J., Chen, F., 2014. Distribution of heavy metals in Xiangsi River Valley of Tongling, China. *Environmental Science*, 35(8), 2967-2973 (in Chinese with English abstract). <https://doi.org/10.13227/j.hjkx.2014.08.018>.
- [16] Chen, M., Lu, G., Guo, C., Yang, C., Wu, J., Huang, W., Yee, N., Dang, Z., 2015. Sulfate migration in a river affected by acid mine drainage from the Dabaoshan mining area, South China. *Chemosphere*, 119, 734-743. <https://doi.org/10.1016/j.chemosphere.2014.07.094>.
- [17] Chen, M., Lu, G., Wu, J., Yang, C., Niu, X., Tao, X., Shi, Z., Yi, X., Dang, Z., 2018a. Migration and fate of metallic elements in a waste mud impoundment and affected river downstream: A case study in Dabaoshan Mine, South China. *Ecotoxicol. Environ. Safe.*, 164, 474-483. <https://doi.org/10.1016/j.ecoenv.2018.08.063>.
- [18] Chen, M., Wu, Y., 2012. Quality evaluation and chemical features analysis of shallow groundwater in lead zinc mine mountain of Shuicheng, Guizhou. *Journal of Hubei University (Natural Science)*, 34(3), 308-312 (in Chinese with English abstract).

- [19] Chen, L., Zhang, H., Xie, Z., Ding, M., Devlin, A.T., Jiang, Y., Xie, K., 2022b. The temporal response of dissolved heavy metals to landscape indices in the Le'an river, China. *Environ. Res.*, 210, 112941. <https://doi.org/10.1016/j.envres.2022.112941>.
- [20] Chen, S., Gui, H., 2017. Hydrogeochemical characteristics of groundwater in the coal-bearing aquifer of the Wugou coal mine, northern Anhui Province, China. *Appl. Water Sci.*, 7, 1903-1910. <https://doi.org/10.1007/s13201-015-0365-0>.
- [21] Chen, S., Liu, J., Wang, F., Zhou, J., Tang, P., Gao, Z., 2022c. Hydrochemical analysis of groundwater in coastal coal mining areas - A case study of the Liangjia coal mine, North China. *Mine Water Environ.*, 41, 415-427. <https://doi.org/10.1007/s10230-022-00855-w>.
- [22] Chen, T., Lei, C., Yan, B., Li, L.-L., Xu, D.-M., Ying, G.-G., 2018b. Spatial distribution and environmental implications of heavy metals in typical lead (Pb)-zinc (Zn) mine tailings impoundments in Guangdong Province, South China. *Environ. Sci. Pollut. Res.*, 25, 36702-36711. <https://doi.org/10.1007/s11356-018-3493-x>.
- [23] Chen, X., Zhang, H., Cai, Y., 2023c. Hydrochemical characteristics and processes of groundwater in the Cenozoic pore aquifer under coal mining. *Environ. Sci. Pollut. Res.*, 30, 33334-33348. <https://doi.org/10.1007/s11356-022-24561-w>.
- [24] Chen, X., Zheng, L., Dong, X., Jiang, C., Wei, X., 2020. Sources and mixing of sulfate contamination in the water environment of a typical coal mining city, China: evidence from stable isotope characteristics. *Environ. Geochem. Health*, 42, 2865-2879. <https://doi.org/10.1007/s10653-020-00525-2>.

- [25] Chen, Y., 2019. Karst spring water pollution by abandoned coal mines - a case of Longdong spring pollution. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).
- [26] Chen, Y., Gui, H., Jiang, C., Zha, J., Zheng, L., 2022d. Hydrogeochemistry and stable hydrogen and oxygen isotope characteristics of deep limestone water in the Huainan Panxie mining area. Arab. J. Geosci., 15, 1133. <https://doi.org/10.1007/s12517-022-10401-1>.
- [27] Chen, Y., Hao, C., Liu, M., He, K., Wang, Z., 2022e. Seasonal cause analysis and irrigation risk of high fluoride mine drainage in Shendong mine area. Science Technology and Engineering, 22(34), 15052-15061 (in Chinese with English abstract).
- [28] Chen, Z., 2023. Analysis of water chemistry and isotope characteristics and water supply relationship in the middle of the Yellow River coal mining basin. East China University of Technology, Nanchang, China (in Chinese with English abstract).
- [29] Chen, Z., Liu, F., Zhu, J., 2016. Cumulative effects assessment of Fe and Mn's migration in gangue yard of a cultivated land. Earth and Environment, 44(2), 185-192 (in Chinese with English abstract). <https://doi.org/10.14050/j.cnki.1672-9250.2016.02.006>.
- [30] Chi, G.L., Zhao, Y., Guan, Z.Y., Wang, J.W., Tong, X.L., 2009. Responses of leaf-litter decomposition rate to acid mine drainage pollution. Chinese Journal of Ecology, 28(12), 2579-2585 (in Chinese with English abstract). <https://doi.org/10.13292/j.1000-4890.2009.0396>.
- [31] Dai, B., Guo, Q., Chen, Z., Zhang, X., Yu, R., 2023. Groundwater isotope hydrochemical characteristics and the interactions between precipitation river and ground water in the

- Wulanmulun River Basin. *Journal of Water Resources & Water Engineering*, 34(4), 15-22 (in Chinese with English abstract). <https://doi.org/10.11705/j.issn.1672-643X.2023.04.03>.
- [32] Deng, W., 2009. Impact and evaluation of coal mine gangue on the surrounding water environment influenced by the closure of the coal mine in Maiping. Guizhou University, Guiyang, China (in Chinese with English abstract).
- [33] Diao, H.Z., Yu, S., Li, H.L., Yin, X.Z., Zhou, J.W., Liu, H., Wang, Y.X., 2023. Analysis on the hydrochemical and sulfur isotope characteristics of the groundwater in cross-strata pollution control area of Hongshan and Zhaili coal mines in Zibo. *Carsologica Sinica*, 42(1), 171-181 (in Chinese with English abstract). <https://doi.org/10.11932/karst20230113>.
- [34] Ding, K., Xiang, L., Shen, R., 2023a. Analysis of groundwater environmental characteristics and pollution sources of Daye Mine and surrounding areas. *Environmental Pollution & Control*, 45(9), 1282-1286+1293 (in Chinese with English abstract). <https://doi.org/10.15985/j.cnki.1001-3865.2023.09.016>.
- [35] Ding, Y., Qi, P., Sun, M., Zhong, M., Zhang, Y., Zhang, L., Xu, Z., Sun, Y., 2023b. Dissolved organic matter composition and fluorescence characteristics of the river affected by coal mine drainage. *Environ. Sci. Pollut. Res.*, 30, 55799-55815. <https://doi.org/10.1007/s11356-023-26211-1>.
- [36] Dong, F., Yin, H., Cheng, W., Li, Y., Qiu, M., Zhang, C., Tang, R., Xu, G., Zhang, L., 2022. Study on water inrush pattern of Ordovician limestone in North China Coalfield based on hydrochemical characteristics and evolution processes: A case study in Binhu and Wangchao Coal Mine of Shandong Province, China. *J. Clean. Product.*, 380, 134954. <https://doi.org/10.1016/j.jclepro.2022.134954>.

- [37] Dong, S., Feng, H., Xia, M., Li, Y., Wang, C., Wang, L., 2020. Spatial-temporal evolutions of groundwater environment in prairie opencast coal mine area: a case study of Yimin Coal Mine, China. *Environ. Geochem. Health*, 42, 3101-3118. <https://doi.org/10.1007/s10653-020-00544-z>.
- [38] Du, S., Jiang, Z., Li, H., Chu, C., Huang, W., Zheng, L., 2023. Geochemical characteristics of rare earth elements in groundwater of Banji coal mine. *Energy Environmental Protection*, 37(6), 167-174. <https://doi.org/10.20078/j.eep.20231009>.
- [39] Duan, J., Zhao, J., Ren, H., Li, X., 2018. Analysis of water quality pollution factors and variation in Yudong River Valley, Kaili City, Guizhou. *Coal Geology of China*, 30(6), 96-100+118 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1674-1803.2018.06.19>.
- [40] Feng, H., Zhou, J., Chai, B., Zhou, A., Li, J., Zhu, H., Chen, H., Su, D., 2020. Groundwater environmental risk assessment of abandoned coal mine in each phase of the mine life cycle: a case study of Hongshan coal mine, North China. *Environ. Sci. Pollut. Res.*, 27, 42001-42021. <https://doi.org/10.1007/s11356-020-10056-z>.
- [41] Feng, Z., 2023. Study on the characteristics of groundwater hydrochemical evolution and water quality evaluation in Yushen mining area. Chang'an University, Xi'an, China (in Chinese with English abstract).
- [42] Gao, H.Y., Xu, Z.M., Wang, K., Ren, Z., Yang, K., Tang, Y.J., Tian, L., Chen, J.P., 2019. Evaluation of the impact of karst depression-type impoundments on the underlying karst water systems in the Gejiu mining district, southern Yunnan, China. *Bull. Eng. Geol. Environ.*, 78, 4673-4688. <https://doi.org/10.1007/s10064-019-01465-7>.

- [43] Gao, J., Wang, D., 2014. Discussion on mine water quality characteristics and treatment techniques in Guizhou coalmine areas. *Coal Geology of China*, 26(5), 49-67 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1674-1803.2014.05.12>.
- [44] Gao, K., Zhang, B., Liu, C., 2023. Characteristics and mechanisms of heavy metal pollution in acid mine drainage environments. *Environmental Science & Technology*, 46(6), 78-84 (in Chinese with English abstract). <https://doi.org/10.19672/j.cnki.1003-6504.0216.23.338>.
- [45] Gong, M., 2023. Distribution characteristics of sulfur-oxygen isotope and identification of groundwater pollution in Taiyuan Xishan mining area. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).
- [46] Gu, H., Ma, F., Guo, J., Li, K., Lu, R., 2017. Hydrochemistry, multidimensional statistics, and rock mechanics investigations for Sanshandao Gold Mine, China. *Arab. J. Geosci.*, 10, 62. <https://doi.org/10.1007/s12517-017-2841-3>.
- [47] Gu, H., Ni, H., Wang, Y., Liu, Y., Li, D., Zhang, Z., 2020. Hydrogeochemical characteristics and impact of arsenic released from a gold deposit in Tibet. *Mine Water Environ.*, 39, 746-757. <https://doi.org/10.1007/s10230-020-00732-4>.
- [48] Guan, H., 2008. Analysis of microbial communities in mine drainages of Da Chang lead-zinc mine, and influence of different culture conditions on community. Central South University, Hunan, China (in Chinese with English abstract).
- [49] Guan, Z., Jia, Z., Zhao, Z., You, Q., 2019. Identification of inrush water recharge sources using hydrochemistry and stable isotopes: A case study of Mindong No. 1 coal mine in north-east Inner Mongolia, China. *J. Earth Syst. Sci.*, 128, 200. <https://doi.org/10.1007/s12040-019-1232-4>.

- [50] Guo, Q., Yang, Y., Han, Y., Li, J., Wang, X., 2019. Assessment of surface-groundwater interactions using hydrochemical and isotopic techniques in a coalmine watershed, NW China. *Environ. Earth Sci.*, 78, 91. <https://doi.org/10.1007/s12665-019-8053-2>.
- [51] Guo, Q., Zhang, Q., Li, Z., Li, F., Wang, F., 2023. Water chemistry and nitrogen and oxygen isotope techniques for tracing nitrate sources and transformation processes in ionic rare earth mining areas. *Peral River*, 44(5), 81-96 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1001-9235.2023.05.011>.
- [52] Hao, C., Huang, Y., Ma, D.-J., Fan, X., 2020. Hydro-geochemistry evolution in Ordovician limestone water induced by mountainous coal mining: A case study from North China. *J. Mt. Sci.* 17(3), 614-623. <https://doi.org/10.1007/s11629-019-5485-9>.
- [53] Hao, C., Liu, M., Peng, Y., Wei, Z., 2022. Comparison of antimony sources and hydrogeochemical processes in shallow and deep groundwater near the Xikuangshan mine, Hunan Province, China. *Mine Water Environ.*, 41, 194-209. <https://doi.org/10.1007/s10230-021-00833-8>.
- [54] Hao, C., Wang, L., Gao, Y., Zhang, L., Dong, H., 2010. Microbial diversity in acid mine drainage of Xiang Mountain sulfide mine, Anhui Province, China. *Extremophiles*, 14, 465-474. <https://doi.org/10.1007/s00792-010-0324-5>.
- [55] Hao, C., Wei, P., Pei, L., Du, Z., Zhang, Y., Lu, Y., Dong, H., 2017. Significant seasonal variations of microbial community in an acid mine drainage lake in Anhui Province, China. *Environ. Pollut.*, 223, 507-516. <https://doi.org/10.1016/j.envpol.2017.01.052>.

- [56] Hao, C., Zhang, L., Wang, L., Li, S., Dong, H., 2012. Microbial community composition in acid mine drainage lake of Xiang Mountain sulfide mine in Anhui Province, China. *Geomicrobiol. J.*, 29(10), 886-895, <https://doi.org/10.1080/01490451.2011.635762>.
- [57] Hao, X., Wang, D., Wang, P., Wang, Y., Zhou, D., 2016. Evaluation of water quality in surface water and shallow groundwater: a case study of a rare earth mining area in southern Jiangxi Province, China. *Environ. Monit. Assess.*, 188, 24. <https://doi.org/10.1007/s10661-015-5025-1>.
- [58] He, J., Li, W., Liu, J., Chen, S., Frost, R.L., 2019. Investigation of mineralogical and bacteria diversity in Nanxi River affected by acid mine drainage from the closed coal mine: Implications for characterizing natural attenuation process. *Spectrochimica Acta A*, 217, 263-270. <https://doi.org/10.1016/j.saa.2019.03.069>.
- [59] He, L., Lyu, G., Hu, A., Yang, L., Guo, Y., Li, G., 2022. Mine water bursting water source discrimination based on hydrochemical features analysis. *Coal Geology of China*, 34(6), 34-39 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1674-1803.2022.06.07>.
- [60] He, M., Wang, Z., Tang, H., 1997. Spatial and temporal patterns of acidity and heavy metals in predicting the potential for ecological impact on the Le An river polluted by acid mine drainage. *Sci. Total Environ.*, 206, 67-77. [https://doi.org/10.1016/S0048-9697\(97\)00217-9](https://doi.org/10.1016/S0048-9697(97)00217-9).
- [61] He, M., Wang, Z., Tang, H., 1998. The chemical, toxicological and ecological studies in assessing the heavy metal pollution in Le An River, China. *Water Res.*, 32(2), 510-518. [https://doi.org/10.1016/S0043-1354\(97\)00229-7](https://doi.org/10.1016/S0043-1354(97)00229-7).

- [62] He, Z., Xiao, S., Xie, X., Zhong, H., Hu, Y., Li, Q., Gao, F., Li, G., Liu, J., Qiu, G., 2007a. Molecular diversity of microbial community in acid mine drainages of Yunfu sulfide mine. *Extremophiles* 11, 305-314. <https://doi.org/10.1007/s00792-006-0044-z>.
- [63] He, Z., Xie, X., Xiao, S., Liu, J., Qiu, G., 2007b. Microbial diversity of mine water at Zhong Tiaoshan copper mine, China. *J. Basic Microbiol.*, 47, 485-495. <https://doi.org/10.1002/jobm.200700219>.
- [64] Hong, T., Ma, Z., Ou, M., Qin, X., Yang, L., Cheng, R., 2017. Hydrochemical characteristics of groundwater and the source analysis of the mining water in Yangliu street mine. *Industrial Safety and Environmental Protection*, 43(7), 83-88 (in Chinese with English abstract).
- [65] Hou, Z., Huang, L., Zhang, S., Han, X., Xu, J., Li, Y., 2024. Identification of groundwater hydrogeochemistry and the hydraulic connections of aquifers in a complex coal mine. *J. Hydrol.*, 628, 130496. <https://doi.org/10.1016/j.jhydrol.2023.130496>.
- [66] Huang, J., 2023. Study on Hydrochemical characteristics of Longde coal mine and influence of coal mining on groundwater. Liaoning Technical University, Fuxin, China (in Chinese with English abstract).
- [67] Huang, P., Chen, J., 2012. Recharge sources and hydrogeochemical evolution of groundwater in the coal-mining district of Jiaozuo, China. *Hydrogeol. J.*, 20, 739-754. <https://doi.org/10.1007/s10040-012-0836-4>.
- [68] Huang, W., 2021. Hydrogeological research on the treatment of acidic water in the old tunnels of Dexing copper mine. Chengdu University of Technology, Chengdu, China (in Chinese with English abstract).

- [69] Huang, X., Deng, H., Zheng, C., Cao, G., 2016a. Hydrogeochemical signatures and evolution of groundwater impacted by the Bayan Obo tailing pond in northwest China. *Sci. Total Environ.*, 543, 357-372. <https://doi.org/10.1016/j.scitotenv.2015.10.150>.
- [70] Huang, X., Li, N., Wu, Q., Long, J., Luo, D., Zhang, P., Yao, Y., Huang, X., Li, D., Lu, Y., Liang, J., 2016b. Risk assessment and vertical distribution of thallium in paddy soils and uptake in rice plants irrigated with acid mine drainage. *Environ. Sci. Pollut. Res.*, 23, 24912-24921. <https://doi.org/10.1007/s11356-016-7679-9>.
- [71] Huang, Y., Li, X.-T., Jiang, Z., Liang, Z.-L., Wang, P., Liu, Z.-H., Li, L.-Z., Yin, H.-Q., Jia, Y., Huang, Z.-S., Liu, S.-J., Jiang, C.-Y., 2021. Key factors governing microbial community in extremely acidic mine drainage (pH<3). *Front. Microbiol.*, 12, 761579. <https://doi.org/10.3389/fmicb.2021.761579>.
- [72] Hussain, R., Wei, C., Luo, K., 2019. Hydrogeochemical characteristics, source identification and health risks of surface water and groundwater in mining and non-mining areas of Handan, China. *Environ. Earth Sci.*, 78, 402. <https://doi.org/10.1007/s12665-019-8350-9>.
- [73] Jiang, C., Cheng, L., Li, C., Zheng, L., 2022. A hydrochemical and multi-isotopic study of groundwater sulfate origin and contribution in the coal mining area. *Ecotoxicol. Environ. Safe.*, 248, 114286. <https://doi.org/10.1016/j.ecoenv.2022.114286>.
- [74] Jiang, C., Li, M., Li, C., Huang, W., Zheng, L., 2023. Combining hydrochemistry and ¹³C analysis to reveal the sources and contributions of dissolved inorganic carbon in the groundwater of coal mining areas, in East China. *Environ. Geochem. Health*, 45, 7065-7080. <https://doi.org/10.1007/s10653-023-01726-1>.

- [75] Jiang, Q., 2007. Study on characteristics, mechanism experiments and preventions of acid mine drainage. Anhui University of Science and Technology, Huainan, China (in Chinese with English abstract).
- [76] Jiang, Q., Liu, Q., Liu, Y., Chai, H., Zhu, J., 2024. Groundwater chemical characteristic analysis and water source identification model study in Gubei coal mine, Northern Anhui Province, China. *Heliyon*, 10, e26925. <https://doi.org/10.1016/j.heliyon.2024.e26925>.
- [77] Jiang, W.X., Jia, X.H., Tang, T., Cai, Q.H., 2016. Response of macroinvertebrate functional feeding groups to acid mine drainage in the Gaolan River. *Acta Ecologica Sinica*, 36(18), 5670-5681 (in Chinese with English abstract). <https://doi.org/10.5846/stxb201504140760>.
- [78] Jiao, Y., Liu, Y., Wang, W., Li, Y., Chang, W., Zhou, A., Mu, R., 2023. Heavy metal distribution characteristics, water quality evaluation, and health risk evaluation of surface water in abandoned multi-year pyrite mine area. *Water*, 15, 3138. <https://doi.org/10.3390/w15173138>.
- [79] Ju, Q., Hu, Y., Liu, Q., Chai, H., Chen, K., Zhang, H., Wu, Y., 2023. Source apportionment and ecological health risks assessment of major ions, metalloids and trace elements in multi-aquifer groundwater near Sunan mine area, eastern China. *Sci. Total Environ.*, 860, 160454. <https://doi.org/10.1016/j.scitotenv.2022.160454>.
- [80] Ju, Q., Hu, Y., Liu, Q., Chai, H., Chen, K., Zhang, H., Wu, Y., 2024. Multiple stable isotopes and geochemical approaches to elucidate reactive transport paths in mining cities: A case from the northern Anhui, China. *Sci. Total Environ.*, 912, 169706. <https://doi.org/10.1016/j.scitotenv.2023.169706>.

- [81] Kuang, J.L., Huang, L.N., Chen, L.X., Hua, Z.-S., Li, S.-J., Hu, M., Li, J.-T., Shu, W.-S., 2013. Contemporary environmental variation determines microbial diversity patterns in acid mine drainage. *ISME J.*, 7, 1038-1050. <https://doi.org/10.1038/ismej.2012.139>.
- [82] Kuang, J.L., Huang, L.N., He, Z.L., Chen, L.X., Hua, Z.S., Jia, P., Li, S.J., Liu, J., Li, J.T., Zhou, J.Z., Shu, W.S., 2016. Predicting taxonomic and functional structure of microbial communities in acid mine drainage. *ISME J.*, 10, 1527-1539. <https://doi.org/10.1038/ismej.2015.201>.
- [83] Kang, X., Li, X., Rao, L., Zhang, W., Luo, X., Wang, K., 2023. Source identification and pattern study of closed coal mines water inflow in Songzao mining area, Chongqing City. *Coal Science and Technology*, 51(10), 220-230 (in Chinese with English abstract). <https://doi.org/10.13199/j.cnki.cst.2022-1640>.
- [84] Li, B., Liu, G., Nie, Y., Ye, Z., 2021a. Causes and effects of a water spill from the underground pit of the Dashu pyrite mine, Southern Sichuan Basin, Southwest China. *Mine Water Environ.*, 40, 864-876. <https://doi.org/10.1007/s10230-021-00825-8>.
- [85] Li, B., Liu, G., Nie, Y., Ye, Z., Yang, Z., Yin, G., 2020. Hydrochemical characteristics and environmental isotope analysis of typical abandoned pyrite in southwest China. *Environmental Science & Technology*, 43(10), 10-17 (in Chinese with English abstract). <https://doi.org/10.19672/j.cnki.1003-6504.2020.10.002>.
- [86] Li, B., Wang, X., Liu, G., Zheng, L., Cheng, C., 2022a. Microbial diversity response to geochemical gradient characteristics on AMD from abandoned Dashu pyrite mine in Southwest China. *Environ. Sci. Pollut. Res.*, 29, 74983-74997. <https://doi.org/10.1007/s11356-022-21031-1>.

- [87] Li, B., Zheng, L., Yang, Z., Chen, C., Liu, G., 2023a. Identification of the sources of mine drainage in a multi aquifer area: a case study of the abandoned Dashu pyrite mine in southwest China. *Hydrogeol. J.*, 31, 387-400. <https://doi.org/10.1007/s10040-022-02559-5>.
- [88] Li, C., Wang, J., Liu, F., Liu, J., Hu, Y., Xu, Z., 2022b. Hydrochemical evolution characteristics of groundwater in Binchang Mining Area. *Coal Science & Technology Magazine*, 43(4), 102-110 (in Chinese with English abstract). <https://doi.org/10.19896/j.cnki.mtkj.2022.04.012>.
- [89] Li, F., Wei, L., Liu, Y., Deng, H., Cui, J., Wang, J., Xiao, T., 2024. Characterization of dissolved organic matter in rivers impacted by acid mine drainage: Components and complexation with metals. *Sci. Total Environ.*, 926, 171960. <https://doi.org/10.1016/j.scitotenv.2024.171960>.
- [90] Li, Guo., Di J., Lyu, Q., 2022c. Distribution characteristics and formation mechanism of high fluoride groundwater in Buertai coal mine. *Coal Engineering*, 54(7), 122-128 (in Chinese with English abstract). <https://doi.org/10.11799/ce202207022>.
- [91] Li, H., Cao, Z., Wang, L., Chi, M., Hu, B., Zhang, S., Zhou, A., 2023b. Study on chemical characteristics and evolution law of groundwater in Taigemiao Mining Area. *Coal Science and Technology*, 51(9), 284-291 (in Chinese with English abstract).
- [92] Li, H., Xiao, T.F., Shuang, Y., He, L.B., Ning, Z.P., Sun, J.L., Peng, J.Q., Li, D.H., Zhu, C.S., 2007. Hydrogeochemistry of cadmium in Jinding Pb-Zn mining district in Yunnan, China. *Geochimica*, 36(6), 633-637 (in Chinese with English abstract).
- [93] Li, L., Cao, X., Wu, P., Bu, C., Ren, Y., Li, K., 2023c. Spatio-temporal characterization of dissolved organic matter in karst rivers disturbed by acid mine drainage and its correlation

- with metal ions. *Sci. Total Environ.*, 897, 165434.
<https://doi.org/10.1016/j.scitotenv.2023.165434>.
- [94] Li, L., Tu, H., Zhang, S., Wu, L., Wu, M., Tang, Y., Wu, P., 2019. Geochemical behaviors of antimony in mining-affected water environment (Southwest China). *Environ. Geochem. Health*, 41, 2397-2411. <https://doi.org/10.1007/s10653-019-00285-8>.
- [95] Li, P., Cheng, J., Liu, J., Wang, T., Yang, J., 2022d. Hydrogeochemical characteristics and solute sources of groundwater in the Yuhengbei mining area, Shaanxi Province, China. *Environ. Earth Sci.*, 81, 516. <https://doi.org/10.1007/s12665-022-10551-1>.
- [96] Li, Q., An, L., Wu, P., Wang, S., Gu, S., Yuan, Y., Fu, Y., 2023d. The introduction of nitrogen from coal into the surface watershed nitrogen cycle due to coal mining activity. *Sci. Total Environ.*, 900, 165822. <https://doi.org/10.1016/j.scitotenv.2023.165822>.
- [97] Li, Q., Wu, P., Wang, S., Huang, J., Lu, W., Tan, D., Gu, S., Fan, B., 2023e. The non-coevolution of DIC and alkalinity and the CO₂ degassing in a karst river affected by acid mine drainage in Southwest China. *Sci. Total Environ.*, 900, 165856. <https://doi.org/10.1016/j.scitotenv.2023.165856>.
- [98] Li, Q., Wu, P., Zha, X., Li, X., Wu, L., Gu, S., 2018a. Effects of mining activities on evolution of water chemistry in coal-bearing aquifers in karst region of Midwestern Guizhou, China: evidences from $\delta^{13}\text{C}$ of dissolved inorganic carbon and $\delta^{34}\text{S}$ of sulfate. *Environ. Sci. Pollut. Res.*, 25, 18038-18048. <https://doi.org/10.1007/s11356-018-1969-3>.
- [99] Li, T., Zhang, F., Meng, L., 2021b. Occurrence, distribution, and prediction of iron and manganese in groundwater of opencast mines: an example from Inner Mongolia, China. *Environ. Monit. Assess.*, 193, 544. <https://doi.org/10.1007/s10661-021-09262-0>.

- [100] Li, X., 2018. Study on hydrogeochemical characteristics and evolution rules of Karst basin under the effects of acid mine drainage waste water. Guizhou University, Guiyang, China (in Chinese with English abstract).
- [101] Li, X., Cai, J., Chen, D., Feng, Q., 2021c. Characteristics of water contamination in abandoned coal mines: a case study on Yudong River area, Kaili, Guizhou Province, China. *Int. J. Coal Sci. Technol.*, 8(6), 1491-1503. <https://doi.org/10.1007/s40789-021-00466-w>.
- [102] Li, X., Qiao, W., Chen, D., Wu, P., Xie, Y., Chen, X., 2023f. Anomalous concentrations of rare earth elements in acid mine drainage and implications for rare earth resources from late Permian coal seams in northern Guizhou. *Sci. Total Environ.*, 879, 163051. <https://doi.org/10.1016/j.scitotenv.2023.163051>.
- [103] Li, X., Wu, P., 2017. Geochemical characteristics of dissolved rare earth elements in acid mine drainage from abandoned high-As coal mining area, southwestern China. *Environ. Sci. Pollut. Res.*, 24, 20540-20555. <https://doi.org/10.1007/s11356-017-9670-5>.
- [104] Li, X., Wu, P., Han, Z., Shi, J., 2016. Sources, distributions of fluoride in waters and its influencing factors from an endemic fluorosis region in central Guizhou, China. *Environ. Earth Sci.*, 75, 981. <https://doi.org/10.1007/s12665-016-5779-y>.
- [105] Li, X., Wu, P., Han, Z., Zha, X., Ye, H., Qin, Y., 2018b. Effects of mining activities on evolution of water quality of karst waters in Midwestern Guizhou, China: evidences from hydrochemistry and isotopic composition. *Environ. Sci. Pollut. Res.*, 25, 1220-1230. <https://doi.org/10.1007/s11356-017-0488-y>.
- [106] Li, X., Zhang, R., Li, Q., Wu, P., Ye, H., 2021d. Rare earth elements and yttrium (REY) in coal mine drainage from Southwest China: Geochemical distribution and resource

evaluation. Sci. Total Environ., 782, 146904.

<https://doi.org/10.1016/j.scitotenv.2021.146904>.

- [107] Li, X., Zhao, X., Zhou, F., Chen, Y., Huang, T., Sun, Q., 2021e. Distribution characteristics of sulfur species and isotopes in sediments of rivers around Zhongshan tailing at Lujiang County, Anhui Province. Environmental Chemistry, 40(6), 1787-1794 (in Chinese with English abstract). <https://doi.org/10.7524/j.issn.0254-6108.2020020404>.
- [108] Li, X.Q., Zhang, B., Zhou, A.G., Liu, Y.D., 2014. Using sulfur and oxygen isotopes of sulfate to track groundwater contamination from coal mine drainage in Heshan. Hydrogeology & Engineering Geology, 41(6), 103-109 (in Chinese with English abstract). <https://doi.org/10.16030/j.cnki.issn.1000-3665.2014.06.019>.
- [109] Li, Y., Wang, W., Xu, F., Huang, H., Zha, H., 2023g. Identification and quantitative analysis of water source in Shilawusu coal mine of Hujilt mining area. Coal Geology of China, 35(8), 45-57 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1674-1803.2023.08.08>.
- [110] Li, Z., 2014. Water quality analysis and treatment technology research of acid mine drainage from Banpo antimony mine in Guizhou province. Guizhou Normal University, Guiyang, China (in Chinese with English abstract).
- [111] Liang, Z.L., Qin, Y.L., Wang, P., Wang, B.J., Liu, Z.H., Yin, H.Q., Liu, S.J., Jiang, C.Y., 2019. Microbial community structure and function in acid mine drainage from Mengzi, Yunnan Province. Chinese Journal of Biotechnology, 35(11), 2035-2049 (in Chinese with English abstract). <https://doi.org/10.13345/j.cjb.190506>.

- [112] Liao, J., Ru, X., Xie, B., Zhang, W., Wu, H., Wu, C., Wei, C., 2017. Multi-phase distribution and comprehensive ecological risk assessment of heavy metal pollutants in a river affected by acid mine drainage. *Ecotoxicol. Environ. Safe.*, 141, 75-84. <https://doi.org/10.1016/j.ecoenv.2017.03.009>.
- [113] Liao, L., Yang, Z., Yang, F., Zhang, H., Wang, C., Mao, Z., Pang, L., Wu, Y., 2021. Environmental problems and countermeasures of AMD in pyrite and high-sulfur coals in Southwest China. *Journal of Chengdu University of Technology (Science & Technology Edition)*, 48(6), 754-761 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1671-9727.2021.06.13>.
- [114] Lin, C., Wu, Y., Lu, W., Chen, A., Liu, Y., 2007. Water chemistry and ecotoxicity of an acid mine drainage-affected stream in subtropical China during a major flood event. *J. Hazard. Mater.*, 142, 199-207. <https://doi.org/10.1016/j.jhazmat.2006.08.006>.
- [115] Lin, M.-L., Peng, W.-H., Gui, H.-R., 2016. Hydrochemical characteristics and quality assessment of deep groundwater from the coal-bearing aquifer of the Linhuan coal-mining district, Northern Anhui Province, China. *Environ. Monit. Assess.*, 188, 202. <https://doi.org/10.1007/s10661-016-5199-1>.
- [116] Liu, B., Meng, F., Xue, J., Guo, J., Luo, A., 2023a. Analysis on chemical characteristics and hydraulic connection degree of groundwater in Yushuquan Mining Area. *China Energy and Environmental Protection*, 45(8), 73-79 (in Chinese with English abstract). <https://doi.org/10.19389/j.cnki.1003-0506.2023.08.014>.
- [117] Liu, B., Wang, Y., Hao, C., 2023b. Spatial distribution and formation mechanism of high fluoride mine water in Halagou Coal Mine. *Coal Processing & Comprehensive Utilization*,

- 6, 94-100 (in Chinese with English abstract). <https://doi.org/10.16200/j.cnki.11-2627/td.2023.06.023>.
- [118] Liu, F., Wang, G., Li, B., Wang, C., Qu, S., Liao, F., 2024. Rare earth element behaviors of groundwater in overlying aquifers under the influence of coal mining in northern Ordos Basin, China. *Environ. Sci. Pollut. Res.*, 31, 13284-13301. <https://doi.org/10.1007/s11356-024-31958-2>.
- [119] Liu, F., Zhang, X., Tang, S., Wang, M., Liu, H., 2019a. Effects of acid mine drainage on eukaryotic community in river sediments. *China Environmental Science*, 39(12), 5285-5292 (in Chinese with English abstract). <https://doi.org/10.19674/j.cnki.issn1000-6923.2019.0613>.
- [120] Liu, G., Ran M., Wen, Z., Zheng, Z., 2010. Water quality characteristics and impact on karst development in a coalmine in Gulin-Xuyong Mining Area, Southern Sichuan. *Coal Geology of China*, 22(7), 36-40 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1674-1803.2010.07.09>.
- [121] Liu, J., Hao, Y., Gao, Z., Wang, M., Liu, M., Wang, Z., Wang, S., 2019b. Determining the factors controlling the chemical composition of groundwater using multivariate statistics and geochemical methods in the Xiqu coal mine, North China. *Environ. Earth Sci.*, 78, 364. <https://doi.org/10.1007/s12665-019-8366-1>.
- [122] Liu, J., Jin, D., Wang, T., Gao, M., Yang, J., Wang, Q., 2019c. Hydrogeochemical processes and quality assessment of shallow groundwater in Chenqi coalfield, Inner Mongolia, China. *Environ. Earth Sci.*, 78, 347. <https://doi.org/10.1007/s12665-019-8355-4>.

- [123] Liu, J., Wang, H., Jin, D., Xu, F., Zhao, C., 2020a. Hydrochemical characteristics and evolution processes of karst groundwater in Carboniferous Taiyuan formation in the Pingdingshan coalfield. *Environ. Earth Sci.*, 79, 151. <https://doi.org/10.1007/s12665-020-8898-4>.
- [124] Liu, J., Wang, J., Chen, Y., Lippold, H., Xiao, T., Li, H., Shen, C.-C., Xie, L., Xie, X., Yang, H., 2017a. Geochemical transfer and preliminary health risk assessment of thallium in a riverine system in the Pearl River Basin, South China. *J. Geochem. Explor.* 176, 64-75. <https://doi.org/10.1016/j.gexplo.2016.01.011>.
- [125] Liu, L., 2009. The pollution characteristics of acid drainage and its chemical control methods in Guizhou coal mine areas. Guizhou University, Guiyang, China (in Chinese with English abstract).
- [126] Liu, N., Chen, A., Xu, J., Fu, J., 2022a. Hydrogeochemical simulation of groundwater in Jiaozuo mining area. *Journal of Geological Hazards and Environment Preservation*, 33(4), 121-128 (in Chinese with English abstract).
- [127] Liu, P., Hoth, N., Drebenstedt, C., Sun, Y., Xu, Z., 2017b. Hydro-geochemical paths of multi-layer groundwater system in coal mining regions - Using multivariate statistics and geochemical modeling approaches. *Sci. Total Environ.*, 601-602, 1-14. <https://doi.org/10.1016/j.scitotenv.2017.05.146>.
- [128] Liu, P., Yang, M., Sun, Y., 2019d. Hydro-geochemical processes of the deep Ordovician groundwater in a coal mining area, Xuzhou, China. *Hydrogeol. J.*, 27, 2231-2244. <https://doi.org/10.1007/s10040-019-01991-4>.

- [129] Liu, Q., Zhang, Z., Zhang, B., Mu, W., Zhang, H., Li, Y., Xu, N., 2021a. Hydrochemical analysis and identification of open-pit mine water sources: a case study from the Dagushan iron mine in Northeast China. *Sci. Rep.*, 11, 23152. <https://doi.org/10.1038/s41598-021-02609-0>.
- [130] Liu, S., Cao, X. X., Wu, P., Liao, L., Liao, J.H., 2021b. Study on characteristics of reservoir fungal community and environmental factors under the influence of acid mine drainage. *Environmental Science & Technology*, 44(2), 1-8 (in Chinese with English abstract). <https://doi.org/10.19672/j.cnki.1003-6504.2021.02.001>.
- [131] Liu, W., Liu, S., Tang, C., Qin, W., Pan, H., Zhang, J., 2020b. Evaluation of surface water quality after mine closure in the coal-mining region of Guizhou, China. *Environ. Earth Sci.*, 79, 427. <https://doi.org/10.1007/s12665-020-09167-0>.
- [132] Liu, W.-S., Guo, M.-N., Liu, C., Yuan, M., Chen, X.-T., Huot, H., Zhao, C.-M., Tang, Y.-T., Morel, J.L., Qiu, R.-L., 2019e. Water, sediment and agricultural soil contamination from an ion-adsorption rare earth mining area. *Chemosphere*, 216, 75-83. <https://doi.org/10.1016/j.chemosphere.2018.10.109>.
- [133] Liu, W.X., Coveney, R.M., Chen, J.L., 2003. Environmental quality assessment on a river system polluted by mining activities. *Appl. Geochem.*, 18, 749-764. [https://doi.org/10.1016/S0883-2927\(02\)00155-5](https://doi.org/10.1016/S0883-2927(02)00155-5).
- [134] Liu, X.X., Huo, Q., Liu, X.D., Qiu, G.Z., 2007. Diversity of microbial community in acid mine drainage in ancient mine area. *J. Cent. South Univ. (Science and Technology)*, 38(3), 414-420 (in Chinese with English abstract).

- [135] Liu, X., Zhang, R., Wan, B., 2022b. Study on mine water inrush source discrimination method based on Piper-PCA-MLP neural network. *Coal Geology of China*, 34(7), 50-55 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1674-1803.2022.07.10>.
- [136] Liu, Y., Wei, L., Deng, H., Hu, S., Xie, X., Luo, D., Xiao, T., 2023c. Hydrogeochemistry of groundwater surrounding a pyrite mine in southern China: Assessment of the diffusive gradients in thin films technique for in situ monitoring. *J. Hydrol.*, 622, 129685. <https://doi.org/10.1016/j.jhydrol.2023.129685>.
- [137] Liu, Y., Wei, L., Wu, Q., Luo, D., Xiao, T., Wu, Q., Huang, X., Liu, J., Wang, J., Zhang, P., 2023d. Impact of acid mine drainage on groundwater hydrogeochemistry at a pyrite mine (South China): a study using stable isotopes and multivariate statistical analyses. *Environ. Geochem. Health*, 45, 771-785.
- [138] Liu, Y., Wei, L., Luo, D., Xiao, T., Lekhov, A., Xie, X., Huang, X., Su, X., 2021c. Geochemical distribution and speciation of thallium in groundwater impacted by acid mine drainage (Southern China). *Chemosphere*, 280, 130743. <https://doi.org/10.1016/j.chemosphere.2021.130743>.
- [139] Lu, C., Cheng, W., Yin, H., Li, S., Zhang, Y., Dong, F., Cheng, Y., Zhang, X., 2024. Study on inverse geochemical modeling of hydrochemical characteristics and genesis of groundwater system in coal mine area - a case study of Longwanggou Coal Mine in Ordos Basin. *Environ. Sci. Pollut. Res.*, 31, 16583-16600. <https://doi.org/10.1007/s11356-024-32153-z>.
- [140] Lu, C., Yang, B., Cui, X., Wang, S., Qu, C., Zhang, W., Zhou, B., 2021. Characteristics and environmental response of white secondary mineral precipitate in the acid mine drainage

- from Jinduicheng mine, Shaanxi, China. *Bull. Environ. Contam. Toxicol.*, 107, 1012-1021.
<https://doi.org/10.1007/s00128-021-03355-9>.
- [141] Lu, Z., Guo, Y., Li, G., Wang, L., Li, F., Zhang, Z., 2023. Water quality and health risk of surface water, groundwater and mine water in Shendong mining area. *Safety and Environmental Engineering*, 30(5), 222-234 (in Chinese with English abstract).
<https://doi.org/10.13578/j.cnki.issn.1671-1556.20230273>.
- [142] Luo, C., Routh, J., Dario, M., Sarkar, S., Wei, L., Luo, D., Liu, Y., 2020. Distribution and mobilization of heavy metals at an acid mine drainage affected region in South China, a post-remediation study. *Sci. Total Environ.*, 724, 138122.
<https://doi.org/10.1016/j.scitotenv.2020.138122>.
- [143] Luo, Y., Rao, J., Jia, Q., 2022. Heavy metal pollution and environmental risks in the water of Rongna River caused by natural AMD around Tiegelongnan copper deposit, Northern Tibet, China. *PLoS ONE*, 17(4), e0266700. <https://doi.org/10.1371/journal.pone.0266700>.
- [144] Ma, L., Banda, J.F., Wang, Y., Yang, Q., Zhao, L., Hao, C., Dong, H., 2024. Metagenomic insight into the acidophilic functional communities driving elemental geochemical cycles in an acid mine drainage lake. *J. Hazard. Mater.*, 466, 13307.
<https://doi.org/10.1016/j.jhazmat.2023.133070>.
- [145] Ma, T., Zhou, W., Yang, X., Christie, P., Luo, Y., 2019. Risk assessment of contamination by potentially toxic metals: A case study in the vicinity of an abandoned pyrite mine. *Minerals*, 9, 783. <https://doi.org/10.3390/min9120783>.
- [146] Mei, A., Wu, X., Zeng, Y., Zhu, G., Zhao, D., Zhang, Y., 2024. Formation processes of groundwater in a non-ferrous metal mining city of China: Insights from hydrochemical and

- strontium isotope analyses. *Environ. Sci. Pollut. Res.*, 31, 15716-15732.
<https://doi.org/10.1007/s11356-024-32186-4>.
- [147] Miao, D., Yang, W., Yin, Y., Guan, L., Ayibieke, M., Su L., Dang, Y., 2024. Underground water hydrochemical characteristics and indexes of Kuangou coal mine. *Shaanxi Coal*, 43(1),47-51 (in Chinese with English abstract). <https://doi.org/10.20120/j.cnki.issn.1671-749x.2024.0109>.
- [148] Min, M., Peng, X., Zhou, X., Qiao, H., Wang, J., Zhang, L., 2007. Hydrochemistry and isotope compositions of groundwater from the Shihongtan sandstone-hosted uranium deposit, Xinjiang, NW China. *J. Geochem. Explor.*, 93, 91-108.
<https://doi.org/10.1016/j.gexplo.2006.12.001>.
- [149] Nyirenda, T.M., Zhou, J., Mapoma, H.W., Xie, L., Li, Y., 2016. Hydrogeochemical characteristics of groundwater at the Xikuangshan antimony mine in South China. *Mine Water Environ.*, 35, 86-93. <https://doi.org/10.1007/s10230-015-0341-9>.
- [150] Pan, X., Yue, Z., She, Z., He, X., Wang, S., Chuai, X., Wang, J., 2023. Eukaryotic community structure and interspecific interactions in a stratified acidic pit lake water in Anhui Province. *Microorganisms*, 11, 979.
<https://doi.org/10.3390/microorganisms11040979>.
- [151] Pan, Y., Ye, H., Li, X., Yi, X., Wen, Z., Wang, H., Lu, G., Dang, Z., 2021. Spatial distribution characteristics of the microbial community and multi-phase distribution of toxic metals in the geochemical gradients caused by acid mine drainage, South China. *Sci. Total Environ.*, 774, 145660. <https://doi.org/10.1016/j.scitotenv.2021.145660>.

- [152] Pei, H., Wang, C., Wang, Y., Yang, H., Xie, S., 2019. Distribution of microbial lipids at an acid mine drainage site in China: Insights into microbial adaptation to extremely low pH conditions. *Org. Geochem.*, 134, 77-91. <https://doi.org/10.1016/j.orggeochem.2019.05.008>.
- [153] Peng, B., Tang, X., Yu, C., Xie, S., Xiao, M., Song, Z., Tu X., 2009. Heavy metal geochemistry of the acid mine drainage discharged from the Hejiacun uranium mine in central Hunan, China. *Environ. Geol.*, 57, 421-434. <https://doi.org/10.1007/s00254-008-1313-1>.
- [154] Peng, T., Ma, L., Feng, X., Tao, J., Nan, M., Liu, Y., Li, J., Shen, L., Wu, X., Yu, R., Liu, X., Qiu, G., Zeng, W., 2017. Genomic and transcriptomic analyses reveal adaptation mechanisms of an *Acidithiobacillus ferrivorans* strain YL15 to alpine acid mine drainage. *PLoS ONE*, 12(5), e0178008. <https://doi.org/10.1371/journal.pone.0178008>.
- [155] Peng, Y., 2023. Research on the mechanism of dissolved organic matter regulating the environmental behavior of antimony elements in mining areas phreatic water. Institute of Disaster Prevention, Langfang, China (in Chinese with English abstract).
- [156] Peng, Y., Zeng, W., 2020. Diversity of microbial community in acid mine drainage from Zijinshan copper mine. *Microbiology China*, 47(9), 2887-2896 (in Chinese with English abstract). <https://doi.org/10.13344/j.microbiol.china.200279>.
- [157] Qian, J., Tong, Y., Ma, L., Zhao, W., Zhang, R., He, X., 2018. Hydrochemical characteristics and groundwater source identification of a multiple aquifer system in a coal mine. *Mine Water Environ.*, 37, 528-540. <https://doi.org/10.1007/s10230-017-0493-x>.
- [158] Qiao, D., Wang, G., Li, X., Wang, S., Zhao, Y., 2020. Pollution, sources and environmental risk assessment of heavy metals in the surface AMD water, sediments and surface soils

- around unexploited Rona Cu deposit, Tibet, China. *Chemosphere*, 248, 125988.
<https://doi.org/10.1016/j.chemosphere.2020.125988>.
- [159] Qiao, W., Li, W., Zhang, S., Niu, Y., 2019. Effects of coal mining on the evolution of groundwater hydrogeochemistry. *Hydrogeol. J.*, 27, 2245-2262.
<https://doi.org/10.1007/s10040-019-01969-2>.
- [160] Qin, S., Li, X., Huang, J., Li, W., Wu, P., Li, Q., Li, L., 2024. Inputs and transport of acid mine drainage-derived heavy metals in karst areas of southwestern China. *Environ. Pollut.*, 343, 123243. <https://doi.org/10.1016/j.envpol.2023.123243>.
- [161] Qin, S., Li, X., Wu, P., Li, Q., 2022. Spatial-temporal variations and multi-statistical analysis of contaminants in the waters affected by acid-mining drainage in Karst area: a case of coal-mining area in Zhijin County. *Environ. Earth Sci.*, 81, 289.
<https://doi.org/10.1007/s12665-022-10368-y>.
- [162] Qu, D., Wang, E., Wang, L., 2023a. Analysis of roof hydrochemical characteristics of No. 2 coal seam in Dahanze coal mine. *Shaanxi Coal*, 3, 109-112+135 (in Chinese with English abstract).
- [163] Qu, S., Liang, X., Liao, F., Mao, H., Xiao, B., Duan, L., Shi, Z., Wang, G., Yu, R., 2023b. Geochemical fingerprint and spatial pattern of mine water quality in the Shaanxi-Inner Mongolia Coal Mine Base, Northwest China. *Sci. Total Environ.*, 854, 158812.
<https://doi.org/10.1016/j.scitotenv.2022.158812>.
- [164] Qu, S., Liao, F., Wang, G., Wang, X., Shi, Z., Liang, X., Duan, L., Liu, T., 2023c. Hydrochemical evolution of groundwater in overburden aquifers under the influence of

- mining activity: combining hydrochemistry and groundwater dynamics analysis. *Environ. Earth Sci.*, 82, 135. <https://doi.org/10.1007/s12665-023-10817-2>.
- [165] Qu, S., Shi, Z., Liang, X., Wang, G., Han, J., 2021. Multiple factors control groundwater chemistry and quality of multi-layer groundwater system in Northwest China coalfield - Using self-organizing maps (SOM). *J. Geochem. Explor.*, 227, 106795. <https://doi.org/10.1016/j.gexplo.2021.106795>.
- [166] Qu, S., Wang, G., Shi, Z., Zhu, Z., Wang, X., Jin, X., 2022. Impact of mining activities on groundwater level, hydrochemistry, and aquifer parameters in a coalfield's overburden aquifer. *Mine Water Environ.*, 41, 640-653. <https://doi.org/10.1007/s10230-022-00875-6>.
- [167] Rasool, A., Xiao, T., 2019. Distribution and potential ecological risk assessment of trace elements in the stream water and sediments from Lanmuchang area, southwest Guizhou, China. *Environ. Sci. Pollut. Res.*, 26, 3706-3722. <https://doi.org/10.1007/s11356-018-3827-8>.
- [168] Ren, H., 2021. Investigation on the mechanism and control of Karst groundwater pollution due to abandoned coal mines: A case study in the Yudong River Basin, Kaili City, Guizhou Province, China. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).
- [169] Ren, K., Pan, X.D., Lan, G.J., Peng, C., Liang, J.P., Zeng, J., 2021a. Seasonal variation and sources identification of dissolved sulfate in a typical karst subterranean stream basin using sulfur and oxygen isotopes. *Environmental Science*, 42(9), 4267-4274 (in Chinese with English abstract). <https://doi.org/10.13227/j.hjkk.202101225>.

- [170] Ren, K., Zeng, J., Liang, J., Yuan, D., Jiao, Y., Peng, C., Pan, X., 2021b. Impacts of acid mine drainage on karst aquifers: Evidence from hydrogeochemistry, stable sulfur and oxygen isotopes. *Sci. Total Environ.*, 61, 143223. <https://doi.org/10.1016/j.scitotenv.2020.143223>.
- [171] Sajjad, W., Zheng, G., Ma, X., Rafiq, M., Irfan, M., Xu, W., Ali, B., 2019. Culture-dependent hunt and characterization of iron-oxidizing bacteria in Baiyin copper mine, China, and their application in metals extraction. *J. Basic Microbiol.*, 59, 323-336. <https://doi.org/10.1002/jobm.201800433>.
- [172] Sajjad, W., Zheng, G., Zhang, G., Ma, X., Xu, W., Ali, B., Rafiq, M., 2018. Diversity of prokaryotic communities indigenous to acid mine drainage and related rocks from Baiyin open-pit copper mine stope, China. *Geomicrobiol. J.*, 35(7), 580-600. <https://doi.org/10.1080/01490451.2018.1430873>.
- [173] She, Z., Pan, X., Wang, J., Shao, R., Wang, G., Wang, S., Yue, Z., 2021. Vertical environmental gradient drives prokaryotic microbial community assembly and species coexistence in a stratified acid mine drainage lake. *Water Res.*, 206, 117739. <https://doi.org/10.1016/j.watres.2021.117739>.
- [174] She, Z., Pan, X., Yue, Z., Shi, X., Gao, Y., Wang, S., Chuai, X., Wang, J., 2023a. Contrasting prokaryotic and eukaryotic community assembly and species coexistence in acid mine drainage-polluted waters. *Sci. Total Environ.*, 856, 158954. <https://doi.org/10.1016/j.scitotenv.2022.158954>.
- [175] She, Z., Wang, J., Pan, X., Ma, D., Gao, Y., Wang, S., Chuai, X., Yue, Z., 2023b. Decadal evolution of an acidic pit lake: Insights into the biogeochemical impacts of microbial

- p>community succession. Water Res., 243, 120415.
-
- <https://doi.org/10.1016/j.watres.2023.120415>
- .
- [176] Shi, L., He, L., Zhan, Z., Wang, Y., Wang, C., 2023. Formation mechanism and health risk assessment of high fluoride groundwater in sandstone of Xiaoyun coal mine, Shandong province. China Sciencepaper, 18(9), 993-999 (in Chinese with English abstract).
- [177] Shi, Q., 2022a. Research on hydrogeochemical characteristics and water filling source identification of Donggou coal mine, Xinjiang. Coal Geology of China, 34(11), 41-45 (in Chinese with English abstract). <https://doi.org/10.3969/j.issn.1674-1803.2022.11.08>.
- [178] Shi, X., 2022b. Hydrochemical characteristics and formation mechanism of Wuliba pyrite mine in Hanzhong City. Chang'an University, Xi'an, China (in Chinese with English abstract). <https://doi.org/10.26976/d.cnki.gchau.2022.001176>.
- [179] Song, K., Wang, F., Peng, Y., Liu, J., Liu, D., 2022. Construction of a hydrogeochemical conceptual model and identification of the groundwater pollution contribution rate in a pyrite mining area. Environ. Pollut., 305, 119327.
<https://doi.org/10.1016/j.envpol.2022.119327>.
- [180] Song, L., 2019. Composition feature of microbial communities in acid mine drainage from Yangquan mining area and its impact on water quality downstream. Shanxi University, Taiyuan, China (in Chinese with English abstract).
- [181] Song, W., Zhou, P.K., 2010. Characteristics and processing engineering practice of acidity mine water containing Fe and Mn. Journal of Guizhou University (Natural Sciences), 27(2), 129-132 (in Chinese with English abstract).
<https://doi.org/10.15958/j.cnki.gdxbzrb.2010.02.013>.

- [182] Su, H., Kang, W., Xu, Y., Wang, J., 2018. Assessing groundwater quality and health risks of nitrogen pollution in the Shenfu mining area of Shaanxi Province, Northwest China. *Expo. Health*, 10, 77-97. <https://doi.org/10.1007/s12403-017-0247-9>.
- [183] Sun, H., Zhao, F., Li, W., Li, R., Ge, X., 2007. Geochemical characteristics of acid mine drainage and sediments from coal mines. *Journal of China University of Mining & Technology*, 36(2), 221-226 (in Chinese with English abstract).
- [184] Sun, H., Zhao, F., Zhang, M., Li, J., 2012. Behavior of rare earth elements in acid coal mine drainage in Shanxi Province, China. *Environ. Earth Sci.*, 67, 205-213. <https://doi.org/10.1007/s12665-011-1497-7>.
- [185] Sun, L.H., 2014. Statistical analysis of hydrochemistry of groundwater and its implications for water source identification: a case study. *Arab. J. Geosci.*, 7, 3417-3425. <https://doi.org/10.1007/s12517-013-1061-8>.
- [186] Sun, J., Takahashi, Y., Strosnider, W.H.J., Kogure, T., Wu, P., Cao, X., 2019. Tracing and quantifying contributions of end members to karst water at a coalfield in southwest China. *Chemosphere*, 234, 777-788. <https://doi.org/10.1016/j.chemosphere.2019.06.066>.
- [187] Sun, J., Tang, C., Wu, P., Liu, C., Zhang, R., 2013. Migration of Cu, Zn, Cd and As in epikarst water affected by acid mine drainage at a coalfield basin, Xingren, Southwest China. *Environ. Earth Sci.*, 69, 2623-2632. <https://doi.org/10.1007/s12665-012-2083-3>.
- [188] Sun, J., Wu, P., Han, Z., Zhang, C., Liu, H., 2009. Influence of wastewater from a high arsenic coal mine on quality of epikarst water. *Research of Environmental Sciences*, 22(12), 1440-1444 (in Chinese with English abstract). <https://doi.org/10.13198/j.res.2009.12.90.sunj.014>.

- [189] Sun, W., Xiao, E., Krumins, V., Dong, Y., Xiao, T., Ning, Z., Chen, H., Xiao, Q., 2016. Characterization of the microbial community composition and the distribution of Fe-metabolizing bacteria in a creek contaminated by acid mine drainage. *Appl. Microbiol. Biotechnol.*, 100, 8523-8535. <https://doi.org/10.1007/s00253-016-7653-y>.
- [190] Sun, W., Xiao, T., Sun, M., Dong, Y., Ning, Z., Xiao, E., Tang, S., Li, J., 2015. Diversity of the sediment microbial community in the Aha watershed (southwest China) in response to acid mine drainage pollution gradients. *Appl. Environ. Microbiol.*, 81, 4874-4884. <https://doi.org/10.1128/AEM.00935-15>.
- [191] Tan, G.-L., Shu, W.-S., Hallberg, K.B., Li, F., Lan, C.-Y., Huang, L.-N., 2007. Cultivation-dependent and cultivation-independent characterization of the microbial community in acid mine drainage associated with acidic Pb/Zn mine tailings at Lechang, Guangdong, China. *FEMS Microbiol. Ecol.*, 59(1), 118-126. <https://doi.org/10.1111/j.1574-6941.2006.00216.x>.
- [192] Tan, G.-L., Shu, W.-S., Zhou, W.-H., Li, X.-L., Lan, C.-Y., Huang, L.-N., 2009. Seasonal and spatial variations in microbial community structure and diversity in the acid stream draining across an ongoing surface mining site. *FEMS Microbiol. Ecol.*, 70, 277-285. <https://doi.org/10.1111/j.1574-6941.2009.00744.x>.
- [193] Tang, C.L., Jin, H., Liang, Y.P., 2021a. Using isotopic and hydrochemical indicators to identify sources of sulfate in karst groundwater of the Niangziguan spring field, China. *Water*, 13, 390. <https://doi.org/10.3390/w13030390>.
- [194] Tang, C.L., Liang, Y.P., Jin, H., Zhao, C.H., Shen, H.Y., Wang, Z.H., Zhao, Y., Xie, H., Liang, C., 2022. Overview of field monitoring for acid mine water system of the coal mine in

- Shandi river basin. *Carsologica Sinica*, 41(4), 522-531 (in Chinese with English abstract).
<https://doi.org/10.11932/karst20220402>.
- [195] Tang, C.L., Zhao, C.H., Shen, H.Y., Liang, Y.P., Wang, Z.H., 2021b. Chemical characteristics and causes of groups water in Niangziguan spring. *Environmental Science*, 42(3), 1416-1423 (in Chinese with English abstract).
<https://doi.org/10.13227/j.hjcx.202007047>.
- [196] Tang, C.L., Zheng, X.Q., Liang, Y.P., 2020. Hydrochemical characteristics and formation causes of ground Karst water systems in the Longzici spring catchment. *Environmental Science*, 41(5), 2087-2095 (in Chinese with English abstract).
<https://doi.org/10.13227/j.hjcx.201910078>.
- [197] Tang, C.Y., Wu, P., Tao, X.Z., Zhang, C.P., Han, Z.W., 2009. The basin acidification affected by AMD: A case study in Xingren county, Guizhou, China. *Carsologica Sinica*, 28(2), 135-143.
- [198] Tao, X., Wu, P., Tang, C., Liu, H., Sun, J., 2012. Effect of acid mine drainage on a karst basin: a case study on the high-As coal mining area in Guizhou province, China. *Environ. Earth Sci.*, 65, 631-638. <https://doi.org/10.1007/s12665-011-1110-0>.
- [199] Tong, X., Yan, L., Zhao, Y., Lin, C., Han, C., Liu, R., Liu, L., 2006. The breakdown of leaf litter in a stream impacted by acid mine drainage. *Acta Ecologica Sinica*, 26(12), 4033-4038 (in Chinese with English abstract).
- [200] Wan, M.X., 2006. Microbial communities in acid mine drainage from Dabaoshan mine and succession of communities under the selective stress of ferrous iron. Central South University, Changsha, China.

- [201] Wang, B., 2023a. Study on groundwater chemical characteristics and pollutant migration in an open pit mining area. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).
- [202] Wang, C., Liao, F., Wang, G., Qu, S., Mao, H., Bai, Y., 2023a. Hydrogeochemical evolution induced by long-term mining activities in a multi-aquifer system in the mining area. *Sci. Total Environ.*, 854, 158806. <https://doi.org/10.1016/j.scitotenv.2022.158806>.
- [203] Wang, J., Wu Y.-G., Liu, F., Yu, Y., Zeng, L., Wang, L., Qin, Z., 2011. Water quality analysis and acute toxicity to *daphnia carinata* of various water samples from typical coal mining areas in Guizhou province. *Environmental Science & Technology*, 34(4), 68-73 (in Chinese with English abstract).
- [204] Wang, M., Wang, X., Zhou, S., Chen, Z., Chen, M., Feng, S., Li, J., Shu, W., Cao, B., 2023b. Strong succession in prokaryotic association networks and community assembly mechanisms in an acid mine drainage-impacted riverine ecosystem. *Water Res.*, 243, 120343. <https://doi.org/10.1016/j.watres.2023.120343>.
- [205] Wang, Q., Dong, S., Wang, H., Yang, J., Huang, H., Dong, X., Yu, B., 2020. Hydrogeochemical processes and groundwater quality assessment for different aquifers in the Caojiatan coal mine of Ordos Basin, northwestern China. *Environ. Earth Sci.*, 79, 199. <https://doi.org/10.1007/s12665-020-08942-3>.
- [206] Wang, S., Tang, H., Shi, L., Liu, J., Yang, Z., Zhu, H., Xu, F., Zhu, K., Fan, J., Fang, G., 2022a. Hydrogeochemical analysis and assessment of mine water quality in Tangjiahui mining area, Inner Mongolia, China. *Environ. Earth Sci.*, 81, 49. <https://doi.org/10.1007/s12665-022-10205-2>.

- [207] Wang, T., Jin, D., Yang, J., Liu, J., Wang, Q., 2019. Assessing mine water quality using a hierarchy fuzzy variable sets method: a case study in the Guojiawan mining area, Shaanxi Province, China. *Environ. Earth Sci.*, 78, 264. <https://doi.org/10.1007/s12665-019-8216-1>.
- [208] Wang, W., Qiang, Y., Wang, Y., Sun, Q., Zhang, M., 2016. Impacts of Yuyang coal mine on groundwater quality in Hongshixia water source, Northwest China: A physicochemical and modeling research. *Expo. Health*, 8, 431-442. <https://doi.org/10.1007/s12403-016-0223-9>.
- [209] Wang, Y., 2023b. Hydrochemical characteristics and evolution rules of mine water in Shendong mining area, China. Graduate School of China Coal Research Institute, Beijing (in Chinese with English abstract).
- [210] Wang, Y., Dong, R., Zhou, Y., Luo, X., 2019. Characteristics of groundwater discharge to river and related heavy metal transportation in a mountain mining area of Dabaoshan, Southern China. *Sci. Total Environ.*, 679, 346-358. <https://doi.org/10.1016/j.scitotenv.2019.04.273>.
- [211] Wang, Y., Hao, Y., Gao, Z., Ma, Y., Liu, J., 2022b. Characteristics and the origins of the main chemical components in mine water in the Xishan mining area, North China. *Environ. Earth Sci.*, 81, 240. <https://doi.org/10.1007/s12665-022-10363-3>.
- [212] Wang, Y., Ma, T., Luo, Z., 2001. Geostatistical and geochemical analysis of surface water leakage into groundwater on a regional scale: a case study in the Liulin karst system, northwestern China. *J. Hydrol.*, 246, 223-234. [https://doi.org/10.1016/S0022-1694\(01\)00376-6](https://doi.org/10.1016/S0022-1694(01)00376-6).

- [213] Wang, Y., Li, S., Ma, C., Wan, K., Liu, S., Yu, B., 2022c. Isotope analysis of source and migration of sulfate in water environment of Tongshankou mining area. *Resources Environment & Engineering*, 36(3), 265-273 (in Chinese with English abstract).
- [214] Wang, Y., Zhou, J., Zou, Y., Zhang, C., Liu, J., 2022d. An analysis of the hydrochemical characteristics and influencing factors of different water bodies in the Liangjia coal mine area, North China. *Arab. J. Geosci.*, 15, 1216. <https://doi.org/10.1007/s12517-022-10513-8>.
- [215] Wang, Z., Wang, H., Deng, S., 2023c. Research on hydrochemical evolution mechanism of groundwater in mining area based on reverse hydrogeochemical simulation. *Mine Construction Technology*, 44(6), 58-62 (in Chinese with English abstract). <https://doi.org/10.19458/j.cnki.cn11-2456/td.2023.06.010>.
- [216] Wen, B., Zhou, A., Zhou, J., Huang, J., Long, T., Jia, X., Zhou, W., Li, W., 2023a. Sources of antimony contamination and its migration into water systems of Xikuangshan, China: Evidence from hydrogeochemical and stable isotope (H, O, S, and Sr) signatures. *Environ. Pollut.*, 337, 122381. <https://doi.org/10.1016/j.envpol.2023.122381>.
- [217] Wen, B., Zhou, J., Jia, X., Zhou, W., Huang, Y., 2022. Attenuation of antimony in groundwater from the Xikuangshan antimony mine, China: Evidence from sulfur and molybdenum isotope study. *Appl. Geochem.*, 146, 105429. <https://doi.org/10.1016/j.apgeochem.2022.105429>.
- [218] Wen, B., Zhou, J., Zhou, A., Liu, C., Xie, L., 2016. Sources, migration and transformation of antimony contamination in the water environment of Xikuangshan, China: Evidence from geochemical and stable isotope (S, Sr) signatures. *Sci. Total Environ.*, 569-570, 114-122. <https://doi.org/10.1016/j.scitotenv.2016.05.124>.

- [219] Wen, B., Zhou, J., Tang, P., Jia, X., Zhou, W., Huang, J., 2023b. Antimony (Sb) isotopic signature in water systems from the world's largest Sb mine, central China: Novel insights to trace Sb source and mobilization. *J. Hazard. Mater.*, 446, 130622. <https://doi.org/10.1016/j.jhazmat.2022.130622>.
- [220] Wen, J., Tang, C., Cao, Y., Li, X., Chen, Q., 2018. Hydrochemical evolution of groundwater in a riparian zone affected by acid mine drainage (AMD), South China: the role of river-groundwater interactions and groundwater residence time. *Environ. Earth Sci.*, 77, 794. <https://doi.org/10.1007/s12665-018-7977-2>.
- [221] Wen, J., Tang, C., Cao, Y., Li, X., 2020. Understanding the inorganic carbon transport and carbon dioxide evasion in groundwater with multiple sulfate sources during different seasons using isotope records. *Sci. Total Environ.*, 710, 134480. <https://doi.org/10.1016/j.scitotenv.2019.134480>.
- [222] Wu, A., Zhang, Y., Zhao, X., Shi, H., Xu, S., Li, J., Zhang, G., Guo, L., 2022. Experimental research on the remediation ability of four wetland plants on acid mine drainage. *Sustainability*, 14, 3655. <https://doi.org/10.3390/su14063655>.
- [223] Wu, D., Wu, J., Wei, C., Gao, X., Li, B., Lu, J., 2024. Identification and prediction of mixed water sources in adjacent limestone aquifers based on conventional hydrochemistry and strontium isotopes. *J. Earth Syst. Sci.*, 133, 44. <https://doi.org/10.1007/s12040-023-02248-1>.
- [224] Wu, J., Ge, Y., Li, J., Lai, X., Chen, R., 2023. A PMF-SSD based approach for the source apportionment and source-specific ecological risk assessment of Le'an river in Jiangxi Province, China. *Environ. Res.*, 219, 115027. <https://doi.org/10.1016/j.envres.2022.115027>.

- [225] Wu, P., Tang, C., Liu, C., Zhu, L., Pei, T., Feng, L., 2009. Geochemical distribution and removal of As, Fe, Mn and Al in a surface water system affected by acid mine drainage at a coalfield in Southwestern China. *Environ. Geol.*, 57, 1457-1467. <https://doi.org/10.1007/s00254-008-1423-9>.
- [226] Wu, Y.Q., Zhan, Y.H., 2005. AMD control from source and water-sewage separation project in Yangtaowu, Zhujia waste-rock yards and open-pit of Dexing Copper Mine. *Nonferrous Metals*, 57(4), 101-105+109 (in Chinese with English abstract).
- [227] Xiao, H.Y., Zhou, W.B., Zeng, F.P., Wu, D.S., 2010. Water chemistry and heavy metal distribution in an AMD highly contaminated river. *Environ. Earth Sci.*, 59, 1023-1031. <https://doi.org/10.1007/s12665-009-0094-5>.
- [228] Xiao, S., Xie, X., Liu, J., 2009. Microbial communities in acid water environments of two mines, China. *Environ. Pollut.*, 157, 1045-1050. <https://doi.org/10.1016/j.envpol.2008.09.035>.
- [229] Xiao, T., Boyle, D., Guha, J., Rouleau, A., Hong, Y., Zheng, B., 2003. Groundwater-related thallium transfer processes and their impacts on the ecosystem: southwest Guizhou Province, China. *Appl. Geochem.*, 18(5), 675-691. [https://doi.org/10.1016/S0883-2927\(02\)00154-3](https://doi.org/10.1016/S0883-2927(02)00154-3).
- [230] Xie, G., Zhang, W., Hao, C., 2022. Distribution characteristics, source and formation mechanisms of fluoride in the drinking groundwater in Shendong mining area. *Science Technology and Engineering*, 22(19), 8554-8561 (in Chinese with English abstract).
- [231] Xie, J.P., He, Z.L., Liu, X.X., Liu, X.D., Van Nostrand, J.D., Deng, Y., Wu, L.Y., Zhou, J.Z., Qiu, G.Z., 2011a. GeoChip-based analysis of the functional gene diversity and metabolic

- potential of microbial communities in acid mine drainage. *Appl. Environ. Microbiol.*, 77(3), 991-999. <https://doi.org/10.1128/AEM.01798-10>.
- [232] Xie, J.-P., Jiang, H.-C., Liu, X.-X., Liu, X.-D., Zhou, J.-Z., Qiu, G.-Z., 2011b. 16s rDNA based microbial diversity analysis of eleven acid mine drainages obtained from three Chinese copper mines. *J. Cent. South Univ. Technol.*, 18, 1930-1939. <https://doi.org/10.1007/s11771-011-0925-x>.
- [233] Xin, R., Banda, J.F., Hao, C., Dong, H., Pei, L., Guo, D., Wei, P., Du, Z., Zhang, Y., Dong, H., 2021. Contrasting seasonal variations of geochemistry and microbial community in two adjacent acid mine drainage lakes in Anhui Province, China. *Environ. Pollut.*, 268, 115826. <https://doi.org/10.1016/j.envpol.2020.115826>.
- [234] Xu, J., Gui, H., Chen, J., Li, C., Li, Y., Zhao, C., Guo, Y., 2022. Hydrogeochemical Characteristics and Formation Mechanisms of the Geothermal Water in the Qingdong Coal Mine, Northern Anhui Province, China. *Mine Water Environ.*, 41, 1015-1026. <https://doi.org/10.1007/s10230-022-00895-2>.
- [235] Xu, K., Dai, G., Duan, Z., Xue, X., 2018. Hydrogeochemical evolution of an ordovician limestone aquifer influenced by coal mining: A case study in the Hancheng mining area, China. *Mine Water Environ.*, 37, 238-248. <https://doi.org/10.1007/s10230-018-0519-z>.
- [236] Xu, K., Qiao, W., Li, W., Feng, L., Liu, M., Cheng, X., 2023. Hydrochemistry characteristics and connection of aquifers in deep karst mine. *Safety in Coal Mines*, 54(8), 150-160 (in Chinese with English abstract). <https://doi.org/10.13347/j.cnki.mkaq.2023.08.021>.

- [237] Xu, W.X., Li, H., Liu, J., Li, X.L., 2015. A preliminary study of mine water quality of several Pb-Zn deposits. *Mineral Resources and Geology*, 29(1), 102-105 (in Chinese with English abstract).
- [238] Xue, J., Ma, L., Qian, J., Zhao, W., 2024. Hydrogeochemical characteristics and evolution mechanism of groundwater in the Guqiao Coal Mine, Huainan Coalfield, China. *Environ. Earth Sci.*, 83, 35. <https://doi.org/10.1007/s12665-023-11333-z>.
- [239] Yang, F., Yang, Z., Zhou, H., Sun, L., Zhang, A., Li, Y., Qu, L., Tang, L., 2023a. Isotope provenance of AMD and treatment options for large, abandoned mines: A case study of the abandoned Dashu pyrite mine, Southwest China. *Geochem.*, 83, 125976. <https://doi.org/10.1016/j.chemer.2023.125976>.
- [240] Yang, Q., Cao, Y., Zhang, Y., Chen, J., Wang, S., Tian, D., 2023b. Hydrochemical characteristics and its cause analysis of groundwater and mine water in closed lead zinc mining area. *Eco. Environ. Sci.*, 32(2), 361-371 (in Chinese with English abstract). <https://doi.org/10.16258/j.cnki.1674-5906.2023.02.016>.
- [241] Yang, W.-J., Ding, K.-B., Zhang, P., Qiu, H., Cloquet, C., Wen, H.-J., Morel, J.-L., Qiu, R.-L., Tang, Y.-T., 2019. Cadmium stable isotope variation in a mountain area impacted by acid mine drainage. *Sci. Total Environ.*, 646, 696-703. <https://doi.org/10.1016/j.scitotenv.2018.07.210>.
- [242] Yang, Y., 2021. Environmental impacts and causes of pit water in typical closed coal mine in Hunan, China. *Mining Technol.*, 21, 72-75 (in Chinese). <https://doi.org/10.13828/j.cnki.ckjs.2021.s1.019>.

- [243] Yang, Y., Li, Y., Sun, Q., 2014. Archaeal and bacterial communities in acid mine drainage from metal-rich abandoned tailing ponds, Tongling, China. *Trans. Nonferrous Met. Soc. China*, 24, 3332-3342. [https://doi.org/10.1016/S1003-6326\(14\)63474-9](https://doi.org/10.1016/S1003-6326(14)63474-9).
- [244] Yang, Y., Mei, A., Gao, S., Zhao, D., 2023c. Both natural and anthropogenic factors control surface water and groundwater chemistry and quality in the Ningtiaota coalfield of Ordos Basin, Northwestern China. *Environ. Sci. Pollut. Res.*, 30, 67227-67249. <https://doi.org/10.1007/s11356-023-27147-2>.
- [245] Yang, Y., Shi, W., Wan, M., Zhang, Y., Zou, L., Huang, J., Qiu, G., Liu, X., 2008. Diversity of bacterial communities in acid mine drainage from the Shen-bu copper mine, Gansu province, China. *Electron. J. Biotechnol.* 11(1), 6. <https://doi.org/10.2225/vol11-issue1-fulltext-6>.
- [246] Yang, Y., Wan, M.X., Shi, W.Y., Peng, H., Qiu, G.Z., Zhou, J.Z., Liu, X.D., 2007. Bacterial diversity and community structure in acid mine drainage from Dabaoshan Mine, China. *Aquat. Microb. Ecol.*, 47, 141-151.
- [247] Yang, Y., Xu, A., Zhang, Y., Qian, L., Liu, X., Qiu, G., 2007. Isolation and characterization of a facultative autotrophic bacterial strain and its cellular polymer granules from acid mine drainage. *J. Wuhan Univ. (Nat. Sci. Ed.)*, 53(6), 753-758 (in Chinese with English abstract). <https://doi.org/10.14188/j.1671-8836.2007.06.014>.
- [248] Yang, Z., Hu, X., Liu, S., 2023d. Brief analysis of hydro-chemical characteristics of groundwater in Zhongguan iron mine. *Ground water*, 45(5), 26-29 (in Chinese with English abstract). <https://doi.org/10.19807/j.cnki.DXS.2023-05-007>.

- [249] Yang, Z., Yang, F., Pang, L., Mao, Z., Wu, Y., 2021. Chemical characteristics and cause analysis of mine water gushing during dry season of abandoned coal mines in Gaotaiyuan area, North Sichuan. *Sichuan Environ.*, 40(1), 13-16 (in Chinese with English abstract). <https://doi.org/10.14034/j.cnki.schj.2021.01.003>.
- [250] Yi, C., Chen, B., Li, W., Zhou, Y., Wang, Z., Zhang, J., Cheng, Y., Zou, Z., 2016. Geochemical characteristics of rare earth elements in Dabaoshan acid mine drainages, Guangdong Province, China. *Earth and Environment*, 44(1), 73-81 (in Chinese with English abstract). <https://doi.org/10.14050/j.cnki.1672-9250.2016.01.010>.
- [251] Yin, H., Cao, L., Qiu, G., Wang, D., Kellogg, L., Zhou, J., Liu, X., Dai, Z., Ding, J., Liu, X., 2008a. Molecular diversity of 16S rRNA and *gyrB* genes in copper mines. *Arch. Microbiol.* 189, 101-110. <https://doi.org/10.1007/s00203-007-0298-6>.
- [252] Yin, H., Cao, L., Xie, M., Chen, Q., Qiu, G., Zhou, J., Wu, L., Wang, D., Liu, X., 2008b. Bacterial diversity based on 16S rRNA and *gyrB* genes at Yinshan mine, China. *Syst. Appl. Microbiol.*, 31, 302-311. <https://doi.org/10.1016/j.syapm.2008.05.003>.
- [253] Yin, H., Wu, Y., Jiang, L., Chen, M., Pei, N., Luo, Y., Lyu, L., 2022. Hydrogeochemical vertical zonation and evolution model of the Kongjiagou coalmine in Sichuan, China. *Water Supply*, 22(6), 6111. <https://doi.org/10.2166/ws.2022.205>.
- [254] Yuan, R., Li, Z., Guo, S., 2023. Health risks of shallow groundwater in the five basins of Shanxi, China: Geographical, geological and human activity roles. *Environ. Pollut.*, 316, 120524. <https://doi.org/10.1016/j.envpol.2022.120524>.

- [255] Yue, M., Zhao, F., Ren, D., 2004. The environment geochemistry information of the coal mine acid mining drainage. *Coal Geology & Exploration*, 32(3), 46-49 (in Chinese with English abstract).
- [256] Zhang, C.P., Wu, P., Tang, C.Y., Xie, H.H., Zeng, Z.C., Yang, S.Z., 2014a. Geochemical behavior of arsenic in reducing sulfidic sediments of reservoir contaminated by acid mine drainage. *Environ. Earth Sci.*, 71, 4341-4351. <https://doi.org/10.1007/s12665-013-2828-7>.
- [257] Zhang, H., Xu, G., Zhan, H., Chen, X., Liu, M., Wang, M., 2020. Identification of hydrogeochemical processes and transport paths of a multi-aquifer system in closed mining regions. *J. Hydrol.*, 589, 125344. <https://doi.org/10.1016/j.jhydrol.2020.125344>.
- [258] Zhang, H., Yu, J., Zhou, S., 2014b. Spatial distribution of As, Cr, Pb, Cd, Cu, and Zn in the water and sediment of a river impacted by gold mining. *Mine Water Environ.*, 33, 206-216. <https://doi.org/10.1007/s10230-013-0254-4>.
- [259] Zhang, J., Chen, L., Hou, X., Lin, M., Ren, X., Li, J., Zhang, M., Zheng, X., 2021a. Multi-isotopes and hydrochemistry combined to reveal the major factors affecting Carboniferous groundwater evolution in the Huaibei coalfield, North China. *Sci. Total Environ.*, 791, 148420. <https://doi.org/10.1016/j.scitotenv.2021.148420>.
- [260] Zhang, J., Chen, L., Li, J., Chen, Y., Ren, X., Shi, X., 2021b. Analysis of mining effects on the geochemical evolution of groundwater, Huaibei coalfield, China. *Environ. Earth Sci.*, 80, 98. <https://doi.org/10.1007/s12665-021-09399-8>.
- [261] Zhang, K., 2023a. The characteristics and utilization of residual resources in closed coal mines in Yangquan Mining Area. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).

- [262] Zhang, L., 2008. Influence and Evaluation of Coal Mining on Surface Water Environmental Quality in Karst Areas. Master's Thesis, Guizhou University, Guiyang, China (in Chinese with English abstract).
- [263] Zhang, L., Hao, C., Wang, L., Li, S., Feng, C., 2012. Characteristics of the eukaryotic community structure in acid mine drainage lake in Anhui Province, China. *Acta Microbiologica Sinica*, 52(7), 875-884 (in Chinese with English abstract).
<https://doi.org/10.13343/j.cnki.wsxb.2012.07.005>.
- [264] Zhang, M., Chen, L., Yao, D., Hou, X., Zhang, J., Qin, H., Ren, X., Zheng, X., 2022. Hydrogeochemical processes and inverse modeling for a multilayer aquifer system in the Yuaner coal mine, Huaibei coalfield, China. *Mine Water Environ.*, 41, 775-789.
<https://doi.org/10.1007/s10230-022-00851-0>.
- [265] Zhang, Q., 2021. Composition and function of microbial community in different acid mine wastewater. China University of Geosciences, Beijing, China (in Chinese with English abstract).
- [266] Zhang, Q., Banda, J.F., Dong, H., Hao, C., Guo, D., Mao, W., Ma, L., Dong, H., 2021c. Responses of acidophilic communities in different acid mine drainages to environmental conditions in Nanshan mine, Anhui province, China. *Geomicrobiol. J.*, 38(8), 686-697.
<https://doi.org/10.1080/01490451.2021.1937405>.
- [267] Zhang, R.X., Zhai, Q.D., Ye, H.J., Wu, P., Rong, R., 2021d. Pollution characteristics and health risk assessment of heavy metals from coal mine drainage of different regions in Guizhou Province. *J. Safe. Environ.*, 21(3), 1333-1341 (in Chinese with English abstract).
<https://doi.org/10.13637/j.issn.1009-6094.2020.0320>.

- [268] Zhang, T., Tu, Z., Lu, G., Duan, X., Yi, X., Guo, C., Dang, Z., 2017. Removal of heavy metals from acid mine drainage using chicken eggshells in column mode. J. Environ. Manag., 188, 1-8. <https://doi.org/10.1016/j.jenvman.2016.11.076>.
- [269] Zhang, X., Li, X., Gao, X., 2016. Hydrochemistry and coal mining activity induced karst water quality degradation in the Niangziguan karst water system, China. Environ. Sci. Pollut. Res., 23, 6286-6299. <https://doi.org/10.1007/s11356-015-5838-z>.
- [270] Zhang, X., Tang, S., Wang, M., Sun, W., Xie, Y., Peng, H., Zhong, A., Liu, H., Zhang, X., Yu, H., Giesy, J.P., Hecker, M., 2019. Acid mine drainage affects the diversity and metal resistance gene profile of sediment bacterial community along a river. Chemosphere, 217, 790-799. <https://doi.org/10.1016/j.chemosphere.2018.10.210>.
- [271] Zhang, Y., 2023. Assessment of water environment quality and prediction of environmental capacity in Kubai and Hami mining areas. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).
- [272] Zhang, Y., Yang, Y., Liu, J., Qiu, G., 2013. Isolation and characterization of *Acidithiobacillus ferrooxidans* strain QXS-1 capable of unusual ferrous iron and sulfur utilization. Hydrometallurgy, 136, 51-57. <https://doi.org/10.1016/j.hydromet.2013.03.005>.
- [273] Zhang, Z.Y., Lu, Z.B., Xu, S.G., Kui, J.T., Wu, X., Zheng, F.K., 2021e. The chemical characteristics of mine water and the ways to pollute groundwater in Yudonghe mining area in Kaili City. J. Geol. Hazards Environ. Preservation, 32(2), 86-92 (in Chinese with English abstract).

- [274] Zhao, F., Cong, Z., Sun, H., Ren, D., 2007. The geochemistry of rare earth elements (REE) in acid mine drainage from the Sitai coal mine, Shanxi Province, North China. *International Journal of Coal Geology*, 70, 184-192. <https://doi.org/10.1016/j.coal.2006.01.009>.
- [275] Zhao, H., Xia, B., Qin, J., Zhang, J., 2012. Hydrogeochemical and mineralogical characteristics related to heavy metal attenuation in a stream polluted by acid mine drainage: A case study in Dabaoshan Mine, China. *J. Environ. Sci.*, 24(6), 979-989. [https://doi.org/10.1016/S1001-0742\(11\)60868-1](https://doi.org/10.1016/S1001-0742(11)60868-1).
- [276] Zhao, Q., Yang, Z., Yang Z., 2016. Analysis of water quality problems and integrated treatment of coal mine water in Yunnan. *Environment and Sustainable Development*, 1, 124-127 (in Chinese with English abstract). <https://doi.org/10.19758/j.cnki.issn1673-288x.2016.01.036>.
- [277] Zhao, X., Peng, W.H., Chen, K., Qiu, X.Y., Sun, L.H., 2022. Potential hydraulic connectivity of coal mine aquifers based on statistical analysis of hydrogeochemistry. *Water Sci. Eng.*, 15(4), 285-293. <https://doi.org/10.1016/j.wse.2022.08.004>.
- [278] Zhong, M., 2023. Study on the interaction between dissolved organic matter and heavy metals under water-rock interaction in coal mine. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).
- [279] Zhong, X., Wu, Q., Tang, B., Wang, Y., Chen, J., Zeng, Y., 2024. Hydrogeochemical mechanisms and hydraulic connection of groundwaters in the Dongming Opencast Coal Mine, Hailar, Inner Mongolia. *Mine Water Environ.*, 43, 28-40. <https://doi.org/10.1007/s10230-023-00963-1>.

- [280] Zhou, J., Nyirenda, M.T., Xie, L., Li, Y., Zhou, B., Zhu, Y., Liu, H., 2017. Mine waste acidic potential and distribution of antimony and arsenic in waters of the Xikuangshan mine, China. *Appl. Geochem.*, 77, 52-61. <https://doi.org/10.1016/j.apgeochem.2016.04.010>.
- [281] Zhou, J., Zhang, Q., Kang, F., Zhang, Y., Yuan, L., Wei, D., Lin, S., 2018. Using multi-isotopes (^{34}S , ^{18}O , ^2H) to track local contamination of the groundwater from Hongshan-Zhaili abandoned coal mine, Zibo city, Shandong province. *Int. Biodeter. Biodegr.*, 128, 48-55. <https://doi.org/10.1016/j.ibiod.2016.08.023>.
- [282] Zhou, Y., 2023. Study on hydrogeological characteristics of deep copper deposits in Zijinshan gold and copper mine. *Hydrogeology*, 14, 122-125 (in Chinese with English abstract).
- [283] Zhou, Y-F., Xie, Y., Zhou, L-X., 2010. Formation and environmental implications of Iron-enriched precipitates derived from natural neutralization of acid mine drainage. *Environmental Science*, 31(6), 1581-1588 (in Chinese with English abstract). <https://doi.org/10.13227/j.hjxx.2010.06.004>.
- [284] Zhu, G., Wu, X., Ge, J., Liu, F., Zhao, W., Wu, C., 2020a. Influence of mining activities on groundwater hydrochemistry and heavy metal migration using a self-organizing map (SOM). *J. Clean. Prod.*, 257, 120664. <https://doi.org/10.1016/j.jclepro.2020.120664>.
- [285] Zhu, J., Wu, F.C., Deng, Q.J., Shao, S.X., 2009. Environmental characteristics of water near the Xikuangshan antimony mine, Hunan Province. *Acta Sci. Circumst.*, 29, 655-661 (in Chinese with English abstract). <https://doi.org/10.13671/j.hjxxb.2009.03.002>.

- [286] Zhu, J., Zhang, P., Yuan, S., Tong, M., 2020b. Arsenic oxidation and immobilization in acid mine drainage in karst areas. *Sci. Total Environ.*, 727, 138629. <https://doi.org/10.1016/j.scitotenv.2020.138629>.
- [287] Zhu, L., 2023. Microbial driving mechanism and application of the mine water quality formation in Menkeqing coal mine. China University of Mining & Technology, Xuzhou, China (in Chinese with English abstract).
- [288] Zhu, M., Li, B., Liu, G., 2022. Groundwater risk assessment of abandoned mines based on pressure-state-response-The example of an abandoned mine in southwest China. *Energy Reports*, 8, 10728-10740. <https://doi.org/10.1016/j.egyr.2022.08.171>.
- [289] Zhu, M., Li, B., Liu, G., 2023. Water quality analysis and groundwater health risk assessment of acid mine inflow from abandoned coal mines around Guangyuan City. *J. Environ. Eng. Technol.*, 13(3), 1097-1107 (in Chinese with English abstract). <https://doi.org/10.12153/j.issn.1674-991X.20220622>.
- [290] Zhu, S., 2022. Research on water chemical characteristics in the middle of Panxie mining area and development of database system. Anhui University of Science and Technology, Huainan, China (in Chinese with English abstract).
- [291] Zong, W., Zhao, B., 2023. Groundwater chemical characteristics and forming reasons of Yuanyanghu mining area. *Safety in Coal Mines*, 54(8), 161-167 (in Chinese with English abstract). <https://doi.org/10.13347/j.cnki.mkaq.2023.08.022>.
- [292] Zou, H.-Y., He, L.-Y., Gao, F.-Z., Zhang, M., Chen, S., Wu, D.-L., Liu, Y.-S., He, L.-X., Bai, H., Ying, G.-G., 2021. Antibiotic resistance genes in surface water and groundwater from

mining affected environments. Sci. Total Environ., 772, 145516.

<https://doi.org/10.1016/j.scitotenv.2021.145516>.

- [293] Zou, L.-H., Qian, L., Zhang, Y.-F., Wan, M.-X., Qiu, G.-Z., Yang, Y., 2008. Isolation and identification of *Acidiphilium* strain DY from complex sulfide mines and its bioleaching characterization. The Chinese Journal of Nonferrous Metals, 18(2), 336-341 (in Chinese with English abstract). <https://doi.org/10.19476/j.ysxb.1004.0609.2008.02.025>.