

# **A New Framework for Resolving Conflicts over Trans-boundary Rivers Using Bankruptcy**

## **Methods**

Kaveh Madani<sup>1,\*</sup>, Mahboubeh Zarezadeh<sup>2,3</sup>, Saeed Morid<sup>2</sup>

<sup>1</sup>Centre for Environmental Policy, Imperial College London, London SW7 2AZ, U.K.

(\* corresponding author, [k.madani@imperial.ac.uk](mailto:k.madani@imperial.ac.uk))

<sup>2</sup>Department of Civil, Environmental and Construction Engineering, University of Central Florida, Orlando, FL 32816, USA

<sup>3</sup>Department of Water Resources Engineering, Tarbiat Modares University, Tehran, Iran

1 **A New Framework for Resolving Conflicts over Trans-boundary Rivers Using Bankruptcy**

2 **Methods**

3 **Abstract**

4 A novel bankruptcy approach is proposed for resolving trans-boundary rivers conflicts in which  
5 the total water demand or claim of the riparian parties is more than the available water.  
6 Bankruptcy solution methods can allocate the available water to the conflicting parties with  
7 respect to their claims. Four commonly used bankruptcy methods in the economic literature are  
8 used here to develop new river bankruptcy solution methods for allocating water to the riparian  
9 parties of river systems. Given the non-uniform spatial and temporal distribution of water across  
10 river basins, bankruptcy the proposed solution methods are formulated as non-linear network  
11 flow optimization models to allocate water with respect to time sensitivity of water deliveries at  
12 different locations in a river network during the planning horizon. Once allocation optimization  
13 solutions are developed, their acceptability and stability must be evaluated. Thus, a new  
14 Bankruptcy Allocation Stability Index (BASI) is developed for evaluating the acceptability of  
15 river bankruptcy solutions. To show how the proposed river bankruptcy framework can be  
16 helpful in practice, the suggested methods are applied to a real-world trans-boundary river  
17 system with eight riparians under various hydrologic regimes. Stability analysis based on the  
18 proposed stability evaluation method (BASI) suggests that the acceptability of allocation rules is  
19 sensitive to hydrologic conditions and demand values. This finding has an important policy  
20 implication suggesting that fixed allocation rules and trans-boundary treaties may not be reliable  
21 for securing cooperation over trans-boundary water resources as they are vulnerable to changing  
22 socio-economic and climatic conditions as well as hydrologic non-stationarity.

23 **Keywords:** bankruptcy, conflict resolution, trans-boundary, water allocation, game theory, water  
24 resources management.

## 25 **1. Introduction**

26 Conflicts are integral to managing trans-boundary rivers due to the externalities  
27 associated with growing demand and development in riparian states. There are 148 riparian  
28 countries creating about 276 trans-boundary river basins in the world (De Stefano et al., 2012).  
29 These basins cover over 45% of the earth's land surface and provide about 60% of the global  
30 river flows (Wolf et al., 2006). To facilitate the cooperation over trans-boundary rivers over 400  
31 international agreements were signed in the 20th century (De Stefano et al., 2012), reflecting a  
32 great potential for cooperation over trans-boundary natural resources (Wolf et al., 2006).  
33 However, stability of these agreements could be affected by the socio-economic and political  
34 changes in the riparian states as well as the climatic and hydrologic changes. Dinar et al. (2010)  
35 reported 112 complaints about water deficit in trans-boundary river systems during droughts and  
36 floods in the 1950-2005 period, underlying the vulnerability of cooperation over trans-boundary  
37 water systems to abnormal hydrologic conditions.

38 Game theory –the mathematical study of competition and cooperation— is a useful  
39 method for studying trans-boundary river conflicts. Both non-cooperative and cooperative game  
40 theory methods have been used in the past to study trans-boundary water conflicts (Parrachino et  
41 al., 2006; Madani, 2010).

42 Non-cooperative game theoretic methods are useful in studying the strategic behaviors of  
43 the riparian parties, feasibility of cooperative solutions, and providing strategic insights into the  
44 conflicts (Madani and Hipel, 2011; Madani, 2013). Example trans-boundary river conflicts  
45 analyzed by non-cooperative game theory concepts include the conflict over flooding of Ganges

46 and Brahmaputra rivers between India and Pakistan (Rogers, 1969), the Lower Mekong river  
47 basin conflict between Cambodia, Laos, Thailand, and Vietnam (Dufournaud, 1982), the Jordan  
48 river conflict between Jordan, Israel, Lebanon, Palestine, and Syria (Madani and Hipel, 2007),  
49 and the Nile river conflict between Burundi, Congo, Egypt, Eritrea, Ethiopia, Kenya, Rwanda,  
50 Sudan, Tanzania, and Uganda (Elimam et al., 2008). These methods normally rely on qualitative  
51 information to find the likely outcomes of conflicts based on various stability definitions, which  
52 incorporate a range of decision makers' (players') characteristics such as risk attitude, foresight  
53 level, information quality (Madani and Hipel, 2011; Madani, 2013). While these methods  
54 provide valuable insights into strategic conflicts and can help finding the possible resolutions of  
55 the conflict, their results are not necessarily quantitative and in most cases are appropriate for  
56 studying games with discrete solutions (strategies or actions).

57 Cooperative game theory solution methods normally seek allocating the incremental  
58 benefits of cooperation (cost savings, added values, etc.) among the cooperating parties. In the  
59 context of trans-boundary river management, cooperative game theory concepts can be used to  
60 develop functional water allocation schemes. Example trans-boundary river conflicts analyzed  
61 by cooperative game theory include the Ganges river conflict between Bangladesh and India  
62 (Kilgoure and Dinar, 2001), the Euphrates and Tigris rivers conflict between Iraq, Syria, and  
63 Turkey (Kucukmehmetoglu and Guldmen, 2004), and the Syr Darya river basin conflict between  
64 Kyrgyzstan, Uzbekistan and Kazakhstan (Teasley and McKinney, 2011). Cooperative game  
65 theory methods are appropriate for quantitative problems with a continuous solution domain.

66 Different resource allocation methods have been employed in the water resources  
67 literature to increase system's efficiency and minimize conflicts. Social welfare maximization is  
68 perhaps the mostly commonly used approach for water allocation in the literature. Based on this

69 approach, a social (central) planner seeks maximizing the system-wide benefits, assuming there  
70 is perfect cooperation among the water users. The social planner approach pays minimal  
71 attention to individual gains and distribution of total benefits among the beneficiaries, making it  
72 less practical.

73         Market mechanisms and cooperative game theory schemes are among the other water  
74 allocation methods that are used to make the social planner's solution practical. These methods  
75 focus on redistribution of the incremental benefits of cooperation and create win-win allocation  
76 solutions that make cooperation attractive to individual rational beneficiaries. While these  
77 methods are promising, their application is limited to problems in which utility information is  
78 available for all parties and the incremental benefits of cooperation can be determined.  
79 Therefore, challenge remains in developing cooperative schemes for managing shared water  
80 systems for which utility information might not be readily available, agreeable, or reliable  
81 (common in trans-boundary river systems).

82         Operations research-based allocation methods (Madani et al., 2014a; Read et al., 2014)  
83 have also been employed in the water resource literature to allocate water. These methods are  
84 applicable are appropriate for problems with both discrete and continuous solutions and can be  
85 applied with and without utility information. However, as shown by Read et al. (2014), they seek  
86 distribution of dissatisfaction in an optimal way, disregarding the stability of allocation solutions.  
87 Therefore, their acceptability is questionable, making them less practical in real world.

88         Bankruptcy methods (O'Neil, 1982; Aumann and Maschler, 1985; Dagan and Volij,  
89 1993) comprise another group of allocation methods used in the water resources literature for  
90 water allocation in presence and absence of utility information (Sheikhmohammady and Madani,  
91 2008; Ansink and Ruijs, 2008; Ansink and Weikard, 2012; Madani and Zarezadeh, 2012;

92 Mianabadi et al., 2013; Madani and Dinar, 2013). These methods are promising due to their  
93 cooperative game theoretic nature and their attention to individual gains under different  
94 conditions (e.g. homogeneity of claims). However, as will be discussed in the section, the  
95 previous applications of bankruptcy methods do not set an appropriate basis for using these  
96 methods for solving transboundary river allocation problems with temporal and spatial flow  
97 variability.

98 The objective of this study is to bridge the gap of previous trans-boundary conflict  
99 resolution studies by developing a new bankruptcy-based water allocation mechanism that: 1)  
100 does not necessarily require the players' utility information (e.g., economic benefits of each  
101 beneficiary from the allocated water); 2) its application is not limited to problems in which  
102 cooperation must result in extra quantifiable benefit; 3) provides allocations solutions with  
103 respect to the temporal and spatial variability of water flows in trans-boundary river systems.

## 104 **2. River Bankruptcy Problem**

### 105 2.1. General description

106 Water conflicts can develop when the yield of a water system is not sufficient to fully  
107 satisfy the demands of all beneficiaries. Such a situation is similar to a bankruptcy state in which  
108 the total asset of an individual/entity is not enough to fully satisfy his/its debts. In other words, in  
109 a bankruptcy problem the total value of the claims of the beneficiaries is more than the value of  
110 the available resource. Such a similarity between a water allocation problem and a bankruptcy  
111 problem has been the main motivation for using bankruptcy methods, rooted in the economics  
112 and mathematics literature (O'Neil, 1982; Aumann and Maschler, 1985; Dagan and Volij, 1993),  
113 to solve water resource bankruptcy problems (Sheikhmohammady and Madani, 2008; Ansink

114 and Ruijs, 2008; Sheikhmohammady et al., 2010; Grundel et al., 2011; Ansink and Weikard,  
115 2012; Madani and Zarezadeh, 2012; Mianabadi et al., 2013; Madani and Dinar, 2013).

116 Bankruptcy methods can be categorized as cooperative game theory solutions  
117 (Sheikhmohammady and Madani, 2008). Nevertheless, these methods are different in principle  
118 from the commonly used cooperative game theory methods such as Nash-Harsanyi bargaining  
119 solution (Harsanyi, 1959), Shapley Value (Shapley, 1953), and Nucleolus (Schmeidler, 1969),  
120 among others. While the bankruptcy methods focus on allocation of the total deficit (the  
121 difference between the total claim and the value of the available resource) between the parties,  
122 commonly used cooperative game theoretic solution methods have been primarily developed for  
123 allocation of the incremental benefits of cooperation among the cooperating parties. Therefore,  
124 they are not readily applicable to the bankruptcy situations with no incremental benefit out of  
125 cooperation or to cases in which the available information about the utilities of the parties from  
126 their shares are missing or are not reliable.

127 In some river basins, developing agreeable utility functions to estimate the utility (e.g.,  
128 economic gain) of each riparian from its water use is very challenging due to the lack of trust and  
129 information as well as the absence of cooperative tendencies in the region. Therefore, river  
130 sharing games are often played as zero-sum games in which parties are mainly bargaining about  
131 their volumetric shares from the river, while in reality, due to the difference in the non-linear  
132 utility functions of the parties these games are not zero-sum (Madani, 2011; Madani and Lund,  
133 2012). In fact, the zero-sum perception of the riparian parties is one of the main reasons for  
134 competition rather than cooperation, which makes economically-efficient cooperative game  
135 theoretic institutions (Madani and Dinar, 2012) or other mechanisms such as water trading and  
136 markets impractical and unacceptable. To address these issues, bankruptcy methods can be

137 applied for developing water allocation solutions. Although bankruptcy methods provide  
138 solutions, which are economically less efficient than those provided by common cooperative  
139 game theory methods, they are potentially more publically acceptable and practical. Most  
140 bankruptcy methods are based on common sense and are relatively easy to understand by the  
141 general public, unfamiliar with the economic principles and fairness rationales of the  
142 mathematically sophisticated cooperative game theory methods. This advantage has been the  
143 main reason for the success of some of the bankruptcy methods in practice since the ancient  
144 times (Dagan and Volij, 1993) in different eras and locations. The proportional cutback principle  
145 is an example of one of the oldest bankruptcy methods that has been widely used for water  
146 resources management during droughts in different areas of the world (e.g., qanat water  
147 allocation in the Persian Empire and groundwater allocation in California.)

## 148 2.2. Essential elements

149 The two essential elements of a bankruptcy problem include 1) the amount of resource  
150 available; and 2) the values of beneficiaries' claims. In most water resources bankruptcy  
151 problems, the first element simply equals the available water to be allocated to the beneficiaries  
152 in a given location at a specific time. Also finding the claim values is straightforward in some  
153 water systems (e.g., claims of groundwater users in case of groundwater bankruptcy are  
154 determined based on their groundwater rights in a regulated system). Therefore, bankruptcy  
155 solutions have been already used in the literature for solving water allocation problems with  
156 known (predetermined) claims and/or without temporal and spatial variability in resource  
157 availability (Sheikhmohammady and Madani, 2008; Ansink and Ruijs, 2008;  
158 Sheikhmohammady et al., 2010; Grundel et al., 2011; Ansink and Weikard, 2012; Mianabadi et  
159 al., 2013; Madani and Dinar, 2013). Nevertheless, solving trans-boundary river bankruptcy



160 problems with original bankruptcy methods can be challenging for two reasons: 1) lack of an  
161 acceptable method by all parties to estimate the credible claims of the beneficiaries; and 2) the  
162 temporal and spatial change of the flow along the river basin.

### 163 2.3. Claims

164 Determination of the beneficiaries' claims in trans-boundary systems is challenging and  
165 highly controversial, due to a lack of information, unreliability of parties' claims and narratives,  
166 and a lack of globally acceptable framework for determining the credible claims of riparian  
167 parties. Thus, in Section 4 this paper suggests three different methods as possible claim  
168 estimation methods in trans-boundary river bankruptcy problems with potential applications in  
169 real-world trans-boundary water conflicts.

### 170 2.4. Physical constraints: Spatial and temporal variability

171 Classical bankruptcy methods assume homogenous resource accessibility and are  
172 appropriate for one-shot allocation problems. Therefore, they are not necessarily applicable to  
173 problems with temporal and spatial heterogeneity in resource availability. Due to the change of  
174 the flow over time and space, especially in river systems with multiple tributaries, water  
175 availability might be limited at a given location at a specific time. Therefore, original bankruptcy  
176 methods may produce infeasible allocation solutions for river systems.

177 While temporal resource variability has not been considered in previous bankruptcy  
178 studies, few studies have tried to address the spatial variability of resource in bankruptcy  
179 problems. İlkılıç and Kayı (2012) formulated a network (graph) model for bankruptcy allocation  
180 with respect to the possible geographical and infrastructural constraints in distributing the  
181 resource among beneficiaries. While their method satisfies the fairness principle, i.e. "equal  
182 treatment of the equals", it considers "no restrictions on the possible networks between sources

183 and agents” (Ilkılıç and Kayı, 2012). Therefore, their model is not generally applicable to river  
184 sharing problem, in which the physical characteristics of the river network impose restrictions on  
185 networks between sources (river sections) and agents (riparian parties). In another study, Ansink  
186 and Weikard (2012) proposed a sequential allocation approach for solving river bankruptcy  
187 problems using classical bankruptcy methods. However, their approach has three general  
188 limitations that restrict their applicability to real world river systems. First, their method is only  
189 applicable to linear river systems in which all riparians fall on the same line. Therefore, it cannot  
190 be used to develop bankruptcy allocations for river systems with multiple tributaries. Second, the  
191 suggested allocation method results in allocation solutions that are significantly different from  
192 those of the classical bankruptcy methods, even in problems with no resource availability  
193 constraints for which water allocation based on the original bankruptcy methods is feasible  
194 (Zarezadeh et al., 2014). Third, their proposed method violates the fairness principle by  
195 discriminating parties based on their location and favoring downstream riparians (Mianabadi et  
196 al., 2013).

197 This paper proposes a new approach for solving trans-boundary river bankruptcy  
198 problems with consideration of the constraints imposed by temporal and spatial variability of  
199 water flows within river networks. The general characteristics of the proposed method are  
200 discussed in the next section. While transboundary water allocation motivates this work, the  
201 proposed method is applicable to other bankruptcy problems with temporal and spatial resource  
202 availability constraints. Suggested examples of such problems by Ilkılıç and Kayı (2012) include  
203 aid relief during and after disasters, utility (gas, electricity, water) distribution in supply shocks,  
204 and common property fisheries.

205

## 206 2.5. Acceptability

207           Given that that the developed bankruptcy allocation solutions have no practical value  
208 unless they are acceptable and are considered to be fair by the beneficiaries, evaluating the  
209 acceptability of the developed solutions is essential. Ex-post analysis of the stability of allocation  
210 solutions is common in the water resources literature (e.g., Dinar and Howitt (1997), Teasley and  
211 McKinney (2011), Madani and Dinar (2012), Read et al. (2014)). Once different allocation  
212 solutions are developed, stability of solutions is normally evaluated using quantitative measures  
213 to determine the solutions with higher potential acceptability. Alternatively, an axiomatic (ex-  
214 ante) approach can be adopted for allocation stability evaluation. Based on this approach, which  
215 is more common in the economics literature, attractiveness of allocation rules is evaluated based  
216 on their properties such as monotonicity or independence properties, with respect to various  
217 possible perturbations of the problem at hand (Herrero and Villar, 2001; Thomson, 2003).

218           Ideally, the results of both approaches should coincide and this can be approved by future  
219 research. Nevertheless, the water resources literature tends to commonly use the ex-post  
220 approach, making it more attractive from the practical standpoint. In the ex-post approach,  
221 multiple allocation solutions with transparent utility information (i.e., volumetric gains in case of  
222 river bankruptcy) are proposed to the negotiators. This will expand the feasible solution set and  
223 creates more opportunities for cooperation through providing ‘substance’ to negotiations (Bruce  
224 and Madani, 2014). In addition, developing a compromise over an ex-ante approach, before  
225 clarifying to the beneficiaries what their actual gains would be, seems more challenging  
226 practically, unless decision is made by an authorized intervener (e.g., social planner, government,  
227 or regulator), whose decision is enforceable and acceptable by all parties. What makes  
228 application of an ex-ante approach even more complex in case of river bankruptcy problems is

229 the asymmetric accessibility of the resource (water) at a given time and location. Therefore, even  
230 if the solution properties are reasonable, the actual solutions (volumetric allocations in this case)  
231 will be affected by the physical limitations of the system. So, the same solution principles might  
232 not yield similar results in two river bankruptcy problems with similar claims and total water  
233 availability as the physical aspects of the system can make the actual allocations different, i.e.  
234 water might not be available at a given location at a given time, as desired based on the allocation  
235 rule. This might make the axiomatic approach less practical as it does not guarantee feasible  
236 allocation solutions based on a given allocation rule, failing to provide clear information to the  
237 parties about their actual gains. Therefore, an ex-post stability evaluation method is proposed and  
238 used in this study.

239 While various methods have been used in the literature to evaluate the stability and  
240 acceptability of water allocation solutions (Dinar and Howitt, 1997; Teasley and McKinney,  
241 2011; Madani and Dinar, 2012; Read et al., 2014), these methods cannot be readily used to  
242 evaluate the acceptability of bankruptcy solutions. Therefore, a new quantitative stability  
243 evaluation method is developed in this study to evaluate the potential acceptability of the  
244 proposed bankruptcy solutions.

## 245 2.6. Robustness

246 Normally, in water allocation negotiations, the amount of available water in a given time-  
247 step (e.g. month) is determined based on the average historical flows in that time-step. Given that  
248 the water flows are different in dry, wet, and normal years, water allocation agreements can vary  
249 depending on the hydrologic conditions. Water allocation based on historical flows might make  
250 allocation agreements vulnerable to hydrologic variability, uncertainty, and non-stationarity.  
251 Therefore, instead of relying on fixed water shares, riparian parties can try to agree over a

252 flexible allocation framework that adjusts allocation solutions considering the changing  
253 conditions of the system. This study seeks to propose a robust bankruptcy solution framework  
254 that can provide water allocation solutions that are not vulnerable to changing conditions and can  
255 update allocation solutions accordingly. Therefore, stability of the allocation solution is  
256 examined under different hydrological conditions to find if allocation rules and solutions must be  
257 changed under different hydrologies or a fixed allocation rule can provide acceptable allocations  
258 that are insensitive to hydrologic variability.

### 259 **3. River Bankruptcy Allocation Models**

260 Figure 1 shows a schematic of simple trans-boundary river system with a lake (sink) at  
261 the outlet and  $m$  riparians ( $i=1, 2, \dots, m$ ), each having different types of water demand (e.g.,  
262 domestic, agricultural, and environmental). Water bankruptcy occurs when the total demand of  
263 the riparians exceeds the stock of water. Bankruptcy rules can be applied to allocate the available  
264 water to the riparians with respect to their water demands (claims). In river systems, however,  
265 the classic bankruptcy rules might produce infeasible allocation results due to spatial and  
266 temporal flow variability and water access heterogeneity. Thus, bankruptcy rules must be  
267 modified to account for the physical characteristics of the river network. We propose developing  
268 non-linear network flow optimization models that facilitate application of four commonly used  
269 bankruptcy methods, namely Proportional (P), Adjusted Proportional (AP), Constrained Equal  
270 Award (CEA), and Constrained Equal Loss (CEL) rules, to river bankruptcy problems, with  
271 respect to the physical water availability constraints. These models have the following general  
272 characteristics:

- 273 1. Each bankruptcy optimization model is based on a specific bankruptcy rule.

- 274 2. An allocation solution developed by a river bankruptcy optimization model is  
275 always unique.
- 276 3. The allocation solution set developed by a bankruptcy optimization model is  
277 always feasible, considering the temporal and spatial flow variability in the  
278 river network.
- 279 4. The allocation solution set developed by a river bankruptcy optimization model  
280 satisfies the composition properties suggested by Ansink and Weikard (2013)  
281 for river bankruptcy problems.
- 282 5. In absence of water availability restrictions, a bankruptcy optimization model  
283 based on a given bankruptcy rule produces allocation results that are identical  
284 to allocation solutions based on that bankruptcy rule. In other words, when  
285 allocation based on a given bankruptcy rule is feasible, original bankruptcy  
286 solutions match the solutions produced by the corresponding bankruptcy  
287 optimization model.
- 288 6. In case of water availability restrictions (when application original bankruptcy  
289 solutions produces infeasible allocation solutions), the bankruptcy optimization  
290 model minimizes the difference between its allocation solutions and the  
291 solutions based on the corresponding original bankruptcy rule.
- 292 7. Water allocations to riparians with equal claims are not necessarily equal in  
293 river bankruptcy problems, due to the uneven access to water along the river  
294 system.

295 8. A bankruptcy optimization model can be applied to any river network,  
 296 irrespective of its physical characteristics (shape, number of tributaries, number  
 297 of riparians, etc.).

298 9. Each river bankruptcy optimization model satisfies the following initial, mass  
 299 balance (flow continuity) and non-negativity constraints:

300 
$$TAW_{i,t} = I_{i,t} + O_{i-1,t} \quad \forall i \quad (1)$$

301 
$$O_{i,t} = TAW_{i,t} - WS_{i,t} \quad \forall i \quad (2)$$

302 
$$O_{0,t} = 0 \quad (3)$$

303 
$$O_{m,t} = SD_t \quad (4)$$

304 
$$WS_{i,t} \geq 0 \quad \forall i, t \quad (5)$$

305 
$$WS_{i,t} \leq TAW_{i,t} \quad \forall i \quad (6)$$

306 
$$\sum_{i=1}^m WS_{i,t} \leq E_t \quad (7)$$

307 
$$E_t = \sum_{i=1}^m I_{i,t} - SD_t \quad (8)$$

308 where for  $i=1, 2, \dots, m$  in a given time step  $t$ :

309  $TAW_{i,t}$  is total available water in riparian  $i$ 's territory (decision variable);  $I_{i,t}$  is  
 310 riparian  $i$ 's contribution to the river system through the tributaries originating  
 311 in its territory (known variable);  $O_{i,t}$  is the total outflow from riparian  $i$  to the  
 312 downstream riparian state  $(i+1)$  (decision variable);  $WS_{i,t}$  is the allocated water  
 313 supply to riparian  $i$  in each month (decision variable);  $SD_t$  is the sink demand at

314 the system's outlet (known variable); and  $E_t$  is the total asset water (available  
315 water) to be shared in the bankruptcy problem.

316 While the sink node at the system's outlet can be treated as a riparian, here we  
317 assume that the environmental need of the sink has a high priority. Therefore,  
318 Equation (4) ensures that the lake's environmental demand is fully met.

319 10. A bankruptcy optimization model is only appropriate for a bankrupt river  
320 systems in which the total demand exceeds the total available water. This  
321 makes  $E_t \leq \sum_{i=1}^m C_{i,t}$  a necessary condition for validity of the optimization  
322 model, where  $C_{i,t}$  is the claim (demand) of riparian  $i$  in time step  $t$  (known  
323 variable).

324 11. The amount of water allocated to a riparian party  $i$  (by a river bankruptcy  
325 optimization model) never exceeds its claim/demand. So, all bankruptcy  
326 optimization models satisfy the following constraint:

$$327 \quad WS_{i,t} \leq C_{i,t} \quad \forall i \quad (9)$$

328 In case of downstream excess flow, i.e. when water availability is more than the  
329 claim of the downstream riparian, this riparian must be excluded from the river  
330 bankruptcy problem, as technically this riparian is not expected to be subject to  
331 any conflict of water allocation.

332 Sections 3.1-3.4 present the mathematical formulations for each of the proposed river  
333 network bankruptcy optimization models. All river bankruptcy optimization models are subject  
334 to Equations (1)-(9). One advantage of using a network bankruptcy model is that it can be  
335 applied to any river network, irrespective of its physical conditions. So, the river network should



336 not necessarily match the natural river system and it can include water diversion/transfer  
337 infrastructure (already developed or under consideration during allocation negotiations). It must  
338 be noted that while the proposed models have been developed for river networks, they are  
339 generally applicable to any network bankruptcy problem in which the agents' accessibility to the  
340 resource can be determined based on the network structure.

341         Given the time-sensitivity of water deliveries, water solution must be done using an  
342 appropriate time-step to prevent disruption in water deliveries to any riparian party. In systems  
343 without enough storage capacity to regulate and carry over water, smaller time-steps (e.g.,  
344 month) can be used as the basis of allocations. In this case, allocations are time-specific and can  
345 be done for each time-step independently, i.e. bankruptcy rule is applied to a given time-step  
346 (e.g., month) during the planning horizon (e.g. year), based on the water availability and claims  
347 in that month only, regardless of the allocations in other months. In regulated systems, operations  
348 are more flexible. So, bankruptcy rule can be applied to the whole planning horizon (e.g., year),  
349 considering the flow variability during the planning horizon. The benefit of using bankruptcy  
350 optimization models in this case is that specific concerns of the riparian nations can be  
351 incorporated as constraints into the model. Examples of such constraints would be minimum  
352 acceptable water supply, minimum environmental flow, minimum reservoir storage/energy head  
353 for hydroelectricity generation, maximum temperature minimum, minimum acceptable  
354 reliability/resiliency of water supply, maximum acceptable vulnerability of water supply at  
355 particular points within the river network in a given time (e.g., day, week, month) during the  
356 planning horizon (e.g., year).

357 In this study, the proposed modeling framework is applied to an unregulated system for  
 358 which bankruptcy (cutback) allocation decisions in each time-step are independent from other  
 359 time-steps.

### 360 3.1. Proportional (P) Rule

361 The P rule satisfies an equal proportion of the creditors' claims. Based on this ancient  
 362 bankruptcy method, the equal portion ( $\lambda_{p_{i,t}}$ ) is calculated by dividing the total available resource  
 363 by total demand. The P rule's water allocation optimization model for river systems is proposed  
 364 in the following mathematical form:

$$365 \text{ Minimize } \lambda_{p_t} - \prod_{i=1}^m \lambda_{p_{i,t}} \quad (30)$$

366 subject to:

$$367 \lambda_{p_{i,t}} = \frac{WS_{i,t}}{C_{i,t}} \quad \forall i \quad (4)$$

$$368 \lambda_{p_{i,t}} \leq \lambda_{p_t} \quad \forall i \quad (5)$$

369 where for  $i=1, 2, \dots, m$  in a given time step  $t$ :

370  $\lambda_{p_{i,t}}$  is the riparian  $i$ 's proportional allocation coefficient (decision variable), and  $\lambda_{p_t}$  is the  
 371 maximum proportional allocation coefficient (decision variable). This optimization model tries  
 372 to minimize the latter variable. The second term in the objective function, ensures that the model  
 373 has a unique solution and the agents' allocation coefficients ( $\lambda_{p_{i,t}}$ ) are close to each other to the  
 374 extent possible. The minimum objective value for a given problem is achieved when the agent's  
 375 allocation coefficients are equal. In that case,  $\lambda_{p_t} = \lambda_{p_{i,t}}$  and the proportional allocation  
 376 coefficients match the proportional cutback rate under the original bankruptcy rule, which is

377 equal to  $\frac{E_t}{\sum_{i=1}^m C_{i,t}}$  This case occurs when the flow variability does not make the original

378 bankruptcy rule infeasible.

379

### 380 3.2. Adjusted Proportional Rule (AP)

381 Based on this rule (Curiel et al., 1988) what remains for beneficiary  $i$  once all other  
 382 creditors are satisfied is the basis for allocation. To determine the initial amount of allocation to  
 383 creditor  $i$ , the summation of claims of all other beneficiaries is compared with the available stock  
 384 of water. In case of surplus, the initial allocation to stakeholder  $i$  is equal to the remaining water  
 385 stock once all others are satisfied. Otherwise, the initial allocation to  $i$  is set to 0. It is assumed  
 386 that the initial allocation calculated through this procedure is agreeable by all beneficiaries. Once  
 387 initial allocations are determined claims are revised. Claim of a given beneficiary is set equal to  
 388 the minimum of the remaining water and the difference between its initial claim and its initial  
 389 allocation. The P rule is then applied to the remaining water stock and the revised claims.

390 The mathematical formulation of the AP rule's river bankruptcy optimization model is  
 391 proposed as follows:

$$392 \text{ Minimize } \lambda_{AP} - \prod_{i=1}^m \lambda_{AP_i,t} \quad (13)$$

393 subject to:

$$394 SC_{i,t} = \sum_{j \neq i} C_{j,t} \quad \forall i \quad (64)$$

$$395 v_{i,t} = \frac{E_t - SC_{i,t} + |E_t - SC_{i,t}|}{2} \quad \forall i$$

396 (75)

397  $C_{i,t}^* = \text{Min}(C_{i,t}, E_t) \quad \forall i$  (86)

398  $\lambda_{AP_{i,t}} = \frac{WS_{i,t} - v_{i,t}}{C_{i,t}^* - v_{i,t}} \quad \forall i$  (17)

399  $\lambda_{AP_{i,t}} \leq \lambda_{AP_t} \quad \forall i$  (98)

400  $\lambda_{AP_t} \leq \frac{E_t - \sum_{i=1}^m v_{i,t}}{\sum_{j=1, j \neq i}^m (C_{j,t}^* - v_{j,t})} \quad \forall i$  (109)

401 where for  $i=1, 2, \dots, m$  in a given time step  $t$ :

402  $SC_{i,t}$  is the summation of all riparian claims excluding riparian  $i$ ;  $v_{i,t}$  is the initial allocation to  
 403 riparian  $i$  (amount of water conceded to riparian  $i$  by all other riparians);  $\lambda_{AP_{i,t}}$  is the riparian  $i$ 's  
 404 AP allocation coefficient (decision variable), and  $\lambda_{AP_t}$  is the maximum proportional (AP)  
 405 allocation coefficient (decision variable). Similar to the P rule's optimization model, the  
 406 minimum objective value is achieved when the original bankruptcy solution is feasible and the  
 407 optimized allocations match the allocations under application of the original bankruptcy rules.  
 408 The second term in the objective function ensures having a unique solution and minimizes the  
 409 differences between the allocation coefficients of the riparians.

410 *3.3. Constrained Equal Award Rule (CEA)*

411 This ancient rule, adopted by rabbinical legislators (Dagan and Volij, 1993) allocates the  
 412 minimum of  $\lambda_{CEA_t}$  and  $C_{i,t}$  to all beneficiaries, provided that the sum of allocations equals the  
 413 total available resource. CEA tries satisfying the lower claims to the extent possible to minimize  
 414 the number of unsatisfied creditors. This rule is supposed to favor the lower claims, normally  
 415 belonging to weaker beneficiaries who can get more affected by losses (Madani and Dinar,

416 2012). Based on CEA, the initial allocation to all beneficiaries is equal to the lowest claim,  
 417 provided that the sum of initial allocations does not exceed the demand. The fully-satisfied  
 418 creditor is then excluded and the process continues with the remaining creditors after updating  
 419 their unsatisfied claims as well as the remaining resource value. At any stage (including the  
 420 initial stage) when allocating an amount equal to the lowest claim to all remaining creditors is  
 421 not feasible (due to unavailability of enough resource) the remaining resource is distributed  
 422 equally among all remaining creditors.

423 The mathematical formulation of the CEA rule's river bankruptcy optimization model is  
 424 proposed as follows:

$$425 \text{ Minimize } \lambda_{CEA_t} - \frac{\prod_{i=1}^m \lambda_{CEA_{i,t}}}{(\lambda_{CEA_t})^{m-1}} \quad (20)$$

426 subject to:

$$427 \lambda_{CEA_{i,t}} = WS_{i,t} \quad \forall i \quad (111)$$

$$428 \lambda_{CEA_{i,t}} \leq \lambda_{CEA_t} \quad \forall i \quad (122)$$

429 where for  $i=1, 2, \dots, m$  in a given time step  $t$ :

430  $\lambda_{CEA_{i,t}}$  is the feasible allocation to the riparian  $i$  (decision variable), and  $\lambda_{CEA_t}$  is the highest  
 431 feasible allocation to the creditors in time step  $t$  (decision variable). The second term in the  
 432 objective function is to enforce a unique solution and to minimize the difference between the  
 433 allocations which would be equal in absence of resource accessibility limitations. Given that  
 434  $\lambda_{CEA_t}$  can be more than 1 (different from the  $\lambda_{P_t}$  and  $\lambda_{AP_t}$  which are always less than or equal 1)  
 435 the second term is divided by a positive number of comparable magnitude to ensure that the  
 436 second term is always smaller than or equal to the first term.

437 *3.4. Constrained Equal Loss Rule (CEL)*

438 This rule can be viewed as the opposite of CEA, as it gives priority to satisfying the  
 439 highest claims (more powerful creditors) first. Once the highest claim is satisfied, the process is  
 440 repeated with the remaining resource and creditors. The process stops at any stage (including the  
 441 first stage) if the available resource is not sufficient to satisfy the highest claim of the remaining  
 442 creditors. At this stage, the remaining resource is split equally among the remaining creditors. By  
 443 doing this, CEL allocates  $C_i - \lambda_{CEL_t}$  to all beneficiaries whose claims are bigger than  $\lambda_{CEL_t}$ ,  
 444 allocating 0 to those who do not fall in this category. So, the final allocation to each beneficiary  
 445 is equal to  $\max\{0, C_i - \lambda_{CEL_t}\}$ .

446 The CEL rule's river bankruptcy optimization model is proposed as follows:

447 
$$\text{Minimize } \lambda_{CEL_t} - \frac{\prod_{i=1}^m \lambda_{CEL_{i,t}}}{(\lambda_{CEL_t})^{m-1}} \quad (133)$$

448 subject to:

449 
$$\lambda_{CEL_{i,t}} = C_{i,t} - WS_{i,t} \quad \forall i \quad (144)$$

450 
$$\lambda_{CEL_{i,t}} \leq \lambda_{CEL_t} \quad \forall i \quad (25)$$

451 where for  $i=1, 2, \dots, m$  in a given time step  $t$ :

452  $\lambda_{CEL_{i,t}}$  is the unmet claim of the riparian  $i$  (decision variable), and  $\lambda_{CEL_t}$  is the maximum unmet  
 453 claim of all riparians (decision variable).

454 **4. Example: The Qezelozan- Sefidrood River Bankruptcy Problem**

455 The proposed framework is applied to develop bankruptcy-based water allocation  
 456 schemes for resolving a real-world trans-boundary river conflict in Iran. The Qezelozan-

457 Sefidrood river basin (Figure 2) is located in the intersection of the Iran's Alborz and Zagros  
458 mountain ranges, with an area about 59,400 km<sup>2</sup>, making it the largest basin of the nation. The  
459 basin overlaps with eight provinces (Kurdistan, Hamadan, Zanjan, Eastern Azerbaijan, Ardebil,  
460 Tehran, Qazvin and Gilan) and the river provides the basis for important economic activities in  
461 these provinces. The river eventually flows into the Caspian Sea in north of Iran, which is the  
462 largest enclosed body of water in the world and the source of more than 90% of the world's  
463 caviar supply (Madani et al., 2014b). Supplying the required environmental flows of the Caspian  
464 Sea is essential to health of the sea and its valuable ecosystem.

465 While the study basin is not international, interprovincial or interstate basins are  
466 effectively equivalent to international basins as long as their boundaries do not match the  
467 political boundaries and they are managed by more than one authority. The Qezelozan-Sefidrood  
468 river basin is an example of a trans-boundary river basin, in which serious conflict has arisen as a  
469 result of recent socio-economic (i.e., population increase and development), political (i.e.,  
470 changes in the water resources management structure), and hydrologic and climatic (i.e., frequent  
471 droughts) changes. As a result of political changes in the country, the Qezelozan-Sefidrood river,  
472 which was historically shared by six Iranian provinces and managed by only one water resources  
473 authority, is now shared by eight provinces and managed by eight water authorities. As a result  
474 of population increase and development in the region, each province is trying to increase its  
475 share from the river and minimize the outgoing flow, resulting in significant reduction of water  
476 flowing into downstream provinces. To increase their water uses from the river, the upstream  
477 provinces have aggressive water resources development plans. These development plans include  
478 construction of multiple new reservoirs, which are currently under construction or in the study  
479 phase. Complete implementation of these plans will negatively impact the downstream

480 provinces, that historically have had more access to the Qezelozan-Sefidrood river due to their  
481 stronger political and economic power as well as higher populations. Therefore, the political  
482 tension has increased in the basin, making Qezelozan-Sefidrood river the subject of one of the  
483 most intractable conflicts over water resources in Iran. To show the utility of the proposed model  
484 in solving trans-boundary water allocation conflicts, the proposed framework is applied to derive  
485 new water allocation schemes for the Qezelozan-Sefidrood river system.

486 To first step in solving river bankruptcy problems is determining the legitimate claims of  
487 the riparian parties. This step is challenging in unregulated systems without established water  
488 rights. In case of Qezelozan-Sefidrood river, we propose three alternatives for determining the  
489 claims of the riparian parties. These alternatives, which help setting the upper and lower  
490 boundaries of the claims include:

491 1) Historical uses: Based on this alternative, historical uses of Qezelozan-Sefidrood river,  
492 revealed by the historical water use data are set as the claims of the riparians. The water  
493 use values are calculated based on the difference between the recorded inflows and  
494 outflows of each province at the hydrometric satiations. This alternative sets the lower  
495 claim boundary for each riparian.

496 2) Planned uses: Iran is one of the countries with a high number of under-construction dams.  
497 Currently, several water storage projects are under development at different locations in  
498 the riparian states of Qezelozan-Sefidrood river. These projects have received approval  
499 from the central government, receiving financial support from the central and provincial  
500 governments. Each project has an associated estimation of sectorial water demands (i.e.  
501 domestic, agricultural, industrial, and environmental) used for calculation of the required  
502 storage capacity. Based on this alternative, total claim of each riparian is set equal to the



503 total documented water demands of different Qezelozan-Sefidrood river-related  
504 reservoirs within its boundaries, which are already in operation or under development.

505 3) Future uses: Beside under-construction projects, each riparian state has plans for getting  
506 approval for constructing additional water storage infrastructure to meet its increasing  
507 water demand as a result of development. Based on this claim estimation alternative,  
508 water demands of these additional facilities will be added to the water claims calculated  
509 based on alternative 2, only if plans for construction of these facilities have been publicly  
510 announced. This alternative sets the upper claim boundary for each riparian.

511 Figure 3 indicates the estimated monthly water claims of the riparian states of the  
512 Qezelozan-Sefidrood river based on the three proposed methods. Detailed calculations of water  
513 claims based on the proposed claim determination alternatives can be found in Zarezadeh (2011).  
514 Given that allocation solutions can be sensitive to climatic/hydrologic conditions, three different  
515 water availability scenarios, representing three distinct hydrologic conditions, normal (average),  
516 dry, wet, were initially considered for solving the Qezelozan-Sefidrood river bankruptcy  
517 problem. In the normal scenario river flows are based on the average monthly river discharges  
518 during the 1956-2006 period. Dry scenario flows match the average monthly river discharges  
519 during the major drought of 1998-2001 in the region. The wet scenario flows are based on the  
520 monthly flows during the 1968-1969 period. The annual river discharge under the wet scenario  
521 will be sufficient to meet the historical, planned, and future claims of the riparian states and the  
522 Caspian Sea's (sink) water demand (Figure 4). Therefore, river bankruptcy problem is solved  
523 only for the normal and dry cases.

524 Due to the unclear status of water rights/claims and the future status of reservoir networks  
525 in the Qezelozan-Sefidrood river system, the system is considered as an unregulated system here,

526 disregarding the possible benefits resulting from coordination of reservoir operation strategies in  
527 the basin. The problem is solved using a monthly time-step and allocations are determined in  
528 each time-step separately. Under this approach the total allocation to each riparian over the  
529 whole planning horizon (e.g. year) is the summation of bankruptcy allocations in the existing  
530 time-steps within the planning horizon (e.g. twelve months).

531 Figure 5 indicates the monthly water yield of the Qezelozan-Sefidrood river system under  
532 the normal and dry conditions as well as the total monthly claims of the riparian parties  
533 (including Caspian Sea's water demand). This figure clearly shows the water bankruptcy  
534 situation in the Qezelozan-Sefidrood river system in almost half of the year, especially in warmer  
535 months with higher agricultural water demands.

536 The four proposed bankruptcy optimization models in section 3 were run under two  
537 hydrologic scenarios to calculate bankruptcy allocations under normal and dry conditions. The  
538 models were first run on a monthly basis to calculate the monthly allocations. Summation of 12  
539 monthly allocations based on each model with a given set of claims under a given hydrology  
540 determines the corresponding annual allocation of each province. The annual bankruptcy  
541 allocations based on different bankruptcy models, claims, and hydrologies are presented in  
542 Figure 6.

543 As expected based on definition, the CEL method favors the creditor with the highest  
544 claim (in this the downstream Province of Gilan). The opposite is true for the CEA method  
545 which gives priority to satisfy the claims of the creditors with lower claims (in this the provinces  
546 upstream of Gilan). The AP and P methods can be considered as moderate allocation methods  
547 which result in allocations that are between the high and low allocations estimated by the other  
548 two methods. In comparison with P, the AP method allocates a higher share to the parties with

549 lower claims and a lower share to the parties with higher claims, trying to address the bias  
550 toward higher claims in the P method. The difference between the allocation values for different  
551 claims and hydrologies underline the sensitivity of bankruptcy allocation schemes to the  
552 difference in claim values and hydrologic conditions in bankruptcy problems.

### 553 **5. Stability Evaluation**

554 The suggested bankruptcy optimization models provide different allocation solutions,  
555 based on different notions of fairness. Therefore, their acceptability is always questionable, given  
556 that there is always at least one beneficiary who finds one of the given alternatives unfair  
557 because she can gain more under another rule (Madani and Lund, 2011). As one of the most  
558 commonly used social choice (voting) methods (Sheikhmohammady and Madani, 2008; Madani  
559 et al., 2014c), Plurality Index can be considered as an indicator of potential acceptability of a  
560 decision rule in multi-participant decision-making problems. Based on this index, the number of  
561 stakeholders who prefer one method to the others is simply an indicator of the degree of  
562 acceptance of that method (Dinar and Howitt, 1997).

563 The higher the allocation to a riparian state, the more preferred the allocation rule  
564 (bankruptcy method) by that state. Table 1 shows the Plurality Index (number of votes received)  
565 of each bankruptcy solution method for different claim values under different hydrologies. The  
566 assumption is that each party selects the allocation scheme that gives it the highest share. Given  
567 that the Hamadan Province has no historical or planned claim, its vote is only counted when  
568 future claims are considered. Based on Plurality Index, the CEA method, which highly satisfies  
569 the riparians with lower claims (majority in this case) in both normal and dry conditions, is the  
570 winner. However, given the absolute objection of the most powerful province, i.e. Gilan, to this

571 method, which allocates low shares to this province, this solution is not practical without strong  
 572 intervention of the central government or providing strong cooperation incentives to Gilan.

573 Majority does not necessarily win in multi-participant decision-making problems with  
 574 asymmetric decision-makers' powers, especially when the minority group is powerful.  
 575 Therefore, the Plurality Index might is not very appropriate for identifying the feasible solution  
 576 when there is power imbalance among the beneficiaries. Other methods can be used to quantify  
 577 the potential acceptability of allocation solutions (Read et al., 2014). Loehman et al. (1979) used  
 578 the following Power Index ( $\alpha_i$ ), originally developed by Shapley and Shubik, 1954, to evaluate  
 579 the power of players in cooperative game theory problems in which players are trying to find the  
 580 best method for allocating the incremental benefits of cooperation to coalition members:

$$581 \quad \alpha_i = \frac{x_i - x'_i}{\sum_{j \in N} (x_j - x'_j)}, \quad i \in N, \quad \sum_{i \in N} \alpha_i = 1 \quad (156)$$

582 where  $x_i$  is the allocated cooperative benefit share to player  $i$ ,  $x'_i$  is the status-quo (non-  
 583 cooperative) gain of player  $i$ , and  $N$  is the set of all players.

584 A high Power Index value reflects less power or a higher willingness to cooperate. A  
 585 stable allocation solution can be achieved when the power is distributed more or less equally  
 586 among the players (Dinar and Howitt, 1997). Therefore, the coefficient of variation of powers,  
 587 also known as Stability Index ( $S_\alpha$ ) is used as an indicator of the stability of allocation solutions:

$$588 \quad S_\alpha = \frac{\sigma_\alpha}{\bar{\alpha}} \quad (167)$$

589 where  $\sigma_\alpha$  is the standard deviation of powers and  $\bar{\alpha}$  is the mean power. The lower the index,  
 590 the more stable the allocation solution.

591           Given that cooperation in bankruptcy problems does not have incremental benefits and  
 592 parties' gains are zero in the status-quo, the Power Index is not readily quantifiable in bankruptcy  
 593 problems. Therefore, we propose modification of Power Index (BPI) for bankruptcy problems as  
 594 follows:

$$595 \quad BPI_i = \frac{WS_i - v_i}{\sum_{j \in N} (WS_j - v_j)}, \quad i \in N, \quad \sum_{i \in N} BPI_i = 1 \quad (178)$$

596 where:

$$597 \quad WS_i = \sum_{t=1}^n WS_{i,t} \quad (29)$$

$$598 \quad v_i = \sum_{t=1}^n v_{i,t} \quad (30)$$

599  $BPI_i$  is the Bankruptcy Power Index (BPI) of riparian  $i$ ,  $v_i$  is the sum of the conceded water to  
 600 riparian  $i$  by all other riparians in all time-steps in the overall planning horizon,  $N$  is the set of  
 601 riparians, and  $n$  is the number of time-steps in the planning horizon ( $n=12$  months in the study  
 602 example).

603           Bankruptcy Allocation Stability Index (BASI) is then equal to the coefficient of variation  
 604 of BPIs, which can be used to evaluate the potential acceptability of a bankruptcy solution:

$$605 \quad BASI = \frac{\sigma_{BPI}}{BPI} \quad (33)$$

606 where  $\sigma_{BPI}$  is the standard deviation of riparian powers and  $\overline{BPI}$  is mean power. The higher the  
 607 index, the less stable the allocation solution.

608           Table 2 shows the BASI value for each bankruptcy solution under a given hydrology for  
 609 a unique claim set. Based on this table, the CEL method is the most stable method under the

610 normal hydrology even though this method is not the most popular method (based on the  
611 Popularity Index). Given that stability (feasibility) is more important than popularity (social  
612 optimality) in conflict resolution (Read et al., 2014) we can conclude that CEL is the best  
613 mechanism for water allocation in this bankruptcy study case. Nevertheless, the stability of this  
614 method is sensitive to the hydrological conditions and this method becomes the least stable  
615 allocation method under dry conditions. Under the dry conditions, the P rule is the most stable  
616 with lower demands. As the demands increase, the CEA method (the most popular method)  
617 becomes more stable. The changes in stability of allocation rules with changes in demand and  
618 hydrology, shows that not only stability of allocation mechanism is sensitive to both the  
619 hydrologic conditions (water availability) and the claim set characteristics. Future studies can  
620 focus on understanding the correlations between the claim set characteristics (magnitude of  
621 claims, heterogeneity of claims, etc.), resource availability, and BASI of allocation rules.

## 622 **6. Conclusions**

623         Using an example of real-world river bankruptcy problem, this work formed the basis and  
624 set practical guidelines for developing allocation schemes for resolving trans-boundary water  
625 allocation conflicts based on bankruptcy methods. Although the suggested approach does not  
626 necessarily maximize the total welfare in the basin and might result in sub-optimal allocations  
627 from the economic standpoint, it can be used to develop practical solutions when side-payments  
628 are not feasible, parties are not highly cooperative (or not interested in implementing solutions  
629 based on conventional cooperative game theory solutions), and utility information is not  
630 available.

631         Considering the non-uniform spatial and temporal variability of water flows, resulting in  
632 unequal access to water in river systems, the work proposed solving river bankruptcy problems

633 using non-linear optimization models. Four river bankruptcy network flow optimization models  
634 were proposed based on four conventional bankruptcy rules, i.e. Proportional (P), Adjusted  
635 Proportional (AP), Constrained Equal Award (CEA), and Constrained Equal Loss (CEL), for  
636 trans-boundary water allocation. The models can be applied to any river network (or bankruptcy  
637 network) problem, irrespective of its shape and resource variability/accessibility conditions.

638 Acknowledging the difference in the notion of fairness and the possibility of rejection of  
639 suggested allocations by the beneficiaries, who find certain allocation rules unfair, there is need  
640 for evaluating the acceptability of different bankruptcy solutions. While popularity of each  
641 solution is a simple indicator of the potential acceptability of a solution, it was argued that in  
642 case of asymmetric powers, majority cannot necessary determine the feasible solution, especially  
643 when the powerful parties do not support the most popular solution. Therefore, a new index  
644 (Bankruptcy Allocation Stability Index) was formulated for evaluating the potential  
645 acceptability/stability of allocation solutions with respect to distribution of claims and  
646 dissatisfaction among the beneficiaries.

647 Evaluation of the stability of different bankruptcy allocation solutions for different water  
648 demand and hydrologic scenarios suggested that acceptability is sensitive to both water demand  
649 (claim) and water availability. This finding has a significant policy implication for trans-  
650 boundary water management, suggesting that inflexible water allocation agreements and treaties  
651 that have been developed based on stationary assumptions are not resilient, especially in face of  
652 the expected socio-economic and climatic changes.

## 653 **7. Acknowledgments**

654 This paper was written during the first author's stay at the University of Central Florida  
655 (UCF) as a visiting scholar. Special thanks go to the Hydro-Environmental and Energy Systems

656 Analysis (HEESA) Research Group at UCF for hospitality and their extensive support during  
657 this research. The authors would like to thank Erik Ansink and the two anonymous reviewers for  
658 their constructive comments.

## 659 **8. References**

660           Ansink, E. and Ruijs, A.: Climate change and the stability of water allocation agreements,  
661 *Environmental and Resource Economics*, 41(2), 249–266, 2008.

662           Ansink, E. and Weikard, H.P.: Sequential sharing rules for river sharing problems, *Social*  
663 *Choice and Welfare*, 38, 187-210, 2012.

664           Ansink, E. and Weikard, H.P.: Composition properties in the river claims problem.  
665 MPRA Working Paper 51618, 2013.

666           Aumann, R. J. and Maschler, M.: Game theoretic analysis of a bankruptcy problem from  
667 the Talmud. *J. Economic Theory*, 36(2), 195-213, 1985.

668           Bruce, C. J. and Madani, K.: Successful Collaborative Negotiation over Water Policy:  
669 Substance versus Process”, Department of Economics, University of Calgary, Working Paper  
670 2014-36, 2014.

671           Curiel, I. J., Maschler, M. and Tijs, S. H.: Bankruptcy game, *Zeitschrift für Operations*  
672 *Research*, 31(5), A143-A159, 1987.

673           Dagan, N. and Volji, O.: The bankruptcy problem: a cooperative bargaining approach,  
674 *Mathematical Social Sciences*, 26(3), 287-297, 1993.

675           De Stefano, L., Duncan, J., Dinar, S., Stahl, K., Strzepek, K.M. and Wolf, A.T.: Climate  
676 change and the institutional resilience of international river basins. *Journal of Peace Research*,  
677 49, 193–209, 2012.



678 Dinar, A. and Howitt, R. E.: (1997), Mechanisms for allocation of environmental control  
679 cost: empirical tests of acceptability and stability, *J. Environmental Management*, 49(2), 183–  
680 203, 1997.

681 Dinar, S., Odom, O., McNally, A., Blankespoor, B. and Kurukulasuriya, P.: Climate  
682 Change and state grievances: the resiliency of international river treaties to increased water  
683 variability, *Institute of Advanced Study Insights Working Paper Series*, Durham University,  
684 3(22), 2010.

685 Dufournaud, C.: On the Mutually Beneficial Cooperative Scheme: Dynamic Change in  
686 the Payoff Matrix of International River Basin Schemes, *Water Resources Research*, 18(4), 764-  
687 772, 1982.

688 Elimam, L., Rheinheimer, D., Connell, C. and Madani, K.: An ancient struggle: a game  
689 theory approach to resolving the Nile conflict, In: Babcock, R.W., Walton, R. (Eds.), *Proceeding*  
690 *of the 2008 World Environmental and Water Resources Congress*, Honolulu, Hawaii. American  
691 Society of Civil Engineers, pp. 1–10, 2008.

692 Grundel, S., Borm, P. and Hamers, H.: A Compromise Stable Extension of Bankruptcy  
693 Games: Multipurpose Resource Allocation, *CentER Discussion Paper*, 2011-029. 17p, 2011.

694 Giordano, M. and Wolf, A.: Sharing waters: Post-Rio international water management,  
695 *Natural Resources Forum*, 27(2), 163-171, 2003.

696 Harsanyi, J. C.: A bargaining model for the cooperative n-person game, In *Contributions*  
697 *to the Theory of Games*, 4 (A. W. Tucker and D. R. Luce, eds): 324–356. Princeton, NJ:  
698 Princeton University Press, 1959.

699 Herrero, C. and Villar, A.: The three musketeers: Four classical solutions to bankruptcy  
700 problems. *Mathematical Social Sciences* 42(3), 307–328, 2001.

701            İlkılıç, R. and Kayı, C.: Allocation rules on networks, Working Paper 118, Universidad  
702 del Rosario, 2012.

703            Kilgour, D. M. and Dinar, A.: Flexible water sharing within an international river basin,  
704 Environmental and Resource Economics. 18(1), 43–60, 2001.

705            Kucukmehmetoglu, M. and Guldmen, J.: International water resources allocation and  
706 conflicts: the case of the Euphrates and Tigris, Environment and Planning, 36(5), 783-801, 2004.

707            Loehman, E., Orlando, J., Tschirhart, J. and Winstion, A.: Cost allocation for a regional  
708 wastewater treatment system, Water Resources Research, 15(2), 193–202, 1979.

709            Madani, K.: Game theory and water resources, J. Hydrology, 381(3-4), 225-238, 2010.

710            Madani, K.: Hydropower Licensing and Climate Change: Insights from Game Theory,  
711 Advances in Water Resources, 34 (2), 174-183, 2011.

712            Madani, K.: Modeling International Climate Change Negotiations More Responsibly:  
713 Can Highly Simplified Game Theory Models Provide Reliable Policy Insights?, Ecological  
714 Economics, 90, 68-76, 2013.

715            Madani, K. and Dinar, A.: Policy implications of institutional arrangements for  
716 sustainable management of common pool resources: The case of groundwater, Proceeding of the  
717 2011 World Environmental and Water Resources Congress, pp. 981-989, ASCE, Palm Springs,  
718 California, Edited by: Beighley II R. E. and Kilgore M. W., ASCE, 2011.

719            Madani K. and Dinar, A.: Cooperative Institutions for Sustainable Common Pool  
720 Resource Management: Application to Groundwater, Water Resources Research, 48(9),  
721 W09553, 2012.

722 Madani, K. and Dinar, A.: Exogenous Regulatory Institutions for Sustainable Common  
723 Pool Resource Management: Application to Groundwater, Water Resources and Economics, 2-3,  
724 57-76, 2014.

725 Madani, K. and Hipel, K. W.: Strategic insights into the Jordan river conflict, Proceeding  
726 of the 2007 World Environmental and Water Resources Congress, Tampa, Florida, Edited by:  
727 Kabbes K. C., ASCE, 2007.

728 Madani, K. and Hipel, K. W.: Non-cooperative stability definitions for strategic analysis  
729 of generic water resources conflicts, Water Resources Management, 25, 1949–1977, 2011.

730 Madani K. and Lund, J. R.: A Monte-Carlo game theoretic approach for Multi-Criteria  
731 Decision Making under uncertainty, Advances in Water Resources, 35(5), 607-616, 2011.

732 Madani, K. and Lund, J. R.: California's Sacramento-San Joaquin Delta conflict: from  
733 cooperation to chicken, Water Resources Planning and Management, 138(2), 90-99, 2012.

734 Madani, K., Sheikhmohammady, M., Mokhtari, S., Moradi M. and Xanthopoulos, P.:  
735 Social Planner's Solution for the Caspian Sea Conflict, Group Decision and Negotiation, 23(3),  
736 579-596, 2014a.

737 Madani, K., Rouhani, O. M., Mirchi, A. and Gholizadeh, S.: A Negotiation Support  
738 System for Resolving an International Trans-boundary Natural Resource Conflict",  
739 Environmental Modeling and Software, 51: 240–249, 2014b.

740 Madani K., Read L. and Shalikarian L.: Voting Under Uncertainty: A Stochastic  
741 Framework for Analyzing Group Decision Making Problems, Water Resources Management,  
742 28(7),1839-1856, 2014c.

743           Madani, K. and Zarezadeh, M.: Bankruptcy Methods for Resolving Water Resources  
744 Conflicts, 2012 World Environmental and Water Resources Congress, pp. 2247-2252, ASCE,  
745 Albuquerque, New Mexico, Edited by: Loucks E. D, 2012.

746           Mianabadi, H., Mostert, E., Zarghami, M. and Giesen, N. van de.: Transboundary water  
747 resources allocation using bankruptcy theory; Case study of Euphrates and Tigris Rivers,  
748 Proceedings of the Transboundary water management across borders and interfaces: present and  
749 future challenges International Conference & Workshops (TWAM,2013). 16- 20 March, Aveiro,  
750 Portugal, 2013.

751           O'Neill, B.: A problem of rights arbitration from the Talmud, *Mathematical Social*  
752 *Sciences*, 2(4), 345–371, 1982.

753           Parrachino, I., Dinar, A. and Patrone, F.: Cooperative game theory and its application to  
754 natural, environmental, and water resource issues: 3. Application to Water Resources. World  
755 Bank Policy Research Working Paper No. 4074, WPS4072, 2006.

756           Read, L., Madani, K. and Inanloo, B.: Optimality versus Stability in Water Resource  
757 Allocation Negotiations, *Journal of Environmental Management*, 133, 343-354, 2014.

758           Rogers, P.: A game theory approach to the problems of international river basins, *Water*  
759 *Resources Research*, 5(4), 749-760, 1969.

760           Shapley, L. S.: A value for n-person games, *Annals of Mathematics Studies*, 28, 307–  
761 318, and in *Contributions to the Theory of Games*, Vol. 2 (H. W. Kuhn and A. W. Tucker, eds).  
762 Princeton: Princeton University Press, 1953.

763           Shapley, L. S. and Shubik, M.: A method for evaluating the distribution of power in a  
764 committee system. *American Political Science Review* 48:787–792, 1954.

765 Sheikhmohammady, M., Kilgour, D.M., and Hipel, K.W.: Modeling the Caspian Sea  
766 Negotiations, *Group Decision and Negotiation*, 19(2), 149-168, 2010.

767 Sheikhmohammady, M. and Madani, K.: Sharing a multi-national resource through  
768 bankruptcy procedures, *Proceeding of the 2008 World Environmental and Water Resources*  
769 *Congress, Honolulu, Hawaii*, Edited by Babcock R. W. and Walton R., pp. 1-9, American  
770 Society of Civil Engineers, 2008.

771 Schmeidler, D.: The nucleolus of a characteristic function game, *SIAM Journal of*  
772 *Applied Mathematics*, 17(6), 1163–1170, 1969.

773 Teasley, R. L. and McKinney, D. C.: Calculating the benefits of trans-boundary river  
774 basin cooperation: the Syr Darya basin, *Water Resources Planning and Management*, 137(6),  
775 481-490, 2011.

776 Thomson, W.: Axiomatic and game-theoretic analysis of bankruptcy and taxation  
777 problems: A survey. *Mathematical Social Sciences* 45(3), 249–297, 2003.

778 Wolf, A. T., Kramer, A., Carius, A., and Dabelko, G. D.: Water Can Be a Pathway to  
779 Peace, Not War. Woodrow Wilson International Center for Scholar. No. 1., 2006.  
780 [www.wilsoncenter.org/topics/pubs/NavigatingPeaceIssue1.pdf](http://www.wilsoncenter.org/topics/pubs/NavigatingPeaceIssue1.pdf)

781 Zarezadeh, M.: Water Allocation in the Qezelozan- Sefidrood Basin under Climate  
782 Change, using Bankruptcy Approach for Conflict Resolution, M. S. thesis, Dep. Of Water  
783 Resources Engineering, Tarbiat Modares University, Tehran, Iran, 2011.

784 Zarezadeh M., Madani K., and Morid S.: Interactive comment on Resolving conflicts  
785 over trans-boundary rivers using bankruptcy methods, *Hydrol. Earth Syst. Sci. Discuss.*, 10,  
786 C8199–C8199, 2014

787

Table 1. Plurality Index of different bankruptcy solutions for different claims and hydrologies

Claim	Hydrology									
	Normal					Dry				
	P	AP	CEL	CEA	Winner	P	AP	CEL	CEA	Winner
Historical	0	0	1	<u>6</u>	CEA	0	0	1	<u>6</u>	CEA
Planned	0	0	1	<u>6</u>	CEA	0	1	1	<u>5</u>	CEA
Future	0	1	1	<u>6</u>	CEA	0	2	1	<u>5</u>	CEA

Table 2. Bankruptcy Index Values of different bankruptcy solutions for different claims and hydrologies

Scenario	Bankruptcy Stability Index							
	Normal				Dry			
	P	AP	CEL	CEA	P	AP	CEL	CEA
Historical	0.11	0.10	<u>0.07</u>	0.15	<u>0.90</u>	1.00	1.33	1.27
Planned	0.31	0.31	<u>0.21</u>	0.43	1.11	1.01	1.68	<u>0.77</u>
Future	6.57	6.49	<u>3.48</u>	9.65	1.01	0.95	1.54	<u>0.73</u>




Figure 1. Schematic map of a trans-boundary river network






Figure 2. Qezelozan-Sefidrood river basin and its eight riparian provinces




Figure 3. Estimated monthly claims of the riparian provinces based on the three proposed claim calculation method




Figure 4. Total annual claims (including Caspian Sea's water demand) based on three different claim estimation methods and total annual water yield under three different hydrologic scenarios




Figure 5. Total monthly claims (including Caspian Sea’s water demand) based on three different claim estimation methods and total annual water yield under normal and dry hydrologies




Figure 6. Satisfied annual water claim (%) of the riparian provinces based on different bankruptcy solution methods for different claims and hydrologies (a: historical claim in normal year, b: historical claim in dry year, c: planned claim in normal year, d: planned claim in dry year, e: future claim in normal year, and f: future claim in dry year)