

## ***Interactive comment on “Comparative assessment of predictions in ungauged basins – Part 3: Runoff signatures in Austria” by A. Viglione et al.***

### **Anonymous Referee #5**

Received and published: 11 March 2013

First of all my deepest apologies to the authors for this extremely late review.

The manuscript presents a comparison of two regionalisation methods relying on the large and high quality hydrological dataset available in Austria : top-kriging and a regionalised rainfall-runoff model. The manuscript is overall clear, well illustrated and contains undoubtedly useful results that can feed scientific debates in hydrology as already illustrated by the exchanges around this "discussion version". I am personally moderately convinced by the development proposed in the manuscript and the detailed analysis of the extrapolation results obtained for various so-called "runoff signatures". In fact, the obtained results are perfectly explained by the few figures provided at the very beginning of the manuscript(end of page 458): Top-kriging performs better in reproducing hydrographs at ungauged sites than the selected RR model even when

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



applied to gauged sites. The die is cast! I would have wished that the authors take much more time to comment and explain this surprising result rather than focussing this manuscript on the analysis of the relatively straightforward consequences on the forecasting performances of so-called signatures at ungauged sites. At least, this first result on hydrograph predictions should be recalled in the analyses to support the interpretations. But this is a matter of sensibility.

Nevertheless, besides this major comment that does not necessarily necessitate a in depth revision of the manuscript, it may be improved through some minor modifications to my opinion (detailed comments are provided in an annotated manuscript attached to this review).

1) The methods and especially the Top-Kriging approach should be presented in more detail (maybe in an appendix). Some important aspects may be unclear for readers who are not familiar with the papers of Skoien, Merz and Bloeschl. For instance, how is an entire hydrograph interpolated at ungauged sites (p 458). Are the various signatures interpolated separately ?

2) Results obtained for the at site calibrate RR model should also be provided to support the interpretations and to identify what can be attributed to the limits of the RR model and its input data and what is linked to regionalisation of the model.

3) The introduction could be shortened as well as the description part of the results to reduce the length of the manuscript and make it easier to read. This result part is much too descriptive and lacking real interpretations. The authors should make the effort to test their interpretation hypotheses or at least some of them against the data (see annotated manuscript).

4) I would suggest to avoid the sometimes too conceptual presentation based on questionable notions (level of linearity, supposed relation between variability and predictability...) and to keep the text accurate and simple (see annotated manuscript).

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

Please also note the supplement to this comment:

<http://www.hydrol-earth-syst-sci-discuss.net/10/C298/2013/hesd-10-C298-2013-supplement.pdf>

---

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 10, 449, 2013.

**HESD**

10, C298–C300, 2013

---

Interactive  
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C300

