



[Interactive  
Comment](#)

# ***Interactive comment on “Winter stream temperature in the rain-on-snow zone of the Pacific northwest: influences of hillslope runoff and transient snow cover” by J. A. Leach and R. D. Moore***

**Anonymous Referee #3**

Received and published: 25 December 2013

This manuscript deals with the potential impact of changing climate and precipitation pattern on dominant heat fluxes and consequently stream temperatures at the catchment scale in the PNW. The authors state that, opposed to previous studies advective energy inputs from hillslope runoff can have a dominant effect on thermal dynamics in catchments with transient snow cover. The results present a novel take on stream thermal dynamics under changing environmental scenarios and broaden the view of the relative importance of different energy budget components. A long-term shift in winter temperature will have multiple implications on stream ecology, some of which

C6893

[Full Screen / Esc](#)

[Printer-friendly Version](#)

[Interactive Discussion](#)

[Discussion Paper](#)



are briefly discussed here. However the amount literature concerning winter temperature is dwarfed by work dealing with summer conditions. In my opinion, one of the strong points of this manuscript is drawing attention to changes in winter thermal dynamics. Given this, I absolutely support publication with just a few minor suggestions to the authors. The manuscript is well-written and each segment is easy to understand. However, given the sheer amount of data presented (and I appreciate the level of detail in which it is presented), the methodology somehow feels disjoint. Although aims are already stated earlier maybe a short paragraph should give an outline of sections 3 and 4 to help link these two parts.

Specific points:

12957 | 26: If snow depth was measured along a transect, describe the specifications of the transect.

12959 | 2-10: Could you give the time interval for temperature logging, as it was given for all other logging instruments. Is there any information you can provide concerning cross-calibration of temperature logging instruments. This also relates to other parts of the manuscript where this would be appropriate (e.g. 12971 section 4.1). Given the magnitude of differences observed during winter, differences in logger functioning might account for substantial parts of observed differences between sites.

12967 | 21: Are these instantaneous temperatures or mean daily? Please specify. Could you provide information on the average/max diurnal temperature range?

12979 Section 5.3: Include not only increased temperature as basis for discussion on climate change, but also precipitation pattern. What are the projections for shifts in the annual precipitation pattern in the PNW (e.g. increase of extreme events)? How would these projections impact thermal dynamics based on your findings, if they would at all?

12980 | 1-2: The timing of spring emergence of the overwintering invertebrate generation provides the opportunity to link (maybe in one sentence) the results to terrestrial

# HESSD

10, C6893–C6895, 2013

[Interactive  
Comment](#)

[Full Screen / Esc](#)

[Printer-friendly Version](#)

[Interactive Discussion](#)

[Discussion Paper](#)



food webs (e.g. timing the onset of breeding to aquatic invertebrate emergence by riparian birds) and help broaden the significance of the presented findings.

---

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 10, 12951, 2013.

**HESSD**

10, C6893–C6895, 2013

---

Interactive  
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C6895

