Hydrol. Earth Syst. Sci. Discuss., 10, C8408–C8411, 2014 www.hydrol-earth-syst-sci-discuss.net/10/C8408/2014/

© Author(s) 2014. This work is distributed under the Creative Commons Attribute 3.0 License.



HESSD

10, C8408-C8411, 2014

Interactive Comment

Interactive comment on "Accounting for environmental flow requirements in global water assessments" by A. V. Pastor et al.

A. V. Pastor et al.

amandine.pastor@wur.nl

Received and published: 16 April 2014

Dear HESS Editorial Board and Reviewers,

We would like to submit Author Comments of our manuscript entitled " Accounting for environmental flow requirements in global water assessments [Doi:10.5194/hessd-10-14987-2013]" submitted to Hydrology and Earth System Sciences. "

First of all, we would like to express here our deep gratitude for the suggestions that are helpful for us to revise our manuscript. We apologize for some parts of our manuscript that might be confusing for the Referees and might mislead the content of our manuscript.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



Please find under attached a detailed response to each Referee. We are going to revise our manuscript thoroughly according to the direction below after decision of the Editorial board. After this, we sincerely believe that the newly version will be up to satisfying both referee's comments.

Again, our gratitude to you and all of Referees.

Sincerely yours

Amandine PASTOR (On behalf of all authors)

Please also note the supplement to this comment: http://www.hydrol-earth-syst-sci-discuss.net/10/C8408/2014/hessd-10-C8408-2014-supplement.pdf

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 10, 14987, 2013.

HESSD

10, C8408-C8411, 2014

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



Freshwater Ecoregions of the World (FEOW) Freshwater Ecoregions Of the World (FEOW) Major Hobital Type Cutle Large five of little Large five of littl

Figure 1. Location of 11 study cases where environmental flow requirments (EFRs) were locally defined.

Fig. 1.

tropical and a ubtropical upland rivers

undo frechwaters and endotheic (closed) baring

HESSD

10, C8408-C8411, 2014

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion






Figure 1. Relation between the monthly calculated EFRs with the locally-calculated monthly EFRs of 11 study cases with (a) Variable Monthly Flow, (b) Smakhtin, (c) Tessmann, (d) Q90_Q50, (e) Tennantmethods. In each sub-figure, each dotrepresent an EFR for one month and for one case study.

Fig. 2.

HESSD

10, C8408-C8411, 2014

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

