

Supplementary Information B. GETA Database. For Land Cover (LC) abbreviations, see Table 1.

| OID | LC | Lat | Long | ET(m/yr) | Author | Reference |
|-----|-----|-------|---------|----------|---|---|
| 1 | CRN | 40.73 | -89.01 | 0.608 | Arnold & Allen, 1996 | Estimating hydrologic budgets for three Illinois watersheds. J. Hydrol, 176(1-4),57-77 |
| 2 | CRN | 55 | 12 | 0.392 | Aslyng, 1960; Kristensen, 1959; Aslyng & Kristensen, 1958; Aslyng & Nielsen, 1960 | Arch. Meteorol. Geophys. Biokl., B10: 359-375. ;IAHS. Hydrology of Lakes, 109: 158-163; Landbohojskoles, Arsskrift: 64-100;Arch. Meteorol. Geophys. Biokl., B10: 342-358. |
| 3 | CRI | 36.87 | -121.52 | 0.58 | Ayars et al., 1999 | Agr. Wat. Mgt., 42(1),1-27 |
| 4 | CRI | 33.02 | -102.42 | 0.42 | Baumhardt and Lascano, 1999 | Agr. J., 91 (6), 922-927 |
| 5 | CRN | 40.68 | -85 | 0.639 | Choudhury et al., 1998 | J. Hydrol, 205(3-4), 164-185 |
| 6 | CRN | 43.75 | -95 | 0.467 | Choudhury et al., 1998 | J. Hydrol, 205(3-4), 164-185 |
| 7 | CRN | 35.25 | -98.5 | 0.672 | Choudhury et al., 1998 | J. Hydrol, 205(3-4), 164-185 |
| 8 | CRN | 50.5 | -105.5 | 0.312 | Choudhury et al., 1998 | J. Hydrol, 205(3-4), 164-185 |
| 9 | CRN | 33.5 | -115 | 0.692 | Choudhury et al., 1998 | J. Hydrol, 205(3-4), 164-185 |
| 10 | CRN | 37.25 | 116 | 0.507 | Choudhury et al., 1998 | J. Hydrol, 205(3-4), 164-185 |
| 11 | CRI | 32 | 34.82 | 1.302 | Cohen et al., 2002 | Agr. For. Met., 111(2), 83-91 |
| 12 | CRI | 36.87 | -120.52 | 0.7 | Davis, 1983 | Trickle irrigation of cotton in California, Western Cotton Production Conference, Las Cruces, NM, pp. 34-38. |
| 13 | CRN | 54.99 | -1.62 | 0.554 | Dunn & Mackay, 1995 | J. Hydrol., 171(1-2), 49-73 |
| 14 | CRI | 33 | 8 | 1.68 | Flohn, 1972 | IASH/UNESCO/WMO report, PP 689 |
| 15 | CRI | 36.87 | -120.52 | 0.76 | Grimes, 1982 | In western cotton production conference, PP 27-30 |
| 16 | CRI | 33.98 | -117.33 | 0.405 | Hoffman, 1985 | Amer. Soc. Agr. Eng., PP 35-42 |
| 17 | CRI | 33.98 | -117.33 | 1.55 | Hoffman, 1985 | Amer. Soc. Agr. Eng., PP 35-42 |
| 18 | CRI | 33.07 | -111.97 | 0.895 | Hunsaker et al., 1998 | Agr. Wat. Mgt., 37 (1) , 55-74 |
| 19 | CRI | 40 | 116 | 0.445 | Jin et al., 1999 | Agr. Wat. Mgt., 42(2),173-187 |
| 20 | CRN | 53 | 57 | 0.522 | Krestovsky, 1969b; Shiklomanov & Krestovsky, 1988 | In: E.R.C. Reynolds and F.B. Thompson (Editors), Forests, Climate and Hydrology. United Nations University, Tokyo, pp. 78-116. |
| 21 | CRI | 37.83 | 114.67 | 0.438 | Liu et al, 2002a | Agr. For. Met., 111(2), 109-120 |
| 22 | CRI | 34 | 109 | 0.458 | Liu et al., 2002b | Agr. Wat. Mgt, 56(2): 143-151. |
| 23 | CRN | 39.32 | 100.13 | 0.555 | Liu & Kotoda, 1998 | J. Amer. Wat. Res. Ass., 34(1), 27-41 |
| 24 | CRI | 51.5 | 43.65 | 0.397 | Lvovitch, 1979 | NA |
| 25 | CRN | 40.5 | -98 | 0.462 | Mahmood & Hubbard, 2002 | Clim. Res., 21 (1), 83-90 |
| 26 | CRN | 48 | 39 | 0.435 | Molchanov, 1973 | Forest effects in the environment, Naukam Moscow, 379PP |
| 27 | CRN | 47.66 | 20.78 | 0.291 | Mika et al., 2001 | Phy. Chem Ear. Sci. Part B-Hydrol. Ocea. Atm, 26(7-8), 601-606 |
| 28 | CRN | 53.31 | -113.58 | 0.42 | Morton, 1983a | J. Hydrol., 66, 1-76 |
| 29 | CRI | 33.5 | -114.5 | 0.91 | Raymond & Rezin, 1989 | U.S. Geol. Surv., 1989 |
| 30 | CRI | 31.42 | 34.5 | 0.449 | Saranga et al., 1998 | Crop Sci., 38 (3), 782-787 |
| 31 | CRN | 33.47 | 116.48 | 0.425 | Scott & Sudmeyer, 1993 | J. Hydrol., 146(1-4), 301-319 |
| 32 | CRN | 39.15 | -2.88 | 0.261 | Sene, 1996 | J. Hydrol., 179 (1-4), 259-280 |
| 33 | CRN | 53 | 57 | 0.455 | Shiklomanov & Krestovsky, 1988 | For. Clim. Hydrol., UN report 78-116 |
| 34 | CRI | 36.87 | -120.52 | 0.649 | Soppe, 2000 & Ayars & Soppe, 2001 | Optimizing saline shallow groundwater use by crops. Ph.D. Thesis, University of California, Davis, CA; Integrated management of irrigation and shallow ground water in the presence of drains. B81211, California Department of Water Resources |
| 35 | CRI | 36.87 | -120.52 | 0.759 | Styles & Bernasconi, 1994 | California Department of water resources, 1994 |

| | | | | | | |
|----|-----|-------|---------|-------|-----------------------------|--|
| 36 | CRI | 31.48 | -111 | 1.462 | Unland et al., 1998 | Evaporation from a riparian system in a semi-arid environment. Hydrol. Proc., 12, 527-542 |
| 37 | CRI | 36.87 | -120.52 | 0.567 | Wanjura et al., 1996 | Agr. J., 88 (4), 561-566 |
| 38 | CRN | 26.08 | -80.77 | 1.024 | Abtew & Kahanl, 1994 | Wat. Res. Bul., 30(3),429-439 |
| 39 | CRI | 38.5 | 27 | 0.765 | Allen, R.G., 2000 | Using the FAO-56 dual crop coefficient method over an irrigated region as part of an evapotranspiration intercomparison study. J. Hydrol., 229(1-2), 27-41 |
| 40 | CRI | 38.5 | 27 | 0.835 | Allen, R.G., 2000 | Using the FAO-56 dual crop coefficient method over an irrigated region as part of an evapotranspiration intercomparison study. J. Hydrol., 229(1-2), 27-41 |
| 41 | CRI | 38.5 | 27 | 0.73 | Allen, R.G., 2000 | Using the FAO-56 dual crop coefficient method over an irrigated region as part of an evapotranspiration intercomparison study. J. Hydrol., 229(1-2), 27-41 |
| 42 | CRI | 38.5 | 27 | 1.09 | Allen, R.G., 2000 | Using the FAO-56 dual crop coefficient method over an irrigated region as part of an evapotranspiration intercomparison study. J. Hydrol., 229(1-2), 27-41 |
| 43 | CRI | 38.5 | 27 | 0.867 | Anac et al., 1999 | In: C. Kirda, P. Moutonnet, C. Hera and D.R. Nielsen (Editors), Crop Yield Response to Defecit Irrigation. Kluwer Academic Publishers, Dordrecht, pp. 196-212. |
| 44 | CRI | 30 | 70 | 0.74 | Bastiaanssen et al., 2002 | Wat. Res. Research, 38(12),1273 |
| 45 | CRI | 22.32 | 87.32 | 0.361 | Home et al., 2002 | Agr. Wat. Mgt., 55(12): 159-170 |
| 46 | CRN | 51.11 | 40.73 | 0.173 | Lvovitch, 1979 | NA |
| 47 | CRI | 26.3 | -80.4 | 1.018 | Mierau, 1974 | Supplemental water use in the Everglades Agricultural Area. 74-4, South Florida Water Management District, West Palm Beach, FL. |
| 48 | CRI | -16 | -64 | 0.621 | Preito & Angueria, 1999 | In: C. Kirda, P. Moutonnet, C. Hera and D.R. Nielsen (Editors), Crop Yield Response to Defecit Irrigation. Kluwer Academic Publishers, Dordrecht, pp. 161-179. |
| 49 | CRI | 30 | 70 | 0.527 | Sarwar & Bastiaanssen, 2001 | Amer. Soc. Cilv. Eng., irr. Dra. Eng., 127(6), 331-338 |
| 50 | CRN | 26.3 | -80.4 | 1.53 | Shih & Gascho, 1980 | Transactions of ASAE, 28 |
| 51 | CRN | 26.3 | -80.4 | 1.251 | Shih, 1983 | Amer. Soc. Agr. Eng., Winter Meeting Paper No. 83-2526 |
| 52 | CRI | -7.05 | 110.07 | 1.05 | Van Dijk et al., 2001 | Hydrology and Erosion Research project (CHERP) Report , Universiteit Amsterdam, Amsterdam,16pp |
| 53 | CRI | 8.2 | 80.9 | 2.333 | Batchelor, 1984 | Irrig. Sci., 5(4), 223-233 |
| 54 | CRI | 8.2 | 80.9 | 1.896 | Batchelor, 1984 | Irrig. Sci., 5(4), 223-233 |
| 55 | CRI | 32.7 | -115.3 | 1.9 | Hutmacher et al., 2002 | 31st California Alfalfa & Forage Symposium, University of California, Alfalfa Workgroup pp 77-86 |
| 56 | BAR | 35.25 | 139.11 | 0.063 | Allison & Barnes, 1983 | Nature, 301, 143-145 |
| 57 | BAR | 35.25 | 139.11 | 0.17 | Allison & Barnes, 1985 | Temporal variation in actual evapotranspiration of terrestrial ecosystems: patterns and ecological implications. J. Biogeog., 21(4), 401-411 |
| 58 | BAR | 40.17 | -115.5 | 0.29 | Berger et al, 2001 | U.S. Geol. Surv., Carson City, Nevada, 38 pp |
| 59 | BAR | 40.6 | -111.8 | 0.27 | Johnston et al., 1970 | Wat. Res. REsearch, 6(1),324-327 |
| 60 | BAR | 40.87 | -111.87 | 0.287 | Johnston 1970 | Wat. Res. REsearch, 6(1),324-327 |
| 61 | BAR | 39.15 | 100.1 | 0.099 | Liu & Kotoda, 1998 | J. Amer. Wat. Res. Ass., 34(1), 27-41 |
| 62 | BAR | 36.5 | -118 | 0.01 | Lopes 1986 | Hydrology and water budget of Owens Lake, California, MS Thesis |
| 63 | BAR | 33.61 | -114.6 | 0.101 | Major, 1963 | Ecology, 44, 485 |
| 64 | BAR | 44.58 | 111.17 | 0.069 | Major, 1963 | Ecology, 44, 485 |
| 65 | BAR | 28.28 | 68.48 | 0.089 | Major, 1963 | Ecology, 44, 485 |
| 66 | BAR | 33.33 | -99.23 | 0.576 | Carlson et al., 1990 | J. Ran. Mgt., 43(6), 491-496 |
| 67 | BAR | 32.52 | -106.78 | 0.224 | Reynolds et al., 2000 | Plant Ecol., 150, 145-159 |
| 68 | BAR | 38.88 | -117.92 | 0.126 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |

| | | | | | | |
|-----|-----|-------|---------|-------|--|---|
| 69 | BAR | 43.8 | -111.8 | 0.219 | Rosenzweig, 1968 | Amer. Natur., 102, 67-74 |
| 70 | BAR | 32 | -111 | 0.244 | Sammis and Gay, 1979 | J. Arid Envt.,2, 313-321 |
| 71 | BAR | 36.5 | -118 | 0.088 | Tyler et al., 1997 | J. Hydrol., 200, 110-135 |
| 72 | BAR | -28.5 | 137.3 | 0.019 | Ullman, 1985 | J. Hydrol., 79, 365-373 |
| 73 | BAR | 32.22 | -111.08 | 0.246 | Unland et al., 1996 | Agr. For. Met., 82(1-4), 119-153 |
| 74 | BAR | 31.48 | -110.99 | 0.157 | Unland et al., 1998 | Evaporation from a riparian system in a semi-arid environment. Hydrol. Proc., 12, 527-542 |
| 75 | BAR | 26.74 | -98.08 | 0.645 | Weltz & Blackburn, 1995 | J. Ran. Mgt., 48(1), 45-52 |
| 76 | BAR | 48 | 15.67 | 0.09 | Dirnbock & Grabherr, 2000 | GIS Assessment of Vegetation and Hydrological Change in a High Mountain Catchment of the Northern Limestone Alps , Mount. Res. Devt.,20(2),171-179 |
| 77 | DBF | 31.55 | -110.13 | 1.235 | ADWR, 1991 | ADWR General Assesement, Phoenix Arizona, pp.604 |
| 78 | EBF | -3.1 | -60 | 1.641 | Franken & Leopoldo, 1984 | In H. Soili and W. Junk(eds), The Amazon: Limnology and Landscape Ecology of a Mighty Tropical River and its Basin, Dordrecht, the Netherlands, pp. 501-519 |
| 79 | EBF | 18 | -66 | 1.707 | Garcia-Martino et al., 1996 | Carr. J. Sci., 32, 413-424 |
| 80 | EBF | 17.35 | 145.92 | 1.42 | Gilmour, 1975; 1977 | FAO Conservation guide no.1, FAO, Rome, 223-235pp |
| 81 | EBF | -7.17 | 107.46 | 1.17 | Gonggrijp, 1941b | Tectona, 34, 437-447 |
| 82 | GRZ | -2.33 | -60.07 | 1.278 | Hodnett et al., 1995 | J. Hydrol., 170 (1-4), 233-254 |
| 83 | EBF | 18 | -66 | 0.435 | Holwerda, 1997; Schellekens et al., 1998 | In Schemenauer and Bridgman(eds), First International Conference on Fog and Fog Collection, ICRC, Ottawa, pp.29-32 |
| 84 | EBF | 23.8 | 121 | 1.025 | Hsia & Lin, 1981 | Optimum water year selection for small forest watersheds, 353, Taiwan Forestry Research Institute, Taipei, Taiwan |
| 85 | EBF | -29 | 152 | 1.26 | Hutley et al., 1997 | Aust. J. Bot. 45(2) , 311-329 |
| 86 | EBF | 5.4 | -4 | 1.145 | Huttel, 1975 | La Terre et la Vie, 29, 192-202 |
| 87 | EBF | 5.4 | -4 | 1.195 | Huttel, 1975 | La Terre et la Vie, 29, 192-202 |
| 88 | EBF | 6.1 | -4.1 | 1.425 | Huttel, 1975 | La Terre et la Vie, 29, 192-202 |
| 89 | EBF | 5.22 | -58.8 | 1.485 | Jetten, 1994 | Modelling the effects of logging on the water balance of a tropical rain forest, University of Utrecht, the Netherlands |
| 90 | EBF | -2.98 | -47.52 | 1.514 | Jipp et al, 1998 | Clim. Chan., 39, 395-412 |
| 91 | EBF | 2 | -67 | 1.778 | Jordan, 1989 | An Amazonian Rain Forest, Parthenon Publishing, New Jersey |
| 92 | EBF | 1.92 | -67.07 | 1.904 | Jordan & Heuveldop, 1981 | Acta Amaz., 11(1), 87-92 |
| 93 | EBF | 3.33 | 101.67 | 1.75 | Kenworthy ,1969 | Nature, 22, 129-135 |
| 94 | EBF | -1.45 | -48.53 | 1.368 | Klinge et al., 2001 | J. Hydrol., 246(1-4), 82-95 |
| 95 | EBF | 4.7 | 116.48 | 1.44 | Kuraji & Paul, 1994 | Bull. of Tok. Univ. For., 95, 93-208 |
| 96 | EBF | 4.7 | 116.48 | 1.451 | Kuraji, 1996 | Bull. Tok. Univ. For., 95, 93-208 |
| 97 | EBF | -19.5 | 146.5 | 0.62 | Langford et al., 1982 | First National Symposium on Forest Hydrology, Melbourne, Australia, pp 92-102 |
| 98 | EBF | 8.36 | 13.2 | 1.146 | Ledger, 1975 | J. Hydrol., 24, 207-214 |
| 99 | EBF | 18.33 | -65.75 | 2.236 | Larsen & Concepcion, 1998 | In third International symposium on water resources, fifth caribbean Islands Water Resources Congress, American water resources Association, Middleburg, VA, pp 199-204 |
| 100 | EBF | -7 | -60 | 1.548 | Leopoldo et al, 1981a | In: Hydrology of Moist Tropical Forests and Effects of Conversion: a State of Knowledge Review, UNESCO, Paris |
| 101 | EBF | -7 | -60 | 1.675 | Leopoldo et al., 1982b | Acta Amaz., 12, 333-337 |
| 102 | EBF | -3.13 | -60.03 | 1.493 | Leopoldo et al., 1995 | For. Ecol. & Mgt., 73(1-3) , 185-195 |
| 103 | EBF | 4.42 | -6.08 | 1.415 | Hutjes et al., 1990 | J. Hydrol., 114(3-4), 259-275 |
| 104 | EBF | -3.13 | -60.03 | 1.27 | Leopoldo et al., 1993 | For. Ecol. & Mgt., 59, 313-328 |

| | | | | | | |
|-----|-----|-------|--------|-------|-----------------------------|---|
| 105 | EBF | -3.13 | -60.03 | 1.12 | Lesack, 1993 | Wat. Res. Research, 29(3) ,759-773 |
| 106 | EBF | -3.25 | -60.57 | 1.12 | Lloyd & Marques-Filho, 1988 | Agr. For. Met., 42(1), 63-73 |
| 107 | EBF | 3 | 101 | 1.75 | Lockwood, 1976 | The Physical Geography of the Tropics.I.An Introduction, Oxford I Asia College Texts, University of Oxford Press, London |
| 108 | EBF | 10.5 | -84 | 2.139 | Loescher et al., 2002 | Trans. Of Amer. Geophy. Uni., 89(47): B11C-0762 |
| 109 | EBF | 3.35 | 101.25 | 1.516 | Low & Goh, 1972 | J. Trop. Geog., 35,60-66 |
| 110 | EBF | 22.5 | 88.24 | 1.132 | Major, 1963 | Ecology, 44, 485 |
| 111 | EBF | 16.83 | 96 | 1.156 | Major, 1963 | Ecology, 44, 485 |
| 112 | EBF | 18.2 | -71.08 | 0.86 | Major, 1963 | Ecology, 44, 485 |
| 113 | EBF | 18.92 | 72.9 | 0.774 | Major, 1963 | Ecology, 44, 485 |
| 114 | EBF | 1.23 | 103.92 | 1.665 | Major, 1963 | Ecology, 44, 485 |
| 115 | EBF | 5 | 116 | 1.835 | Malmer, 1993 | Dynamics of hydrology and nutrient losses as response to establishment of forest plantation:Sabah Malaysia, PhD Thesis, Swedish University of Agricultural Sciences, Umea, Sweden |
| 116 | EBF | -3.25 | -60.57 | 1.616 | Marengo et al., 1994 | Clim. Dyna., 10(6-7) ,349-361 |
| 117 | EBF | -3.25 | -60.57 | 1.581 | Marengo et al., 2001 | In McLain, Victoria and Richey (eds), the Biogeochemistry of the Amazon Basin, Oxford University Press, New York, pp.365 |
| 118 | EBF | -2.5 | -55 | 1 | Marques et al., 1977 | Acta Amaz., 7(3), 355-362 |
| 119 | EBF | -3.25 | -60.57 | 1.261 | Marques et al., 1980 | Acta Amaz., 10 (357-361) |
| 120 | EBF | -3.25 | -60.57 | 1.132 | Matsuyama, 1992 | J. Met. Soc. Jap., 70(6), 1071-1084 |
| 121 | EBF | -3.25 | -60.57 | 1.132 | Molion, 1975 | A climatonic study of the energy and moisture fluxes of the Amazonas Basin with consideration of deforestation effects. PhD Thesis, University of Wisconsin, Madison, Wisconsin |
| 122 | EBF | -37.8 | 145.2 | 0.841 | Moran & O'Shaughnessy, 1984 | Agr. Wat. Mgt., 8 (1-3), 57-76 |
| 123 | EBF | -3.25 | -60.57 | 1.451 | Nizhizawa & Koike, 1992 | Amazon ecology and development, Tokyo, Japan |
| 124 | EBF | 18 | -66 | 2.007 | Odum et al., 1970b | In Odum & Pidgeon (eds), A Tropical Rain Forest Energy Comm., Washington, DC, pp. B347-B418 |
| 125 | EBF | -3.25 | -60.57 | 1.023 | Oki et al., 1999 | In McLain, Victoria and Richey (eds), the Biogeochemistry of the Amazon Basin, Oxford University Press, New York, pp.365 |
| 126 | EBF | 0.83 | 24.42 | 0.945 | Oyebande, 1988 | In Falkenmark & Chapman(eds), comparative hydrology: an ecological approach to land and water resources, UNESCO, Paris |
| 127 | EBF | 5.07 | -55 | 1.63 | Poels, 1987 | Soils, water and nutrients in a forest ecosystem in Suriname, PhD Thesis, Agricultural University, Wageningen, the Netherlands, 253pp. |
| 128 | EBF | -3.25 | -60.57 | 1.643 | Rao et al., 1996 | J. Geophy. Res-Atm, 101(D21): 26539-26551 |
| 129 | EBF | -2.83 | -60 | 1.508 | Ribiero & Villa Nova, 1979 | Acta Amaz., 9 (305-309) |
| 130 | EBF | 5 | -54 | 1.528 | Roche, 1982a | Serie Hydrologie, 19: 37-44. |
| 131 | EBF | 5 | -54 | 1.437 | Roche, 1982a | Serie Hydrologie, 19: 37-44. |
| 132 | EBF | 5 | -54 | 1.444 | Roche, 1982a | Serie Hydrologie, 19: 37-44. |
| 133 | EBF | 0.78 | 24.47 | 1.318 | Rosenzweig, 1968 | Amer. Naturaist, 102, 67-74 |
| 134 | EBF | -3 | -60 | 1.62 | Russell and Miller, 1990 | J. Hydrol., 117 (1-4), 241-254 |
| 135 | EBF | -33.4 | 116 | 0.923 | Sharma, 1984 | Agr. Wat. Mgt., 8 (1-3), 41-56 |
| 136 | EBF | -7 | -60 | 1.315 | Shuttleworth, 1988 | Proceedings of the Royal society of London Series B-Biological Sciences, 233(1272), 321-346 |
| 137 | DBF | 41.25 | -80.25 | 0.485 | Friend et al., 1997 | Ecol., Mod., 95 (2-3), 249-287 |
| 138 | EBF | -2.95 | -59.95 | 1.309 | Shuttleworth, 1988 | Proceedings of the Royal society of London Series B-Biological Sciences, 233(1272), 321-346 |
| 139 | EBF | 8.62 | -71.35 | 0.98 | Steinhardt, 1979 | Gottinger Bodenkundliche Berichte, 56: 1-185. |
| 140 | EBF | -37.7 | 144.8 | 0.911 | Vertessy et al., 2001 | For.Ecol. Mgt., 143(1-3),13-26 |
| 141 | EBF | -19.5 | 146.5 | 0.635 | Vertessy et al., 1996 | Tree Phys., 16 (221-232) |

| | | | | | | |
|-----|-----|-------|---------|-------|------------------------------|---|
| 142 | EBF | -3 | -60 | 1.168 | Villa Nova et al., 1976 | Acta Amaz., 6 (215-228) |
| 143 | EBF | -3 | -60 | 1.08 | Villa Nova et al., 1976 | Acta Amaz., 6 (215-228) |
| 144 | EBF | -3 | -60 | 1.25 | Vorosmarty et al., 1989 | Glob. Biogeochem. Cyc., 3, 241-265 |
| 145 | EBF | -3 | -60 | 1.205 | Vorosmarty et al., 1996 | Wat. Res. Research., 32(10), 3137-3150 |
| 146 | EBF | -3 | -60 | 1.221 | Vorosmarty & Wilmott, 1999 | A water budget closure system to support LBA hydrometeorology and ecology studies |
| 147 | EBF | -11.4 | -55.32 | 1.04 | Vourlitis et al., 2002 | Seasonal variations in the evapotranspiration of a transitional tropical forest of Mato Grosso, Brazil. Wat. Res. Research, 38(6), art. No.-1094 |
| 148 | DBF | 35 | -83 | 1.072 | Hoover, 1944 | Trans. Amer. Geophys. Uni., 25, 969-977 |
| 149 | EBF | -2.58 | -60.1 | 0.818 | Williams et al., 1998 | Plant Cell & Envt., 21 (10), 953-968 |
| 150 | EBF | -3 | -60 | 1.879 | Zeng, 1999 | J. Geophys. Res., 104, 9097-9106 |
| 151 | EBF | 18.3 | -65.83 | 2.3 | Schellekens et al., 2000 | Wat. Res. Research, 36 (8), 2183-2196 |
| 152 | ENF | 58.99 | -105.12 | 0.287 | Amthor et al., 2001 | J. Geophys. Res-Atm, 106(D24): 33623-33648 |
| 153 | ENF | 44.5 | -121.62 | 0.415 | Anthoni et al., 1999 | Agr. For. Met., 95, 151-158 |
| 154 | ENF | 42.3 | -123.24 | 0.434 | Arkley, 1967 | Soil Sci., 103(5), 389-400 |
| 155 | ENF | 53.7 | -106.2 | 0.39 | Barr et al., 2000 | Agr. For. Met., 102(1), 13-24 |
| 156 | ENF | 21.17 | -82.25 | 1.06 | Bidlake et al., 1996 | Evapotranspiration from areas of native vegetation in west-central Florida, U.S Geological Survey, Denver, CO, 35pp |
| 157 | MXF | 51.18 | 0.93 | 0.4 | Calder, 1982 | Canadian Hydrology Symposium: Hydrological Processes of Forested Areas, National Research Council, Canada, pp.173-193 |
| 158 | ENF | 53.7 | -106.2 | 0.36 | Barr et al., 2000 | Agr. For. Met., 102(1), 13-24 |
| 159 | ENF | 41.87 | -111.87 | 0.533 | Johnston 1970 | Water Res. Research, 6(1), 324-327 |
| 160 | ENF | 52.47 | -3.7 | 1.09 | Calder, 1976 | J. Hydrol., 30, 311-325 |
| 161 | ENF | 53 | -93 | 0.488 | Choudhury et al., 1998 | J. Hydrol., 205 (3-4), 164-185 |
| 162 | ENF | 55.5 | -97.5 | 0.46 | Choudhury et al., 1998 | J. Hydrol., 205 (3-4), 164-185 |
| 163 | ENF | 65 | 28.5 | 0.36 | Choudhury et al., 1998 | J. Hydrol., 205 (3-4), 164-185 |
| 164 | ENF | 61 | 95 | 0.359 | Choudhury et al., 1998 | J. Hydrol., 205 (3-4), 164-185 |
| 165 | ENF | 52.47 | -3.7 | 0.717 | Clarke & McCullogh, 1979 | Geo Abstracts Ltd., Norwich, England, pp 71-78 |
| 166 | ENF | 52 | 10 | 0.579 | Delfs, 1967 | In Sopper and Lull(Eds) For. Hydrol., Pergamon, New York, pp. 179-185 |
| 167 | ENF | 48 | 15.7 | 0.36 | Dirnbock & Grabherr, 2000 | GIS Assessment of Vegetation and Hydrological Change in a High Mountain Catchment of the Northern Limestone Alps, Mount. Res. Devt., 20(2), 171-179 |
| 168 | ENF | 55 | -1.6 | 0.766 | Dunn & Mackay, 1995 | J. Hydrol., 171(1-2), 49-73 |
| 169 | ENF | 55 | 30 | 0.48 | Federov, 1977 | Study of the water- balance component in the forest zones of the European USSR, Gidrometeoizdat, Leningrad, 264 pp. |
| 170 | ENF | 30.75 | -115.22 | 0.39 | Franco-Vizcaino et al., 2002 | Arid Land Res. Manage. 16 (2), 133-147 |
| 171 | MXF | 31 | -115.53 | 0.478 | Franco-Vizcaino et al., 2002 | Arid Land Res. Manage. 16 (2), 133-147 |
| 172 | ENF | 52 | 13 | 0.546 | Galoux et al, 1981 | In Reichle (Eds), Dynamic properties of Forest Ecosystems, Cambridge University Press, New York, pp. 87-204 |
| 173 | ENF | 52 | 13 | 0.617 | Galoux et al, 1981 | In Reichle (Eds), Dynamic properties of Forest Ecosystems, Cambridge University Press, New York, pp. 87-204 |
| 174 | ENF | 51 | -1 | 0.61 | Galoux et al, 1981 | In Reichle (Eds), Dynamic properties of Forest Ecosystems, Cambridge University Press, New York, pp. 87-204 |
| 175 | ENF | 53 | -4 | 0.771 | Hudson, 1988 | Hydrol. Sci. J., 33, 289-308 |
| 176 | ENF | 53 | 57 | 0.47 | Krestovsky, 1980 | The Influence of mans activity on Game animal populations and their habitat, VNIIOZ Press, Kirov, pp 1317 |
| 177 | ENF | 44.55 | -121.62 | 0.418 | Law et al., 2000 | Glob. Chan. Biol., 6(6), 613-630 |
| 178 | ENF | 49.1 | -116.5 | 0.101 | Lieth & Solomon, 1985 | Amer. Soc. Agr. Eng., Chicago, IL, PP 366-376 |

| | | | | | | |
|-----|-----|-------|---------|-------|---|---|
| 179 | ENF | 64.35 | 40.6 | 0.388 | Major, 1963 | Ecology, 44, 485 |
| 180 | ENF | 44 | -118 | 0.322 | Major, 1963 | Ecology, 44, 485 |
| 181 | ENF | 46 | -121 | 0.436 | Major, 1963 | Ecology, 44, 485 |
| 182 | ENF | 37.75 | -119.16 | 0.248 | Major, 1963 | Ecology, 44, 485 |
| 183 | ENF | 37.94 | -119.25 | 0.236 | Major, 1963 | Ecology, 44, 485 |
| 184 | ENF | 48 | 45 | 0.295 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 185 | ENF | 54 | 28 | 0.596 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 186 | ENF | 59 | 40 | 0.329 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 187 | ENF | 56 | 39 | 0.448 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 188 | ENF | 53 | 57 | 0.452 | Krestovsky, 1969b | For. Clim. Hydrol., UN report ,78-116 |
| 189 | ENF | 36.57 | 140.58 | 0.546 | Murakami et al., 2000 | J. Hydrol., 227(1-4), 114-127 |
| 190 | DBF | 53 | 57 | 0.585 | Krestovsky, 1980 | The Influence of mans activity on Game animal populations and their habitat, VNIOZ Press, Kirov, pp 1317 |
| 191 | ENF | 54.97 | -105.92 | 0.244 | Nijssen & Lettenmaier, 2002 | Wat. Res. Research, 38(11), art no.-1255 |
| 192 | ENF | 54.97 | -105.92 | 0.32 | Nijssen & Lettenmaier, 2002 | Wat. Res. Research, 38(11), art no.-1255 |
| 193 | ENF | 63 | 45 | 0.425 | Rauner, 1966 | Evapotranpiration from forest vegetation, Isv. AN SSSR. Ser. Geogr., 3, 17-29 |
| 194 | ENF | 60 | 30 | 0.5 | Rauner, 1966 | Evapotranpiration from forest vegetation, Isv. AN SSSR. Ser. Geogr., 3, 17-29 |
| 195 | ENF | 60 | 42 | 0.575 | Rauner, 1966 | Evapotranpiration from forest vegetation, Isv. AN SSSR. Ser. Geogr., 3, 17-29 |
| 196 | ENF | 50 | 40 | 0.575 | Rauner, 1966 | Evapotranpiration from forest vegetation, Isv. AN SSSR. Ser. Geogr., 3, 17-29 |
| 197 | ENF | 51 | 36 | 0.588 | Rauner, 1966 | Evapotranpiration from forest vegetation, Isv. AN SSSR. Ser. Geogr., 3, 17-29 |
| 198 | DBF | 35.63 | -83.44 | 0.618 | Major, 1963 | Ecology, 44, 485 |
| 199 | ENF | 35.63 | -83.44 | 0.441 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 200 | ENF | 47 | -113 | 0.5 | Running et al., 1989 | Ecology, 70(4), 1090-1101 |
| 201 | ENF | 40.04 | -105.53 | 0.341 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 202 | ENF | 39.8 | -105.8 | 0.33 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 203 | ENF | 39.21 | -106.34 | 0.321 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 204 | ENF | 39.34 | -106.32 | 0.321 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 205 | ENF | 38.82 | -104.99 | 0.381 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 206 | ENF | 37.47 | -106.79 | 0.369 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 207 | ENF | 37.43 | -106.58 | 0.326 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 208 | ENF | 37.79 | -106.78 | 0.334 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 209 | ENF | 37.79 | -106.78 | 0.3 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 210 | MXF | 29.97 | -82.2 | 1.003 | Sun et al., 1998 | J. Amer. Wat. Res. Ass., 34(4), 843-854 |
| | | | | | | Modeling and measuring the effects of disturbance history |
| 211 | MXF | 45.2 | -68.73 | 0.348 | Thornton et al., 2002; Law et al., 2002 | and climate on carbon and water budgets in evergreen needleleaf forests, Agr. For. Met., 113 (1-4), 185-222 & 97-120 |
| | | | | | | Modeling and measuring the effects of disturbance history |
| 212 | ENF | 44.5 | -121.62 | 0.483 | Thornton et al., 2002; Law et al., 2002 | and climate on carbon and water budgets in evergreen needleleaf forests, Agr. For. Met., 113 (1-4), 185-222 & 97-121 |
| 213 | ENF | 40.03 | -105.55 | 0.589 | Thornton et al., 2002; Law et al., 2002 | Modeling and measuring the effects of disturbance history |

| | | | | | | |
|-----|-----|-------|---------|-------|---|--|
| | | | | | | and climate on carbon and water budgets in evergreen needleleaf forests, Agr. For. Met., 113 (1-4), 185-222 & 97-122 |
| | | | | | | Modeling and measuring the effects of disturbance history and climate on carbon and water budgets in evergreen needleleaf forests, Agr. For. Met., 113 (1-4), 185-222 & 97-123 |
| 214 | ENF | 45.82 | -121.95 | 0.493 | Thornton et al., 2002; Law et al., 2002 | |
| 215 | DBF | 49 | 39 | 0.431 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 216 | MXF | 38.5 | 27 | 1.385 | Allen, 2000 | J. Hydrol., 229(1-2), 27-41 |
| 217 | MXF | 52.83 | 13.81 | 0.45 | Baumgartner, 1972 | Proceedings of the Reading Symposium, a contribution to the International Decade, IASH, UNESCO, WMO |
| 218 | MXF | 24.21 | 121.31 | 1.198 | Cheng et al., 2002 | For. Ecol. & Mgt, 165(1-3), 11-28 |
| 219 | DBF | 35.02 | 138.22 | 0.801 | Murai, 1980; Tsukamoto, 1992 | Wat. Cons. Ser, 1980 Tokyo, Jap; Mod. For. Ser., 1992, Tokyo, Japan |
| 220 | MXF | 52 | 39 | 0.41 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 221 | MXF | 59 | 40 | 0.401 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 222 | MXF | 56 | 37 | 0.406 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 223 | MXF | 42 | 60 | 0.378 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 224 | MXF | 65 | 47 | 0.286 | Molchanov, 1963 | The Hydrological Role of Forests, Israel Prog. Sci. Trasns., Jerusalem |
| 225 | MXF | 30.2 | -94.12 | 1.061 | National Park Service, 1982 | National Park Service, Texas |
| 226 | MXF | 54.97 | -105.92 | 0.399 | Nijssen & Lettenmaier, 2002 | Wat. Res. Research, 38(11), art no.-1255 |
| 227 | MXF | 42.15 | 171.75 | 1.1 | Pearce & Rowe, 1979; Rowe, 1979 | J. Hydrol(NZ), 18, 73-87 |
| 228 | DBF | 39.32 | -86.42 | 0.66 | Oliphant, et al., 2002 | Trans. Amer. Geophys. Uni., 89 (47), B11C-0757 |
| 229 | MXF | 35.63 | -83.44 | 0.661 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 230 | MXF | 35.63 | -83.44 | 0.562 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 231 | ENF | -40 | -73 | 0.43 | Walter & Hedin, 2002 | Trans. Amer. Geophys. Uni., 89(47), H52D-0914 |
| 232 | DBF | 43.7 | -79.38 | 0.562 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 233 | DBF | 35.96 | -84.29 | 0.832 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 234 | DBF | 35.63 | -83.44 | 0.49 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 235 | DBF | 35.63 | -83.44 | 0.708 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 236 | DBF | 35.05 | -82.42 | 0.779 | Sun et al., 2002 | A comparison of the watershed hydrology of coastal forested wetlands and the mountainous uplands in the Southern US. J. Hydrol., 263(1-4), 92-104 |
| 237 | DBF | 39.33 | -79.67 | 0.817 | Tajchman et al., 1997 | Agr. For. Met., 84, 61-68 |
| 238 | DBF | 53.6 | -106.2 | 0.412 | Blanken et al., 2001 | J. Hydrol., 245(1-4), 118-136 |
| 239 | DBF | 44.47 | -73.15 | 0.575 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 240 | DBF | 43.65 | -70.32 | 0.499 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 241 | DBF | 42.75 | -73.8 | 0.567 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 242 | DBF | 42.22 | -71.12 | 0.546 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 243 | DBF | 42.3 | -83.72 | 0.559 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 244 | DBF | 40.78 | -81.93 | 0.621 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 245 | DBF | 40.9 | -90.63 | 0.627 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 246 | DBF | 40.47 | -74.43 | 0.598 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 247 | DBF | 38.67 | -87.18 | 0.631 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 248 | DBF | 36.42 | -82.98 | 0.696 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 249 | DBF | 48 | 15.67 | 0.315 | Dirnbock & Grabherr, 2000 | GIS Assessment of Vegetation and Hydrological Change in a High |

| | | | | | | |
|-----|-----|-------|---------|-------|--|---|
| | | | | | | Mountain Catchment of the Northern Limestone Alps , Mount. Res. Devt.,20(2),171-179 |
| 250 | DBF | 34.97 | -80.5 | 0.697 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 251 | DBF | 32.78 | -79.93 | 0.66 | White et al., 1999 | Int. J. For. Biomet., 42,139-145 |
| 252 | DBF | 35.96 | -84.29 | 0.567 | Wilson & Baldocchi, 2000 | Agr. For. Met., 100, 1-18 |
| 253 | DBF | 35.96 | -84.29 | 0.645 | Wilson et al., 2001 | Agr. For. Met., 106(2), 153-168 |
| 254 | DBF | 31.48 | -111 | 1.697 | Unland et al., 1998 | Evaporation from a riparian system in a semi-arid environment. Hydrol. Proc., 12, 527-542 |
| 255 | DBF | 32.87 | -109.51 | 1.829 | Gatewood et al., 1950 | U.S Geological Survey water supply paper, 1103, 210pp |
| 256 | EBF | 3.7 | 102.5 | 1.555 | Abdul Rahim & Baharuddin, 1986 | Hydrological workshop, university of Kebangsaan Malaysia, Kota Kinabalu, Sabah, Malaysia |
| 257 | EBF | 3.88 | 101.38 | 1.523 | Amin et al., 1997 | GIS development.net AARS, ACRS |
| 258 | EBF | 14.93 | 121.03 | 1.232 | Bacongus, 1980 | Phil. For. Res. J., 2, 73-98 |
| 259 | DBF | 54.99 | -1.62 | 0.633 | Dunn & Mackay, 1995 | J. Hydrol., 171(1-2), 49-73 |
| 260 | EBF | 18.93 | 48.42 | 1.295 | Bailly et al., 1974 | Cahiers Scientifiques du Centre Technique Forestier Tropical, 4: 1-114. |
| 261 | EBF | -3.11 | -60.03 | 1.185 | Baumgartner & Reichel, 1975 | Elsevier, Amsterdam, 180pp |
| 262 | EBF | 6 | -4 | 1.425 | Bernhard-Reversat et al., 1978 | In UNESCO(eds), Tropical Forest Ecosystems, Paris, pp 557-574 |
| 263 | EBF | 5 | -4 | 1.196 | Bernhard-Reversat et al., 1978 | In UNESCO(eds), Tropical Forest Ecosystems, Paris, pp 557-574 |
| 264 | EBF | 5 | -4 | 1.145 | Bernhard-Reversat et al., 1978 | In UNESCO(eds), Tropical Forest Ecosystems, Paris, pp 557-574 |
| 265 | EBF | -0.37 | 35.28 | 1.337 | Blackie, 1979a | East Afr. Agr. & For. J., 45, 155-174 |
| 266 | EBF | -0.37 | 35.28 | 1.24 | Blackie, 1979a | East Afr. Agr. & For. J., 45, 155-174 |
| 267 | EBF | -0.74 | 36.6 | 1.156 | Blackie, 1979b | East Afr. Agr. & For. J., 43, 55-84 |
| 268 | DBF | 43.2 | -116.75 | 0.513 | Flerchinger et al., 1996 | Wat. Res. Research, 32(8): 2539-2548 |
| 269 | EBF | 8.6 | -71.1 | 0.98 | Bruijnzeel & Proctor, 1995; Steinhardt, 1979 | In: L.S. Hamilton, J.O. Juvik and F.N. Scatena (Eds), Tropical Montane Cloud Forests. Ecological Studies. Springer Verlag, New York, pp. 38-78; Gottinger Bodenkundliche Berichte, 56: 1-185. |
| 270 | EBF | 2.37 | 102.6 | 0.695 | Bruijnzeel et al., 1993 | J. Ecol., 81(1), 145-167 |
| 271 | EBF | -7 | 106 | 1.481 | Calder et al., 1986 | J. Hydrol., 89(1-2): 13-31. |
| 272 | EBF | 9.78 | -83.85 | 0.366 | Calvo, 1986 | Hydrol. Sci. J., 31: 51-60. |
| 273 | EBF | 23.93 | 120.9 | 1.117 | Cheng et al., 2002 | For. Ecol. & Mgt, 165(1-3): 11-28. |
| 274 | EBF | 24.77 | 121.57 | 1.539 | Cheng et al., 2002 | For. Ecol & Mgt., 165(1-3), 11-28 |
| 275 | TPL | 53.8 | -1.75 | 0.421 | Law, 1957 | Int. Assoc. Sci. Hydrol., 2, 397-411 |
| 276 | DBF | 53.7 | -106.2 | 0.403 | Black et al., 1996 | Glob. Chan. Biol., 2(3), 219-229 |
| 277 | DBF | 54.97 | -105.92 | 0.439 | Nijssen & Lettenmaier, 2002 | Wat. Res. Research, 32(11), art no.-1255 |
| 278 | MXF | 16.83 | -99.93 | 1.003 | Major, 1963 | Ecology, 44, 485 |
| 279 | EBF | 4.42 | -6.08 | 1.465 | Collinet et al, 1984 | In: UNESCO (Eds), Recherche et Amenagement en Milieu Forestier Tropical Humide: le Projet Tai de Cote d'Ivoire, Notes Techn. MAB 15, Paris, pp. 35-58. |
| 280 | EBF | 4.42 | -6.08 | 1.363 | Collinet et al, 1984 | In: UNESCO (Eds), Recherche et Amenagement en Milieu Forestier Tropical Humide: le Projet Tai de Cote d'Ivoire, Notes Techn. MAB 15, Paris, pp. 35-58. |
| 281 | EBF | 32.24 | 151.85 | 1.075 | Cornish & Vertessy, 2001 | J. Hydrol., 242: 43-63 |
| 282 | EBF | -3.13 | -60.03 | 1.384 | Costa & Foley, 1999 | J. Geophys. Res., 104(D12): 14189-14198. |
| 283 | EBF | -3.13 | -60.03 | 1.351 | Costa & Foley, 1997 | J. Geophys. Res., 102(D20): 23973-23989. |
| 284 | EBF | 16.85 | 120.87 | 0.392 | de los Santos, 1981 | Water budget and nutrient fluxes in Mossy Forest on Mt. Data, Mt. Province. MSc. Thesis, University of the Philippines at Los Banos, Laguna, Philippines, 93 pp |

| | | | | | | |
|-----|-----|-------|---------|-------|------------------------------|--|
| 285 | EBF | 3.93 | 102.37 | 1.498 | DID, 1986 | Water Resources Publication no. 16, Drainage and Irrigation Department, Ministry of Agriculture, Kuala Lumpur, Malaysia. |
| 286 | EBF | 3.93 | 102.37 | 1.606 | DID, 1986 | Water Resources Publication no. 16, Drainage and Irrigation Department, Ministry of Agriculture, Kuala Lumpur, Malaysia. |
| 287 | EBF | 9.17 | -79.83 | 1.44 | Dietrich et al., 1982 | In: E. Leigh, A.S. Rand and D.M. Winsor (Editors), The Ecology of a Tropical Forest: Seasonal Rhythms and Long-term Changes. Smithsonian Institution, Washington, D.C., pp. 21-46. |
| 288 | EBF | 9.17 | -79.83 | 0.886 | Dietrich et al., 1982 | In: E. Leigh, A.S. Rand and D.M. Winsor (Editors), The Ecology of a Tropical Forest: Seasonal Rhythms and Long-term Changes. Smithsonian Institution, Washington, D.C., pp. 21-46. |
| 289 | EBF | 10.22 | -74.08 | 1.535 | Elsenbeer et al., 1994 | J. of Hydrol., New Zealand, 32: 30-44 |
| 290 | EBF | -3.13 | -60.03 | 1.132 | Eltahir and Bras, 1994 | Adv. in Wat Resou, 17(1-2): 101-115. |
| 291 | EBF | -20 | 146 | 0.62 | Feller, 1981 | Australian Forestry, 44: 154-161. |
| 292 | EBF | 0.78 | 24.47 | 1.433 | Focan & Fripiat, 1953 | Bulletin des Seances de L'Institut Royal Colonial Belge, 24: 971-984. |
| 293 | EBF | 18 | -66 | 0.845 | Frangi & Lugo, 1985 | Ecol. Monographs, 55(3): 351-369. |
| 294 | GRS | 31.55 | -110.13 | 0.954 | ADWR, 1991 | ADWR General Assessment, Phoenix, AZ, pp. 604. |
| 295 | TPL | 18.15 | 47.2 | 1.425 | Bailly et al., 1974 | Cahiers Scientifiques du Centre Technique Forestier Tropical, 4: 1-114. |
| 296 | GRS | 40.17 | -115.5 | 1.493 | Berger, 2001 | Estimates of evapotranspiration from the Ruby Lake National Wildlife Refuge area, Ruby Valley, northeastern Nevada, May 1999-October 2000, U.S. Dept. of the Interior, U.S. Geological Survey, Carson City, Nevada, 38 pp. |
| 297 | GRS | 27.17 | -82.25 | 1.01 | Bidlake et al., 1996 | Evapotranspiration from areas of native vegetation in west-central Florida. U.S. Geological Survey, Denver, CO, 35 pp. |
| 298 | GRS | 51.18 | 0.93 | 0.799 | Calder, 1982 | National Research Council, Canada, pp. 173-193. |
| 299 | GRS | 42 | -113 | 0.225 | Caldwell et al., 1977 | Oecologia, 29: 275-300. |
| 300 | GRS | 43.83 | 169.88 | 0.536 | Campbell & Murray, 1990 | J. of Hydrol., 118(1-4): 229-245. |
| 301 | GRS | 52 | 4.9 | 0.526 | Chen et al., 1997 | J. of Climate., 10(6): 1194-1215. |
| 302 | GRS | 31.25 | 149.52 | 0.011 | Dunin & Reyenga et al., 1978 | J. Appl. Ecol., 15(1), 317-325 |
| 303 | GRS | 39.1 | -96.5 | 0.672 | Gutowski et al., 2002 | J. of Geophys. Res., 107(D16): 4283,10.1029/2001JD000392. |
| 304 | GRS | 39.08 | -96.62 | 1.36 | Gray, et al., 1998 | In: A.K. Knapp, J.M. Briggs, D.C. Hartnett and S.L. Collins (Editors), Grassland Dynamics: Long-Term Ecological Research in Tallgrass Prairie. Oxford University Press, pp. 159. |
| 305 | GRS | 56.35 | -4.37 | 0.434 | Hall & Harding, 1993 | J. Hydrol., 145(3-4): 285-314. |
| 306 | GRS | 37.4 | -122.22 | 0.294 | Jackson et al., 1998 | Oecologia, 113: 537-546. |
| 307 | GRS | 40.5 | -98 | 0.694 | Mahmood & Hubbard, 2002 | Clim. Res., 21(1): 83-90. |
| 308 | GRS | 47.92 | 106.83 | 0.101 | Major, 1963 | Ecology, 44, 485 |
| 309 | GRS | -4.25 | 15.26 | 1.07 | Riou, 1984 | J. Trop. For. Sci., 1(2): 145-161. |
| 310 | GRS | 35.23 | -97.34 | 0.617 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 311 | GRS | 31.55 | -110.13 | 0.272 | Scott et al., 2000 | Agr. & For. Met., 105(1-3): 241-256. |
| 312 | GRS | 27.94 | -81.58 | 0.68 | Sumner, 1996 | Evapotranspiration from successional vegetation in a deforested area of the Lake Wales Ridge, Florida, U.S. Dept. of the Interior, U.S. Geological Survey, Tallahassee, Florida. |
| 313 | GRS | 46.58 | -120.16 | 0.417 | Tomlinson, 1997 | Evapotranspiration for three sparse-canopy sites in the Black Rock Valley, Yakima County, Washington, March 1992 to October 1995. U.S. Dept. of the Interior, U.S. Geological Survey, Tacoma, Washington, 88 p. pp |
| 314 | GRS | 46.42 | -119.75 | 0.26 | Tomlinson, 1996 | Evaluating evapotranspiration for six sites in Benton, Spokane, and Yakima counties, Washington, May 1990 to September 1992. U.S. Dept. of the Interior, U.S. Geological Survey, Tacoma, Washington, 84 p. pp. |
| 315 | GRS | 47.33 | -117.5 | 0.233 | Tomlinson, 1996 | Evaluating evapotranspiration for six sites in Benton, Spokane, and Yakima counties, Washington, May 1990 to September 1992. U.S. |

| | | | | | | |
|-----|-----|-------|---------|-------|------------------------------|--|
| | | | | | | Dept. of the Interior, U.S. Geological Survey, Tacoma, Washington, 84 p. pp. |
| 316 | GRS | 46.5 | -120.17 | 0.234 | Tomlinson, 1996 | Evaluating evapotranspiration for six sites in Benton, Spokane, and Yakima counties, Washington, May 1990 to September 1992. U.S. Dept. of the Interior, U.S. Geological Survey, Tacoma, Washington, 84 p. pp. |
| 317 | GRS | 49.7 | -112.93 | 0.243 | Wever et al., 2002 | Agr. & For. Met., 112(1): 31-49. |
| 318 | GRS | -8.97 | -72.78 | 0.48 | Zakia, 1987 | O balanço hídrico levando-se em conta o sistema solo-planta-atmosfera de quatro tipos de coberturas vegetais na região de rio Mogol, MG. Piracicaba, Universidade de São Paulo, São Paulo, 136 pp. |
| 319 | GRS | 15.33 | -1.53 | 1.927 | Hargreaves & Samani, 1986 | World Water for Agriculture. International Irrigation Centre, Department of Agricultural and Irrigation Engineering, Utah State University, Logan, Utah. |
| 320 | GRS | 31.55 | -110.13 | 0.621 | ADWR, 1991 | Hydrographic survey report for the San Pedro River Watershed, The General Adjudication of the Gila River System and source. General Assessment. ADWR, Phoenix, AZ, pp. 604. |
| 321 | GRS | 33.5 | -112.08 | 0.196 | Arkley, 1967 | Soil Sci., 103(5): 389-400 |
| 322 | GRS | 40.17 | -115.5 | 0.354 | Berger, 2001 | Estimates of evapotranspiration from the Ruby Lake National Wildlife Refuge area, Ruby Valley, northeastern Nevada, May 1999-October 2000. U.S. Dept. of the Interior, U.S. Geological Survey, Carson City, Nevada, 38 pp. |
| 323 | GRS | 33.3 | -99.23 | 0.654 | Carlson et al., 1990 | J. Rang. Mgt., 43(6):491-496 |
| 324 | OSH | 64.5 | -103 | 0.22 | Choudhury et al., 1998 | J. Hydrol., 205(3-4),164-185 |
| 325 | OSH | 60 | -73.5 | 0.171 | Choudhury et al., 1998 | J. Hydrol., 205(3-4),164-185 |
| 326 | OSH | 67.5 | 65.5 | 0.262 | Choudhury et al., 1998 | J. Hydrol., 205(3-4),164-185 |
| 327 | OSH | 66.5 | 172.5 | 0.193 | Choudhury et al., 1998 | J. Hydrol., 205(3-4),164-185 |
| 328 | OSH | 55 | -1.6 | 0.411 | Dunn & Mackay, 1995 | J. Hydrol., 171(1-2), 49-73 |
| 329 | OSH | 55 | -1.6 | 0.473 | Dunn & Mackay, 1995 | J. Hydrol., 171(1-2), 49-73 |
| 330 | GRS | 43.2 | -116.75 | 0.357 | Flerchinger et al., 1996 | Wat. Res. Research., 32(8), 2539-2548 |
| 331 | GRS | 31 | -115.5 | 0.446 | Franco-Vizcaino et al., 2002 | Arid Land Res. Manage. 16 (2), 133-147 |
| 332 | OSH | 36.57 | -116.47 | 0.899 | Laczniak et al., 1999 | Estimates of Ground-Water Discharge as Determined from Measurements of Evapotranspiration, Ash Meadows Area, Nye County, Nevada. USGS. |
| 333 | SHR | 34 | -117 | 0.158 | Lane et al., 1984 | J. Rang. Mgt., 37(1):12-18 |
| 334 | OSH | 71.3 | -156.78 | 0.104 | Major, 1963 | Ecology, 44, 485 |
| 335 | GRS | 38.98 | -119.17 | 0.123 | Major, 1963 | Ecology, 44, 485 |
| 336 | GRS | 37.94 | -119.25 | 0.25 | Major, 1963 | Ecology, 44, 485 |
| 337 | GRS | 37.94 | -119.25 | 0.226 | Major, 1963 | Ecology, 44, 485 |
| 338 | GRS | 37.63 | -118.25 | 0.18 | Major, 1963 | Ecology, 44, 485 |
| 339 | SHR | 28.63 | 133.62 | 0.273 | Major, 1963 | Ecology, 44, 485 |
| 340 | OSH | 71 | -157 | 0.072 | Maykut & Church, 1973 | J. Appl. Met., 12 ,620-628 |
| 341 | GRS | 40 | -119 | 0.193 | Nichols, 2000 | Regional ground-water evapotranspiration and ground-water budgets, Great Basin, Nevada. U.S. Geological Survey Professional Paper, 1628. |
| 342 | OSH | 79.5 | -90.83 | 0.14 | Ohmura, 1982 | Wat. Res. Research, 18(2): 301-305 |
| 343 | OSH | 68.75 | -133.53 | 0.168 | Petrone et al., 2000 | J. Climatology, 20(10): 1131-1148 |
| 344 | GRS | -33 | -71 | 0.53 | Poole et al., 1981 | Water utilisation. In: P.C. Miller (Editor), Resource Use by Chaparral and Matorral. Springer, New York, pp. 123-149. |
| 345 | GRS | 33.5 | -114.5 | 0.719 | Raymond & Rezin, 1989 | Evapotranspiration estimates using remote-sensing data, Parker and Palo Verde valleys, Arizona and California, U.S. Geological Survey, Denver, Colorado. |
| 346 | OSH | 44.27 | -71.3 | 0.374 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |

| | | | | | | |
|-----|-----|-------|---------|--------|--|---|
| 347 | OSH | 68.12 | -165.74 | 0.361 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 348 | GRS | 46.4 | -119.6 | 0.178 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 349 | OSH | 31.55 | -110.13 | 0.375 | Scott et al., 2000 | Agr. For. Met., 105(1-3): 241-256. |
| 350 | GRS | 39.57 | -105.83 | 0.384 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 351 | OSH | 40.04 | -105.53 | 0.268 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 352 | OSH | 40.5 | -105.58 | 0.275 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 353 | GRS | 38.83 | -105.05 | 0.335 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 354 | GRS | 40 | -105.5 | 0.317 | Sharpe, 1970 | Pub. In Clim., 23, 1-82 |
| 355 | SHR | 31.48 | -110.99 | 0.848 | Unland et al., 1998 | Evaporation from a riparian system in a semi-arid environment. Hydrol. Proc., 12, 527-542 |
| 356 | GRS | 46.57 | -120.15 | 0.348 | Tomlinson, 1997 | Evapotranspiration for three sparse-canopy sites in the Black Rock Valley, Yakima County, Washington, March 1992 to October 1995. U.S. Dept. of the Interior, U.S. Geological Survey, Tacoma, Washington, 88 p. pp. |
| 357 | SAV | -3 | 16 | 0.975 | Bernard, 1948 | Bull. Amer. Met. Soc., 29(9), 476-477 |
| 358 | SAV | -16.5 | -51.5 | 1 | Choudhury et al., 1998 | J. Hydrol., 205(3-4),164-185 |
| 359 | SAV | -9 | 20.5 | 0.894 | Choudhury et al., 1998 | J. Hydrol., 205(3-4),164-185 |
| 360 | SAV | 7 | 17 | 0.9 | Choudhury et al., 1998 | J. Hydrol., 205(3-4),164-185 |
| 361 | EBF | -12.5 | 131.08 | 1.11 | Cook et al., 1998 | J. Hydrol., 210(1-4): 161-177 |
| 362 | EBF | -30 | 151 | 1.034 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 363 | SAV | 9.25 | -5 | 1.064 | Roose, 1979; Hutley et al., 2000 | Evapotranspiration from Eucalypt open-forest savanna of Northern Australia, Func. Ecol., 14(2)183-194 |
| 364 | SAV | 10.92 | -64.03 | 0.783 | San Jose & Montes, 1992, (1995; need to get in biol lib) | J. of Hydrol., 132(1-4): 249-262. |
| 365 | SAV | -24.6 | 28.7 | 0.581 | Scholes & Walker, 1993 | An African Savanna: synthesis of the Nylsvley study. Cambridge studies in applied ecology and resource management. |
| 366 | EBF | -12.5 | 132.9 | 0.935 | Vardavas, 1988 | Ecol. Mod., 42(3-4): 245-264. |
| 367 | GRS | 43.2 | -116.75 | 0.537 | Flerchinger et al., 1996 | Wat. Res. Research., 32(8), 2539-2548 |
| 368 | SAV | 38.74 | -121.12 | 1.54 | Lewis, 1968 | Annual Hydrologic Response to Watershed Conversion from Oak Woodland to Annual Grassland, Water Resources Research, Vol 4, pp 59-72 |
| 369 | GRS | 38.81 | -123.02 | 0.414 | Major, 1963 | Ecology, 44, 485 |
| 370 | EBF | -12 | 28 | 1.05 | Malaisse, 1978 | Tropical Forest Ecosystems, UNESCO, 589-606 |
| 371 | GRS | 33 | -117 | 0.395 | Poole et al., 1981 | Water utilisation. In: P.C. Miller (Editor), Resource Use by Chaparral and Matorral. Springer, New York, pp. 123-149. |
| 372 | GRS | 33 | -117 | 0.475 | Poole et al., 1981 | Water utilisation. In: P.C. Miller (Editor), Resource Use by Chaparral and Matorral. Springer, New York, pp. 123-149. |
| 373 | OSH | 35.63 | -83.44 | 0.38 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 374 | GRS | 35.63 | -83.44 | 0.507 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 375 | GRZ | 38.6 | 27.1 | 0.905 | Allen, R.G., 2000 | J. Hydrol., 229(1-2), 27-41 |
| 376 | GRZ | 38.6 | 27.1 | 0.87 | Allen, R.G., 2000 | J. Hydrol., 229(1-2), 27-41 |
| 377 | GRZ | 51.97 | 4.93 | 0.523 | Beljaars & Bosveld, 1997 | J. Climate, 10(6): 1172-1193 |
| 378 | GRZ | 30.35 | -100.63 | 0.483 | Ben Wu et al., 2001 | J. of Rang. Mgt, 54(2): 98-105 |
| 379 | GRS | 35 | -106.5 | 0.861 | Goetz & Shelton, 1990 | Infiltration and evapotranspiration within the Albuquerque, New Mexico, area with a section on Historical water resource trends during the 1954-80's period of growth, 96 pp |
| 380 | GRS | 40.87 | -111.87 | 0.388 | Johnston 1970 | Wat. Res. Research., 6(1):324-327 |
| 381 | OSH | 68.62 | -149.28 | 0.1865 | Kane, et al. 1990 | Nordic Hydrol., 21:253-272 |
| 382 | GRZ | 52 | 10 | 0.52 | Choudhury & DiGirolamo, 1998; Delfs, 1967 | J. Hydrol., 205(3-4),164-185; In: W.E. Sopper and H.W. Lull (Editors), Forest Hydrology. Pergamon, New York, pp. 179-185. |

| | | | | | | |
|-----|-----|-------|---------|-------|---|--|
| 383 | GRZ | 52.02 | -3.3 | 0.421 | Clarke & Newson, 1978; Clarke & McCulloch, 1979 | Proceedings of the Royal Society of London, A363: 21-42; Geo Abstracts Ltd., Norwich, England, pp. 71-78 |
| 384 | GRZ | 48 | 15.67 | 0.225 | Dirnbock & Grabner, 2000 | GIS Assessment of Vegetation and Hydrological Change in a High Mountain Catchment of the Northern Limestone Alps , Mount. Res. Devt.,20(2),171-179 |
| 385 | GRZ | 54.99 | -1.62 | 0.475 | Dunn & Mackay, 1995 | J. of Hydrol., 171(1-2): 49-73 |
| 386 | GRZ | -32 | 116 | 0.39 | Greenwood et al., 1985 | J. Hydrol., 78:261-278 |
| 387 | GRZ | 47.45 | -119.76 | 0.23 | Harr & Price, 1972 | Wat. Res. Research, 8(5):1199-1203 |
| 388 | GRZ | 52.02 | -3.3 | 0.471 | Hudson & Gilman, 1993 | J. Hydrol., 143(3-4): 355-380 |
| 389 | SAV | 37.83 | -5.83 | 0.495 | Joffre & Rambal, 1993 | Ecology, 74(2) :570-582 |
| 390 | GRZ | 33 | -110.5 | 0.377 | Leppanen, 1980 | Barren area evapotranspiration estimates generated from energy budget measurements in the Gila River Valley of Arizona. USGS Open-File Report, 80 (1003) |
| 391 | GRZ | 33 | -110.5 | 0.989 | Leppanen, 1981 | Evapotranspiration from forage grass replacing native vegetation in the Gila River Valley of Arizona. USGS Open-File Report, 81(485) |
| 392 | GRZ | 38 | -122.27 | 0.368 | Lewis, 2000 | J. Hydrol., 240: 106-117 |
| 393 | GRZ | 40.02 | -113.97 | 0.229 | Malek et al., 1990 | J. Hydrol., 120(1-4), 15-34 |
| 394 | GRZ | 51 | -8 | 0.373 | Moehrlen et al., 1999 | Phy. Chem. Ear. Sci. Part B Hydrol. Ocea. Atm, 24(1-2):23-29 |
| 395 | GRZ | 59.78 | 40.25 | 0.388 | Molchanov, 1973 | Forest effects on the environment). Nauka, Moscow, 359 pp. |
| 396 | GRZ | 47 | 8 | 0.41 | Rosset et al., 2001 | Ecosys. & Env't., 86:277-286 |
| 397 | GRZ | 33.47 | 116.48 | 0.339 | Scott & Sudmeyer, 1993 | J. Hydrol., 146(1-4), 301-319 |
| 398 | SAV | 26.74 | -98.08 | 0.586 | Weltz & Blackburn, 1995 | J. Rang. Mgt., 48(1): 45-52 |
| 399 | GRZ | 53 | 57 | 0.475 | Zubenok, 1976 | Evaporation on the Continents. Gidrometeoizdat, Leningrad, 264 pp. |
| 400 | GRZ | -2.98 | -47.52 | 1.372 | Jipp et al, 1998 | Clim. Change, 39:395-412 |
| 401 | GRZ | 10.77 | -62.35 | 1.077 | Leopoldo et al., 1993 | For. Ecol. & Mgt., 59, 313-328 |
| 402 | GRZ | -2.33 | -60.07 | 0.438 | Hodnett et al., 1995 | J. Hydrol., 170 (1-4), 233-254 |
| 403 | GRZ | 26.3 | -80.4 | 1.353 | Shih & Snyder, 1985 | Trans. Amer. Soc. Agr. Eng., 28 |
| 404 | HMO | 22.33 | 114.18 | 1.128 | Aston, 1977 | Urb. Ecol., 2(4):327-351 |
| 405 | HMO | 19.43 | -99.08 | 0.451 | Campbell, 1982 | Ciencias Urbanas, 1: 28 |
| 406 | HMO | 26.32 | 28.07 | 0.373 | Lamourne et al., 1994 | In: Hydrol. Sci. J., 39(4)295-308 |
| 407 | HMO | -26 | 28 | 0.457 | Stephenson, 1994 | Hydrol. Sci. J., 39(4)295-308 |
| 408 | HMO | 52.83 | 13.82 | 0.531 | Baumgartner, 1970 | n/a |
| 409 | HMO | 33.93 | 151.17 | 0.736 | Bell, 1972 | P Ecol Soc Aust, 7: 160. |
| 410 | HMO | 33.3 | -81.4 | 0.952 | Dennehy & McMahon, 1987 | J. Hydrol., 93(3-4): 295-312 |
| 411 | HMO | 41 | -81.5 | 0.75 | Dow & DeWalle, 2000 | Wat. Res. Research, 36(7): 1835-1843. |
| 412 | HMO | 54.99 | -1.62 | 0.438 | Dunn & Mackay, 1995 | J. of Hydrol., 171(1-2): 49-73 |
| 413 | HMO | 49.2 | -123.2 | 0.578 | Grimmond & Oke, 1986 | Wat. Res. Research, 22(10): 1404-1412. |
| 414 | HMO | 41.33 | -89.83 | 0.667 | Healy et al., 1989 | Evapotranspiration and microclimate at a low-level radioactive-waste disposal site in northwestern Illinois, U.S. Geological Survey, Denver, CO.O. |
| 415 | HMO | 35.7 | 140 | 0.426 | Jia et al., 2002 | J. of Hydraulic Eng., July / Aug 2002: 302-311. |
| 416 | HMO | 49.18 | -123.17 | 0.31 | Klohn-Crippen, 1999 | Watershed Flows and Stormwater Runoff: estimates for 1996 and 2036, Regional District Greater Vancouver, Vancouver, British Columbia. |
| 417 | HMO | 59.3 | 18 | 0.36 | Lindh, 1978 | In: Res Urb. Hydrol., 2: 229 |
| 418 | HMO | 39.32 | 100.13 | 0.433 | Liu & Kotoda, 1998 | J. Amer. Wat. Res. Ass., 34(1), 27-41 |

| | | | | | | |
|-----|-----|-------|---------|-------|---|--|
| 419 | HMO | 55.8 | 37.6 | 0.4 | Lvovich & Chernogayeva, 1977 | n/a |
| 420 | HMO | 31.65 | -81.83 | 0.621 | Szilagyi et al., 2001 | J. of Wat. Res. Plan & Mgt., 354-362 |
| 421 | HMO | 37.87 | -122.27 | 0.509 | Thorntwaite & Mather, 1955 | Pub. in Climatology., 8(1), 86 |
| 422 | HMO | 39.5 | -75.22 | 0.73 | Thorntwaite & Mather, 1955 | Pub. in Climatology., 8(1), 86 |
| 423 | HMO | 38.88 | -99.33 | 0.534 | Thorntwaite & Mather, 1955 | Pub. in Climatology., 8(1), 86 |
| 424 | HMO | 43.07 | -92.68 | 0.589 | Thorntwaite & Mather, 1955 | Pub. in Climatology., 8(1), 86 |
| 425 | HMO | 40.81 | -81.94 | 0.605 | Thorntwaite & Mather, 1955 | Pub. in Climatology., 8(1), 86 |
| 426 | HMO | 32.61 | -85.48 | 0.84 | Thorntwaite & Mather, 1955 | Pub. in Climatology., 8(1), 86 |
| 427 | HMO | 35.53 | -90.42 | 0.798 | Thorntwaite & Mather, 1955 | Pub. in Climatology., 8(1), 86 |
| 428 | HMO | 52.5 | 5.5 | 0.179 | Van der Ven, 1988 | Hydrol. Sci. J., 39(4)295-308 |
| 429 | HMO | 55.7 | 13.2 | 0.119 | Van der Ven, 1988 | Hydrol. Sci. J., 39(4)295-308 |
| 430 | HMO | 52.83 | 13.82 | 0.178 | Gohre, 1949 | Zeitschrift fur Meteorologie, 3: 13-19. |
| 431 | LAK | 58.2 | 37.1 | 0.42 | Nehaichik, 1973 | Hydrol. of Lakes, IAHS, pp. 167-169 |
| 432 | LAK | 44.5 | 132.2 | 0.49 | Nehaichik, 1973 | Hydrol. of Lakes, IAHS, pp. 167-169 |
| 433 | LAK | 53 | 79.4 | 0.71 | Nehaichik, 1973 | Hydrol. of Lakes, IAHS, pp. 167-169 |
| 434 | LAK | 26 | -80.5 | 1.381 | German, ER., unpublished | Regional evaluation of evapotranspiration in the everglades, USGS |
| 435 | LAK | 26 | -80.5 | 1.401 | German, 2000 | Regional evaluation of evapotranspiration in the everglades, USGS |
| 436 | LAK | 40.17 | -115.5 | 1.616 | Berger, 2001 | Estimates of evapotranspiration from the Ruby Lake National Wildlife Refuge area, Ruby Valley, northeastern Nevada, May 1999-October 2000. U.S. Dept. of the Interior, U.S. Geological Survey, Carson City, Nevada, 38 pp. |
| 437 | LAK | 30 | -82 | 1.395 | Sacks et al., 1994 | J. of Hydrol., 156(1-4): 311-334. |
| 438 | LAK | 36.5 | -118 | 0.985 | Tyler et al., 1997 | J. of Hydrol., 200: 110-135 |
| 439 | LAK | 64 | 26 | 0.5 | Solantie, 1973 | IAHS, pp. 211-219. |
| 440 | LAK | 46.5 | 17.4 | 0.86 | Antal et al., 1973 | IAHS, pp. 220-224. |
| 441 | LAK | 53.1 | 13.1 | 0.655 | Richter, 1973 | IAHS, pp. 233-238 |
| 442 | LAK | 53.2 | 12.3 | 0.712 | Richter, 1973 | IAHS, pp. 233-238 |
| 443 | LAK | 36 | -114.75 | 2.163 | USGS, 1958 | Water-loss investigations, USGS. |
| 444 | LAK | -28.4 | 137.2 | 1.899 | Kotwicki & Clark, 1991; Tetlaff & Bye, 1977 | IAHS, pp. 3-12. |
| 445 | LAK | 37.12 | 45.5 | 1.388 | Movahed-Danech, 1973 | IAHS, pp. 93-100 |
| 446 | LAK | 18 | 100 | 0.788 | Hirota, 2001 | J. of the Met. Soc. of Jap., 79(1B):365-371 |
| 447 | LAK | 18 | 100 | 1.11 | Hirota, 2001 | J. of the Met. Soc. of Jap., 79(1B):365-371 |
| 448 | LAK | 39.32 | 100.13 | 0.786 | Liu & Kotoda, 1998 | J. Amer. Wat. Res. Ass., 34(1), 27-41 |
| 449 | LAK | 8 | 38.83 | 1.78 | Vallet-Coulomb et al., 2001 | J. Hydrol., 245(1-4), 1-18 |
| 450 | LAK | 53.4 | 106.4 | 0.319 | Afansyev & Leksakova, 1973 | IAHS, pp. 170-175 |
| 451 | LAK | 51 | 100.2 | 0.52 | Cherkasov et al., 1973 | Hydrol. of Lakes, IAHS, pp. 164-166. |
| 452 | LAK | 57 | 30.52 | 0.57 | Kullus, 1973 | Hydrol. of Lakes, IAHS. 109: 158-163. |
| 453 | LAK | 40 | 49 | 0.3 | Zamanov, 1973 | Hydrol. of Lakes, IAHS. 109: 191-196. |
| 454 | LAK | 31.48 | -111 | 1.705 | Unland et al., 1998 | Evaporation from a riparian system in a semi-arid environment. Hydrol. Proc., 12, 527-542 |
| 455 | LAK | 22.6 | 32.1 | 2.689 | Omar & El Bakry, 1981 | Agri. Met., 23:293-308 |
| 456 | LAK | 45 | 60 | 0.97 | Shnitnikov, 1973 | Hydrol., of Lakes, IAHS, pp.130-140 |
| 457 | LAK | 46.25 | 74.5 | 0.999 | Shnitnikov, 1973 | Hydrol., of Lakes, IAHS, pp.130-140 |

| | | | | | | |
|-----|-----|-------|---------|---------|--|--|
| 458 | LAK | 42.42 | 77.33 | 0.702 | Shnitnikov, 1973 | Hydrol., of Lakes, IAHS, pp.130-140 |
| 459 | LAK | -6 | 150 | 1.545 | Keig et al., 1979 | J. of Trop. Geog., 48:19-30 |
| 460 | LAK | 68.3 | -134 | 0.364 | Marsh & Bigrass, 1988; Marsh, 1991 | Arc & Alp. Res.; IAHS, 206., pp. 257-266. |
| 461 | LAK | -28.4 | 137.2 | 2.19 | Prata, 1989 | CSIRO, Aspendale, Australia |
| 462 | LAK | 13.5 | 14.5 | 2.4 | Tetzlaff & Adams, 1983 | In: A. Street-Perrott, M. Beran and R. Ratcliff (Editors), Variations in the Global Water Budget. Kluwer, Oxford, UK, pp. 347-360. |
| 463 | LAK | -7.05 | 110.07 | 1.3 | Van Dijk et al., 2001 | The Cikumutuk Hydrology and Erosion Research Project (CHERP). Universiteit Amsterdam, Amsterdam, 16 pp. |
| 464 | LAK | 40 | 51 | 0.745 | Vali-Khodjeini, 1991; Patkovich, 1986; Privalskii, 1981; Shiklomanov & Geogievskii, 1981 | IAHS Symposium, Vienna; N.A.; Water Research (Vodnye Resursy), 8(6): 571-584. |
| 465 | LAK | 54.97 | -105.92 | 0.6 | Nijssen & Lettermaier, 2002 | Wat., Res., Research, 38(11): art. No.-1255 |
| 466 | LAK | 22.79 | 32.58 | 2.8 | Riehl, 1979 | Academic Press, London, 611 pp. |
| 467 | LAK | -5.5 | 30 | 1.845 | Verburg & Hecky, 2002 | Trans. Amer., Geophys., Union: H61B-0784. |
| 468 | LAK | 40 | 60 | 1.586 | Braslavskii & Vikulina, 1963 | Evaporation Norms from Water Reservoirs. Ministry of Agriculture of USSR, State Hydrological Institute, Leningrad, 218 pp. |
| 469 | LAK | 34.27 | -106.87 | 0.74 | Cleverly et al., 2002 | J. of Arid Envt., 52(2): 181-197. |
| 470 | LAK | 33.78 | -106.88 | 1.22 | Cleverly et al., 2002 | J. of Arid Envt., 52(2): 181-197. |
| 471 | LAK | 51.52 | -0.1 | 0.662 | Lapworth, 1965 | J. of the Inst. of Wat. & Envt. Mgt., 19:163-181 |
| 472 | LAK | 28 | -81.2 | 1.2 | Visher & Hughes, 1978 | The difference between rainfall and potential evaporation in Florida. Florida Bureau of Geology, Tallahassee, FL. |
| 473 | ENF | 49.87 | -125.33 | 0.434 | Humphreys et al., 2003 | Agri. For. Met., 115: 109-125 |
| 474 | TPL | -2.98 | -47.52 | 1.482 | Jipp et al, 1998 | Clim. Change, 39:395-412 |
| 475 | TPL | -7.17 | 107.46 | 0.42 | Pudjiharta, 1986a | In: Ecology, 79(1): 3-9. |
| 476 | TPL | 28.5 | -82.63 | 0.68 | Sumner, 1996 | Evapotranspiration from successional vegetation in a deforested area of the Lake Wales Ridge, Florida, U.S. Dept. of the Interior, U.S. Geological Survey, Tallahassee, Florida. |
| 477 | TPL | -1.45 | -48 | 0.13033 | Klinge et al., 2001 | J. Hydrol., 246(1-4), 82-95 |
| 478 | TPL | 18.18 | 46.92 | 1.61 | Bailly et al., 1974 | Cahiers Scientifiques du Centre Technique Forestier Tropical, 4: 1-114. |
| 479 | EBF | -19.5 | 146.5 | 0.798 | Vertessy et al., 1996 | Tree Physiology, 16(221-232) |
| 480 | EBF | -1.9 | -55.52 | 1.221 | Vorosmarty & Wilmott, 1999 | Tree Phys., 16(221-232) |
| 481 | TPL | -8.97 | -72.78 | 0.615 | Zakia, 1987 | O balanço hídrico levando-se em conta o sistema solo-planta-atmosfera de quatro tipos de coberturas vegetais na região de rio Mogol, MG. Piracicaba, Universidade de São Paulo, São Paulo, 136 pp. |
| 482 | TPL | -8.97 | -72.78 | 0.785 | Zakia, 1987 | O balanço hídrico levando-se em conta o sistema solo-planta-atmosfera de quatro tipos de coberturas vegetais na região de rio Mogol, MG. Piracicaba, Universidade de São Paulo, São Paulo, 136 pp. |
| 483 | EBF | -32.7 | 151.97 | 1.1 | Cornish & Vertessy, 2001 | J. Hydrol., 242: 43-63 |
| 484 | CRN | -26 | 29.5 | 1.106 | Le Maitre & Versfeld, 1997 | J. Hydrol., 193:240-257 |
| 485 | GRS | -25 | 26.5 | 1.177 | Le Maitre & Versfeld, 1997 | J. Hydrol., 193:240-257 |
| 486 | EBF | 33.97 | 18.97 | 0.941 | Le Maitre & Versfeld, 1997 | J. Hydrol., 193:240-257 |
| 487 | EBF | 33.97 | 18.97 | 1.133 | Le Maitre & Versfeld, 1997 | J. Hydrol., 193:240-257 |
| 488 | TPL | -0.77 | 36.73 | 1.16 | Blackie, 1979 a | East Afr. Agri. For. J., 45:155-174 |
| 489 | EBF | 33.97 | 18.97 | 1.119 | Le Maitre & Versfeld, 1997 | J. Hydrol., 193:240-257 |
| 490 | EBF | 33.97 | 18.97 | 1.108 | Le Maitre & Versfeld, 1997 | J. Hydrol., 193:240-257 |
| 491 | EBF | -37.8 | 145.2 | 1.19 | Moran & O'Shaughnessy, 1984 | Agr. Wat. Mgt., 8(1-3): 57-76. |
| 492 | EBF | -1 | -48 | 1.364 | Holscher et al., 1997 | J. of Hydrol., 193(1-4): 293-305. |
| 493 | EBF | 18.35 | -64.9 | 1.031 | Jordan & Fischer, 1977 | Relation of bulk precipitation and evapotranspiration to water quality |

| | | | | | | |
|-----|-----|-------|---------|---------|---|---|
| | | | | | | and water resources, St. Thomas Virgin Islands. |
| 494 | EBF | 6.08 | -0.83 | 1.23 | Rosenzweig, 1968 | Amer. Naturalist, 102, 67-74 |
| 495 | EBF | -1.19 | -47.57 | 1.421 | Sommer et al., 2002 | Agr. & For. Met., 112(2): 103-121 |
| 496 | TPL | -37.7 | 144.8 | 1.371 | Vertessy et al., 2001 | For. Ecol. & Mgt., 143(1-3), 13-26 |
| 497 | TPL | -37.7 | 144.8 | 1.28 | Vertessy et al., 1998 | For. Ecol. & Mgt., 143(1-3), 13-26 |
| 498 | TPL | -7.33 | 109.67 | 1.07 | Bruijnzeel, 1988 | J. Trop. For. Sci., 1(2): 145-161. |
| 499 | MXF | 55 | -1.6 | 0.338 | Dunn & Mackay, 1995 | J. Hydrol., 171(1-2): 49-73. |
| 500 | MXF | 36.57 | 140.58 | 0.389 | Murakami et al., 2000 | J. Hydrol., 227(1-4): 114-127 |
| 501 | TPL | 26.03 | 152.83 | 1.103 | Bubb & Croton, 2002 | Hydrol. Proc., 16(1), 105-117 |
| 502 | TPL | 29.76 | -82.2 | 1.13 | Riekerk, 1985 | Lysimetric measurement of pine evapotranspiration for water balances, Advances in Evapotranspiration. American Society of Agricultural Engineers, Chicago, IL, pp. 276-281. |
| 503 | TPL | 29.7 | -82.2 | 0.925 | Ewel & Gholz, 1991 | For. Sci., 37(2): 397-438. |
| 504 | TPL | 53.8 | -1.75 | 0.711 | Law, 1957 | Int. Asso. Sci. Hydrol., 2: 397-411. |
| 505 | TPL | -7 | 112.33 | 0.9 | Bruijnzeel, 1988 | J. Trop. For. Sci., 1(2): 145-161. |
| 506 | TPL | 28.78 | -82.25 | 0.795 | Liu et al., 1998 | J. of Amer. Wat. Res. Ass., 34(1), 27-41 |
| 507 | TPL | 47.93 | 7.62 | 0.622 | Jaeger & Kessler, 1997 | Agr. & For. Met., 84(1-2): 25-36. |
| 508 | TPL | 53 | 57 | 0.343 | Krestovsky, 1980 | VNIOZ Press, Kirov, pp. 1317. |
| 509 | TPL | 53 | 57 | 0.556 | Krestovsky, 1969b | In: E.R.C. Reynolds and F.B. Thompson (Editors), Forests, Climate and Hydrology. United Nations University, Tokyo, pp. 78-116. |
| 510 | TPL | 34.9 | 138 | 0.532 | Murai, 1980; Tsukamoto, 1992 | Water Conservancy Sciences, Tokyo, Japan; Modern Forestry Series. Buneido, Tokyo, Japan. |
| 511 | TPL | 47 | -113 | 0.37 | Running et al., 1989 | Ecology, 70(4): 1090-1101. |
| 512 | TPL | 54.97 | -105.92 | 0.286 | Nijssen & Lettenmaier, 2002 | Wat. Res. Research, 38(11): art. no.-1255. |
| 513 | TPL | 54.97 | -105.92 | 0.222 | Nijssen & Lettenmaier, 2002 | Wat. Res. Research, 38(11): art. no.-1255. |
| 514 | TPL | 29.7 | -82.2 | 0.975 | Riekerk, 1985 | Amer. Soc. of Agri. Eng., Chicago, IL, pp. 276-281. |
| 515 | EBF | -35.8 | 150.3 | 0.85 | Dunin & Aston, 1984 | Agri. Wat. Mgt, 8(1-3): 305-323. |
| 516 | MXF | 29.97 | -82.2 | 0.901 | Sun et al., 1998 | J. of the Amer. Wat. Res. Asso., 34(4): 843-854. |
| 517 | ENF | 29.9 | -81.5 | 1.077 | Sun et al., 2002 | J. of the Amer. Wat. Res. Asso., 34(4): 843-854. |
| 518 | ENF | 34.8 | -76.7 | 1.054 | Sun et al., 2002 | J. of the Amer. Wat. Res. Asso., 34(4): 843-854. |
| 519 | ENF | 35.97 | -79.08 | 0.575 | Schafer et al, 2002 | Glob. Chan. Bio., 8(9):895-911 |
| 520 | ENF | 29.73 | -82.16 | 1 | Gholz & Clark, 2002 | Agr. & For. Met., 112(2): 87-102. |
| 521 | DBF | 52.1 | 5.4 | 0.712 | Tiktak & Bouten, 1994 | J. of Hydrol., 156(1-4): 265-283. |
| 522 | TPL | 38.9 | -120.63 | 0.675 | Thornton et al., 2002; Law et al., 2002 | Agr. For. Met., 113 (1-4), 185-222 & 97-120 |
| 523 | TPL | 36.03 | -79.13 | 0.505 | Thornton et al., 2002; Law et al., 2002 | Agr. For. Met., 113 (1-4), 185-222 & 97-120 |
| 524 | TPL | 29.73 | -82.15 | 0.988 | Thornton et al., 2002; Law et al., 2002 | Agr. For. Met., 113 (1-4), 185-222 & 97-120 |
| 525 | TPL | 32.58 | 116.43 | 2.5 | Greenwood et al., 1985 | J. Hydrol., 78: 261-278. |
| 526 | DBF | 53 | 57 | 0.449 | Krestovsky, 1969b | In: E.R.C. Reynolds and F.B. Thompson (Editors), Forests, Climate and Hydrology. United Nations University, Tokyo, pp. 78-116. |
| 527 | DBF | 35.96 | -84.29 | 0.547 | Wilson et al., 2000 | Agr. For. Met., 100: 1-18. |
| 528 | DBF | 54.97 | -105.92 | 0.362 | Nijssen & Lettenmaier, 2002 | Wat. Res. Res., 38(11): Art. No.-1255 |
| 529 | DBF | 54.97 | -105.92 | 0.356 | Nijssen & Lettenmaier, 2002 | Wat. Res. Res., 38(11): Art. No.-1255 |
| 530 | EBF | -1.45 | -48.53 | 0.13033 | Klinge et al., 2001 | J. of Hydrol., 246(1-4): 82-95. |
| 531 | TPL | -7.17 | 107.46 | 1.817 | Pudjiharta, 1986a | In: J. Trop. For. Sci., 1(2): 145-161. |

| | | | | | | |
|-----|-----|-------|---------|-------|-----------------------------------|--|
| 532 | WTL | 26.63 | -80.42 | 1.314 | Abtew, 1996 | Wat. Res. Bull., 32(3)465-473 |
| 533 | WTL | 40.16 | -115.5 | 1.276 | Berger, 2001 | Estimates of evapotranspiration from the Ruby Lake National Wildlife Refuge area, Ruby Valley, northeastern Nevada, May 1999-October 2000. U.S. Dept. of the Interior, U.S. Geological Survey, Carson City, Nevada, 38 pp. |
| 534 | WTL | 27.17 | -82.25 | 0.98 | Bidlake et al., 1996 | Evapotranspiration from areas of native vegetation in west-central Florida. U.S. Geological Survey, Denver, CO, 35 pp. |
| 535 | WTL | 28.58 | -81.78 | 1.317 | Dolan et al., 1984 | J. Hydrol., 74: 355-371. |
| 536 | WTL | 29.23 | -81.94 | 0.613 | Ewel & Smith, 1992 | For. Sci., 37(2): 397-438. |
| 537 | WTL | 32.5 | -110.5 | 1.09 | Culler et al., 1982 | Evapotranspiration before and after clearing phreatophytes, Gila River Flood Plain, Graham County, Arizona. Geological Survey professional paper ; 655-P. U.S. Geological Service, Washington |
| 538 | WTL | 25.4 | -80.9 | 1.25 | German & Sumner, 2001 | Evapotranspiration rates from two different sawgrass communities in South Florida during drought conditions. US Geological Survey, Altamonte Springs, Florida, 12 pp. |
| 539 | WTL | 26 | -80.5 | 1.17 | German, 2000 | Regional evaluation of evapotranspiration in the Everglades. U.S. Dept. of the Interior, U.S. Geological Survey, Tallahassee, Florida, 48 pp. |
| 540 | WTL | 26 | -80.5 | 1.169 | German, ER, unpublished | Regional evaluation of evapotranspiration in the everglades. USGS. |
| 541 | WTL | -32.9 | 151.75 | 0.7 | Hughes et al., 2001 | Hydrol. Proc., 15(6): 957-975 |
| 542 | WTL | 29.25 | -82.25 | 0.959 | Knowles, 1996 | Estimation of evapotranspiration in the Rainbow Springs and Silver Springs basins in North-Central Florida, Southwest Florida Water Management District, Tallahassee, Florida. |
| 543 | WTL | 56 | 33 | 0.49 | Krestovsky, 1969b | In: E.R.C. Reynolds and F.B. Thompson (Editors), Forests, Climate and Hydrology. United Nations University, Tokyo, pp. 78-116. |
| 544 | WTL | 29.78 | -82.25 | 0.974 | Liu et al., 1998 | Ecol. Mod., 114: 19-34. |
| 545 | WTL | 27.58 | -80.68 | 1.25 | Mao, 2002 | J. Amer. Wat. Res. Ass., 38(5), 1271-1285 |
| 546 | WTL | 54.97 | -105.92 | 0.496 | Nijssen & Lettenmaier, 2002 | Wat. Res. Res., 38(11): Art. No.-1255 |
| 547 | OSH | 58.75 | -93.95 | 0.218 | Petrone et al., 2000 | Int. J. of Clim., 20(10): 1131-1148 |
| 548 | WTL | 68.75 | -133.53 | 0.216 | Petrone et al., 2000 | Int. J. of Clim., 20(10): 1131-1148 |
| 549 | WTL | 33.2 | -80.43 | 1.011 | Porcher, 1981 | Castanea, 46(4): 248-280. |
| 550 | WTL | 56 | 33 | 0.331 | Romanov, 1968 | Evaporation from bogs in the European territory of the USSR, US Department of Agriculture and NSF, Washington DC |
| 551 | WTL | 56 | 33 | 0.41 | Romanov, 1968 | Evaporation from bogs in the European territory of the USSR, US Department of Agriculture and NSF, Washington DC |
| 552 | WTL | 56 | 33 | 0.411 | Romanov, 1968 | Evaporation from bogs in the European territory of the USSR, US Department of Agriculture and NSF, Washington DC |
| 553 | WTL | 64.45 | -97.78 | 0.217 | Roulet & Woo, 1986 | J. Hydrol., 89: 73-91 |
| 554 | WTL | 58.75 | -94.07 | 0.4 | Rouse, 2000 | Glob. Chan. Bio., 6:59-68 |
| 555 | WTL | 30 | -82.5 | 1.365 | Sumner, DM, 2002 | Trans. AGU, 89(47): H61B-0755. |
| 556 | WTL | 47.33 | -117.5 | 0.445 | Tomlinson, 1996 | Evaluating evapotranspiration for six sites in Benton, Spokane, and Yakima counties, Washington, May 1990 to September 1992. U.S. Dept. of the Interior, U.S. Geological Survey, Tacoma, Washington, 84 p. pp |
| 557 | WTL | 58.67 | -94.67 | 0.198 | Eaton & Rouse, 2001 | Hydrol. Proc., 15: 3423-3431. |
| 558 | DBF | 21.92 | 101.25 | 1.029 | Li et al., 2010 | Hydrol. Proces. 24(17),2405-2416 |
| 559 | EBF | 4.33 | 113.83 | 1.323 | Kume et al., 2011 | Agri. For. Met., 151(9): 1183-1192 |
| 560 | TPL | 38.27 | -121.38 | 1.095 | Kochendorfer et al., 2011 | Agri. For. Met., 151(5): 544-553 |
| 561 | DBF | 36.97 | -79.08 | 0.633 | Oishi et al., 2010 | Ecosystems, 13(3):421-436, DOI 10.1007/s10021-010-9328-3 |
| 562 | TPL | 19.05 | 98.65 | 0.824 | Guardiola-Claramonte et al., 2010 | Ecohydrol. 3(3), 306-314 |
| 563 | TPL | 19.05 | 98.65 | 0.841 | Guardiola-Claramonte et al., 2010 | Ecohydrol. 3(3), 306-314 |
| 564 | TPL | 19.05 | 98.65 | 0.85 | Guardiola-Claramonte et al., 2010 | Ecohydrol. 3(3), 306-314 |

| | | | | | | |
|-----|-----|-------|--------|-------|-----------------------------------|--|
| 565 | TPL | 19.05 | 98.65 | 1.052 | Guardiola-Claramonte et al., 2010 | Ecohydrol. 3(3), 306-314 |
| 566 | DBF | - | 145.8 | 0.553 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 567 | DBF | - | 145.8 | 0.563 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 568 | DBF | - | 145.8 | 2.41 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 569 | WTL | - | 145.8 | 1.472 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 570 | DBF | - | 145.8 | 1.755 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 571 | WTL | - | 145.8 | 1.604 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 572 | DBF | -34.7 | 146.4 | 1.947 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 573 | WTL | -34.7 | 146.4 | 1.396 | Doody & Benyon, 2011 | J. of Env't. Mgt., 92: 926-935 |
| 574 | MXF | 35.95 | -84.28 | 0.546 | Wilson et al., 2000 | Agr. & For. Met., 102: 83-103 |
| 575 | MXF | 35.95 | -84.28 | 0.486 | Wilson & Baldocchi, 2000 | Agr. & For. Met., 102: 83-103 |
| 576 | TPL | - | 150.77 | 0.54 | Yunusa et al., 2010 | Hydrol. Proc., 24(9): 1149-1158 |
| 577 | MXF | - | 150.77 | 0.388 | Yunusa et al., 2010 | Hydrol. Proc., 24(9): 1149-1158 |
| 578 | GRZ | - | 150.77 | 0.487 | Yunusa et al., 2010 | Hydrol. Proc., 24(9): 1149-1158 |
| 579 | MXF | - | 150.77 | 0.537 | Yunusa et al., 2010 | Hydrol. Proc., 24(9): 1149-1158 |
| 580 | EBF | -2.6 | -60.22 | 1.307 | Costa et al., 2010 | J. of Geophys. Res-Biogeosci., 116, Doi 10.1029/2009jg001179 |
| 581 | EBF | -3.05 | -54.95 | 1.274 | Costa et al., 2010 | J. of Geophys. Res-Biogeosci., 116, Doi 10.1029/2009jg001179 |
| 582 | EBF | - | -61.93 | 1.303 | Costa et al., 2010 | J. of Geophys. Res-Biogeosci., 116, Doi 10.1029/2009jg001179 |
| 583 | EBF | - | -55.32 | 1.135 | Costa et al., 2010 | J. of Geophys. Res-Biogeosci., 116, Doi 10.1029/2009jg001179 |
| 584 | CRN | 38.42 | 109 | 0.4 | Mo et al., 2003 | IAHS Publ. No. 282.2003 |
| 585 | DBF | 38.42 | 109 | 0.335 | Mo et al., 2003 | IAHS Publ. No. 282.2004 |
| 586 | MXF | 38.42 | 109 | 0.371 | Mo et al., 2003 | IAHS Publ. No. 282.2005 |
| 587 | OSH | 38.42 | 109 | 0.333 | Mo et al., 2003 | IAHS Publ. No. 282.2006 |
| 588 | GRS | 38.42 | 109 | 0.386 | Mo et al., 2003 | IAHS Publ. No. 282.2007 |
| 589 | BAR | 38.42 | 109 | 0.191 | Mo et al., 2003 | IAHS Publ. No. 282.2008 |
| 590 | EBF | - | 145.43 | 1.298 | McJannet et al., 2007 | Hydrol. Proc., 21:3549- 3564 |
| 591 | EBF | - | 145.48 | 1.518 | McJannet et al., 2007 | Hydrol. Proc., 21:3549- 3564 |
| 592 | EBF | - | 145.27 | 1.533 | McJannet et al., 2007 | Hydrol. Proc., 21:3549- 3564 |
| 593 | EBF | - | 145.85 | 0.971 | McJannet et al., 2007 | Hydrol. Proc., 21:3549- 3564 |
| 594 | EBF | -3.13 | -60.12 | 1.41 | Tomasella et al., 2008 | Hydrol. Proc., 22(13):2133-2147 |
| 595 | EBF | -2.6 | -60.2 | 1.444 | Waterloo et al., 2006 | Hydrol. Proc., 20(12):2581-2597 |
| 596 | EBF | 3.17 | -65.67 | 1.492 | Rollenbeck & Anhof, 2007 | J. Hydrol., 337(3-4): 377-390 |
| 597 | EBF | 19.38 | -155.2 | 0.966 | Giambelluca et al., 2009 | Agr. & For. Met., 149(2): 230-243 |
| 598 | EBF | -10.2 | -61.77 | 1.359 | von Randow et al., 2004 | Theor. & Appl. Clim., 78(1-3): 5-26 |
| 599 | EBF | -9.27 | -49.95 | 1.332 | Borma et al., 2009 | J. of Geophys. Res-Biogeosci., 114, Art no.- G01003, Doi 10.1029/2007jg000641 |
| 600 | EBF | -3.01 | -54.58 | 1.282 | da Rocha et al., 2004 | Ecol. Appl., 14(4): S22-S32 |

| | | | | | | |
|-----|-----|-------|--------|-------|-----------------------------|---|
| | | | | | | J. of Geophys. Res-Biogeosci., 112(G3), Art no.- G03008 |
| 601 | EBF | -2.75 | -54.97 | 1.135 | Hutyra et al., 2007 | Doi 10.1029/2006jg000365 |
| 602 | EBF | 12.73 | 105.47 | 1.14 | Nobuhiro et al., 2007 | For. Env't. In Mekong Riv., 75-86 |
| 603 | MXF | 47.18 | 128.8 | 1.16 | Wei et al., 2005 | Hydrol., Proc., 19(1): 63-75, Doi 10.1002/Hyp.5777 |
| 604 | ENF | 31.58 | 102.65 | 1.482 | Wei et al., 2005 | Hydrol., Proc., 19(1): 63-75, Doi 10.1002/Hyp.5777 |
| 605 | MXF | 33.48 | 99.52 | 0.285 | Wei et al., 2005 | Hydrol., Proc., 19(1): 63-75, Doi 10.1002/Hyp.5777 |
| 606 | TPL | 26.83 | 109.75 | 0.896 | Wei et al., 2005 | Hydrol., Proc., 19(1): 63-75, Doi 10.1002/Hyp.5777 |
| 607 | CRI | 23.17 | 112.57 | 2.861 | Wei et al., 2005 | Hydrol., Proc., 19(1): 63-75, Doi 10.1002/Hyp.5777 |
| 608 | DBF | 18.67 | 108.82 | 1.826 | Wei et al., 2005 | Hydrol., Proc., 19(1): 63-75, Doi 10.1002/Hyp.5777 |
| 609 | TPL | 20.87 | 109.87 | 1.134 | Lane et al., 2004 | Agr. & For. Met., 124: 253-267. |
| 610 | TPL | 21.08 | 109.87 | 0.997 | Lane et al., 2004 | Agr. & For. Met., 124: 253-267. |
| 611 | EBF | 10.42 | -84 | 2.139 | Loescher et al., 2005 | J. of Hydrol., 315(1-4): 274-294 |
| 612 | TPL | 10.45 | -84 | 1.387 | Bigelow, 2001 | Hydrol. Proc., 15(14): 2779-2796 |
| 613 | TPL | 5 | 115.5 | 1.253 | Malmer, 1993 | Dynamics of hydrology and nutrient losses as response to establishment of forest plantation: a case study on tropical rainforest land in Sabah, Malaysia. PhD Thesis, Swedish University of Agricultural Science, Umea, Sweden. |
| 614 | TPL | 5 | 115.5 | 1.54 | Malmer, 1992 | Water-yield changes after clear-felling tropical rainforest and establishment of forest plantation in Sabah, Malaysia, Journal of Hydrology, Vol 134(1-4), pp 77-94 |
| 615 | MXF | 2.97 | 102.3 | 1.278 | Takanashi et al., 2010 | n/a |
| 616 | EBF | 14.2 | 121.2 | 0.773 | Combalicer et al., 2010 | Assessing climate change impacts on water balance in the Mount Makiling forest, Philippines, J. of Earth Sys. Sci., 119(3): 265-283, DOI 10.1007/s12040-010-0025-6 |
| 617 | DBF | 18.32 | -65.78 | 1.707 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 618 | EBF | 18.32 | -65.78 | 0.994 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 619 | EBF | 18.32 | -65.78 | 1.009 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 620 | EBF | 18.32 | -65.78 | 1.144 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 621 | DBF | 18.13 | -65.29 | 1.529 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 622 | EBF | 18.41 | -65.8 | 1.434 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 623 | EBF | 18.41 | -65.8 | 1.695 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 624 | EBF | 18.41 | -65.8 | 1.822 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 625 | EBF | 18.14 | -66.61 | 0.546 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 626 | EBF | 18.39 | -65.75 | 1.225 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 627 | EBF | 18.39 | -65.75 | 0.757 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 628 | DBF | 18.33 | -65.63 | 1.676 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 629 | DBF | 18.26 | -65.79 | 1.586 | Garcia-Martino et al., 1996 | Carib. J. of Sci., 32: 413-424. |
| 630 | DBF | 28.6 | -80.7 | 0.737 | Bracho et al., 2008 | J. Geophys. Res-Biogeosci, 113(G2), Doi 10.1029/2007jg000469 |
| 631 | ENF | 28.45 | -80.67 | 0.763 | Bracho et al., 2008 | J. Geophys. Res-Biogeosci, 113(G2), Doi 10.1029/2007jg000469 |
| 632 | SHR | 26.02 | -81.73 | 0.967 | Twilley & Chen, 1998 | Mar. & Fresh Wat. Res., 49(4): 309-323 |
| 633 | DBF | 29.73 | -82.15 | 0.832 | Powell et al., 2005 | Can. J. of For. Res., 35(7):1568-1580 |
| 634 | DBF | 29.73 | -82.15 | 0.676 | Powell et al., 2005 | Can. J. of For. Res., 35(7):1568-1580 |
| 635 | DBF | 45.38 | 127.53 | 0.6 | Wei, Zhou & Wang, 2003 | For. Chron., 79(2): 297-300 |
| 636 | MXF | 29.17 | -81.18 | 0.993 | Sumner, 2001 | Evapotranspiration from a Cypress and Pine Forest Subjected to Natural Fires, Volusia County, Florida, 1998-1999. U.S. Geological Survey, Tallahassee, Florida. |

| | | | | | | |
|-----|-----|-------|---------|-------|-----------------------|---|
| 637 | CRI | 40.57 | -98.13 | 0.567 | Irmak & Irmak, 2008 | J. of Irr. & Drain. Eng., 134(6): 700-715 |
| 638 | CRI | 14.23 | 121.43 | 1.441 | Alberto et al., 2011 | J. of Irr. & Drain. Eng., 134(6): 700-715 |
| 639 | CRI | 14.23 | 121.43 | 1.302 | Alberto et al., 2011 | J. of Irr. & Drain. Eng., 134(6): 700-715 |
| 640 | CRI | 41.02 | -100.13 | 0.615 | Payero et al., 2008 | Agr. Wat. Mgt., 95 (8), 895-908 |
| 641 | LAK | 7.62 | 38.6 | 2.081 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 642 | LAK | 7.59 | 38.76 | 1.789 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 643 | LAK | 7.48 | 38.51 | 2.117 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 644 | LAK | 7.97 | 38.84 | 2.044 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 645 | EBF | 7.75 | 38.75 | 1.278 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 646 | SAV | 7.75 | 38.75 | 0.986 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 647 | CRN | 7.75 | 38.75 | 1.095 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 648 | EBF | 7.75 | 38.75 | 1.387 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 649 | CRN | 7.75 | 38.75 | 0.694 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 650 | GRZ | 7.75 | 38.75 | 1.059 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 651 | WTL | 7.75 | 38.75 | 1.716 | Ayenew T. 2003 | Evapotranspiration estimation using thematic mapper spectral satellite data in the Ethiopian rift and adjacent highlands, J. Hydrol, 279,83=93,doi:10.1016/S0022-1694(03)00173-2 |
| 652 | LAK | 7.96 | 38.83 | 1.702 | Melesse et al., 2009 | Evaporation Estimation of Rift Valley Lakes: Comparison of Models Sensors,9,9603-9615,doi:10.3390/s91209603 |
| 653 | LAK | 7.58 | 38.75 | 1.391 | Melesse et al., 2009 | Evaporation Estimation of Rift Valley Lakes: Comparison of Models Sensors,9,9603-9615,doi:10.3390/s91209603 |
| 654 | LAK | 7.6 | 38.6 | 1.696 | Melesse et al., 2009 | Evaporation Estimation of Rift Valley Lakes: Comparison of Models Sensors,9,9603-9615,doi:10.3390/s91209603 |
| 655 | LAK | 7.47 | 38.5 | 1.675 | Melesse et al., 2009 | Evaporation Estimation of Rift Valley Lakes: Comparison of Models Sensors,9,9603-9615,doi:10.3390/s91209603 |
| 656 | LAK | -0.77 | 36.37 | 0.256 | Ayenew et al., 2007 | Hydrodynamics of topographically closed lakes in the Ethio-Kenyan Rift: The case of lakes Awassa and Naivasha J. Spa. Hydrolol, 7,1 |
| 657 | LAK | 7.07 | 38.43 | 0.132 | Ayenew et al., 2007 | Hydrodynamics of topographically closed lakes in the Ethio-Kenyan Rift: The case of lakes Awassa and Naivasha J. Spa. Hydrolol, 7,1 |
| 658 | GRZ | -28.4 | 20.27 | 0.119 | Palmer & Yunusa, 2011 | Biomass production, evapotranspiration and water use efficiency of aridrangelands in the Northern Cape, South Africa J. Ari. Emt, 75,1223-1227,http://dx.doi.org/10.1016/j.jaridenv.2011.05.009 |
| 659 | BAR | 34.13 | 37.15 | 1.671 | Ali et al., 2010 | Agr. Wat. Mgt, 98, 96-104,doi:10.1016/j.agwat.2010.08.002 |

| | | | | | | |
|-----|-----|------------|---------|-------|------------------------|--|
| 660 | GRZ | - 30.52 | 29.42 | 0.42 | palmer et al., 2010 | Biomass production and water use efficiency of grassland in KwaZulu-Natal, South Africa Afr. J. Ran & For. Sci,27,3,163-169,doi: 10.2989/10220119.2010.528450 |
| 661 | CRN | - 33.38 | 19.05 | 0.401 | Jovanovic et al., 2011 | Total evaporation estimates from a Renosterveld and dryland wheat/fallow surface at the Voelvllei Nature Reserve (South Africa) Wat. SA, 37,4, 471-483 |
| 662 | EBF | - 33.38 | 19.05 | 0.655 | Jovanovic et al., 2011 | Total evaporation estimates from a Renosterveld and dryland wheat/fallow surface at the Voelvllei Nature Reserve (South Africa) Wat. SA, 37,4, 471-483 |
| 663 | CRN | - 33.38 | 19.05 | 0.405 | Jovanovic et al., 2011 | Total evaporation estimates from a Renosterveld and dryland wheat/fallow surface at the Voelvllei Nature Reserve (South Africa) Wat. SA, 37,4, 471-483 |
| 664 | EBF | - 33.38 | 19.05 | 0.642 | Jovanovic et al., 2011 | Total evaporation estimates from a Renosterveld and dryland wheat/fallow surface at the Voelvllei Nature Reserve (South Africa) Wat. SA, 37,4, 471-483 |
| 665 | MXF | 37.75 | 127.15 | 2.842 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 666 | CRI | 34.92 | 126.95 | 1.745 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 667 | CRI | 36.05 | 140.03 | 2.494 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 668 | DNF | 42.74 | 141.52 | 1.442 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 669 | GRS | 31.74 | -109.94 | 0.701 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 670 | OSH | 31.74 | -110.05 | 0.687 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 671 | MXF | 35.26 | 137.08 | 2.061 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 672 | SAV | -12.5 | 131.15 | 3.177 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 673 | EBF | - 35.66 | 148.15 | 2.09 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 674 | EBF | - 37.43 | 145.19 | 1.998 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 675 | EBF | - 37.43 | 145.19 | 1.432 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 676 | SAV | - 19.92 | 23.59 | 1.373 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 677 | ENF | 49.87 | -125.33 | 1.214 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 678 | ENF | 55.91 | -98.52 | 0.643 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 679 | ENF | 55.88 | -98.48 | 0.593 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 680 | ENF | 55.91 | -98.38 | 0.567 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 681 | ENF | 55.86 | -98.49 | 0.671 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, |

| | | | | | | |
|-----|-----|-------|---------|-------|-------------------|---|
| | | | | | | http://dx.doi.org/10.1029/2009JD013671 |
| 682 | ENF | 55.92 | -98.96 | 0.505 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 683 | ENF | 55.92 | -98.96 | 0.683 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 684 | MXF | 47.07 | 8.47 | 1.819 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 685 | GRS | 37.6 | 101.3 | 1.053 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 686 | GRS | 38.31 | -98.3 | 1.767 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 687 | GRS | 37.95 | -98.33 | 1.247 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 688 | GRZ | 37.38 | -96.18 | 1.998 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 689 | GRZ | 37.33 | -99.31 | 1.45 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 690 | GRZ | 37.13 | -97.27 | 1.717 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 691 | GRS | 36.84 | -96.43 | 1.78 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 692 | GRZ | 36.61 | -97.49 | 1.73 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 693 | GRZ | 36.43 | -98.28 | 1.428 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 694 | GRZ | 35.69 | -95.86 | 1.97 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 695 | GRS | 35.56 | -98.02 | 1.86 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 696 | GRZ | 35.56 | -96.99 | 1.763 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 697 | GRZ | 35.35 | -98.98 | 1.601 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 698 | GRZ | 34.96 | -98.08 | 1.799 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 699 | GRZ | 35.27 | -96.74 | 1.846 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 700 | EBF | 46.96 | 16.65 | 3.279 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 701 | ENF | 42.74 | 141.52 | 1.362 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 702 | OSH | 68.49 | -115.75 | 0.531 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002.; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |

| | | | | | | |
|-----|-----|-------|---------|-------|-------------------|--|
| 703 | SAV | 31.59 | -110.51 | 0.911 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 704 | GRS | 31.74 | -109.94 | 0.736 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 705 | SAV | 31.82 | -110.87 | 0.927 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 706 | ENF | 63.92 | -145.38 | 0.736 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 707 | GRS | 63.92 | -145.38 | 0.703 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 708 | ENF | 63.92 | -145.38 | 0.715 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 709 | DBF | 34.25 | -89.97 | 2.104 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 710 | CRN | 41.86 | -88.23 | 1.714 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 711 | GRS | 41.84 | -88.24 | 1.883 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 712 | CRN | 40.01 | -88.29 | 1.832 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 713 | EBF | 28.61 | -80.67 | 2.615 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 714 | CRI | 41.17 | -96.48 | 1.702 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 715 | CRI | 41.16 | -96.47 | 1.649 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 716 | CRN | 41.18 | -96.44 | 1.613 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 717 | ENF | 44.45 | -121.56 | 1.074 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 718 | DBF | 38.74 | -92.2 | 2.144 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 719 | ENF | 40.03 | -105.55 | 1.357 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 720 | GRS | 44.35 | -96.84 | 2.242 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 721 | TPL | 29.76 | -82.24 | 2.255 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 722 | TPL | 29.75 | -82.16 | 2.257 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 723 | DBF | 35.96 | -84.29 | 1.776 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 724 | SAV | 29.95 | -98 | 1.639 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |

| | | | | | | |
|-----|-----|-------|--------|-------|--|--|
| | | | | | | http://dx.doi.org/10.1029/2009JD013671 |
| 725 | GRS | 37.53 | -96.86 | 1.82 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 726 | ENF | 45.95 | -90.27 | 1.499 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 727 | ENF | 45.81 | -90.08 | 1.251 | Wang et al., 2010 | Evidence for decadal variation in global terrestrial evapotranspiration between 1982 and 2002; J. Geophys. Res. 115, http://dx.doi.org/10.1029/2009JD013671 |
| 728 | DNF | 62.26 | 129.24 | 0.164 | Park et al., 2011 | The application of a coupled hydrological and biogeochemical model (CHANGE) for modeling of energy, water, and CO ₂ exchanges over a larch forest in eastern Siberia, J. Geophys. Res. 116, doi.org/10.1029/2010JD015386 |
| 729 | WTL | 45.4 | -75.5 | 0.351 | Lafleur et al., 2005 | Annual and seasonal variability in evapotranspiration and water table at a shrub-covered bog in southern Ontario, Canada Hydrol. Pro, 19, 3533-3550, DOI:10.1002/hyp.5842 |
| 730 | CRN | 34.05 | 111.05 | 0.636 | Mo et al., 2004 | J. Hydrol, 285, 125-142, doi:10.1016/j.jhydrol.2003.08.013 |
| 731 | DBF | 34.05 | 111.05 | 0.567 | Mo et al., 2004 | J. Hydrol, 285, 125-142, doi:10.1016/j.jhydrol.2003.08.013 |
| 732 | ENF | 34.05 | 111.05 | 0.593 | Mo et al., 2004 | J. Hydrol, 285, 125-142, doi:10.1016/j.jhydrol.2003.08.013 |
| 733 | OSH | 34.05 | 111.05 | 0.64 | Mo et al., 2004 | J. Hydrol, 285, 125-142, doi:10.1016/j.jhydrol.2003.08.013 |
| 734 | GRS | 34.05 | 111.05 | 0.635 | Mo et al., 2004 | J. Hydrol, 285, 125-142, doi:10.1016/j.jhydrol.2003.08.013 |
| 735 | CRI | 34.05 | 111.05 | 0.699 | Mo et al., 2009 | J. Hydrol, 285, 125-142, doi:10.1016/j.jhydrol.2003.08.013 |
| 736 | LAK | -0.1 | 34.75 | 1.551 | Yin and Nicholson 2009 | The water balance of Lake Victoria Hydrol. Sci., 43(5):789-811 |
| 737 | LAK | -0.1 | 34.75 | 1.743 | Yin and Nicholson 2010 | The water balance of Lake Victoria Hydrol. Sci., 43(5):789-811 |
| 738 | WTL | 34.35 | -63.45 | 0.672 | Contreras et al., 2011 | Remote sensing estimates of supplementary water consumption by arid ecosystems of central Argentina. Journal of Hydrol, 397,1-2, pp 10 |
| 739 | GRS | 34.35 | -63.45 | 0.185 | Contreras et al., 2011 | Remote sensing estimates of supplementary water consumption by arid ecosystems of central Argentina. Journal of Hydrol, 397,1-2, pp 10 |
| 740 | CRI | 34.35 | -63.45 | 0.586 | Contreras et al., 2011 | Remote sensing estimates of supplementary water consumption by arid ecosystems of central Argentina. Journal of Hydrol, 397,1-2, pp 10 |
| 741 | CRI | 34.35 | -63.45 | 0.34 | Contreras et al., 2011 | Remote sensing estimates of supplementary water consumption by arid ecosystems of central Argentina. Journal of Hydrol, 397,1-2, pp 10 |
| 742 | EBF | 2.97 | 102.3 | 1.448 | Tani et al. 2003 | JAHS 280, 267-274 |
| 743 | EBF | 4.2 | 114.03 | 1.545 | Kumagai et al., (2005) | Annual water balance and seasonality of evapotranspiration in a Bornean tropical rainforest Agr. For. Met, 128, 81-92, doi:10.1016/j.agrformet.2004.08.006 |
| 744 | EBF | -3.97 | -79.07 | 0.919 | Motzer et al. (2010), Oesker et al. (2010) | Hydrometeorology of tropical montane cloud forests:emerging patterns In: Bruijnzeel et al., 2011, Hydrol. Proc., 25, 465-498 |
| 745 | EBF | 18.8 | -98.75 | 0.812 | Tanaka et al. (2003) | Transpiration peak over a hill evergreen forest in northern Thailand in the late dry season: Assessing the seasonal changes in evapotranspiration using a multilayer model J. Geophys. Res, 108, 17, 1-15, doi:10.1029/2002JD003028 |
| 746 | EBF | 10.31 | -84.81 | 0.776 | Bruijnzeel 2006 | DFID-FPR Project Technical Report no. R7991 |
| 747 | EBF | 8.63 | -71.03 | 2.523 | Ataroff and Rada 2000 | Deforestation Impact on water dynamics in a Venezuelan Andean cloud forest. Ambio, 29(7): 440-444 |
| 748 | EBF | 18.27 | -65.88 | 1.418 | Holwerda 2005 | Hydrometeorology of tropical montane cloud forests: |

| | | | | | | |
|-----|-----|-------|---------|-------|-------------------------------|--|
| | | | | | | emerging patterns In: Bruijnzeel et al., 2011, Hydrol. Proc., 25, 465-498 |
| 749 | CRI | 31.61 | -8.04 | 0.36 | Simonneaux et al., 2008 | The use of high-resolution image time series for crop classification and evapotranspiration estimate over an irrigated area in central Morocco Int. J. Rem. Sen, 29,1, 95-116,DOI: 10.1080/01431160701250390 |
| 750 | SHR | - | -68.55 | 0.829 | Cavagnaro, 1988 | Distribution of C3 and C4 grasses at different altitudes in a temperate arid region of Argentina Oecologia, 76(2): 273-277 |
| 751 | SHR | - | -68.55 | 0.828 | Cavagnaro, 1988 | Distribution of C3 and C4 grasses at different altitudes in a temperate arid region of Argentina Oecologia, 76(2): 273-277 |
| 752 | SHR | - | -68.55 | 0.726 | Cavagnaro, 1988 | Distribution of C3 and C4 grasses at different altitudes in a temperate arid region of Argentina Oecologia, 76(2): 273-277 |
| 753 | SHR | - | -68.55 | 0.727 | Cavagnaro, 1988 | Distribution of C3 and C4 grasses at different altitudes in a temperate arid region of Argentina Oecologia, 76(2): 273-277 |
| 754 | SHR | - | -68.55 | 0.63 | Cavagnaro, 1988 | Distribution of C3 and C4 grasses at different altitudes in a temperate arid region of Argentina Oecologia, 76(2): 273-277 |
| 755 | GRS | - | -68.55 | 0.558 | Cavagnaro, 1988 | Distribution of C3 and C4 grasses at different altitudes in a temperate arid region of Argentina Oecologia, 76(2): 273-277 |
| 756 | GRS | - | -58.23 | 0.63 | Nosetto et al., 2005 | Land-use change and water losses: the case of grassland afforestation across a soil textural gradient in central Argentina Global Change Biol. 11, 1101-1117, doi: 10.1111/j.1365-2486.2005.00975.x |
| 757 | TPL | - | -58.23 | 1.15 | Nosetto et al., 2005 | Land-use change and water losses: the case of grassland afforestation across a soil textural gradient in central Argentina Global Change Biol. 11, 1101-1117, doi: 10.1111/j.1365-2486.2005.00975.x |
| 758 | CRI | 27.66 | -81.52 | 2.8 | Koo and Sites 1955 | In: Petillo & Castel 2007 Spa. J. Agr. Res, 5(2), 232-243 |
| 759 | CRI | 31.05 | 34.85 | 2.3 | Kalma and Stanhill 1969 | In: Petillo & Castel 2007 Spa. J. Agr. Res, 5(2), 232-243 |
| 760 | CRI | 34.05 | -111.09 | 4 | Hoffman et al. 1982 | In: Petillo & Castel 2007 Spa. J. Agr. Res, 5(2), 232-243 |
| 761 | CRI | 31.97 | -99.9 | 3.2 | Wiegand and Swanson 1982 | In: Petillo & Castel 2007 Spa. J. Agr. Res, 5(2), 232-243 |
| 762 | CRI | 32.43 | 53.69 | 4.6 | Sepaskhah and Kasefipour 1995 | In: Petillo & Castel 2007 Spa. J. Agr. Res, 5(2), 232-243 |
| 763 | CRI | - | -56.77 | 2.1 | Petilo and Castel 2006 | In: Petillo & Castel 2007 Spa. J. Agr. Res, 5(2), 232-243 |
| 764 | WTL | 37.63 | -105.98 | 0.886 | Sanderson and cooper 2008 | Ground water discharge by evapotranspiration in wetlands of an arid intermountain basin J. Hydrol, 351,344-359, doi:10.1016/j.jhydrol.2007.12.023 |
| 765 | WTL | 37.57 | -106.44 | 0.99 | Sanderson and cooper 2008 | Ground water discharge by evapotranspiration in wetlands of an arid intermountain basin J. Hydrol, 351,344-359, doi:10.1016/j.jhydrol.2007.12.023 |
| 766 | WTL | 37.97 | -105.9 | 0.824 | Sanderson and cooper 2008 | Ground water discharge by evapotranspiration in wetlands of an arid intermountain basin J. Hydrol, 351,344-359, doi:10.1016/j.jhydrol.2007.12.023 |
| 767 | WTL | 37.88 | -105.9 | 0.461 | Sanderson and cooper 2008 | Ground water discharge by evapotranspiration in wetlands of an arid intermountain basin J. Hydrol, 351,344-359, doi:10.1016/j.jhydrol.2007.12.023 |
| 768 | WTL | 37.9 | -105.97 | 0.88 | Sanderson and cooper 2008 | Ground water discharge by evapotranspiration |

| | | | | | | |
|-----|-----|-------|---------|-------|---------------------------|--|
| | | | | | | in wetlands of an arid intermountain basin J. Hydrol, 351,344-359, doi:10.1016/j.jhydrol.2007.12.023 |
| 769 | TPL | -35.1 | -72 | 0.951 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 770 | TPL | - | -72.32 | 0.853 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 771 | TPL | - | -72.42 | 0.989 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 772 | TPL | -39.8 | -73.23 | 0.972 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 773 | GRS | -35.1 | -72 | 0.48 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 774 | GRS | - | -72.32 | 0.383 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 775 | GRS | - | -72.42 | 0.568 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 776 | GRS | -39.8 | -73.23 | 0.289 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 777 | TPL | - | 117.87 | 0.349 | Mitchell et al., 2009 | Partitioning of evapotranspiration in a semi-arid eucalypt woodland in south-western Australia Agr. For. Met, 149, 25-37, doi:10.1016/j.agrformet.2008.07.008 |
| 778 | DBF | 35.96 | -84.29 | 0.582 | Wilson et al., 2001 | A comparison of methods for determining forest evapotranspiration and its components: sap-flow, soil water budget, eddy covariance and catchment water balance Agr. For. Met, 106, 153-168 |
| 779 | DBF | 35.96 | -84.29 | 0.571 | Wilson et al., 2001 | A comparison of methods for determining forest evapotranspiration and its components: sap-flow, soil water budget, eddy covariance and catchment water balance Agr. For. Met, 106, 153-168 |
| 780 | TPL | 34.97 | 136 | 0.735 | Kosugi and Katsuyama 2007 | Evapotranspiration over a Japanese cypress forest. II. Comparison of the eddy covariance and water budget methods J. Hydrol, 334, 305-311, doi:10.1016/j.jhydrol.2006.05.025 |
| 781 | TPL | 34.97 | 136 | 0.749 | Kosugi and Katsuyama 2007 | Evapotranspiration over a Japanese cypress forest. II. Comparison of the eddy covariance and water budget methods J. Hydrol, 334, 305-311, doi:10.1016/j.jhydrol.2006.05.025 |
| 782 | DBF | 53.63 | -106.19 | 0.405 | Zha et al., 2010 | Interannual variation of evapotranspiration from forest and grassland ecosystems in western Canada in relation to drought Agr. For. Met, 150, 1476-1484, doi:10.1016/j.agrformet.2010.08.003 |
| 783 | ENF | 53.99 | -105.12 | 0.374 | Zha et al., 2010 | Interannual variation of evapotranspiration from forest and grassland ecosystems in western Canada in relation to drought Agr. For. Met, 150, 1476-1484, doi:10.1016/j.agrformet.2010.08.003 |
| 784 | ENF | 53.92 | -104.69 | 0.3 | Zha et al., 2010 | Interannual variation of evapotranspiration from forest and grassland ecosystems in western Canada in relation to drought Agr. For. Met, 150, 1476-1484, doi:10.1016/j.agrformet.2010.08.003 |
| 785 | GRS | 49.43 | -112.56 | 0.395 | Zha et al., 2010 | Interannual variation of evapotranspiration from forest and grassland ecosystems in western Canada in relation to drought Agr. For. Met, 150, 1476-1484, doi:10.1016/j.agrformet.2010.08.003 |
| 786 | BAR | 42.68 | 122.43 | 0.13 | Zheng et al., 2012 | Effects of land use changes on the groundwater table and the decline of Pinus sylvestris var. mongolica plantations in southern Horqin Sandy Land, Northeast |

| | | | | | | |
|-----|-----|-------|--------|-------|--------------------|--|
| | | | | | | China Agr. Wat. Mgt., doi:10.1016/j.agwat.2012.02.010 |
| 787 | TPL | 42.68 | 122.43 | 0.415 | Zheng et al., 2012 | Effects of land use changes on the groundwater table and the decline of Pinus sylvestris var. mongolica plantations in southern Horqin Sandy Land, Northeast China Agr. Wat. Mgt., doi:10.1016/j.agwat.2012.02.010 |
| 788 | TPL | 42.68 | 122.43 | 0.558 | Zheng et al., 2012 | Effects of land use changes on the groundwater table and the decline of Pinus sylvestris var. mongolica plantations in southern Horqin Sandy Land, Northeast China Agr. Wat. Mgt., doi:10.1016/j.agwat.2012.02.010 |
| 789 | WTL | 42.68 | 122.43 | 0.299 | Zheng et al., 2012 | Effects of land use changes on the groundwater table and the decline of Pinus sylvestris var. mongolica plantations in southern Horqin Sandy Land, Northeast China Agr. Wat. Mgt., doi:10.1016/j.agwat.2012.02.010 |
| 790 | GRS | 42.68 | 122.43 | 0.277 | Zheng et al., 2012 | Effects of land use changes on the groundwater table and the decline of Pinus sylvestris var. mongolica plantations in southern Horqin Sandy Land, Northeast China Agr. Wat. Mgt., doi:10.1016/j.agwat.2012.02.010 |
| 791 | CRI | 42.68 | 122.43 | 0.657 | Zheng et al., 2012 | Effects of land use changes on the groundwater table and the decline of Pinus sylvestris var. mongolica plantations in southern Horqin Sandy Land, Northeast China Agr. Wat. Mgt., doi:10.1016/j.agwat.2012.02.010 |
| 792 | CRN | 42.68 | 122.43 | 0.34 | Zheng et al., 2012 | Effects of land use changes on the groundwater table and the decline of Pinus sylvestris var. mongolica plantations in southern Horqin Sandy Land, Northeast China Agr. Wat. Mgt., doi:10.1016/j.agwat.2012.02.010 |
| 793 | WTL | 37.7 | 118.7 | 1.037 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland. Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 794 | WTL | 37.7 | 118.7 | 0.934 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 795 | DBF | 37.7 | 118.7 | 0.823 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 796 | DBF | 37.7 | 118.7 | 0.889 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 797 | EBF | 37.7 | 118.7 | 0.773 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 798 | WTL | 37.7 | 118.7 | 1.099 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration |

| | | | | | | |
|-----|-----|------|---------|-------|----------------------------|--|
| | | | | | | with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 799 | CRN | 37.7 | 118.7 | 0.834 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 800 | WTL | 37.7 | 118.7 | 1.434 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 801 | BAR | 37.7 | 118.7 | 0.717 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 802 | BAR | 37.7 | 118.7 | 0.912 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 803 | LAK | 37.7 | 118.7 | 1.189 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 804 | WTL | 37.7 | 118.7 | 1.273 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 805 | WTL | 37.7 | 118.7 | 1.332 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 806 | HMO | 37.7 | 118.7 | 0.47 | Jia et al., 2009 | Regional estimation of daily to annual regional evapotranspiration with MODIS data in the Yellow River Delta wetland Hydrol. & Earth Sys. Sci., 13,1775-1787 |
| 807 | CRI | -5.5 | 38 | 1.3 | Urassa & Raphael, 2004 | THE CONTRIBUTION OF SMALL SCALE DAIRY FARMING TO COMMUNITY WELFARE: A CASE STUDY OF MOROGORO MUNICIPALITY Development Studies Institute, Sokoine Univ. of Agri, Morogo, Tanzania |
| 808 | CRI | 46 | -119 | 1.081 | Machado, 2004 | OSU, CBARC, Dryland Systems Agronomist, Pendleton |
| 809 | CRI | 33 | -112 | 0.612 | Conley et al., 2001 | CO2 enrichment increases water-use efficiency in sorghum New Phytologist, 151, pp 407-412 |
| 810 | CRI | 15 | 34 | 1.36 | Olivier, 1961, Shahin | Edward Arnold, London 250 pp & Faculty of engineering, Cairo University, Egypt |
| 811 | CRI | 7 | 31 | 1.729 | Olivier, 1961 | Edward Arnold, London 250 pp |
| 812 | CRI | 35.2 | -102.05 | 1.514 | Hauser & Gimon, 2004 | Evaluating Evapotranspiration (ET) Landfill Cover Performance Using Hydrologic Models USA Air Force Center for Env'tal Excellence |
| 813 | CRI | 35.2 | -102.05 | 0.809 | Hauser & Gimon, 2004 | Evaluating Evapotranspiration (ET) Landfill Cover Performance Using Hydrologic Models USA Air Force Center for Env'tal Excellence |
| 814 | CRI | 35 | 102 | 0.76 | Sweeten & Jordan, 198 | Texas Water Resources Institute, Texas A& M University, TR-139 ,College Station TX |
| 815 | CRI | 37 | -102 | 2 | Sternitzke & Elliott, 1986 | Estimates of evapotranspiration in the Oklahoma panhandle region. Summer Meeting of the American Society of Agri. Engineers, Paper no.86-2003, June 29-July 2 1986 |
| 816 | CRI | 37 | -102 | 0.8 | USDA, 2004 | Evapotranspiration estimate for irrigated areas in Texas High Plains |

[illegible]

| | | | | | | |
|-----|-----|------|-------|-------|-----------------------------|---|
| | | | | | | J. of Hydrol. Vol 245, Issue 1-4, pp 1-8 |
| | | | | | | Lake evaporation estimates in tropical Africa (Lake Ziway, Ethiopida) |
| 835 | LAK | 8 | 38.83 | 1.728 | Vallet-Coulomb et al., 2001 | J. of Hydrol. Vol 245, Issue 1-4, pp 1-8 |
| 836 | LAK | 13.5 | 14.5 | 2.4 | Telzaff & Adams, | Variations in the Global Water Budget,Kluwer publishers, Oxford, UK |
| 837 | LAK | 63 | 31 | 0.4 | Tattari & Ikonen, | 6th Annual report of the international Cooperative Programme on Integrated monitoring of Air pollution effects on Ecosystems, Finnish Env't Institute,Helsinki, Finland |
| 838 | LAK | 32 | 31 | 0.69 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 839 | LAK | 30 | 31 | 0.84 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 840 | LAK | 28 | 30 | 1.02 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 841 | LAK | 30 | 31 | 1.97 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 842 | LAK | 28 | 34 | 1.53 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 843 | LAK | 29 | 31 | 1.5 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 844 | LAK | 28 | 31 | 1.2 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 845 | LAK | 27 | 31 | 2.18 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 846 | LAK | 28 | 34 | 2.74 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 847 | LAK | 22 | 32 | 2.88 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 848 | LAK | 18 | 33 | 3.07 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 849 | LAK | 18 | 34 | 3.14 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 850 | LAK | 20 | 38 | 1.79 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 851 | LAK | 15 | 33 | 2.74 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 852 | LAK | 16 | 37 | 1.97 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 853 | LAK | 13 | 38 | 1.86 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 854 | LAK | 15 | 34 | 2.37 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 855 | LAK | 12 | 35 | 1.93 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 856 | LAK | 14 | 32 | 2.52 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 857 | LAK | 12 | 38 | 1.19 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 858 | LAK | 13 | 29 | 2.45 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 859 | LAK | 14 | 26 | 2.12 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 860 | LAK | 10 | 32 | 1.64 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 861 | LAK | 8 | 28 | 1.35 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 862 | LAK | 5 | 32 | 1.1 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 863 | LAK | -1 | 32 | 1.31 | Hurst & Philips 1931 | Nile Control Dep't, Cairo, Egypt, Paper No. 26, PP 128 |
| 864 | LAK | 31 | 31 | 0.84 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 865 | LAK | 30 | 31 | 1.02 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 866 | LAK | 29 | 31 | 1.46 | Hurst, 1952 | Constable Publishers, London, pp 326 |

| | | | | | | |
|-----|-----|-------|-------|-------|-----------------------|--|
| 867 | LAK | 27 | 31 | 1.64 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 868 | LAK | 15 | 33 | 2.85 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 869 | LAK | 2 | 31 | 1.42 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 870 | LAK | -1 | 30 | 1.42 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 871 | LAK | -1 | 32 | 1.39 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 872 | LAK | -1 | 32 | 1.487 | Krishnamurthy & I | Geophysical monograph:Man-Made lakes, Washington D.C., Vol 17, pp 272-277 |
| 873 | LAK | -1 | 32 | 2.41 | Shahin, 1985 | Elsevier, Amsterdam |
| 874 | LAK | -1 | 32 | 1.24 | Shahin, 1985 | Elsevier, Amsterdam |
| 875 | LAK | 9 | 32 | 2.519 | Shahin, 1985 | Elsevier, Amsterdam |
| 876 | LAK | 8 | 28 | 2.312 | Shahin, 1985 | Elsevier, Amsterdam |
| 877 | LAK | 5 | 32 | 2.13 | Shahin, 1985 | Elsevier, Amsterdam |
| 878 | LAK | 15 | 33 | 2.935 | Shahin, 1985 | Elsevier, Amsterdam |
| 879 | LAK | 4 | 33 | 1.57 | Shahin, 1985 | Elsevier, Amsterdam |
| 880 | LAK | 8 | 35 | 1.935 | Shahin, 1985 | Elsevier, Amsterdam |
| 881 | LAK | 9 | 39 | 2.208 | Shahin, 1985 | Elsevier, Amsterdam |
| 882 | LAK | 12 | 35 | 2.592 | Shahin, 1985 | Elsevier, Amsterdam |
| 883 | LAK | 15 | 34 | 2.957 | Shahin, 1985 | Elsevier, Amsterdam |
| 884 | LAK | 13 | 34 | 2.555 | Shahin, 1985 | Elsevier, Amsterdam |
| 885 | LAK | 14 | 34 | 2.701 | Shahin, 1985 | Elsevier, Amsterdam |
| 886 | LAK | 11 | 34 | 1.935 | Shahin, 1985 | Elsevier, Amsterdam |
| 887 | LAK | 18 | 34 | 2.92 | Shahin, 1985 | Elsevier, Amsterdam |
| 888 | LAK | 27 | 33 | 2.7 | Shahin, 1985 | Elsevier, Amsterdam |
| 889 | LAK | 25 | 29 | 3.58 | Shahin, 1985 | Elsevier, Amsterdam |
| 890 | LAK | 31 | 33 | 2.64 | Shahin, 1985 | Elsevier, Amsterdam |
| 891 | LAK | 30 | 33 | 2.58 | Shahin, 1985 | Elsevier, Amsterdam |
| 892 | LAK | 31 | 32 | 1.74 | Shahin, 1985 | Elsevier, Amsterdam |
| 893 | LAK | 31 | 31 | 1.65 | Shahin, 1985 | Elsevier, Amsterdam |
| 894 | LAK | 31 | 31 | 1.61 | Shahin, 1985 | Elsevier, Amsterdam |
| 895 | LAK | 32 | 33 | 2.02 | Shahin, 1985 | Elsevier, Amsterdam |
| 896 | LAK | 32 | 28 | 1.63 | Shahin, 1985 | Elsevier, Amsterdam |
| 897 | LAK | 7 | 31 | 2.13 | Shahin, 1985 | Elsevier, Amsterdam |
| 898 | LAK | 7 | 31 | 2.033 | Shahin, 1985 | Elsevier, Amsterdam |
| 899 | LAK | 36 | 140 | 1.18 | Kobayashi, 1973 | n/a |
| 900 | LAK | 14 | 108 | 1.68 | Kobayashi, 1973 | n/a |
| 901 | LAK | 14 | 109 | 2.1 | Kobayashi, 1973 | n/a |
| 902 | LAK | 12 | 108 | 1.81 | Kobayashi, 1973 | n/a |
| 903 | LAK | 11 | 107 | 2.1 | Kobayashi, 1973 | n/a |
| 904 | LAK | 47 | -99 | 0.838 | Kohler et al. 1959 | US weather Bureau, Tech. paper 37 |
| 905 | LAK | 32 | 34.82 | 1.729 | Cohen et al. 2002 | Evaporative climate changes at Bet Dagan, Israel, 1964-1998 Agri. & Forest Meteorology, Vol 111(2),83-91 |
| 906 | GRZ | 47.12 | 11.32 | 0.47 | Wohlfahrt et al. 2004 | MODELLING FLUXES AND CONCENTRATIONS OF CO2, H2O AND SENSIBLE HEAT WITHIN AND ABOVE A MOUNTAIN MEADOW |

| | | | | | | |
|-----|-----|-------|------|-------|-----------------------|--|
| | | | | | | CANOPY: A COMPARISON OF THREE LAGRANGIAN MODELS AND THREE PARAMETERISATION OPTIONS FOR THE LAGRANGIAN TIME SCALE Institute of Botany, University of Innsbruck, Sternwartestr, Austria |
| 907 | GRZ | -36 | 147 | 0.622 | Ridley et al., 1997 | Water use and drainage under phalaris, cocksfoot, and annual ryegrass pastures Australian J. of Agricultural Research, Vol 48(7), pp 1011-1024 |
| 908 | GRZ | -35 | 145 | 1.23 | Bethune & Wang 2004 | Water use and drainage under phalaris, cocksfoot, and annual ryegrass pastures Australian J. Experimental Agri. Vol 44, pp 163-171 |
| 909 | GRZ | -37 | 144 | 0.45 | Clifton & Taylor 1994 | Dep't of Conser. & Natural Resources, Victoria, Australia |
| 910 | GRZ | -31 | 150 | 0.6 | Lodge et al., 2001 | Soil water balance modelling highlights limitations for pasture production in northern NSW Australian Agronomy Conference, Australian Society of Agronomy |
| 911 | GRZ | -31 | 151 | 0.607 | Murphy et al, 2004 | Surface soil water dynamics in pastures in northern New South Wales. Australian J. of Experimental Agriculture, Vol 44(6), pp 571-583 |
| 912 | GRZ | 52 | 1 | 0.348 | Roberts, 1998 | The effects of possible future climate change on evaporation losses from four contrasting UK water catchment areas. Hydrol. Processes Vol 12, 727-739 |
| 913 | GRZ | -35 | 139 | 0.825 | Cox & Pitman, 2002 | Regional Water and Soil Assessment for Managing Sustainable Agriculture in China and Australia pp. 82-94 Ch 5: The Water Balance of Pastures in a South Australian Catchment with Sloping Texture-Contrast Soils |
| 914 | GRZ | -31 | 151 | 0.544 | Lodge et al., 2001 | Soil water balance modelling highlights limitations for pasture production in northern NSW Australian Agronomy Conference, Australian Society of Agronomy |
| 915 | GRS | 36 | -79 | 0.568 | Novick et al., 2004 | Carbon dioxide and water vapor exchange in a warm temperate grassland Oecologia, 138, pp 259-274 |
| 916 | GRZ | 31.72 | -110 | 0.363 | Nouvellon et al. | Modelling of daily fluxes of water and carbon from shortgrass steppes J. of Agri. Forest Meteorology, Vol 100, pp 137-153 |
| 917 | GRZ | 9 | 32 | 1.517 | Olivier, 1961 | irrigation and Climate, Edward Arnold Publisher, London, 250 pp. |
| 918 | GRZ | 53 | 1 | 0.47 | Calder, 2003 | Water week 2003, Stockholm, SIWI Publishers |
| 919 | GRZ | -38 | 144 | 0.44 | Dunin, 1965 | Civ. Eng. Trans., Inst. Engrs., Australia, CE, Vol 7(1) pp 16-22 |
| 920 | GRZ | -33 | 116 | 0.756 | Silberteint et al | On the validation of a coupled water and energy balance model at small catchment scales J. of Hydrology, Vol 220, pp 149-168 |
| 921 | GRZ | 51 | 4 | 0.774 | Xu, 1992 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 922 | GRZ | 51 | 4 | 0.454 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 923 | GRZ | 51 | 4 | 0.51 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 924 | GRZ | 51 | 4 | 0.598 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 925 | GRZ | 51 | 34 | 0.48 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |

| | | | | | | |
|-----|-----|-------|--------|-------|-----------------------------|---|
| 926 | GRZ | 52 | 5 | 0.522 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 927 | GRZ | 51 | 46 | 0.459 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 928 | GRZ | 51 | 5 | 0.545 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 929 | GRZ | 51 | 51 | 0.572 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 930 | GRZ | 51 | 51 | 0.617 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 931 | GRZ | 51 | 34 | 0.495 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 932 | GRZ | 57 | -117 | 0.437 | Morton, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 933 | GRZ | 20 | 95 | 0.641 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 934 | GRZ | -29 | 29 | 0.75 | Nanni, 1970 | S. Afr. For. J. Vol 74, pp 6-12 |
| 935 | GRZ | 45 | -75 | 0.568 | Morton, 1971 | J. of Hydrology, Vol 12, pp 81-89 |
| 936 | GRZ | 35 | -83 | 1.011 | Swift & Swank, 1980 | On Influence of Man on the Hydrological Regime, Helsinki, June 23-26 |
| 937 | GRZ | 49 | -98 | 0.464 | Morton, 1971 | J. of Hydrology, Vol 12, pp 81-89 |
| 938 | SHR | 33.7 | -111.2 | 0.571 | Hibbert, 1971 | Increases in Streamflow after Converting Chaparral to Grass Water Resources Research, Vol 7, pp 71-80 |
| 939 | DBF | 55 | -4 | 0.415 | Roberts, 1998 | The effects of possible future climate change on evaporation losses from four contrasting UK water catchment areas. Hydrol. Processes Vol 12, 727-739 |
| 940 | DBF | 36 | -84 | 0.602 | Luxmoore, 1983 | Soil Science Society of America Journal, Vol 62, pp 75-82 |
| 941 | DBF | 18 | 97 | 1.483 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 942 | DBF | 44 | 10 | 0.4 | Amoriello & Consantini 1999 | Arezzo Vol 30, 14pp |
| 943 | DBF | 42 | 14 | 0.28 | Amoriello & Cons | Arezzo Vol 30, 14pp |
| 944 | DBF | 45 | 10 | 0.37 | Amoriello & Cons | Arezzo Vol 30, 14pp |
| 945 | DBF | 43 | 12 | 0.38 | Amoriello & Cons | Arezzo Vol 30, 14pp |
| 946 | DBF | 44 | 11 | 0.422 | Amoriello & Cons | Arezzo Vol 30, 14pp |
| 947 | DBF | 39 | -86 | 0.65 | Oliphant et al., 2002 | Interannual variability in energy and carbon exchange over a midwestern mixed hardwood deciduous forest, EOS. Trans., AGU, Vol 89(47), Abstract B11C-0757 |
| 948 | DBF | 43.93 | -71.75 | 0.509 | Post & Jones, 2001 | Hydrologic regimes of forested, mountainous, headwater basins in New Hampshire, North Carolina, Oregon and Puerto Rico, Advances in Water Resources, Vol 24, pp 1195-1210 |
| 949 | DBF | 36 | -84 | 0.62 | Mulholland, pers | Personal Communication, 2005 |
| 950 | DBF | 36 | -84 | 0.61 | Baldocchi, pers | Personal Communication, 2005 |
| 951 | DBF | 53 | -1 | 0.57 | Calder, 2003 | Water week 2003, Stockholm, SIWI Publishers |
| 952 | EBF | 11.4 | -72.9 | 1.265 | Hermann, 1970 | IAHS Publication No. 6, pp 5-17 |
| 953 | EBF | 11.3 | -72.9 | 0.308 | Hermann, 1970 | IAHS Publication No. 6, pp 5-17 |
| 954 | EBF | -2.83 | -60 | 1.508 | Ribeiro & Villa 1979 | Estudo climatológico da reserva florestal Ducke. III. Evapotranspiração. Acta Amazonia 9, pp 305-309 |
| 955 | EBF | 18.28 | -66.75 | 1.805 | Post & Jones, 2001 | Hydrologic regimes of forested, mountainous, headwater basins in |

| | | | | | | |
|-----|-----|-------|--------|-------|------------------------------|--|
| | | | | | | New Hampshire, North Carolina, Oregon and Puerto Rico, Advances in Water Resources, Vol 24, pp 1195-1210 |
| 956 | TPL | -34 | 117 | 0.595 | White et al., 2002 | Water use by contour-planted belts of trees comprised of four Eucalyptus species. Agricultural Water Management 53, 133-152 |
| 957 | EBF | -33 | 152 | 1.19 | Cornish, 1993 | J. of Hydrology, Vol 150, pp 301-322 |
| 958 | EBF | - | 145.52 | 0.61 | Langford, 1976 | J. of Hydrology Vol 29, pp 87-114 |
| 959 | EBF | 9 | 13 | 0.956 | Morton, 1983a | J. of Hydrology Vol 66, pp 1-76 |
| 960 | EBF | 11 | -10 | 1.265 | Hermann, 1970 | IAHS Publ. 93, pp 262-273 |
| 961 | EBF | 12 | -10 | 1.204 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 962 | EBF | 8 | -6 | 1.2 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 963 | EBF | 8 | -6 | 1.127 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 964 | EBF | 8 | -6 | 1.199 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 965 | EBF | 8 | -6 | 1.295 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 966 | EBF | -1 | 37 | 1.154 | Pereira, 1964 | Trans. Rhod. Sci. Assoc. Proc. Vol 1, 119-124 |
| 967 | EBF | -1 | 34 | 1.328 | Morton, 1983a | J. of Hydrology Vol 66, pp 1-76 |
| 968 | EBF | 0 | 34 | 1.291 | Morton, 1983a | J. of Hydrology Vol 66, pp 1-76 |
| 969 | EBF | 15 | -12 | 0.898 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 970 | EBF | 18 | 97 | 1.483 | Ni-Lar-Win, 1994 | VUB-Hydrologie, PhD dissertation, Vrije Universiteit Brussel, Brussels, Belgium |
| 971 | EBF | - | 30.57 | 1.168 | Scott & Lesch, 1997 | Streamflow responses to afforestation with Eucalyptus grandis and Pinus patula and to felling in the Mokobulaan experimental catchments South Africa J. Hydrol. Vol 199, pp 360-377 |
| 972 | ENF | - | 30.57 | 1.122 | Scott & Lesch, 1997 | Streamflow responses to afforestation with Eucalyptus grandis and Pinus patula and to felling in the Mokobulaan experimental catchments South Africa, J. Hydrol. Vol 199, pp 360-377 |
| 973 | DBF | 35.07 | -83.42 | 1.059 | Hoover, 1944 | Trans. Am. Geophys. Union, Vol 25, pp 969-977 |
| 974 | TPL | 35.07 | -83.42 | 0.8 | Hewlett & Hibbert 1961 | Effect of streamflow of cutting a forest understory. For. Sci. Vol 2, pp 82-91 |
| 975 | TPL | 35.07 | -83.42 | 0.792 | Hewlett & Hibbert 1961 | INCREASES IN WATER YIELD AFTER SEVERAL TYPES OF FOREST CUTTING. International Association of Hydrological Sciences Publication, Vol 6, pp 5-17 |
| 976 | TPL | 35.07 | -83.42 | 1.207 | Johnson & Kovner 1996 | Effect of streamflow of cutting a forest understory. For. Sci. Vol 2, pp 82-91 |
| 977 | DBF | 35.07 | -83.42 | 1.016 | Bosch & Hewlett, 1982 | Journal of Hydrology, Vol 55(1-4), pp 3-23 |
| 978 | DBF | 35.07 | -83.42 | 1.019 | Hewlett & Hibbert 1961 | INCREASES IN WATER YIELD AFTER SEVERAL TYPES OF FOREST CUTTING. International Association of Hydrological Sciences Publication, Vol 6, pp 5-17 |
| 979 | ENF | 51 | 14 | 0.481 | Gr nwald, 2004 | Technische Universit t Dresden, Institut f r Hydrologie und Meteorologie |
| 980 | ENF | 14 | 46 | 0.509 | Amoriello & Constantini 1999 | Arezzo Vol 30, pp 14 |
| 981 | ENF | 11 | 46 | 0.421 | Amoriello & Constantini 1999 | Arezzo Vol 30, pp 14 |
| 982 | ENF | 44.2 | -122.2 | 0.985 | Post & Jones, 2001 | Hydrologic regimes of forested, mountainous, headwater basins in New Hampshire, North Carolina, Oregon, and Puerto Rico, Advances in Water Resources, Vol 24, pp 1195-1210 |
| 983 | ENF | 60 | 15 | 0.411 | L fgren, 2004a,b | Department of Environmental Assessment, Swedish University of Agricultural Sciences, Uppsala, Sweden |
| 984 | ENF | 64 | 18 | 0.412 | L fgren, 2004a,b | Department of Environmental Assessment, Swedish University of Agricultural Sciences, Uppsala, Sweden |
| 985 | ENF | 63 | 31 | 0.61 | Tattari & Ikonen 1997 | 6th Annual Report of the International Cooperative Programme on Integrated Monitoring of Air Pollution Effects on Ecosystems, Finnish Env't Institute, Helsinki, Finland |

| | | | | | | |
|------|-----|-------|--------|-------|--------------------------|--|
| 986 | ENF | 55 | -4 | 0.767 | Roberts, 1998 | The effects of possible future climate change on evaporation losses from four contrasting UK water catchment areas. Hydrol. Processes Vol 12, 727-739 |
| 987 | ENF | 53 | -1 | 0.59 | Calder, 2003 | Water week 2003, Stockholm, SIWI Publishers |
| 988 | ENF | 35 | 137 | 0.859 | Nakano, 1967 | Forest Hydrology, Pergamon publisher, Oxford |
| 989 | ENF | 35 | 136 | 0.823 | Nakano, 1967 | Forest Hydrology, Pergamon publisher, Oxford |
| 990 | ENF | 38 | -82 | 1.18 | Bosch & Hewlett 1982 | Journal of Hydrology, Vol 55(1-4), pp 3-23 |
| 991 | ENF | 38 | -82 | 0.975 | Bosch & Hewlett 1982 | Journal of Hydrology, Vol 55(1-4), pp 3-23 |
| 992 | ENF | 35 | -112 | 0.437 | Brown, 1971; Cla | Proc. Am. Soc. Civ. Eng., J. Irrig. Drain. Div., Vol 97, IR1 |
| 993 | ENF | 35 | -112 | 0.439 | Brown, 1971; Cla | Proc. Am. Soc. Civ. Eng., J. Irrig. Drain. Div., Vol 97, IR1 |
| 994 | ENF | 47 | -120 | 0.442 | Helvey, 1973, 19 | Watershed behavior after forest fire in Washington, Proceedings of the Irrigation and Drainage Specialty Conference. Ft. Collins, CO Irrig. Drain. Div. Spec., Fort Collins, Colorado |
| 995 | ENF | 33 | -113 | 0.568 | Rich, 1968 | Arizona Watershed Symposium, Vol 12, pp 9-12 |
| 996 | ENF | 47 | -120 | 0.467 | Helvey, 1973, 19 | Watershed behavior after forest fire in Washington, Proceedings of the Irrigation and Drainage Specialty Conference. Ft. Collins, CO Irrig. Drain. Div. Spec., Fort Collins, Colorado |
| 997 | ENF | 36 | -82 | 0.72 | TVA, 1961 | Tennessee Valley Authority, Div. Water Control Plann. Hydraul. Data Br., Cookeville Tenn., 104 pp |
| 998 | ENF | 62 | 24 | 0.329 | Launiainen, 2005 | Eddy covariance measurements of CO ² and sensible and latent heat fluxes during a full year in a boreal pine forest trunk-space Boreal Environment Research 10(6), 569-588 |
| 999 | DBF | 35.05 | -83.42 | 0.807 | Post & Jones, 2001 | Hydrologic regimes of forested, mountainous, headwater basins in New Hampshire, North Carolina, Oregon and Puerto Rico, Advances in Water Resources, Vol 24, pp pp 1195-1210 |
| 1000 | MXF | 53 | 1 | 0.574 | Calder, 2003 | Water week 2003, Stockholm, SIWI Publishers |
| 1001 | DBF | -42 | 172 | 1.1 | Pearce et al., 1976 | Hydrologic regime of small, undisturbed beech forest catchments, North Westland Dep. Sci. Ind. Res., Info. Ser., Vol 126, pp 150-158 |
| 1002 | WTL | 15 | -5 | 2.4 | UNEP, 1992 | Edward Arnold Publishers, London, UK |
| 1003 | WTL | 53 | -8 | 0.437 | Nature Consultants 2004 | Wetlands in Ireland, Nature consultants |
| 1004 | WTL | 47.72 | 9.9 | 0.65 | Fieldlet & Sommer | Water and Redox Conditions in Wetland Soils-Their Influence on Pedogenic Oxides and Morphology Soil Science Society of America Journal, Vol 68, pp 326-335 |
| 1005 | WTL | 64.45 | 27.12 | 0.33 | Finnish Environment 2004 | Wetland Forest, Finnish Env't |
| 1006 | WTL | 34 | -107 | 1.3 | Bawazir et al., 2004 | The quotidian cycle of evapotranspiration from saltcedar, Unknown publisher |
| 1007 | WTL | 27 | 29 | 2.37 | Hurst, 1952 | Constable Publishers, London, pp 326 |
| 1008 | WTL | -18 | 31 | 1.28 | Stewart, 1989 | British Geological Survey, Wallingford, U.K., 158 pp |
| 1009 | WTL | -11 | 30 | 2.18 | Balek, 1977 | Elsevier, Amsterdam |
| 1010 | WTL | -15 | 25 | 1.005 | Balek, 1977 | Elsevier, Amsterdam |
| 1011 | WTL | -15 | 25 | 1.075 | Oyebande & Balek, 1989 | UNESCO, Paris |
| 1012 | WTL | -14 | 27 | 1.8 | Sharma, 1988 | An evaluation of evapotranspiration in tropical central Africa Hydrological Sciences Journal, Vol 33(1), pp 31-40 |
| 1013 | WTL | 2 | 33 | 2.23 | Hurst, 1952 | Constable Publishers, London, pp 326 |

| | | | | | | |
|------|-----|-------|--------|----------|-------------------------------|--|
| 1014 | WTL | 2 | 33 | 1.72 | Olivier, 1961 | Edward Arnold Publishers, London, UK |
| 1015 | WTL | 10 | 33 | 1.5 | Shahin, 1985 | Elsevier, Amsterdam |
| | | | | | | CHANGES IN STREAMFLOW COMPONENTS FOLLOWING LOGGING AND REGENERATION IN THE SOUTHERN FOREST OF WESTERN AUSTRALIA Hydrol. Process. 10, 447-461 |
| 1016 | EBF | -35 | 116 | 0.795 | Bari et al. (1996) | Application of the daily rainfall-runoff model MODHYDROLOG to 28 Australian catchments, J. Hydrol. 153, 383-416 |
| 1017 | EBF | -17 | 146 | 0.7 | Chiew and McMahon (1994) | J. Jpn. For. Soc. 78, 89-99 |
| 1018 | EBF | -17 | 146 | 1.527 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1019 | EBF | -17 | 146 | 1.555 | Kuraji (1996) | J. Hydrol. 242, 43-63 |
| 1020 | EBF | -30 | 151 | 1.084 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1021 | EBF | -30 | 151 | 0.989 | Cornish and Vertessy (2001) | Hydrol. Process. 21, 3473-3484 |
| 1022 | EBF | -17 | 146 | 0.971 | McJannet et al. (2007) | J. Hydrol. 192, 211-232 |
| 1023 | EBF | -37 | 146 | 0.566 | Nandakumar and Mein (1997) | J. Hydrol. 242, 43-63 |
| 1024 | EBF | -30 | 151 | 1.1 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1025 | EBF | -30 | 151 | 0.999 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1026 | EBF | -33 | 116 | 0.78 | Chiew and McMahon (1994) | J. Hydrol. 153, 383-416 |
| 1027 | EBF | 36.68 | 149.48 | 0.669 | Lane and Mackay (2001) | Forest Ecol. Manage. 143, 131-142 |
| 1028 | EBF | -30 | 151 | 1.097 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1029 | EBF | -30 | 151 | 1.071 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1030 | EBF | -25 | 149 | 0.605 | Siriwardena et al. (2006) | J. Hydrol. 326, 199-214 |
| 1031 | EBF | -37 | 146 | 0.696 | Nandakumar and Mein (1997) | J. Hydrol. 192, 211-232 |
| 1032 | EBF | -30 | 151 | 1.235 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1033 | EBF | -30 | 151 | 1.136 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1034 | EBF | -30 | 151 | 1.219 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1035 | EBF | -38 | 146 | 0.92 | Chiew and McMahon (1994) | J. Hydrol. 153, 383-416 |
| 1036 | EBF | -32 | 118 | 1.191 | Bari and Smettem (2004) | Hydrol. Earth Sys. Sci. 8, 903-922 |
| 1037 | EBF | -42 | 147 | 0.5 | Chiew and McMahon (1994) | J. Hydrol. 153, 383-416 |
| 1038 | EBF | -28 | 152 | 1.259 | Hutley et al. (1997) | Aust. J. Bot. 45, 311-329 |
| 1039 | EBF | -33 | 116 | 0.958 | Ruprecht et al. (1991) | J. Hydrol. 127, 261-277 |
| 1040 | EBF | -33 | 116 | 1.159 | Ruprecht et al. (1991) | J. Hydrol. 127, 261-277 |
| 1041 | EBF | -13 | 131 | 1.11 | Cook et al. (1998) | J. Hydrol. 210, 161-177 |
| 1042 | EBF | -30 | 151 | 1.055 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1043 | EBF | -30 | 151 | 1.128 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1044 | EBF | -30 | 151 | 1.044 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1045 | EBF | -35 | 115 | 0.753 | Ruprecht and Schofield (1991) | J. Hydrol. 129, 19-38 |
| 1046 | EBF | -33 | 116 | 1.141 | Ruprecht et al. (1991) | J. Hydrol. 127, 261-277 |
| | | | | | | Understanding changes in annual runoff following land use changes: a systematic data-based approach Hydrol. Process. 19, 2463-2479 |
| 1047 | EBF | -33 | 116 | 0.911 | Bari et al. (2005) | Agric. For. Meteorol. 100, 59-72 |
| 1048 | TPL | -33 | 150 | 0.4732 | Putuhena and Cordery (2000) | Agric. For. Meteorol. 100, 59-72 |
| 1049 | ENF | -33 | 150 | 0.487225 | Putuhena and Cordery (2000) | Hydrol. Process. 10, 447-461 |
| 1050 | EBF | -35 | 116 | 0.843 | Bari et al. (1996) | |

| | | | | | | |
|------|-----|-------|--------|-------|--|--|
| 1051 | EBF | -17 | 145 | 1.533 | McJannet et al. (2007) | Hydrol. Process. 21, 3473-3484 |
| 1052 | EBF | -35 | 149 | 0.849 | Vertessy et al. (1993) | J. Hydrol. 150, 665-700 |
| 1053 | EBF | -16 | 145 | 1.298 | McJannet et al. (2007) | Hydrol. Process. 21, 3473-3484 |
| 1054 | EBF | -37 | 146 | 0.722 | Nandakumar and Mein (1997) | J. Hydrol. 192, 211-232 |
| 1055 | EBF | -32 | 118 | 1.617 | Bari and Smettem (2004) | Hydrol. Earth Sys. Sci. 8, 903-922 |
| 1056 | EBF | -30 | 151 | 1.125 | Cornish and Vertessy (2001) | J. Hydrol. 242, 43-63 |
| 1057 | EBF | -37 | 144 | 0.928 | Rowe et al. (2002); Nandakumar and Mein (1997) | Landcare Research Contact Report; J. Hydrol. 192, 211-232 |
| 1058 | EBF | -37 | 144 | 0.951 | Rowe et al. (2002); Nandakumar and Mein (1997) | Landcare Research Contact Report, J. Hydrol. 192, 211-233 |
| 1059 | ENF | -37 | 144 | 0.92 | Rowe et al. (2002); Nandakumar and Mein (1997) | Landcare Research Contact Report; J. Hydrol. 192, 211-234 |
| 1060 | ENF | -37 | 144 | 0.939 | Rowe et al. (2002); Nandakumar and Mein (1997) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research Contact Report, New Zealand); J. Hydrol. 192, 211-235 |
| 1061 | FFF | -34 | 116 | 0.88 | Chiew and McMahon (1994) | J. Hydrol. 153, 383-416 |
| 1062 | EBF | -36 | 148 | 0.724 | Leuning et al. (2005) | Agric. For. Meteorol. 129, 151-173 |
| 1063 | EBF | -17 | 145 | 1.518 | McJannet et al. (2007) | Hydrol. Process. 21, 3473-3484 |
| 1064 | TPL | 36.68 | 149.48 | 0.552 | Lane and Mackay (2001) | Forest Ecol. Manage. 143, 131-142 |
| 1065 | TPL | 36.68 | 149.48 | 0.67 | Lane and Mackay (2001) | Forest Ecol. Manage. 143, 131-142 |
| 1066 | EBF | -34 | 115 | 0.918 | Ruprecht and Schofield (1989) | J. Hydrol. 105, 1-17 |
| 1067 | EBF | 32.34 | 116.06 | 0.91 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1068 | EBF | -33 | 116 | 0.946 | Stoneman (1993) | J. Hydrol. 150, 393-407 |
| 1069 | EBF | -33 | 116 | 0.876 | Stoneman (1993) | J. Hydrol. 150, 393-407 |
| 1070 | EBF | -33 | 116 | 0.935 | Stoneman (1993) | J. Hydrol. 150, 393-407 |
| 1071 | ENF | 51 | 5 | 0.299 | Molares et al. (2005) | |
| 1072 | ENF | 51 | 5 | 0.321 | Gielen et al. (2010) | Biogeosciences 7, 1247-1261 |
| 1073 | ENF | 51.31 | 4.52 | 0.429 | Verstraeten et al. (2005) | Hydrol. Earth Sys. Sci. 9, 225-241 |
| 1074 | ENF | 51.31 | 4.52 | 0.316 | Verstraeten et al. (2005) | Hydrol. Earth Sys. Sci. 9, 225-242 |
| 1075 | EBF | 50.92 | 3.78 | 0.611 | Verstraeten et al. (2005) | Hydrol. Earth Sys. Sci. 9, 225-243 |
| 1076 | EBF | 50.98 | 3.81 | 0.429 | Verstraeten et al. (2005) | Hydrol. Earth Sys. Sci. 9, 225-244 |
| 1077 | EBF | 50.98 | 3.81 | 0.433 | Verstraeten et al. (2005) | Hydrol. Earth Sys. Sci. 9, 225-245 |
| 1078 | EBF | 50.76 | 4.41 | 0.497 | Verstraeten et al. (2005) | Hydrol. Earth Sys. Sci. 9, 225-246 |
| 1079 | EBF | 50.8 | 4.71 | 0.487 | Verstraeten et al. (2005) | Hydrol. Earth Sys. Sci. 9, 225-247 |
| 1080 | MXF | 50 | 6 | 0.283 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1081 | EBF | -20 | -40 | 1.108 | Almeida et al. (2007) | Forest Ecol. Manage. 251, 10-21 |
| 1082 | EBF | -20 | -40 | 1.296 | Soares and de Almeida (2003) | R. Arvore, Vicosa-MG 27, 159-170 |
| 1083 | EBF | -3 | -60 | 1.409 | Tomasella et al. (2008) | Hydrol. Process. 22, 2133-2147 |
| 1084 | EBF | -3 | -60 | 1.548 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1085 | EBF | -3 | -60 | 1.493 | Leopoldo et al. (1995) | Forest Ecol. Manage. 73, 185-195 |
| 1086 | EBF | -3 | -60 | 1.444 | Waterloo et al. (2006) | Hydrol. Process. 20, 2581-2597 |
| 1087 | EBF | -23 | -45 | 0.712 | Fujieda (1995) | Bull. For. For. Prod. Res. Inst. 369, 63-152 |
| 1088 | EBF | -23 | -45 | 0.582 | Fujieda et al. (1993) | IAHS Publ. 216, 43-51 |

| | | | | | | |
|------|-----|-----|------|-------|---------------------------------|---|
| 1089 | EBF | -23 | -45 | 0.712 | Fujieda et al. (1993) | IAHS Publ. 216, 43-51 |
| 1090 | EBF | -1 | -48 | 1.381 | Kling et al. (2001) | J. Hydrol. 246, 82-95 |
| 1091 | EBF | -3 | -61 | 1.119 | Rollenbeck and Anhuf (2007) | J. Hydrol. 337, 377-390 |
| 1092 | EBF | -3 | -60 | 1.123 | Malhi et al. (2002) | J. Geophys. Res. 107, 10.1029/2001JD000623 |
| 1093 | EBF | -11 | -55 | 1.029 | Vourlitis et al. (2002) | Wat. Resour. Res. 38, 1029/2000WR000122 |
| 1094 | EBF | -3 | -52 | 1.516 | Giambelluca et al. (2009) | Agric. For. Meteorol. 149, 230-243 |
| 1095 | EBF | -10 | -62 | 1.359 | von Randow et al. (1994) | Theor. Appl. Climatol. 78, 5-26 |
| 1096 | EBF | -3 | -60 | 1.311 | Shuttleworth (1988) | Proc. R. Soc. Lond. B 233, 321-346 |
| 1097 | EBF | -10 | -50 | 1.332 | Borma et al. (2009) | J. Geophys. Res. 114, G01003, doi:10.1029/2007JG000641 |
| 1098 | EBF | -2 | -67 | 1.778 | Choudhury and DiGirolamo (1998) | J. Hydrol. 205, 164-185 |
| 1099 | TPL | -22 | -48 | 1.179 | Carbral et al. (2010) | J. Hydrol. 388, 208-216 |
| 1100 | EBF | -3 | -55 | 1.281 | da Rocha et al. (2004) | Ecol. Appl. 14, S22-S32 |
| 1101 | EBF | -3 | -55 | 1.124 | Hutyra et al. (2007) | J. Geophys. Res. 112, G03008 |
| 1102 | EBF | 13 | 105 | 1.14 | Nobuhiro et al. (2007) | Springer Tokyo, 75-86 |
| 1103 | EBF | 13 | 105 | 1.128 | Kabeya et al. (2008) | Paddy Water Environ. 6, 25-35 |
| 1104 | EBF | 13 | 105 | 1.341 | Kabeya et al. (2008) | Paddy Water Environ. 6, 25-35 |
| 1105 | EBF | 13 | 105 | 1.228 | Kabeya et al. (2008) | Paddy Water Environ. 6, 25-35 |
| 1106 | EBF | 3 | 12 | 1.371 | Oliva et al. (1999, 2003) | Geochim. Cosmochim. Acta 63, 4013-4035; Chem. Geol. 202, 225-256 |
| 1107 | EBF | 9 | 14 | 0.956 | Morton (1983) | J. Hydrol. 76, 1-76 |
| 1108 | WTL | 61 | -121 | 0.214 | Quinton et al. (2003) | Hydrol. Process. 17, 3665-3684 |
| 1109 | WTL | 61 | -121 | 0.207 | Quinton et al. (2003) | Hydrol. Process. 17, 3665-3684 |
| 1110 | ENF | 49 | -120 | 0.46 | Cheng (1989) | Wat. Resour. Res. 25, 449-456 |
| 1111 | MXF | 48 | -66 | 0.447 | Caissie et al. (2002) | J. Hydrol. 258, 232-248 |
| 1112 | ENF | 54 | -105 | 0.356 | Arain et al. (2003) | Hydrol. Process. 17, 3581-3600 |
| 1113 | ENF | 54 | -105 | 0.26 | Amiro et al. (2006) | Agric. For. Meteorol. 136, 237-251 |
| 1114 | DBF | 45 | -79 | 0.58 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1115 | ENF | 50 | -125 | 0.413 | Jassal et al. (2010) | Agric. For. Meteorol. 150, 208-218 |
| 1116 | ENF | 50 | -94 | 0.46 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1117 | ENF | 50 | -94 | 0.41 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1118 | ENF | 50 | -94 | 0.48 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1119 | DBF | 48 | -89 | 0.475 | Frisbee et al. (2007) | Hydrol. Process. 21, 2979-2997 |
| 1120 | DBF | 48 | -89 | 0.482 | Frisbee et al. (2007) | Hydrol. Process. 21, 2979-2997 |
| 1121 | ENF | 50 | -94 | 0.44 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1122 | ENF | 50 | -94 | 0.441 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1123 | ENF | 50 | -94 | 0.441 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1124 | MXF | 50 | -94 | 0.435 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1125 | MXF | 50 | -94 | 0.529 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |

| | | | | | | |
|------|-----|-------|---------|-------|-----------------------------------|---|
| 1126 | MXF | 50 | -94 | 0.681 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1127 | MXF | 50 | -94 | 0.61 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1128 | MXF | 50 | -94 | 0.61 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1129 | MXF | 50 | -94 | 0.516 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1130 | MXF | 50 | -94 | 0.516 | Louis et al. (1996) | Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands, Environ. Sci. Technol. 30, 2719-2729 |
| 1131 | ENF | 49 | -120 | 0.449 | Cheng (1989) | Wat. Resour. Res. 25, 449-456 |
| 1132 | ENF | 47 | -83 | 0.42 | Buttle and Metcalfe (2000) | Can. J. Fish. Aquat. Sci. 57(Suppl. 2), 5-18 |
| 1133 | ENF | 49 | -123 | 0.81 | Rowe et al. (2002) | Landcare Research, Wellington, New Zealand |
| 1134 | ENF | 49 | -123 | 1 | Rowe et al. (2002) | Landcare Research, Wellington, New Zealand |
| 1135 | ENF | 45 | -79 | 0.49 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1136 | ENF | 50 | -125 | 0.285 | Jassal et al. (2010) | Agric. For. Meteorol. 150, 208-218 |
| 1137 | ENF | 50 | -125 | 0.418 | Jassal et al. (2010) | Agric. For. Meteorol. 150, 208-218 |
| 1138 | ENF | 49 | -123 | 0.873 | Zeman (1975), Oliva et al. (2003) | Catena 2. 81-94; Chem. Geol. 202, 225-256 |
| 1139 | ENF | 61 | -121 | 0.242 | Quinton et al. (2003) | Hydrol. Process. 17, 3665-3684 |
| 1140 | ENF | 48 | -84 | 0.447 | Buttle and Metcalfe (2000) | Can. J. Fish. Aquat. Sci. 57(Suppl. 2), 5-18 |
| 1141 | DBF | 47 | -72 | 0.55 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1142 | MXF | 47 | -71 | 0.4 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1143 | ENF | 49 | -74 | 0.25 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1144 | BAR | 65.75 | -111.25 | 0.06 | Gibson (2001) | J. Hydrol. 251, 1-13 |
| 1145 | ENF | 61 | -121 | 0.239 | Quinton et al. (2003) | Hydrol. Process. 17, 3665-3684 |
| 1146 | ENF | 47 | -83 | 0.462 | Buttle and Metcalfe (2000) | Can. J. Fish. Aquat. Sci. 57(Suppl. 2), 5-18 |
| 1147 | ENF | 48 | -84 | 0.427 | Buttle and Metcalfe (2000) | Can. J. Fish. Aquat. Sci. 57(Suppl. 2), 5-18 |
| 1148 | MXF | 44 | -65 | 0.48 | Yanni et al. (2000) | Hydrol. Process. 14, 195-214 |
| 1149 | ENF | 48 | -84 | 0.445 | Buttle and Metcalfe (2000) | Can. J. Fish. Aquat. Sci. 57(Suppl. 2), 5-18 |
| 1150 | MXF | 44 | -65 | 0.473 | Yanni et al. (2000) | Hydrol. Process. 14, 195-214 |
| 1151 | MXF | 48 | -82 | 0.48 | Pejam et al. (2006) | Hydrol. Process. 20, 3709-3724 |
| 1152 | ENF | 56 | -98 | 0.287 | Amthor et al. (2001) | J. Geophys. Res. 106, 33623-33648 |
| 1153 | ENF | 45 | -79 | 0.49 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1154 | ENF | 47 | -82 | 0.453 | Buttle and Metcalfe (2000) | Can. J. Fish. Aquat. Sci. 57(Suppl. 2), 5-18 |
| 1155 | DBF | 54 | -106 | 0.418 | Barr et al. (2007) | Glob. Chan. Biol. 13, 561-576 |
| 1156 | DBF | 54 | -106 | 0.4 | Barr et al. (2000) | Agric. For. Meteorol. 102, 13-24 |
| 1157 | ENF | 47 | -81 | 0.526 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1158 | ENF | 47 | -81 | 0.421 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1159 | ENF | 47 | -81 | 0.517 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1160 | ENF | 61 | -121 | 0.273 | Hayashi et al. (2004) | J. Hydrol. 296, 81-97 |
| 1161 | DBF | 44 | -72 | 0.56 | Shanley et al. (2004) | Water, Air, Soil Poll. 4, 325-342 |
| 1162 | DBF | 47 | -84 | 0.703 | Beall et al. (2001) | Ecosystems 4, 514-526 |

| | | | | | | |
|------|-----|-------|--------|-------|-------------------------------------|---|
| 1163 | ENF | 49 | -123 | 0.727 | Feller (1977) | Ecology 58, 1269-1283 |
| 1164 | ENF | 49 | -123 | 0.78 | Feller (1977) | Ecology 58, 1269-1283 |
| 1165 | ENF | 49 | -123 | 0.705 | Feller (1977) | Ecology 58, 1269-1283 |
| 1166 | ENF | 54 | -105 | 0.369 | Nijssen and Lettenmaier (2002) | Wat. Resour. Res. 38, 1255 |
| 1167 | OSH | 62.53 | -135.3 | 0.171 | Kane and Yang (2004) | IAHS Press, Wallingford, UK, (eds Kane and Yang) 1-12 |
| 1168 | ENF | 62.5 | -114.4 | 0.189 | Gibson (2001) | J. Hydrol. 251, 1-13 |
| 1169 | TPL | -40 | -73 | 0.972 | Huber et al. (2008) | Hydrol. Process. 22, 142-148 |
| 1170 | ENF | -40 | -73 | 1.369 | Iroume et al. (2006) | Hydrol. Process. 20, 37-50 |
| 1171 | ENF | -40 | -73 | 1.471 | Iroume et al. (2006) | Hydrol. Process. 20, 37-50 |
| 1172 | ENF | -35 | -72 | 0.951 | Huber et al. (2008) | Hydrol. Process. 22, 142-148 |
| 1173 | ENF | -38 | -72 | 0.989 | Huber et al. (2008) | Hydrol. Process. 22, 142-148 |
| 1174 | ENF | -35 | -72 | 0.428 | Pizzarro et al. (2006) | J. Hydrol. 327, 249-257 |
| 1175 | ENF | -35 | -72 | 0.442 | Pizzarro et al. (2006) | J. Hydrol. 327, 249-257 |
| 1176 | ENF | -37 | -72 | 0.853 | Huber et al. (2008) | Hydrol. Process. 22, 142-148 |
| 1177 | ENF | -37 | -72 | 0.863 | Huber et al. (2008) | Hydrol. Process. 22, 142-148 |
| 1178 | MXF | 36 | 109 | 0.612 | Li and Xu (2006) | J. Northwest For. Univ. 21, 1-6 |
| 1179 | ENF | 25 | 102 | 0.822 | Meng et al. (2001) | For. Res. 14, 78-84 |
| 1180 | MXF | 42 | 128 | 0.277 | Zhang et al. (2009) | Agric. For. Meteorol. 149, 976-984 |
| 1181 | ENF | 29 | 115 | 0.756 | Sun et al. (2008) | J. Am. Wat. Resour. Assoc. 44, 1164-1175 |
| 1182 | ENF | 30 | 102 | 0.366 | Zhifang et al. (2010) | J. Wat. Resour. Protect. 2, 143-153 |
| 1183 | EBF | 19 | 109 | 1.009 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1184 | MXF | 19 | 109 | 0.98 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1185 | ENF | 19 | 109 | 0.873 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1186 | DBF | 48 | 129 | 0.504 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1187 | EBF | 21 | 110 | 1.069 | Lane et al. (2004) | Agric. For. Meteorol. 124, 253-267 |
| 1188 | FFF | 33 | 110 | 0.607 | Liu et al. (1978); Xu et al. (2003) | Acta Geogr. Sinica 33, 112-127; Yellow River 25, 13-15 |
| 1189 | ENF | 27 | 110 | 0.896 | Tian et al. (1994) | Northeast Forestry University Press, Harbin(ed Zhou), 384-393 |
| 1190 | TPL | 21 | 110 | 1.059 | Lane et al. (2004) | Agric. For. Meteorol. 124, 253-267 |
| 1191 | FFF | 37 | 110 | 0.537 | Liu et al. (1978); Xu et al. (2003) | Acta Geogr. Sinica 33, 112-127; Yellow River 25, 13-15 |
| 1192 | DNF | 35 | 106 | 0.417 | Wang et al. (2008) | J. Am. Wat. Resour. Assoc. 44, 1086-1097 |
| 1193 | ENF | 41 | 117 | 0.465 | Liu et al. (2003) | Acta Phytoecol. Sin. 27, 16-22 |
| 1194 | DBF | 45.38 | 127.53 | 0.554 | Liu et al. (2003) | Acta Phytoecol. Sin. 27, 16-22 |
| 1195 | DNF | 54 | 130 | 0.426 | Liu et al. (2003) | Acta Phytoecol. Sin. 27, 16-22 |
| 1196 | DBF | 32 | 103 | 0.542 | Liu et al. (2003) | Acta Phytoecol. Sin. 27, 16-22 |
| 1197 | EBF | 30 | 119 | 0.908 | Qin (2001) | For. Res. 14, 595-602 |
| 1198 | ENF | 34 | 106 | 0.514 | Liu et al. (2003) | Acta Phytoecol. Sin. 27, 16-22 |
| 1199 | ENF | 33 | 100 | 0.295 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1200 | ENF | 32 | 103 | 0.529 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1201 | ENF | 32 | 103 | 0.477 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1202 | DBF | 32 | 103 | 0.476 | Wei et al. (2005) | Hydrol. Process. 19, 63-75 |
| 1203 | FFF | 39 | 112 | 0.456 | Liu et al. (1978); Xu et al. (2003) | Acta Geogr. Sinica 33, 112-127; Yellow River 25, 13-15 |

| | | | | | | |
|------|-----|-------|-------|-------|--|--|
| 1204 | FFF | 36 | 109 | 0.629 | Li and Xu (2006) | J. Northwest For. Univ. 21, 1-6 |
| 1205 | MXF | 47 | 128 | 0.25 | Cai and Tan (2007) | Front. For. China 2, 143-147 |
| 1206 | MXF | 47 | 128 | 0.272 | Cai and Tan (2007) | Front. For. China 2, 143-147 |
| 1207 | ENF | 48 | 130 | 0.602 | Zhu (1982) | Acta Ecol. Sinica 34, 12-21 |
| 1208 | DBF | 38 | 110 | 0.54 | Huang et al. (2003) | Hydrol. Process. 17, 2599-2609 |
| 1209 | ENF | 40 | 116 | 0.315 | Liu et al. (2003) | Acta Phytoecol. Sin. 27, 16-22 |
| 1210 | EBF | 22 | 101 | 1.029 | Li et al. (2010) | Hydrol. Process. 24, 2405-2416 |
| 1211 | FFF | 36 | 109 | 0.549 | Liu et al. (1978); Xu et al. (2003) | Acta Geogr. Sinica 33, 112-127; Yellow River 25, 13-15 |
| 1212 | EBF | 21 | 110 | 1.141 | Zhou et al. (2006) | J. Am. Wat. Resour. Assoc. 44, 208-221 |
| 1213 | EBF | 1 | 24 | 1.433 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1214 | EBF | 11 | -84 | 2.138 | Loescher et al. (2005) | J. Hydrol. 315, 274-294 |
| 1215 | EBF | 11 | -84 | 1.509 | Bigelow (2001) | Hydrol. Process. 15, 2779-2796 |
| 1216 | EBF | 11 | -84 | 1.318 | Bigelow (2001) | Hydrol. Process. 15, 2779-2796 |
| 1217 | EBF | 11 | -84 | 1.387 | Bigelow (2001) | Hydrol. Process. 15, 2779-2796 |
| 1218 | ENF | 50 | 13 | 0.458 | Hruska et al. (2002) | Environ. Poll. 120, 261-274 |
| 1219 | ENF | 50 | 13 | 0.68 | Shanley et al. (2004) | Water, Air, Soil Poll. 4, 325-342 |
| 1220 | DBF | 56 | 12 | 0.581 | Christiansen (2006) | Master thesis, University of Copenhagen, Copenhagen |
| 1221 | ENF | 56 | 12 | 0.823 | Christiansen (2006) | Master thesis, University of Copenhagen, Copenhagen |
| 1222 | DBF | 56 | 12 | 0.415 | Boegh et al. (2009) | J. Hydrol. 377, 300-316 |
| 1223 | DBF | 55 | 12 | 0.46 | Christiansen (2006) | Master thesis, University of Copenhagen, Copenhagen |
| 1224 | ENF | 55 | 12 | 0.611 | Christiansen (2006) | Master thesis, University of Copenhagen, Copenhagen |
| 1225 | EBF | -4 | -79 | 1.57 | Fleischbein et al. (2006) | Hydrol. Process. 20, 2491-2507 |
| 1226 | EBF | -4 | -79 | 1.281 | Fleischbein et al. (2006) | Hydrol. Process. 20, 2491-2507 |
| 1227 | EBF | -4 | -79 | 1.546 | Fleischbein et al. (2006) | Hydrol. Process. 20, 2491-2507 |
| 1228 | ENF | 66.55 | 27.67 | 0.222 | Kusano et al. (2010) | Japan Atomic Agency, Tokai, Japan |
| 1229 | ENF | 62 | 26 | 0.34 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1230 | WTL | 62 | 22 | 0.35 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1231 | ENF | 61 | 29 | 0.4 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1232 | ENF | 62 | 24 | 0.277 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1233 | ENF | 64 | 29 | 0.341 | Koivusalo et al. (2006) | Environ. Model. Soft. 21, 1324-1339 |
| 1234 | ENF | 64 | 29 | 0.36 | Koivusalo et al. (2006) | Environ. Model. Soft. 21, 1324-1339 |
| 1235 | ENF | 62 | 23 | 0.38 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1236 | ENF | 64 | 29 | 0.3 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1237 | ENF | 63 | 29 | 0.36 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1238 | ENF | 66 | 26 | 0.31 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1239 | WTL | 62 | 23 | 0.43 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1240 | ENF | 67 | 28 | 0.19 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1241 | ENF | 64 | 29 | 0.286 | Lepisto et al. (1988), Oliva et al. (2003) | Nordic Hydrol. 19, 99-120; Chem. Geol. 202, 225-256 |
| 1242 | ENF | 67 | 28 | 0.16 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1243 | ENF | 65 | 29 | 0.18 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1244 | ENF | 63 | 25 | 0.26 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |

| | | | | | | |
|------|-----|----|-----|-------|--|---|
| 1245 | ENF | 61 | 25 | 0.093 | Lee et al. (1998) | Biogeochem. 40, 125-135 |
| 1246 | ENF | 62 | 25 | 0.39 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1247 | ENF | 66 | 25 | 0.3 | Rankinen et al. (2006) | Boreal Environ. Res. 11, 213-228 |
| 1248 | WTL | 62 | 23 | 0.39 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1249 | ENF | 60 | 25 | 0.35 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1250 | ENF | 62 | 22 | 0.32 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1251 | ENF | 66 | 29 | 0.12 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1252 | ENF | 66 | 28 | 0.09 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1253 | WTL | 63 | 26 | 0.25 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1254 | ENF | 66 | 27 | 0.28 | Kortelainen and Saukkonen (1998) | Water, Air, Soil Poll. 105, 239-250 |
| 1255 | ENF | 60 | 25 | 0.552 | Lepisto et al. (1988), Oliva et al. (2003) | Nordic Hydrol. 19, 99-120; Chem. Geol. 202, 225-256 |
| 1256 | ENF | 45 | -1 | 0.666 | Berbigier et al. (2001) | Agric. For. Meteorol. 108, 183-197 |
| 1257 | DBF | 48 | 7 | 0.334 | Granier et al. (2008) | Ann. For. Sci. 64, 704 |
| 1258 | ENF | 44 | 3 | 0.56 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1259 | ENF | 48 | 8 | 0.55 | Ladouce et al. (2001) | J. Hydrol. 242, 255-274 |
| 1260 | EBF | 5 | -53 | 1.528 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1261 | EBF | 5 | -53 | 1.437 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1262 | EBF | 5 | -53 | 1.444 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1263 | EBF | 4 | -53 | 1.609 | Roche (1982); Fritch (1993) | Cah. ORSTOM, serie Hydrol. 19, 81-114; IAHS publ. 216, 53-66 |
| 1264 | EBF | 4 | -53 | 1.803 | Roche (1982); Fritch (1993) | Cah. ORSTOM, serie Hydrol. 19, 81-114; IAHS publ. 216, 53-66 |
| 1265 | EBF | 4 | -53 | 1.588 | Roche (1982); Fritch (1993) | Cah. ORSTOM, serie Hydrol. 19, 81-114; IAHS publ. 216, 53-66 |
| 1266 | ENF | 51 | 14 | 0.475 | Grunwald et al. (2007) | Tellus 59B, 387-396 |
| 1267 | ENF | 48 | 8 | 0.6 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1268 | ENF | 50 | 12 | 0.301 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1269 | DBF | 54 | 10 | 0.628 | Herbst and Hormann (1998) | Climatic Change 40, 683-698 |
| 1270 | ENF | 53 | 14 | 0.58 | Muller (2009) | J. Water Land Dev. 13, 133-148 |
| 1271 | DBF | 53 | 14 | 0.489 | Muller (2009) | J. Water Land Dev. 13, 133-148 |
| 1272 | DNF | 53 | 14 | 0.584 | Muller (2009) | J. Water Land Dev. 13, 133-148 |
| 1273 | ENF | 53 | 14 | 0.625 | Muller (2009) | J. Water Land Dev. 13, 133-148 |
| 1274 | ENF | 48 | 8 | 0.74 | Vogt and Jaeger (1990) | Agric. For. Meteorol. 50, 39-54 |
| 1275 | ENF | 50 | 12 | 0.56 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1276 | DBF | 54 | 10 | 0.567 | Herbst et al. (1999) | Ann. For. Sci. 56, 107-120 |
| 1277 | DBF | 54 | 10 | 0.665 | Herbst et al. (1999) | Ann. For. Sci. 56, 107-120 |
| 1278 | ENF | 48 | 12 | 0.427 | Choudhury and DiGirolamo (1998) | J. Hydrol. 205, 164-185 |
| 1279 | ENF | 53 | 13 | 0.312 | Grote and Suchow (1998) | Forest Ecol. Manage. 112, 101-119 |
| 1280 | ENF | 53 | 13 | 0.406 | Schulte-Bisping et al. (2005) | in Allgemeine Forest und Jagdzeitung (eds Volz and von Gadow) 143-151 (Freiburg, Germany) |
| 1281 | ENF | 52 | 13 | 0.449 | Grote and Suchow (1998) | Forest Ecol. Manage. 112, 101-119 |
| 1282 | ENF | 48 | 8 | 0.45 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1283 | ENF | 48 | 12 | 0.935 | Robinson et al. (1991) | Hydrol. Sci. J. 36, 565-577 |
| 1284 | ENF | 48 | 12 | 0.98 | Robinson et al. (1991) | Hydrol. Sci. J. 36, 565-577 |
| 1285 | ENF | 51 | 13 | 0.458 | Grote and Suchow (1998) | Forest Ecol. Manage. 112, 101-119 |

| | | | | | | |
|------|-----|-------|-------|-------|----------------------------------|---|
| 1286 | ENF | 51 | 14 | 0.481 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1287 | ENF | 48 | 8 | 0.78 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1288 | ENF | 51 | 14 | 0.708 | Fruhauf et al. (1999) | Phys. Chem. Earth (B) 24, 805-808 |
| 1289 | ENF | 51 | 14 | 0.678 | Fruhauf et al. (1999) | Phys. Chem. Earth (B) 24, 805-808 |
| 1290 | EBF | 11 | -10 | 1.204 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1291 | EBF | 5 | -59 | 1.52 | Ter Steege et al. (1995) | Ecol. Appl. 5, 904-910 |
| 1292 | DNF | 63.83 | -20 | 0.2 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1293 | DBF | 12 | 76 | 0.809 | Ruiz et al. (2010) | Water balance modeling in a tropical watershed under deciduous forest (Mule Hole, India): regolith matrix storage buffers the groundwater recharge process, J. Hydrol. 380, 460-472 |
| 1294 | EBF | 12 | 77 | 0.96 | Samraj et al. (1988) | J. Hydrol. 103, 335-345 |
| 1295 | EBF | -7 | 107 | 1.17 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1296 | TPL | -7 | 106 | 1.481 | Calder et al. (1986) | A study of evaporation from a tropical rain forest-west Java. J. Hydrol. 89, 13-31 |
| 1297 | TPL | -7 | 110 | 1.208 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1298 | EBF | 41.7 | 12 | 0.412 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1299 | DBF | 41.85 | 14 | 0.582 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1300 | EBF | 7.9 | -7.59 | 1.199 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1301 | EBF | 5 | -4 | 1.145 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1302 | EBF | 5 | -4 | 1.195 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1303 | EBF | 9 | -7 | 1.127 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1304 | EBF | 8.43 | -7.17 | 1.2 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1305 | EBF | 7 | -7 | 1.295 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1306 | EBF | 6 | -4 | 1.425 | Bruijnzeel (1990) | UNESCO, Amsterdam, Netherland |
| 1307 | MXF | 35 | 137 | 0.646 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1308 | MXF | 35 | 137 | 0.813 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1309 | MXF | 35 | 137 | 0.653 | Komatsu et al. (2008a) | J. Hydrol. 348, 330-340 |
| 1310 | MXF | 35 | 137 | 0.858 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1311 | ENF | 34 | 132 | 0.7 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1312 | FFF | 34 | 136 | 0.75 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1313 | TPL | 40 | 141 | 0.405 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1314 | TPL | 40 | 141 | 0.657 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1315 | TPL | 40 | 141 | 0.5 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1316 | FFF | 43 | 141 | 0.492 | Kuchizawa and Nakatsugawa (2001) | in Proceedings of Hokkaido Branch of Japan Society of Civil |

| | | | | | | |
|------|-----|----|-----|-------|----------------------------|---|
| | | | | | | Engineerings, 422-425 |
| 1317 | MXF | 43 | 141 | 0.408 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1318 | TPL | 33 | 131 | 0.935 | Shimizu et al. (2003) | J. Hydrol. 348, 330-340 |
| 1319 | TPL | 33 | 131 | 0.942 | Shimizu et al. (2003) | J. Hydrol. 348, 330-340 |
| 1320 | MXF | 39 | 140 | 0.44 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1321 | TPL | 39 | 140 | 0.394 | Komatsu et al. (2008b) | J. Hydrol. 348, 330-340 |
| 1322 | MXF | 39 | 140 | 0.46 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1323 | TPL | 39 | 140 | 0.501 | Hosoda and Murakami (2007) | Bull. FFPRI 404, 163-213 |
| 1324 | MXF | 44 | 143 | 0.593 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1325 | MXF | 44 | 143 | 0.56 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1326 | MXF | 44 | 143 | 0.648 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1327 | MXF | 44 | 143 | 0.689 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1328 | TPL | 36 | 140 | 1.098 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1329 | DBF | 36 | 140 | 0.685 | Watanabe et al. (2001) | in Proceedings of International Workshop for Advanced Flux Network and Flux Evaluation, 27-29 (Tsukuba, Japan) |
| 1330 | TPL | 35 | 136 | 0.761 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1331 | TPL | 35 | 136 | 0.729 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1332 | TPL | 32 | 131 | 0.902 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1333 | MXF | 44 | 142 | 0.525 | Ohte et al. (2001) | Wat. Air Soil Poll. 130, 649-654 |
| 1334 | TPL | 40 | 140 | 0.548 | Kaneko et al. (2010) | J. Jpn. For. Soc. 92, 208-216 |
| 1335 | DBF | 35 | 137 | 0.894 | Oguri and Hiyama (2002) | J. Jpn Soc. Hydrol. Wat. Resour. 15, 264-278 |
| 1336 | MXF | 34 | 137 | 0.807 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1337 | TPL | 34 | 131 | 0.876 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1338 | TPL | 37 | 141 | 0.783 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1339 | TPL | 37 | 139 | 0.446 | Ohte et al. (2001) | Wat. Air Soil Poll. 130, 649-654 |
| 1340 | TPL | 34 | 133 | 0.787 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1341 | MXF | 40 | 141 | 0.778 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1342 | TPL | 32 | 131 | 0.597 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1343 | TPL | 35 | 136 | 0.634 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1344 | TPL | 37 | 139 | 0.367 | Shimizu et al. (2008) | Hydrol. Process. 17, 3125-3149 |
| 1345 | EBF | 32 | 131 | 1.109 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1346 | EBF | 32 | 131 | 1.056 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1347 | TPL | 34 | 134 | 0.517 | Yao et al. (1996) | J. Hydrol. 174, 221-234 |
| 1348 | TPL | 31 | 131 | 0.865 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1349 | MXF | 37 | 139 | 0.556 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1350 | MXF | 37 | 139 | 0.809 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from |

| | | | | | | |
|------|-----|-------|-------|-------|----------------------------------|--|
| | | | | | | mean annual temperature, J. Hydrol. 348, 330-340 |
| 1351 | DBF | 35 | 134 | 0.814 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1352 | TPL | 35 | 134 | 0.859 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1353 | ENF | 35 | 134 | 0.857 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1354 | TPL | 33 | 131 | 0.825 | Komatsu et al. (2010) | J. Hydrol. 348, 330-340 |
| 1355 | ENF | 36 | 140 | 0.64 | Iida et al. (2006) | J. Hydrol. 326, 166-180 |
| 1356 | EBF | 36 | 140 | 0.645 | Iida et al. (2006) | J. Hydrol. 326, 166-180 |
| 1357 | DNF | 43 | 142 | 0.428 | Hirano et al. (2003) | Tellus 55B, 244-257 |
| 1358 | MXF | 35 | 137 | 0.574 | Gautam et al. (2000) | J. Hydrol. 235, 117-136 |
| 1359 | MXF | 35 | 137 | 0.451 | Gautam et al. (2000) | J. Hydrol. 235, 117-136 |
| 1360 | MXF | 35 | 137 | 0.622 | Gautam et al. (2000) | J. Hydrol. 235, 117-136 |
| 1361 | ENF | 43 | 141 | 0.453 | Kuchizawa and Nakatsugawa (2001) | in Proceedings of Hokkaido Branch of Japan Society of Civil Engineerings, 422-425 |
| 1362 | TPL | 36 | 140 | 0.748 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1363 | MXF | 36 | 140 | 0.639 | Komatsu et al. (2008a) | A model to estimate annual forest evapotranspiration in Japan from mean annual temperature, J. Hydrol. 348, 330-340 |
| 1364 | DBF | 44 | 142 | 0.37 | Ishi et al. (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 13-27 (IAHS Press, Wallingford, UK) |
| 1365 | DBF | 35 | 136 | 0.438 | Ohte et al. (2001) | Wat. Air Soil Poll. 130, 649-654 |
| 1366 | EBF | -0.37 | 35.33 | 1.239 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1367 | ENF | -1 | 37 | 1.085 | Mugo and Sharma (1999) | Hydrol. Process. 13, 2931-2939 |
| 1368 | EBF | -1 | 37 | 1.024 | Mugo and Sharma (1999) | Hydrol. Process. 13, 2931-2939 |
| 1369 | EBF | -0.37 | 35.33 | 1.328 | Morton (1983) | J. Hydrol. 76, 1-76 |
| 1370 | GRS | -1 | 37 | 0.961 | Mugo and Sharma (1999) | Hydrol. Process. 13, 2931-2939 |
| 1371 | EBF | -0.37 | 35.33 | 1.291 | Morton (1983) | J. Hydrol. 76, 1-76 |
| 1372 | ENF | 35 | 128 | 0.629 | Combalicer et al. (2008) | KSCE Journal of Civil Engineering, 12, 339-348 |
| 1373 | DBF | 38 | 127 | 0.41 | Kang et al. (2009) | Asia-Pacific J. Atmos. Sci. 45, 175-191 |
| 1374 | DBF | 38 | 127 | 0.36 | Kang et al. (2009) | Asia-Pacific J. Atmos. Sci. 45, 175-191 |
| 1375 | TPL | 38 | 127 | 0.487 | Kyongha (1998) | in Proceedings of Korea LTER (Korea LTER) |
| 1376 | DBF | 38 | 127 | 0.714 | Kyongha (1998) | in Proceedings of Korea LTER (Korea LTER) |
| 1377 | MXF | 38 | 127 | 0.405 | Kyongha (1998) | in Proceedings of Korea LTER (Korea LTER) |
| 1378 | DBF | 38 | 127 | 0.477 | Jeong et al. (2002) | Long-term monitoring of the hydrological cycle in forested ecosystems: investigation of the hydrological cycle in forested watersheds (Korean Forest Research Institute) |
| 1379 | ENF | 38 | 127 | 0.646 | Jeong et al. (2002) | Long-term monitoring of the hydrological cycle in forested ecosystems: investigation of the hydrological cycle in forested watersheds (Korean Forest Research Institute) |
| 1380 | EBF | -19 | 48 | 1.665 | Migan (2000) | The Impact of Forest Conversion on Hydrology (Unesco, Paris) |
| 1381 | EBF | -19 | 48 | 1.599 | Migan (2000) | The Impact of Forest Conversion on Hydrology (Unesco, Paris) |
| 1382 | EBF | -19 | 48 | 1.456 | Migan (2000) | The Impact of Forest Conversion on Hydrology (Unesco, Paris) |
| 1383 | EBF | -19 | 48 | 1.346 | Migan (2000) | The Impact of Forest Conversion on Hydrology (Unesco, Paris) |
| 1384 | EBF | -19 | 48 | 1.455 | Migan (2000) | The Impact of Forest Conversion on Hydrology (Unesco, Paris) |
| 1385 | EBF | -14 | 34 | 0.815 | Pike (1964) | J. Hydrol. 2, 116-123 |
| 1386 | EBF | -9 | 33 | 1.107 | Pike (1964) | J. Hydrol. 2, 116-123 |

| | | | | | | |
|------|-----|-------|-------|-------|-------------------------------|---|
| 1387 | SAV | -15 | 35 | 0.807 | Pike (1964) | J. Hydrol. 2, 116-123 |
| 1388 | EBF | 3 | 102 | 1.69 | Nik and Harding (1992) | J. Trop. For. Sci. 5, 130-154 |
| 1389 | EBF | 3 | 102 | 1.65 | Nik and Harding (1992) | J. Trop. For. Sci. 5, 130-154 |
| 1390 | EBF | 3 | 102 | 1.71 | Nik and Harding (1992) | J. Trop. For. Sci. 5, 130-154 |
| 1391 | EBF | 3 | 102 | 1.193 | Aw eĩ½" al. (2009) | Europe. J. Sci. Res. 31, 88-105 |
| 1392 | EBF | 4 | 102 | 1.54 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1393 | EBF | 4 | 102 | 1.568 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1394 | EBF | 5 | 116 | 1.245 | Malmer (1992) | Water-yield changes after clear-felling tropical rainforest and establishment of forest plantation in Sabah, Malaysia, J. Hydrol. 134, 77-94 |
| 1395 | EBF | 5 | 116 | 0.988 | Malmer (1992) | Water-yield changes after clear-felling tropical rainforest and establishment of forest plantation in Sabah, Malaysia, J. Hydrol. 134, 77-94 |
| 1396 | EBF | 5 | 116 | 1.54 | Malmer (1992) | Water-yield changes after clear-felling tropical rainforest and establishment of forest plantation in Sabah, Malaysia, J. Hydrol. 134, 77-94 |
| 1397 | EBF | 3 | 102 | 1.318 | Takanashi et al. (2010) | Hydrol. Process. 24, 472-480 |
| 1398 | EBF | 1 | 111 | 1.466 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1399 | EBF | 3 | 102 | 1.468 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1400 | EBF | 4 | 102 | 1.079 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1401 | EBF | 4 | 102 | 1.009 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1402 | EBF | 4 | 102 | 1.062 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1403 | EBF | 4 | 103 | 1.367 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1404 | EBF | 4 | 103 | 1.58 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1405 | EBF | 4 | 103 | 1.514 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1406 | EBF | 3 | 102 | 1.671 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1407 | DBF | 53.27 | 36.57 | 0.541 | Kostin, 1970 | In Berlyand(eds), Heat Balance, Gidrometeorologicheskoe press, Leningrad, pp. 100-118 |
| 1408 | EBF | 3 | 102 | 1.264 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1409 | EBF | 4 | 118 | 1.35 | Chappell and Sherlock (2005) | Earth Surf. Process. Landforms 30, 735-753 |
| 1410 | EBF | 14.48 | -12.1 | 0.898 | Zhang et al. (1999) | Predicting the effect ofvegetation changes on catchment average water balance,Tech. Rep.99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1411 | DBF | 20 | -105 | 0.667 | Campo et al. (2000) | Biogeochem. 49, 21-36 |
| 1412 | MXF | 29 | -113 | 0.39 | Franco-Vizcaino et al. (2002) | Arid Land Res. Manage. 16, 133-147 |
| 1413 | ENF | 29 | -113 | 0.478 | Franco-Vizcaino et al. (2002) | Arid Land Res. Manage. 16, 133-147 |
| 1414 | EBF | 18.31 | 96.11 | 1.483 | Zhang et al. (1999) | Predicting the effect ofvegetation changes on catchment average water balance,Tech. Rep.99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1415 | ENF | 53 | 7 | 0.688 | Van der Salm et al. (2006) | Forest Ecol. Manage. 221, 170-182 |
| 1416 | ENF | 53 | 7 | 0.75 | Van der Salm et al. (2006) | Forest Ecol. Manage. 221, 170-182 |
| 1417 | ENF | 53 | 7 | 0.788 | Van der Salm et al. (2006) | Forest Ecol. Manage. 221, 170-182 |
| 1418 | DBF | 53 | 7 | 0.672 | Van der Salm et al. (2006) | Forest Ecol. Manage. 221, 170-182 |
| 1419 | DBF | 53 | 7 | 0.713 | Van der Salm et al. (2006) | Forest Ecol. Manage. 221, 170-182 |
| 1420 | DBF | 53 | 7 | 0.816 | Van der Salm et al. (2006) | Forest Ecol. Manage. 221, 170-182 |
| 1421 | DBF | 53 | 7 | 0.761 | Van der Salm et al. (2006) | Forest Ecol. Manage. 221, 170-182 |
| 1422 | ENF | 52 | 6 | 0.65 | Van Wijk et al. (2001) | Forest Ecol. Manage. 145, 229-241 |

| | | | | | | |
|------|-----|-------|-------|-------|-------------------------------|--|
| 1423 | ENF | 52.17 | 6 | 0.405 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1424 | ENF | -42 | 173 | 0.755 | Pearce et al. (1982) | J. Hydrol. (NZ) 21, 98-116 |
| 1425 | MXF | -42 | 173 | 0.795 | Pearce et al. (1982) | J. Hydrol. (NZ) 21, 98-116 |
| 1426 | EBF | -43 | 171 | 0.59 | Griffiths (1981) | Wat. Resour. Bull. 17, 662-671 |
| 1427 | EBF | -42 | 172 | 0.7 | Griffiths (1981) | Wat. Resour. Bull. 17, 662-671 |
| 1428 | EBF | -42 | 172 | 0.75 | Griffiths (1981) | Wat. Resour. Bull. 17, 662-671 |
| 1429 | TPL | -46 | 170 | 0.781 | Smith (1987) | J. Hydrol. (NZ) 26, 175-184 |
| 1430 | TPL | -41 | 172 | 0.44 | Griffiths (1981) | Wat. Resour. Bull. 17, 662-671 |
| 1431 | TPL | -42 | 172 | 0.801 | Rowe and Pearce (1994) | Hydrol. Process. 8, 281-297 |
| 1432 | TPL | -42 | 172 | 0.885 | Rowe and Pearce (1994) | Hydrol. Process. 8, 281-297 |
| 1433 | EBF | -42 | 172 | 1.113 | Rowe and Pearce (1994) | Hydrol. Process. 8, 281-297 |
| 1434 | EBF | -42 | 172 | 0.691 | Rowe and Pearce (1994) | Hydrol. Process. 8, 281-297 |
| 1435 | EBF | -42 | 172 | 1.045 | Rowe and Pearce (1994) | Hydrol. Process. 8, 281-297 |
| 1436 | ENF | -42 | 172 | 1.1 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1437 | TPL | -39 | 179 | 1.02 | Pearce et al. (1987) | IAHS Publ. 167, 489-497 |
| 1438 | TPL | -37 | 175 | 1.037 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1439 | ENF | -37 | 175 | 1.278 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1440 | TPL | -41 | 173 | 0.936 | Duncan (1995) | J. Hydrol. (NZ) 34, 15-41 |
| 1441 | TPL | -41 | 173 | 0.987 | Duncan (1995) | J. Hydrol. (NZ) 34, 15-41 |
| 1442 | TPL | -41 | 173 | 0.915 | Duncan (1995) | J. Hydrol. (NZ) 34, 15-41 |
| 1443 | TPL | -43 | 173 | 0.815 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1444 | TPL | -38 | 176 | 1.044 | Dons (1987) | N. Z. J. For. Sci. 17, 161-178 |
| 1445 | ENF | -38 | 176 | 1.045 | Dons (1987) | N. Z. J. For. Sci. 17, 161-178 |
| 1446 | FFF | -46 | 168 | 0.49 | Griffiths (1981) | Wat. Resour. Bull. 17, 662-671 |
| 1447 | TPL | -46 | 170 | 0.875 | Smith (1987) | J. Hydrol. (NZ) 26, 175-184 |
| 1448 | TPL | -41 | 175 | 0.895 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1449 | EBF | -41 | 175 | 1.044 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1450 | EBF | -37 | 175 | 0.984 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1451 | ENF | 58 | 8 | 0.34 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1452 | ENF | 60 | 10 | 0.18 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1453 | MXF | 58 | 8 | 0.2 | Wright (1998) | Ecosystems 1, 216-225 |
| 1454 | EBF | 9 | -80 | 1.452 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1455 | EBF | -10 | 147 | 1.22 | Leigh (1999) | Tropical forest ecology (Oxford Univ Press, Oxford) |
| 1456 | EBF | -10 | -76 | 1.535 | Schellekens (2000) | Hydrological Processes in a Humid Tropical Rain Forest : A Combined Experimental and Modelling Approach (PhD thesis, Vrije University) |
| 1457 | EBF | 15 | 121 | 1.232 | Kuraji (1996) | Water balance studies on moist tropical forested catchments [in Japanese], J. Jpn. For. Soc. 78, 89-99 |
| 1458 | EBF | 14.2 | 121.2 | 1.001 | Combalicer et al. (2010) | J. Trop. For. Sci. 22, 155-169 |
| 1459 | EBF | 38 | -9 | 0.567 | de Almeida and Riekerk (1990) | Forest Ecol. Manage. 38, 55-64 |
| 1460 | EBF | 38 | -9 | 0.62 | de Almeida and Riekerk (1990) | Forest Ecol. Manage. 38, 55-64 |

| | | | | | | |
|------|-----|-------|--------|-------|---------------------------------|--|
| 1461 | EBF | 18 | -66 | 2.3 | Schellekens (2000) | Hydrological Processes in a Humid Tropical Rain Forest : A Combined Experimental and Modelling Approach (PhD thesis, Vrije University) |
| 1462 | EBF | 18 | -66 | 0.67 | Peters et al. (2006) | Sci. Total Environ. 358, 221-242 |
| 1463 | EBF | 18 | -66 | 1.338 | Garcia-Maritino et al. (1996) | Carib. J. Sci. 32, 41-24 |
| 1464 | EBF | 18 | -66 | 0.994 | Garcia-Maritino et al. (1996) | Carib. J. Sci. 32, 41-24 |
| 1465 | EBF | 18 | -66 | 0.891 | Garcia-Maritino et al. (1996) | Carib. J. Sci. 32, 41-24 |
| 1466 | EBF | 18 | -66 | 1.009 | Garcia-Maritino et al. (1996) | Carib. J. Sci. 32, 41-24 |
| 1467 | EBF | 18 | -66 | 1.707 | Garcia-Maritino et al. (1996) | Carib. J. Sci. 32, 41-24 |
| 1468 | EBF | 18 | -66 | 1.219 | Giambelluca et al. (2009) | Agric. For. Meteorol. 149, 230-243 |
| 1469 | MXF | 56 | 33 | 0.31 | L'vovich (1965) | IAHS Publ. 66, 686-697 |
| 1470 | ENF | 59 | 33 | 0.451 | Bochkov (1959a) | IAHS Publ. 48, 164-173 |
| 1471 | ENF | 60 | 30 | 0.456 | Bavina (1975) | in Proceedings of the 1972 Minsk Symposium 297-303 (Unesco Press, Paris) |
| 1472 | DNF | 58 | 98 | 0.266 | Onuchin et al. (2006) | Adv. Wat. Resour. 29, 1314-1327 |
| 1473 | ENF | 64 | 47 | 0.252 | Bochkov (1959b) | IAHS Publ. 48, 174-181 |
| 1474 | DNF | 68 | 94 | 0.107 | Onuchin et al. (2006) | Adv. Wat. Resour. 29, 1314-1327 |
| 1475 | DNF | 55.6 | 124.88 | 0.289 | Vasilenko (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 13-27 (IAHS Press, Wallingford, UK) |
| 1476 | DNF | 55.6 | 124.88 | 0.312 | Vasilenko (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 13-27 (IAHS Press, Wallingford, UK) |
| 1477 | DNF | 55.6 | 124.88 | 0.269 | Yamazaki et al. (2003) | Hydrol. Process. 20, 453-467 |
| 1478 | DNF | 55.6 | 124.88 | 0.341 | Vasilenko (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 13-27 (IAHS Press, Wallingford, UK) |
| 1479 | ENF | 58 | 38 | 0.519 | Lebedev (1959) | IAHS Publ. 48, 302-309 |
| 1480 | ENF | 59 | 33 | 0.534 | Balonishnikova et al. (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 91-102 (IAHS Press, Wallingford, UK) |
| 1481 | DNF | 62 | 129 | 0.196 | Ohta et al. (2008) | Agric. For. Meteorol. 148, 1941-1953 |
| 1482 | MXF | 68 | 150 | 0.182 | Zhuravin (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 78-90 (IAHS Press, Wallingford, UK) |
| 1483 | ENF | 59 | 33 | 0.611 | Balonishnikova et al. (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 91-102 (IAHS Press, Wallingford, UK) |
| 1484 | ENF | 58 | 33 | 0.494 | Gusev and Nasonova (2003) | J. Hydrol. 280, 162-191 |
| 1485 | ENF | 58 | 33 | 0.31 | Sokolovsky (1959) | IAHS Publ. 48, 199-211 |
| 1486 | DBF | 56.05 | 31.98 | 0.336 | Bochkov (1959b) | IAHS Publ. 48, 174-181 |
| 1487 | MXF | 56 | 39 | 0.41 | Choudhury and DiGirolamo (1998) | J. Hydrol. 205, 164-185 |
| 1488 | DNF | 68 | 150 | 0.156 | Zhuravin (2004) | in Northern Research Basins Water Balance (eds Kane and Yang) 78-90 (IAHS Press, Wallingford, UK) |
| 1489 | ENF | 61 | 89 | 0.196 | Techebakova et al. (2002) | Tellus 54B, 537-551 |
| 1490 | EBF | 8 | -13 | 1.011 | Ledger (1975) | J. Hydrol. 24, 207-214 |
| 1491 | EBF | 1 | 104 | 1.35 | Chappell and Sherlock (2005) | Earth Surf. Process. Landforms 30, 735-753 |
| 1492 | MXF | 49 | 20 | 0.422 | Pekarova and Pekar (1996) | J. Hydrol. 180, 333-350 |
| 1493 | ENF | 49 | 19 | 0.521 | Pekarova and Pekar (1996) | J. Hydrol. 180, 333-350 |
| 1494 | MXF | 49 | 19 | 0.553 | Pekarova and Pekar (1996) | J. Hydrol. 180, 333-350 |
| 1495 | DBF | 49 | 22 | 0.377 | Pekarova and Pekar (1996) | J. Hydrol. 180, 333-350 |
| 1496 | DBF | 48 | 17 | 0.354 | Pekarova and Pekar (1996) | J. Hydrol. 180, 333-350 |
| 1497 | DBF | 48 | 17 | 0.559 | Pekarova and Pekar (1996) | J. Hydrol. 180, 333-350 |
| 1498 | ENF | -34 | 18 | 0.703 | Scott (1993) | J. Hydrol. 150, 409-432 |
| 1499 | ENF | -29 | 29 | 1.091 | Le Maitre and Versfeld (1997) | J. Hydrol. 193, 240-257 |

| | | | | | | |
|------|-----|-------|-----|-------|-----------------------------------|--|
| 1500 | ENF | -34 | 18 | 1.133 | Le Maitre and Versfeld (1997) | J. Hydrol. 193, 240-257 |
| 1501 | ENF | -34 | 18 | 0.942 | Scott (1993) | J. Hydrol. 150, 409-432 |
| 1502 | EBF | -34 | 18 | 0.658 | Scott (1993) | J. Hydrol. 150, 409-432 |
| 1503 | EBF | -25 | 31 | 1.058 | Scott and Lesch (1997) | J. Hydrol. 199, 360-377 |
| 1504 | ENF | -25 | 31 | 1.244 | Scott and Lesch (1997) | J. Hydrol. 199, 360-377 |
| 1505 | EBF | -34 | 18 | 1.21 | Scott (1993) | J. Hydrol. 150, 409-432 |
| 1506 | ENF | -34 | 18 | 0.682 | Scott (1993) | J. Hydrol. 150, 409-432 |
| 1507 | SAV | -27 | 29 | 0.548 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1508 | MXF | 42 | 3 | 0.653 | Bernal et al. (2004) | Hydrol. Earth Sys. Sci. 8, 729-741 |
| 1509 | EBF | 40 | -7 | 0.457 | Ceballos and Schnabel (1998) | J. Hydrol. 210, 146-160 |
| 1510 | EBF | 41 | 1 | 0.552 | Pinol et al. (1991) | Hydrol. Sci. J. 36, 95-107 |
| 1511 | EBF | 41 | 1 | 0.503 | Pinol et al. (1991) | Hydrol. Sci. J. 36, 95-107 |
| 1512 | EBF | 42 | 2 | 0.466 | Avila (1996), Oliva et al. (2003) | Atmos. Environ. 30, 1363-1373 |
| 1513 | ENF | 42 | -4 | 0.713 | Fitzjohn et al. (1998) | Catena 32, 55-70 |
| 1514 | EBF | 8 | 81 | 1.495 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1515 | EBF | 6 | -55 | 1.63 | Bruijnzeel (1990) | Hydrology of Moist Tropical Forests and Effects of Conversion: A State of Knowledge Review (Unesco, Amsterdam, Netherland) |
| 1516 | ENF | 57 | 15 | 0.456 | Westling and Hultberg (1990/91) | Wat. Air Soil Poll. 54, 391-407 |
| 1517 | ENF | 59 | 16 | 0.417 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1518 | ENF | 59 | 16 | 0.431 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1519 | ENF | 59 | 16 | 0.412 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1520 | ENF | 57 | 16 | 0.43 | Kusano et al. (2010) | Compilation of Near-Surface Hydrological Information for Estimation of Long-Term Change on Groundwater Flow Conditions (Japan Atomic Agency, Tokai, Japan) |
| 1521 | ENF | 59 | 16 | 0.438 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1522 | ENF | 64.12 | 20 | 0.341 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1523 | ENF | 58 | 12 | 0.533 | Westling and Hultberg (1990/91) | Wat. Air Soil Poll. 54, 391-407 |
| 1524 | ENF | 56 | 13 | 0.496 | Wiklander and Nordlander (1991) | Wat. Air Soil Poll. 55, 263-282 |
| 1525 | ENF | 59 | 16 | 0.424 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1526 | ENF | 64 | 20 | 0.378 | Laudon et al. (2004) | Aquat. Sci. 66, 223-230 |
| 1527 | ENF | 59 | 16 | 0.441 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1528 | ENF | 62 | 17 | 0.421 | Rosen (1984) | Forest Ecol. Manage. 9, 267-281 |
| 1529 | ENF | 62 | 17 | 0.572 | Rosen (1984) | Forest Ecol. Manage. 9, 267-281 |
| 1530 | ENF | 64 | 15 | 0.3 | Bergstorm and Forsman (1973) | Nordic Hydrol. 4, 147-170 |
| 1531 | ENF | 59 | 14 | 0.3 | Bergstorm and Forsman (1973) | Nordic Hydrol. 4, 147-170 |
| 1532 | ENF | 60 | 17 | 0.353 | Grelle et al. (1999) | Agric. For. Meteorol. 98-99, 563-578 |
| 1533 | ENF | 64 | 20 | 0.37 | Nyberg et al. (2001) | Hydrol. Process. 15, 909-926 |
| 1534 | ENF | 59 | 16 | 0.403 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1535 | ENF | 59 | 16 | 0.409 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1536 | ENF | 59 | 16 | 0.414 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |

| | | | | | | |
|------|-----|-------|--------|-------|------------------------------|---|
| 1537 | ENF | 62 | 17 | 0.445 | Rosen (1984) | Forest Ecol. Manage. 9, 267-281 |
| 1538 | ENF | 66 | 22 | 0.273 | Calles (1983) | Hydrobiol. 101, 13-18 |
| 1539 | ENF | 60 | 18 | 0.24 | Bergstorm and Forsman (1973) | Nordic Hydrol. 4, 147-170 |
| 1540 | ENF | 60 | 18 | 0.22 | Bergstorm and Forsman (1973) | Nordic Hydrol. 4, 147-170 |
| 1541 | ENF | 64 | 20 | 0.395 | Bishop and Pettersson (1996) | Environ. Int. 22, 535-540 |
| 1542 | ENF | 59 | 16 | 0.375 | Xu (2000) | Modelling the Effects of Climate Change on WaterResources in Central Sweden Wat. Resour. Manage. 14, 177-189 |
| 1543 | ENF | 60 | 14 | 0.4 | Lundin and Bergquist (1990) | Hydrobiol. 196, 167-181 |
| 1544 | ENF | 60 | 14 | 0.291 | Lee et al. (1998) | Biogeochem. 40, 125-135 |
| 1545 | ENF | 64 | 20 | 0.402 | Laudon et al. (2004) | Aquat. Sci. 66, 223-230 |
| 1546 | ENF | 66 | 22 | 0.238 | Calles (1983) | Hydrobiol. 101, 13-18 |
| 1547 | MXF | 47 | 8 | 0.647 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1548 | MXF | 47 | 8 | 0.861 | Bochkov (1959a) | IAHS Publ. 48, 164-173 |
| 1549 | EBF | 24 | 121 | 0.947 | Hsia and Koh (1983) | IAHS Publ. 140, 215-220 |
| 1550 | ENF | 24 | 121 | 1.198 | Cheng et al. (1987) | IAHS Publ. 167, 499-508 |
| 1551 | ENF | 24 | 121 | 0.87 | Cheng et al. (1987) | IAHS Publ. 167, 499-508 |
| 1552 | EBF | -9 | 33 | 0.972 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1553 | EBF | -9 | 33 | 1.383 | Kuraji (1996) | J. Jpn. For. Soc. 78, 89-99 |
| 1554 | EBF | 19 | 99 | 0.812 | Tanaka et al. (2008) | Agric. For. Meteorol. 148, 807-819 |
| 1555 | MXF | 17 | 103 | 1.006 | Wilk et al. (2001) | Hydrol. Process. 15, 2729-2748 |
| 1556 | DBF | 41 | 29 | 0.833 | Ozhan et al. (2010) | Water Resour. Manage. 24, 2353-2363 |
| 1557 | DBF | 41 | 29 | 0.751 | Ozhan et al. (2010) | Water Resour. Manage. 24, 2353-2363 |
| 1558 | ENF | 56.6 | -4 | 0.197 | Molares et al. (2005) | Global Change Biol. 11, 2211-2233 |
| 1559 | DBF | 51 | -1 | 0.55 | Roberts et al. (2005) | Hydrol. Earth Syst. Sci. 9, 607-613 |
| 1560 | ENF | 56 | -4 | 0.318 | Tetzlaff et al. (2007) | J. Hydrol. 346, 93-111 |
| 1561 | ENF | 56 | -4 | 0.304 | Tetzlaff et al. (2007) | J. Hydrol. 346, 93-111 |
| 1562 | DBF | 53 | -1 | 0.567 | Calder et al. (2003) | Wat. Resour. Res. 39, 1319 |
| 1563 | ENF | 53 | -1 | 0.609 | Calder et al. (2003) | Wat. Resour. Res. 39, 1319 |
| 1564 | ENF | 53 | -1 | 0.605 | Calder et al. (2003) | Wat. Resour. Res. 39, 1319 |
| 1565 | ENF | 55 | -2 | 0.524 | Robinson (1998) | Hydrol. Earth Syst. Sci. 2, 233-238 |
| 1566 | TPL | 53 | -4 | 0.536 | Hudson et al. (1997) | Hydrol. Earth Syst. Sci. 1, 463-475 |
| 1567 | TPL | 53 | -4 | 0.665 | Roberts and Crane (1997) | Hydrol. Earth Syst. Sci. 1, 477-482 |
| 1568 | ENF | 52 | -5 | 0.639 | Marc and Robinson (2007) | Hydrol. Earth Syst. Sci. 11, 44-60 |
| 1569 | ENF | 52 | 1 | 0.566 | Gash and Stewart (1977) | J. Hydrol. 35, 385-396 |
| 1570 | MXF | 44.4 | -68.22 | 0.52 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1571 | ENF | 44.33 | -68.22 | 0.36 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1572 | MXF | 44 | -74 | 0.373 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1573 | ENF | 31 | -87 | 1.112 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1574 | ENF | 32 | -88 | 1 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1575 | ENF | 41 | -106 | 0.53 | Knight et al. (1985) | Ecol. Mon. 55, 29-48 |

| | | | | | | |
|------|-----|-------|--------|-------|------------------------------------|---|
| 1576 | ENF | 36 | -77 | 1.087 | Sun et al. (2010) | Forest Ecol. Manage. 259, 1299-1310 |
| 1577 | ENF | 44 | -124 | 0.57 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1578 | ENF | 44 | -124 | 0.55 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1579 | ENF | 44 | -124 | 0.59 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1580 | MXF | 35 | -95 | 1.18 | Bosch and Hewlett (1982) | J. Hydrol. 55, 3-23 |
| 1581 | MXF | 35 | -95 | 0.974 | Bosch and Hewlett (1982) | J. Hydrol. 55, 3-23 |
| 1582 | LAK | 39 | -121 | 0.7 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1583 | ENF | 49 | -120 | 0.41 | Godsey et al. (2009) | Hydrol. Process. 23, 1844-1864 |
| 1584 | DBF | 44 | -74 | 0.26 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1585 | DBF | 45 | -68 | 0.492 | Ohte et al. (2001) | Wat. Air Soil Poll. 130, 649-654 |
| 1586 | MXF | 39 | -120 | 0.403 | Baker (1982) | Hydrologic Regimes of Forested Areas in the Beaver Creek Watershed (USDA Forest Service) |
| 1587 | ENF | 39 | -120 | 0.504 | Baker (1982) | Hydrologic Regimes of Forested Areas in the Beaver Creek Watershed (USDA Forest Service) |
| 1588 | MXF | 39 | -120 | 0.429 | Baker (1982) | Hydrologic Regimes of Forested Areas in the Beaver Creek Watershed (USDA Forest Service) |
| 1589 | MXF | 31.53 | -92.42 | 1.04 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1590 | DBF | 41.98 | -74.5 | 0.55 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1591 | MXF | 31.03 | -86.71 | 0.91 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1592 | DBF | 43.93 | -71.38 | 0.56 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1593 | DBF | 43.93 | -71.38 | 0.56 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1594 | DBF | 43.93 | -71.4 | 0.55 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1595 | DBF | 43.93 | -71.4 | 0.6 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1596 | ENF | 30 | -82 | 0.924 | Riekerk (1983) | Wat. Resour. Bull. 19, 73-79 |
| 1597 | ENF | 30 | -82 | 0.886 | Riekerk (1983) | Wat. Resour. Bull. 19, 73-79 |
| 1598 | ENF | 30 | -82 | 1.078 | Riekerk (1983) | Wat. Resour. Bull. 19, 73-79 |
| 1599 | MXF | 35 | -83 | 0.56 | Buell and Peters (1988) | Wat. Air Soil Poll. 39, 275-291 |
| 1600 | ENF | 40 | -110 | 0.495 | Burton (1997) | J. Am. Wat. Resour. Assoc. 33, 1187-1196 |
| 1601 | ENF | 48 | -120 | 0.425 | Helvey (1980) | Wat. Resour. Bull. 16, 627-634 |
| 1602 | MXF | 42 | -72 | 0.315 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1603 | DBF | 47 | -88 | 0.455 | Stottlmyer and Toczydlowski (1996) | Can. J. Fish. Aquat. Sci. 53, 2659-2672 |
| 1604 | ENF | 65 | -147 | 0.328 | MacLean et al. (1999) | The effect of permafrost on stream biogeochemistry: A case study of two streams in the Alaskan (U.S.A.) taiga, Biogeochem. 47, 239-267 |
| 1605 | MXF | 65 | -147 | 0.313 | MacLean et al. (1999) | The effect of permafrost on stream biogeochemistry: A case study of two streams in the Alaskan (U.S.A.) taiga, Biogeochem. 47, 239-267 |
| 1606 | ENF | 66 | -146 | 0.313 | MacLean et al. (1999) | The effect of permafrost on stream biogeochemistry: A case study of two streams in the Alaskan (U.S.A.) taiga, Biogeochem. 47, 239-267 |
| 1607 | MXF | 66 | -146 | 0.313 | MacLean et al. (1999) | The effect of permafrost on stream biogeochemistry: A case study of two streams in the Alaskan (U.S.A.) taiga, Biogeochem. 47, 239-267 |
| 1608 | ENF | 35 | -76 | 1.019 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1609 | ENF | 34 | -109 | 0.568 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average |

| | | | | | | |
|------|-----|-------|--------|-------|-----------------------------|--|
| | | | | | | water balance,Tech. Rep.99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1610 | DBF | 31.02 | -83.07 | 0.9 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1611 | DBF | 42 | -74 | 0.561 | Ohte et al. (2001) | Wat. Air Soil Poll. 130, 649-654 |
| 1612 | MXF | 34 | -84 | 0.793 | Rose and Peters (2001) | Hydrol. Process. 15, 1441-1457 |
| 1613 | MXF | 34 | -84 | 0.923 | Rose and Peters (2001) | Hydrol. Process. 15, 1441-1457 |
| 1614 | DBF | 41.4 | -72.43 | 0.56 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1615 | MXF | 37 | -83 | 0.778 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1616 | MXF | 40 | -104 | 0.647 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1617 | ENF | 44 | -72 | 0.65 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1618 | DBF | 40 | -82 | 0.59 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1619 | MXF | 34.38 | -94.23 | 0.52 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1620 | TPL | 35.07 | -83.42 | 0.986 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1621 | TPL | 35.07 | -83.42 | 0.782 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1622 | TPL | 35.07 | -83.42 | 0.85 | Swank and Crossley (1988) | Forest Hydrology and Ecology at Coweeta (Springer, New York) |
| 1623 | DBF | 35.07 | -83.42 | 0.888 | Swank and Crossley (1988) | Forest Hydrology and Ecology at Coweeta (Springer, New York) |
| 1624 | MXF | 35.07 | -83.42 | 1.449 | Ford et al. (2007) | Agric. For. Meteorol. 145, 176-185 |
| 1625 | DBF | 35.07 | -83.42 | 0.891 | Lieberman and Hoover (1951) | Am. Geophys. Union Trans. 32, 73-76 |
| 1626 | DBF | 35.07 | -83.42 | 0.779 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance,Tech. Rep.99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1627 | DBF | 35.07 | -83.42 | 0.82 | Swank et al. (2001) | Forest Ecol. Manage. 143, 163-178 |
| 1628 | DBF | 35.07 | -83.42 | 0.714 | Hewlett and Hibbert (1961) | Hydrol. Sci. J. 6, 5-17 |
| 1629 | DBF | 35.07 | -83.42 | 0.793 | Hewlett and Hibbert (1961) | Hydrol. Sci. J. 6, 5-17 |
| 1630 | DBF | 35.07 | -83.42 | 0.714 | Swank and Crossley (1988) | Forest Hydrology and Ecology at Coweeta (Springer, New York) |
| 1631 | DBF | 35.07 | -83.42 | 0.738 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1632 | DBF | 35.07 | -83.42 | 1.207 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance,Tech. Rep.99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1633 | DBF | 35.07 | -83.42 | 0.834 | Swank and Crossley (1988) | Forest Hydrology and Ecology at Coweeta (Springer, New York) |
| 1634 | DBF | 35.07 | -83.42 | 0.548 | Swank and Crossley (1988) | Forest Hydrology and Ecology at Coweeta (Springer, New York) |
| 1635 | DBF | 35.07 | -83.42 | 0.661 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1636 | DBF | 35.07 | -83.42 | 0.894 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1637 | DBF | 35.07 | -83.42 | 0.744 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1638 | DBF | 35.07 | -83.42 | 0.83 | Swank et al. (2001) | Forest Ecol. Manage. 143, 163-178 |
| 1639 | ENF | 43 | -122 | 0.75 | Harr (1983) | Wat. Resour. Bull. 19, 383-393 |
| 1640 | MXF | 35.67 | -89.02 | 0.82 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1641 | DBF | 64 | -146 | 0.284 | Liu et al. (2005) | J. Geophys. Res. 110, D13101 |
| 1642 | ENF | 64 | -146 | 0.301 | Liu et al. (2005) | J. Geophys. Res. 110, D13101 |
| 1643 | MXF | 35 | -80 | 0.703 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1644 | ENF | 37 | -79 | 0.782 | Novick et al. (2009) | Agric. For. Meteorol. 149, 1491-1504 |
| 1645 | MXF | 45 | -68 | 0.43 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1646 | MXF | 36 | -79 | 0.896 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |

| | | | | | | |
|------|-----|-------|---------|-------|---------------------------|---|
| 1647 | MXF | 42 | -74 | 0.51 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1648 | MXF | 32 | -83 | 0.892 | Rose and Peters (2001) | Hydrol. Process. 15, 1441-1457 |
| 1649 | MXF | 40 | -121 | 0.6 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1650 | DBF | 39 | -80 | 0.94 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1651 | DBF | 39.05 | -79.68 | 0.76 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1652 | DBF | 39.05 | -79.68 | 0.56 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1653 | DBF | 39 | -80 | 0.864 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1654 | DBF | 39 | -80 | 0.865 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1655 | DBF | 39 | -80 | 0.814 | Adams et al. (1993) | J. Hydrol. 150, 505-519 |
| 1656 | DBF | 39 | -80 | 0.711 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1657 | DBF | 39 | -80 | 0.535 | Adams et al. (19xx) | in Proceedings of 10th Hardwood Forest Conference 119-130 |
| 1658 | DNF | 39 | -80 | 0.79 | Adams et al. (1993) | J. Hydrol. 150, 505-519 |
| 1659 | MXF | 36 | -81 | 0.657 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1660 | ENF | 36 | -78 | 0.799 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1661 | ENF | 48 | -120 | 0.405 | Helvey (1980) | Wat. Resour. Bull. 16, 627-634 |
| 1662 | ENF | 39 | -106 | 0.511 | Troendle and Reuss (1997) | Hydrol. Earth. Sys. Sci. 1, 325-332 |
| 1663 | ENF | 39 | -106 | 0.498 | Troendle and Reuss (1997) | Hydrol. Earth. Sys. Sci. 1, 325-332 |
| 1664 | MXF | 32 | -83 | 0.77 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1665 | MXF | 33 | -84 | 0.837 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1666 | ENF | 30 | -82 | 1.058 | Gholz and Clark (2002) | Agric. For. Meteorol. 112, 87-102 |
| 1667 | ENF | 30 | -82 | 1.194 | Gholz and Clark (2002) | Agric. For. Meteorol. 112, 87-102 |
| 1668 | ENF | 41 | -106 | 0.535 | Zeller and Nikolov (2000) | Environ. Poll. 107, 1-20 |
| 1669 | DBF | 34 | -90 | 1.11 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1670 | EBF | 19.68 | -155.32 | 0.966 | Giambelluca et al. (2009) | Agric. For. Meteorol. 149, 230-243 |
| 1671 | EBF | 19.68 | -155.32 | 0.87 | Giambelluca et al. (2010) | Hydrol. Process. 23, 1844-1861 |
| 1672 | EBF | 19.68 | -155.32 | 0.81 | Giambelluca et al. (2011) | Hydrol. Process. 23, 1844-1862 |
| 1673 | EBF | 19.68 | -155.32 | 0.898 | Giambelluca et al. (2012) | Hydrol. Process. 23, 1844-1863 |
| 1674 | ENF | 48 | -117 | 0.45 | Godsey et al. (2009) | Hydrol. Process. 23, 1844-1864 |
| 1675 | ENF | 44 | -123 | 1.016 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1676 | ENF | 44 | -123 | 0.8 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1677 | ENF | 44 | -123 | 0.871 | Waichler et al. (2005) | Hydrol. Process. 19, 3177-3199 |
| 1678 | ENF | 44 | -123 | 0.89 | Waichler et al. (2005) | Hydrol. Process. 19, 3177-3199 |
| 1679 | ENF | 44 | -123 | 0.74 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1680 | ENF | 44 | -123 | 1.203 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1681 | ENF | 44 | -123 | 0.912 | Rowe et al. (2002) | Land Use and Water Resources: Hydrological Effects of Different Vegetation Covers (Landcare Research, Wellington, New Zealand) |
| 1682 | MXF | 37.42 | -78.63 | 0.7 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1683 | DBF | 44 | -72 | 0.49 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1684 | DBF | 47 | -72 | 0.514 | Likens et al. (1967) | Ecology 48, 772-785 |

| | | | | | | |
|------|-----|-------|--------|-------|---------------------------|---|
| 1685 | DBF | 47 | -72 | 0.432 | Hornbeck et al. (1987) | The Northern Hardwood Forest Ecosystem: Recovery from Clearcutting (USDA Forest Service) |
| 1686 | DBF | 47 | -72 | 0.461 | Hornbeck et al. (1987) | The Northern Hardwood Forest Ecosystem: Recovery from Clearcutting (USDA Forest Service) |
| 1687 | DBF | 47 | -72 | 0.54 | Johnson et al. (2000) | Ecosystems 3, 159-184 |
| 1688 | MXF | 43.92 | -71.75 | 0.56 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1689 | DBF | 44 | -74 | 0.473 | Ohte et al. (2001) | Wat. Air Soil Poll. 130, 649-654 |
| 1690 | ENF | 28 | -81 | 0.812 | Bracho et al. (2008) | J. Geophys. Res. 113, G02004 |
| 1691 | DBF | 29 | -81 | 0.725 | Bracho et al. (2008) | J. Geophys. Res. 113, G02004 |
| 1692 | MXF | 47.92 | -91.54 | 0.42 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1693 | MXF | 34.63 | -94.62 | 0.55 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1694 | MXF | 37 | -119 | 0.45 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1695 | DBF | 38 | -82 | 0.664 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1696 | DBF | 37 | -84 | 0.714 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1697 | DBF | 41 | -78 | 0.678 | McGuire et al. (2002) | J. Hydrol. 261, 132-149 |
| 1698 | DBF | 35.4 | -84.43 | 0.75 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1699 | DBF | 35 | -84 | 0.854 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1700 | ENF | 37 | -119 | 0.437 | Engle et al. (2008) | J. Geophys. Res. 113, G01014 |
| 1701 | ENF | 35 | -106 | 0.523 | Brandes and Wilcox (2000) | J. Am. Wat. Resour. Assoc. 36, 965-974 |
| 1702 | MXF | 43.12 | -73.05 | 0.64 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1703 | MXF | 43.12 | -73.03 | 0.61 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1704 | MXF | 43.12 | -73.03 | 0.65 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1705 | DBF | 48 | -93 | 0.521 | Nichols and Verry (2001) | J. Hydrol. 245, 89-103 |
| 1706 | DBF | 48 | -93 | 0.516 | Nichols and Verry (2001) | J. Hydrol. 245, 89-103 |
| 1707 | ENF | 44 | -71 | 0.212 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1708 | MXF | 46 | -68 | 0.41 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1709 | ENF | 48 | -120 | 0.468 | Helvey (1980) | Wat. Resour. Bull. 16, 627-634 |
| 1710 | DBF | 39.53 | -74.5 | 0.84 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1711 | MXF | 38 | -120 | 0.7 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1712 | ENF | 39 | -105 | 0.441 | Brandes and Wilcox (2000) | J. Am. Wat. Resour. Assoc. 36, 965-974 |
| 1713 | MXF | 39 | -121 | 0.55 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1714 | ENF | 45 | -65 | 0.51 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1715 | MXF | 32 | -88 | 0.922 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1716 | MXF | 32 | -91 | 0.86 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1717 | DBF | 44.5 | -71.05 | 0.43 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1718 | EBF | 36 | -92 | 0.84 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1719 | MXF | 45 | -68 | 0.32 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1720 | MXF | 46 | -67 | 0.54 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |

| | | | | | | |
|------|-----|-------|--------|-------|--------------------------|--|
| 1721 | ENF | 48 | -122 | 0.61 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1722 | ENF | 41 | -106 | 0.3 | Knight et al. (1985) | Ecol. Mon. 55, 29-48 |
| 1723 | DBF | 42 | -74 | 0.56 | Burns and Kendall (2002) | Wat. Resour. Res. 38, 1051 |
| 1724 | DBF | 36 | -82 | 0.686 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1725 | ENF | 40 | -110 | 0.561 | Burton (1997) | J. Am. Wat. Resour. Assoc. 33, 1187-1196 |
| 1726 | MXF | 36 | -92 | 0.84 | Godsey et al. (2009) | Hydrol. Process. 23, 1844-1864 |
| 1727 | ENF | 48 | -93 | 0.609 | Bay (1969) | J. Hydrol. 9, 90-102 |
| 1728 | DBF | 41 | -79 | 1.05 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1729 | MXF | 34 | -84 | 0.81 | Peters et al. (2006) | Sci. Total Environ. 358, 221-242 |
| 1730 | DBF | 36 | -76 | 0.961 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1731 | DBF | 39 | -79 | 0.812 | Tajchman et al. (1997) | Agric. For. Meteorol. 84, 61-68 |
| 1732 | DBF | 37 | -85 | 0.764 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1733 | EBF | 26 | -80 | 0.967 | Twilley and Chen (1998) | Mar. Freshwater Res., 49, 309-323 |
| 1734 | SAV | 34 | -118 | 0.584 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1735 | SAV | 37 | -120 | 0.6 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1736 | EBF | 34 | -118 | 0.589 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1737 | MXF | 33 | -80 | 1.136 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1738 | EBF | 38 | -122 | 0.364 | Lewis et al. (2000) | J. Hydrol. 240, 106-117 |
| 1739 | ENF | 34 | -111 | 0.727 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1740 | ENF | 34 | -111 | 0.726 | Nakano (1976) | Forest Hydrology (Kyoritsu, Tokoyo) |
| 1741 | ENF | 45 | -116 | 0.683 | Oliva et al. (2003) | Chem. Geol. 202, 225-256 |
| 1742 | DBF | 41 | -78 | 0.46 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1743 | MXF | 34.28 | -87.38 | 0.83 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1744 | DBF | 44 | -72 | 0.58 | Peters et al. (2006) | Sci. Total Environ. 358, 221-242 |
| 1745 | MXF | 30.12 | -84.5 | 0.78 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1746 | MXF | 46 | -67.5 | 0.25 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1747 | SAV | 38 | -121 | 0.4 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1748 | EBF | 34.88 | -83.53 | 0.89 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1749 | ENF | 37 | -119 | 0.671 | Engle et al. (2008) | J. Geophys. Res. 113, G01014 |
| 1750 | ENF | 34 | -109 | 0.796 | Gottfried (1991) | Wat. Resour. Bull. 27, 537-547 |
| 1751 | ENF | 34 | -109 | 0.809 | Gottfried (1991) | Wat. Resour. Bull. 27, 537-547 |
| 1752 | DBF | 34 | -111 | 0.631 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1753 | ENF | 28 | -81 | 0.993 | Sumner (2001) | Evapotranspiration from a Cypress and Pine Forest Subjected to Natural Fires in Volusia County, Florida, 1998-99 (U.S. Geological Survey) |
| 1754 | MXF | 36 | -84 | 0.685 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1755 | DBF | 36 | -88 | 0.869 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1756 | DBF | 35 | -78 | 0.923 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1757 | ENF | 49 | -89 | 0.36 | Peters et al. (2006) | Sci. Total Environ. 358, 221-242 |
| 1758 | SAV | 38 | -120 | 0.55 | Kattlemann et al. (1983) | J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1759 | ENF | 33 | -80 | 1.028 | Amatya et al. (2009) | in Proceedings of the 2008 South Carolina Water Resources Conference |

| | | | | | | |
|------|-----|-------|---------|-------|--|--|
| 1760 | MXF | 30 | -95 | 0.851 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1761 | ENF | 30 | -82 | 0.754 | Powell et al. (2005) | Can. J. For. Res. 35, 1568-1580 |
| 1762 | DBF | 39.47 | -79.43 | 0.49 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1763 | MXF | 33.37 | -81.63 | 0.84 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1764 | DBF | 38.65 | -83.21 | 0.67 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1765 | DBF | 38 | -80 | 0.651 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1766 | DBF | 36 | -80 | 0.573 | Lu et al. (2003) | J. Am. Wat. Resour. Assoc. 39, 887-896 |
| 1767 | MXF | 38 | -107 | 0.381 | Van Haveren (1981) | in Proceedings 49th Annual Western Snow Conference 131-138 (St. George, Utah) |
| 1768 | MXF | 38 | -107 | 0.378 | Van Haveren (1981) | in Proceedings 49th Annual Western Snow Conference 131-138 (St. George, Utah) |
| 1769 | MXF | 47.92 | -89.15 | 0.35 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1770 | MXF | 45 | -68 | 0.44 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1771 | ENF | 45.93 | -69.28 | 0.68 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 1772 | ENF | 44 | -74 | 0.79 | Watmough et al. (2005) | Environ. Mon. Assess. 109, 1-36 |
| 1773 | ENF | 36 | -84 | 0.72 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1774 | MXF | 44 | -71 | 0.3 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1775 | ENF | 38 | -81 | 0.727 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1776 | ENF | 38 | -81 | 0.726 | Zhang et al. (1999) | Predicting the effect of vegetation changes on catchment average water balance, Tech. Rep. 99/12, Coop. Res. Cent. for Catch. Hydrol., Canberra, ACT, 1999 |
| 1777 | MXF | 41 | -78 | 0.49 | Huntington (2003) | Agric. For. Meteorol. 117, 193-201 |
| 1778 | MXF | 39 | -121 | 0.6 | Kattlemann et al. (1983) | THE POTENTIAL FOR INCREASING STREAMFLOW FROM SIERRA NEVADA WATERSHEDS, J. Am. Wat. Resour. Assoc. 19, 395-402 |
| 1779 | EBF | 7 | -64 | 1.425 | Leigh (1999) | Tropical forest ecology (Oxford Univ Press, Oxford) |
| 1780 | EBF | 2 | -67 | 1.905 | Rollenbeck and Anhuf (2007) | J. Hydrol. 337, 377-390 |
| 1781 | EBF | 10 | -70 | 0.98 | Bruijnzeel (1990) | Hydrology of Moist Tropical Forests and Effects of Conversion: A State of Knowledge Review (Unesco, Amsterdam, Netherland) |
| 1782 | EBF | 3 | -66 | 1.492 | Rollenbeck and Anhuf (2007) | J. Hydrol. 337, 377-390 |
| 1783 | EBF | -20 | 31 | 0.597 | Assessing the effect of land use change on catchment runoff by combined use of statistical tests and hydrological modelling: Case studies from Zimbabwe, Lorup et al. (1998) | J. Hydrol. 205, 147-163 |
| 1784 | MXF | -19 | 31 | 0.668 | Assessing the effect of land use change on catchment runoff by combined use of statistical tests and hydrological modelling: Case studies from Zimbabwe, Lorup et al. (1998) | J. Hydrol. 205, 147-163 |
| 1785 | MXF | -20 | 31 | 0.58 | Assessing the effect of land use change on catchment runoff by combined use of statistical tests and hydrological modelling: Case studies from Zimbabwe, Lorup et al. (1998) | J. Hydrol. 205, 147-163 |
| 1786 | GRS | 31.59 | -110.51 | 0.29 | Krishnan et al., 2012 | Energy exchange and evapotranspiration over two temperate semi-arid grasslands in North America, Agr. For. Meteor. 153, 31-44 |
| 1787 | GRS | 31.73 | -109.94 | 0.225 | Krishnan et al., 2012 | Energy exchange and evapotranspiration over two temperate semi-arid grasslands in North America, Agr. For. Meteor. 153, 31-44 |
| 1788 | GRS | 31.73 | -109.94 | 0.336 | Nagler et al., 2007 | Relationship between evapotranspiration and precipitation pulses in a semiarid rangeland estimated by moisture flux towers and MODIS vegetation indices, J. Arid Env't 70, 443-462 |

| | | | | | | |
|------|-----|-------|---------|-------|---|--|
| 1789 | OSH | 31.74 | -110.05 | 0.266 | Nagler et al., 2007 | Relationship between evapotranspiration and precipitation pulses in a semiarid rangeland estimated by moisture flux towers and MODIS vegetation indices, J. Arid Env't 70, 443-462 |
| 1790 | TPL | 31.35 | 35.03 | 0.267 | Raz-Yaseef et al., 2012 | Agr. For. Meteor. 157, 77-85 |
| 1791 | GRS | 37.61 | 101.3 | 0.807 | Hu et al., 2009 | Partitioning of evapotranspiration and its controls in four grassland ecosystems: Application of a two-source model, Agr. For. Meteor. 149, 1410-1420 |
| 1792 | GRS | 37.61 | 101.3 | 0.509 | Hu et al., 2009 | Partitioning of evapotranspiration and its controls in four grassland ecosystems: Application of a two-source model, Agr. For. Meteor. 149, 1410-1420 |
| 1793 | GRS | 30.85 | 91.08 | 0.496 | Hu et al., 2009 | Partitioning of evapotranspiration and its controls in four grassland ecosystems: Application of a two-source model, Agr. For. Meteor. 149, 1410-1420 |
| 1794 | GRS | 43.55 | 116.66 | 0.391 | Hu et al., 2009 | Partitioning of evapotranspiration and its controls in four grassland ecosystems: Application of a two-source model, Agr. For. Meteor. 149, 1410-1420 |
| 1795 | CRI | 30.93 | 75.86 | 0.635 | Chahal et al., 2007 | Agr. Water Manage. 88, 14-22 |
| 1796 | CRI | 30.93 | 75.86 | 0.421 | Chahal et al., 2007 | Agr. Water Manage. 88, 14-22 |
| 1797 | CRI | 30.93 | 75.86 | 1.055 | Chahal et al., 2007 | Agr. Water Manage. 88, 14-22 |
| 1798 | LAK | 13.01 | 28 | 1.5 | Sharma, 1988 | Hydrol. Sci. J. 33 (1), 31-40 |
| 1799 | LAK | 13.01 | 28 | 1.79 | Sharma, 1988 | Hydrol. Sci. J. 33 (1), 31-40 |
| 1800 | WTL | 13.01 | 28 | 1.8 | Sharma, 1988 | Hydrol. Sci. J. 33 (1), 31-40 |
| 1801 | CRN | 55.53 | 12.09 | 0.493 | Boegh et al., 2009 | J. Hydrol. 377, 300-316 |
| 1802 | DBF | 55.48 | 11.86 | 0.498 | Boegh et al., 2009 | J. Hydrol. 377, 300-316 |
| 1803 | DBF | 55.48 | 11.86 | 0.586 | Boegh et al., 2009 | J. Hydrol. 377, 300-316 |
| 1804 | DBF | 55.48 | 11.86 | 0.62 | Boegh et al., 2009 | J. Hydrol. 377, 300-316 |
| 1805 | DBF | 55.48 | 11.86 | 0.418 | Boegh et al., 2009 | J. Hydrol. 377, 300-316 |
| 1806 | CRI | 36.65 | 116.05 | 0.602 | Lei and Yang 2010 | Agr. For. Meteor. 150, 581-589 |
| 1807 | HMO | 44.98 | -93.18 | 0.467 | Peters 2011 | J. Geophys. Res. 116, GO 10003 |
| 1808 | HMO | 44.98 | -93.18 | 0.324 | Peters 2011 | J. Geophys. Res. 116, GO 10003 |
| 1809 | SAV | -12.5 | 130.75 | 0.958 | Hutley et al., 2000 | Evapotranspiration from Eucalypt open-forest savanna of Northern Australia, Functional Ecology 14, 183-194 |
| 1810 | SAV | -12.8 | 133.04 | 0.935 | Vardavas 1988 cited in Hutley 2000 | Evapotranspiration from Eucalypt open-forest savanna of Northern Australia, Functional Ecology 14, 183-194 |
| 1811 | DBF | 16.29 | -63.58 | 1.085 | Ibisch and MeÅ'rida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1812 | DBF | 16.29 | -63.58 | 1.065 | Ibisch and MeÅ'rida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1813 | DBF | 16.29 | -63.58 | 1.013 | Ibisch and MeÅ'rida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1814 | DBF | 16.29 | -63.58 | 0.838 | Ibisch and MeÅ'rida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |

| | | | | | | |
|------|-----|------------|--------|-------|---|--|
| | | | | | | from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1815 | SAV | - 16.29 | -63.58 | 0.998 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1816 | WTL | - 16.29 | -63.58 | 0.943 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1817 | EBF | - 16.29 | -63.58 | 0.934 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1818 | SAV | - 16.29 | -63.58 | 0.88 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1819 | SAV | - 16.29 | -63.58 | 0.731 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1820 | BAR | - 16.29 | -63.58 | 0.788 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1821 | EBF | - 16.29 | -63.58 | 0.738 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1822 | EBF | - 16.29 | -63.58 | 0.204 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1823 | SAV | - 16.29 | -63.58 | 0.715 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1824 | DBF | - 21.45 | -63.2 | 0.688 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1825 | DBF | - | -63.2 | 0.443 | Ibisch and MeÅrida 2003 in Seiler & Moene | Estimating Actual Evapotranspiration |

| | | | | | | |
|------|-----|------------|--------|-------|---|--|
| | | 21.45 | | | 2011 | from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1826 | OSH | - 16.29 | -63.58 | 0.672 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1827 | OSH | - 16.29 | -63.58 | 0.424 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1828 | DBF | - 16.29 | -63.58 | 0.593 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1829 | BAR | - 16.29 | -63.58 | 0.522 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1830 | BAR | - 16.29 | -63.58 | 0.38 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1831 | DBF | - 16.99 | -65.15 | 0.916 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1832 | DBF | -17.4 | -65.15 | 0.938 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1833 | DBF | - 17.99 | -65.15 | 0.705 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1834 | DBF | -17.4 | -63.88 | 0.791 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1835 | SAV | - 17.11 | -63.59 | 0.695 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |

| | | | | | | |
|------|-----|------------|--------|-------|---|--|
| 1836 | SAV | - 17.11 | -63.22 | 0.566 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1837 | SAV | - 17.34 | -63.25 | 0.817 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1838 | SAV | - 17.22 | -63.89 | 0.763 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1839 | SAV | - 17.34 | -63.4 | 0.954 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1840 | SAV | -17.8 | -62.94 | 0.593 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1841 | DBF | - 17.64 | -63.13 | 0.204 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1842 | DBF | -18.7 | -58.78 | 0.296 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1843 | DBF | -18.9 | -63.39 | 0.438 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1844 | DBF | - 17.77 | -63.18 | 0.162 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1845 | DBF | -17.8 | -63.17 | 0.648 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1846 | DBF | - 17.78 | -63.12 | 0.673 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and |

| | | | | | | |
|------|-----|------------|--------|-------|---|--|
| | | | | | | Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1847 | OSH | - 12.28 | -66.77 | 0.405 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1848 | OSH | - 17.57 | -65.77 | 0.481 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1849 | OSH | - 17.65 | -66.36 | 0.472 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1850 | OSH | - 17.38 | -66.14 | 0.494 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1851 | OSH | - 17.55 | -66.36 | 0.49 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1852 | OSH | - 17.52 | -65.89 | 0.522 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1853 | OSH | -17.6 | -66.03 | 0.469 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1854 | OSH | - 18.12 | -63.89 | 0.403 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1855 | OSH | - 18.13 | -64.2 | 0.4 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1856 | OSH | - 18.49 | -64.1 | 0.101 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1857 | SAV | -18.7 | -66.16 | 0.38 | Ibisch and MeÅrida 2003 in Seiler & Moene 2011 | Estimating Actual Evapotranspiration from Satellite and Meteorological |

| | | | | | | |
|------|-----|-------|---------|-------|--|--|
| | | | | | | Estimating Actual Evapotranspiration from Satellite and Meteorological Data in Central Bolivia, Earth Interactions 15(12), 1-24 |
| 1858 | DBF | 41.93 | 127.9 | 0.566 | Sun et al., 2004 | Spatial distribution of net primary productivity and evapotranspiration in Changbaishan Natural Reserve, China, using Landsat ETM+ data ,Can. J. Remote Sensing,30(5),731-742 |
| 1859 | ENF | 41.93 | 127.9 | 0.333 | Sun et al., 2004 | Spatial distribution of net primary productivity and evapotranspiration in Changbaishan Natural Reserve, China, using Landsat ETM+ data ,Can. J. Remote Sensing,30(5),731-742 |
| 1860 | MXF | 41.93 | 127.9 | 0.51 | Sun et al., 2004 | Spatial distribution of net primary productivity and evapotranspiration in Changbaishan Natural Reserve, China, using Landsat ETM+ data ,Can. J. Remote Sensing,30(5),731-742 |
| 1861 | CRN | 41.93 | 127.9 | 0.469 | Sun et al., 2004 | Spatial distribution of net primary productivity and evapotranspiration in Changbaishan Natural Reserve, China, using Landsat ETM+ data ,Can. J. Remote Sensing,30(5),731-742 |
| 1862 | OSH | 41.93 | 127.9 | 0.216 | Sun et al., 2004 | Spatial distribution of net primary productivity and evapotranspiration in Changbaishan Natural Reserve, China, using Landsat ETM+ data ,Can. J. Remote Sensing,30(5),731-742 |
| 1863 | HMO | 41.93 | 127.9 | 0.11 | Sun et al., 2004 | Spatial distribution of net primary productivity and evapotranspiration in Changbaishan Natural Reserve, China, using Landsat ETM+ data ,Can. J. Remote Sensing,30(5),731-742 |
| 1864 | GRS | 44.08 | 113.56 | 0.151 | Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1865 | GRS | 42.05 | 116.28 | 0.344 | Miao et al. 2009 in Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1866 | GRS | 38.46 | -8.01 | 0.399 | Aires et al. 2008 in Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1867 | GRS | 36 | 108.73 | 0.163 | Li et al. 2007 in Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1868 | GRS | 36.1 | 140.1 | 0.808 | Li et al. 2005 in Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1869 | GRS | 32.6 | -106.75 | 0.299 | Mielnick et al. 2005 in Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1870 | GRS | 46.76 | -100.91 | 0.489 | Frank 2003 in Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1871 | GRS | 46.76 | -100.91 | 0.455 | Frank 2003 in Yang and Zhou 2011 | Characteristics and modeling of evapotranspiration over a temperate desert steppe in Inner Mongolia, China, J. Hydrol. 2011 396, 139-147 |
| 1872 | DBF | 31.6 | -110.2 | 1.309 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers,Remote Sensing of the Env't 97, 337-351 |
| 1873 | DBF | 31.6 | -110.2 | 1.046 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers,Remote Sensing of the Env't 97, 337-351 |
| 1874 | ENF | 31.6 | -110.2 | 0.75 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers,Remote Sensing of the Env't 97, 337-351 |
| 1875 | GRS | 31.6 | -110.2 | 0.646 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers,Remote Sensing of the Env't 97, 337-351 |
| 1876 | OSH | 31.6 | -110.2 | 0.428 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers,Remote Sensing of the Env't 97, 337-351 |
| 1877 | SHR | 31.6 | -110.2 | 0.491 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers,Remote Sensing of the Env't 97, 337-351 |
| 1878 | CRI | 34.3 | -106.8 | 1.05 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers,Remote Sensing of the Env't 97, 337-351 |

| | | | | | | |
|------|-----|-------|---------|-------|---|--|
| 1879 | ENF | 34.3 | -106.8 | 0.64 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers, Remote Sensing of the Env't 97, 337-351 |
| 1880 | HMO | 34.3 | -106.8 | 0.57 | Nagler et al., 2005b | Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers, Remote Sensing of the Env't 97, 337-351 |
| 1881 | ENF | 48.27 | 13.98 | 0.629 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1882 | DBF | 48.27 | 13.98 | 0.663 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1883 | MXF | 48.27 | 13.98 | 0.64 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1884 | GRS | 48.27 | 13.98 | 0.639 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1885 | CRI | 48.27 | 13.98 | 0.608 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1886 | HMO | 48.27 | 13.98 | 0.341 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1887 | ENF | 48.27 | 13.98 | 0.634 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1888 | DBF | 48.27 | 13.98 | 0.665 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1889 | MXF | 48.27 | 13.98 | 0.644 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1890 | GRS | 48.27 | 13.98 | 0.628 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1891 | CRN | 48.27 | 13.98 | 0.589 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1892 | HMO | 48.27 | 13.98 | 0.323 | Hurkmans et al., 2009 | Effects of land use changes on streamflow generation in the Rhine basin, Water resour. Res. 45, doi:10.1029/2008WR007574 |
| 1893 | EBF | 17.89 | 145.81 | 1.5 | Gilmor 1975 in Lima 1984 | THE HYDROLOGY OF EUCALYPT FORESTS IN AUSTRALIA - A REVIEW, IPEF no.28, P 11-32 |
| 1894 | TPL | 35.67 | 148.27 | 1 | Lima 1984 | THE HYDROLOGY OF EUCALYPT FORESTS IN AUSTRALIA - A REVIEW, IPEF no.28, P 11-32 |
| 1895 | TPL | -28.3 | 151.52 | 1.5 | Mcarthur, 1965 in Lima 1984 | THE HYDROLOGY OF EUCALYPT FORESTS IN AUSTRALIA - A REVIEW, IPEF no.28, P 11-32 |
| 1896 | OSH | 32.9 | -116.66 | 0.27 | Ng and Miller(unpublished) in Miller and Poole 1979 | Forest Sci. Vol 25(1), 84-98 |
| 1897 | TPL | -4.56 | 11.9 | 1.127 | Nizinski et al., 2011 | Russian J. of Ecology 42(4),p 305-314 |
| 1898 | SAV | -4.56 | 11.9 | 0.821 | Nizinski et al., 2011 | Russian J. of Ecology 42(4),p 305-314 |
| 1899 | DNF | 62.48 | 129.96 | 0.16 | Ohta et al., 2008 | Interannual variation of water balance and importance of soil moisture content for evapotranspiration in an eastern Siberian larch forest over a 7-year period (1998-2006) Geophys. Research Abstract, Vol 10, EGU2008-A-01234 |
| 1900 | DNF | 62.48 | 129.96 | 1.945 | Ohta et al., 2008 | Interannual variation of water balance and importance of soil moisture content for evapotranspiration in an eastern Siberian larch forest over a 7-year period (1998-2006) Geophys. Research Abstract, Vol 10, EGU2008-A-01234 |
| 1901 | SHR | 31.24 | -64.32 | 0.602 | Perez-Harguindeguy 2007 | Direct and indirect effects of climate on decomposition in native ecosystems from central Argentina, Austral Ecology 32, 749-757 |
| 1902 | DBF | 30.78 | -64.89 | 0.499 | Perez-Harguindeguy 2007 | Direct and indirect effects of climate on decomposition in native ecosystems from central Argentina, Austral Ecology 32, 749-757 |
| 1903 | GRS | 31.61 | -64.71 | 0.461 | Perez-Harguindeguy 2007 | Direct and indirect effects of climate on decomposition in native ecosystems from central Argentina, Austral Ecology 32, 749-757 |
| 1904 | SHR | 31.69 | -68.15 | 0.089 | Perez-Harguindeguy 2007 | Direct and indirect effects of climate on decomposition in native ecosystems from central Argentina, Austral Ecology 32, 749-757 |
| 1905 | TPL | 34.8 | -76.7 | 0.923 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACH, JAWRA 44(1), 208-221 |
| 1906 | DBF | 35.05 | -82.41 | 0.943 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS |

| | | | | | | |
|------|-----|-------|--------|---------|--------------------|---|
| | | | | | | APPROACH, JAWRA 44(1), 208-221 |
| 1907 | ENF | 29.9 | -81.5 | 1.19 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACH, JAWRA 44(1), 208-221 |
| 1908 | TPL | 21.08 | 109.9 | 0.826 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACH, JAWRA 44(1), 208-221 |
| 1909 | TPL | 20.9 | 109.86 | 1.141 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACH, JAWRA 44(1), 208-221 |
| 1910 | TPL | 34.8 | -76.7 | 1.01 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACH, JAWRA 44(1), 208-221 |
| 1911 | DBF | 35.05 | -82.41 | 0.925 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACHJAWRA 44(1), 208-221 |
| 1912 | ENF | 29.9 | -81.5 | 1.01 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACHJAWRA 44(1), 208-221 |
| 1913 | TPL | 34.8 | -76.7 | 1.045 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACHJAWRA 44(1), 208-221 |
| 1914 | DBF | 35.05 | -82.41 | 0.925 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACHJAWRA 44(1), 208-221 |
| 1915 | ENF | 29.9 | -81.5 | 1.03 | Zhou et al., 2008 | ESTIMATING FOREST ECOSYSTEM EVAPOTRANSPIRATION AT MULTIPLE TEMPORAL SCALES WITH A DIMENSION ANALYSIS APPROACHJAWRA 44(1), 208-221 |
| 1916 | CRI | 31.55 | 102.83 | 0.305 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1917 | SHR | 31.55 | 102.83 | 0.33 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1918 | MXF | 31.55 | 102.83 | 0.39 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1919 | CRI | 31.55 | 102.83 | 0.31 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1920 | SHR | 31.55 | 102.83 | 0.35 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1921 | MXF | 31.55 | 102.83 | 0.41 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1922 | ENF | 31.55 | 102.83 | 0.408 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1923 | DBF | 31.55 | 102.83 | 0.465 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1924 | MXF | 31.55 | 102.83 | 0.436 | Zhang et al., 2008 | Potential Impact of Afforestation on Water Yield in the Subalpine Region of Southwestern China., JAWRA 44(5), 1144-1153 |
| 1925 | EBF | 3.51 | 101.58 | 1.314 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1926 | EBF | 3.51 | 101.58 | 1.665 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1927 | EBF | 3.51 | 101.58 | 1.584 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1928 | EBF | 3.51 | 101.58 | 1.692 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1929 | EBF | 3.51 | 101.58 | 1.511 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1930 | EBF | 3.51 | 101.58 | 1.641 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1931 | EBF | 3.51 | 101.58 | 1.55 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1932 | EBF | 3.51 | 101.58 | 1.35 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1933 | EBF | 3.51 | 101.58 | 1.553 | Yeang 2006 | Thesis, Universiti Teknologi Malaysia |
| 1934 | WTL | 38.88 | 116.01 | 1.53655 | Xu and MA 2011 | IAHS Publ. 344, 2011 |
| 1935 | WTL | 38.88 | 116.01 | 1.85 | Xu and MA 2011 | IAHS Publ. 344, 2011 |

| | | | | | | |
|------|-----|-------|---------|---------|--|---|
| 1936 | WTL | 38.88 | 116.01 | 2.39015 | Xu and MA 2011 | IAHS Publ. 344, 2011 |
| 1937 | WTL | 25.65 | -80.69 | 1.807 | Allen et al. 1998 in Saha et al. 2012 | A Hydrological Budget (2002â€“2008) for a Large Subtropical Wetland Ecosystem Indicates Marine Groundwater Discharge Accompanies Diminished Freshwater Flow, Estuaries and Coasts (2012) 35:459â€“474 |
| 1938 | WTL | 25.65 | -80.69 | 1.502 | Shuttleworth 1992 in Saha et al. 2012 | A Hydrological Budget (2002â€“2008) for a Large Subtropical Wetland Ecosystem Indicates Marine Groundwater Discharge Accompanies Diminished Freshwater Flow, Estuaries and Coasts (2012) 35:459â€“474 |
| 1939 | WTL | 25.65 | -80.69 | 4.008 | German 2000 in Saha et al. 2012 | A Hydrological Budget (2002â€“2008) for a Large Subtropical Wetland Ecosystem Indicates Marine Groundwater Discharge Accompanies Diminished Freshwater Flow, Estuaries and Coasts (2012) 35:459â€“474 |
| 1940 | WTL | 25.65 | -80.69 | 1.602 | Abtew 2005a in Saha et al. 2012 | A Hydrological Budget (2002â€“2008) for a Large Subtropical Wetland Ecosystem Indicates Marine Groundwater Discharge Accompanies Diminished Freshwater Flow, Estuaries and Coasts (2012) 35:459â€“474 |
| 1941 | WTL | 25.65 | -80.69 | 1.469 | Turc 1961 in Saha et al. 2012 | A Hydrological Budget (2002â€“2008) for a Large Subtropical Wetland Ecosystem Indicates Marine Groundwater Discharge Accompanies Diminished Freshwater Flow, Estuaries and Coasts (2012) 35:459â€“474 |
| 1942 | WTL | 25.65 | -80.69 | 1.349 | Hatton and Vertessy 1990 in Saha et al. 2012 | A Hydrological Budget (2002â€“2008) for a Large Subtropical Wetland Ecosystem Indicates Marine Groundwater Discharge Accompanies Diminished Freshwater Flow, Estuaries and Coasts (2012) 35:459â€“474 |
| 1943 | WTL | 25.65 | -80.69 | 1.366 | Shuttleworth 1992 and Saha et al. 2012 | A Hydrological Budget (2002â€“2008) for a Large Subtropical Wetland Ecosystem Indicates Marine Groundwater Discharge Accompanies Diminished Freshwater Flow, Estuaries and Coasts (2012) 35:459â€“474 |
| 1944 | GRS | 38.41 | -120.95 | 0.319 | Ryu et al., 2008 | Interannual variability of evapotranspiration and energy exchange over an annual grassland in California, J. Geophys. Res. 113,doi:10.1029/2007JD009263 |
| 1945 | GRS | 47.75 | -107.33 | 0.354 | Zhang et al. 2007 | Environmental controls on evapotranspiration from sparse grassland in Mongolia, Hydrol. Proc. 2007 |
| 1946 | SHR | 43.68 | 3.81 | 0.603 | Rambal et al. 1984 | Water balance and pattern of root water uptake by a Quercus coccifera L. evergreen scrub, Oecologia(Berlin) 62,18-25 |
| 1947 | SAV | 11.16 | 7.66 | 1.462 | Pettet 1977 | SEASONAL CHANGES IN NECTAR-FEEDING BY BIRDS AT ZARIA, NIGERIA THE IBIS Vol 119,3 |
| 1948 | CRI | 33.8 | 8.7 | 1.09 | Marlet et al. 2009 | Water and salt balance at irrigation scheme scale: A comprehensive approach for salinity assessment in a Saharan oasis, Agri. Wat. Manage. 96, 1311-1322 |
| 1949 | OSH | 65.48 | 57.83 | 0.125 | Galenko 1983 in Lopatin et al. 2008 | Boreal Env. Res. 13, 539-552 |
| 1950 | GRS | 36.39 | -97.87 | 0.804 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1951 | HMO | 36.39 | -97.87 | 0.768 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1952 | LAK | 36.39 | -97.87 | 0.919 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1953 | MXF | 36.39 | -97.87 | 0.859 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1954 | WTL | 36.39 | -97.87 | 0.871 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1955 | OSH | 36.39 | -97.87 | 0.807 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1956 | GRS | 35.48 | -98.15 | 0.764 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |

| | | | | | | |
|------|-----|-------|---------|-------|-----------------------|---|
| 1957 | HMO | 35.48 | -98.15 | 0.709 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1958 | LAK | 35.48 | -98.15 | 0.99 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1959 | MXF | 35.48 | -98.15 | 0.832 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1960 | WTL | 35.48 | -98.15 | 0.836 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1961 | OSH | 35.48 | -98.15 | 0.743 | Huang et al. 2010 | Actual evapotranspiration estimation for different land use and land cover in urban regions using Landsat 5 data, J. Applied Remote Sens.Vol. 4, 041873 |
| 1962 | CRI | 43.66 | 3.83 | 0.87 | Khaledian et al. 2011 | Irrig Sci 29, 413-422 |
| 1963 | LAK | 38.74 | -118.72 | 1.512 | Allander et al.2009 | USGS report 2009-5079 |
| 1964 | TPL | 31.89 | 102.22 | 1.4 | Hui-quan et al. 2003 | Introduction of Pinus radiata for afforestation: a review with reference to Aba, China, J. Forestry Research, 14(4), 311-322 |
| 1965 | LAK | 21.98 | 35.29 | 1.44 | Holmgren et al. 2012 | J. Paleolimnol,DOI 10.1007/s10933-012-9596-3 |
| 1966 | ENF | 35.08 | -111.76 | 0.462 | Dore et al. 2010 | Ecological Applications, 20(3), 663-683 |
| 1967 | ENF | 35.44 | -111.77 | 0.403 | Dore et al. 2010 | Ecological Applications, 20(3), 663-683 |
| 1968 | TPL | 35.14 | -111.72 | 0.525 | Dore et al. 2010 | Ecological Applications, 20(3), 663-683 |
| 1969 | GRS | 28.32 | -82.41 | 0.82 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1970 | WTL | 28.32 | -82.41 | 0.72 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1971 | ENF | 28.32 | -82.41 | 0.78 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1972 | WTL | 28.32 | -82.41 | 0.48 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1973 | GRS | 28.32 | -82.41 | 1.01 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1974 | WTL | 28.32 | -82.41 | 0.99 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1975 | ENF | 28.32 | -82.41 | 1.06 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1976 | WTL | 28.32 | -82.41 | 0.97 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1977 | GRS | 28.32 | -82.41 | 1.18 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1978 | WTL | 28.32 | -82.41 | 1.18 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1979 | ENF | 28.32 | -82.41 | 1.3 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1980 | WTL | 28.32 | -82.41 | 1.54 | Bidlake et al. 1996 | Evapotranspiration from Areas of Native Vegetation in West-Central Florida, USGS Water-Supply Paper 2430 |
| 1981 | CRN | 42.4 | -85.4 | 0.604 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1982 | GRS | 40.05 | -105.61 | 0.234 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1983 | OSH | 63.63 | -149.56 | 0.227 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1984 | ENF | 64.75 | -148.56 | 0.202 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1985 | ENF | 58 | -134 | 0.53 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global |

| | | | | | | |
|------|-----|-------|---------|-------|---|--|
| | | | | | | Change Biol. 6, 751-765 |
| 1986 | ENF | 40.28 | -105.65 | 0.434 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1987 | BAR | 34.48 | -106.66 | 0.209 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1988 | GRS | 45.4 | -93.2 | 0.727 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1989 | GRS | 40.81 | -104.76 | 0.299 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1990 | GRS | 39.08 | -96.58 | 0.79 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1991 | WTL | 37.5 | -75.66 | 0.979 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1992 | WTL | 33.5 | -79.21 | 1.284 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1993 | DBF | 35 | -83.5 | 1.015 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1994 | DBF | 43.93 | -71.75 | 0.608 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1995 | DBF | 42.66 | -72.25 | 0.564 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1996 | ENF | 44.23 | -122.18 | 0.552 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1997 | ENF | 46 | -89.66 | 0.548 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1998 | ENF | 47.83 | -122.88 | 0.524 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 1999 | ENF | 38.86 | -105.63 | 0.363 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 2000 | ENF | 29.5 | -82.25 | 1.205 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 2001 | DBF | 17.95 | -65.86 | 0.15 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 2002 | EBF | 10 | -83 | 1.477 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 2003 | EBF | 19 | -66 | 1.139 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 2004 | EBF | 10.3 | -84.8 | 0.622 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 2005 | MXF | 9.16 | -79.85 | 1.187 | Gholz et al. 2000 | Long term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. Global Change Biol. 6, 751-765 |
| 2006 | GRS | 47.12 | 11.32 | 0.31 | Wohlfahrt et al. 2008 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-469 |
| 2007 | SAV | - | 131.15 | 0.907 | Eamus et al. 2001 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based |

| | | | | | | |
|------|-----|-------|---------|-------|--|---|
| | | 12.49 | | | | observations, Hydrol. Earth Syst. Sci. 15, 453-470 |
| 2008 | CRN | 50.55 | 4.74 | 0.425 | Moureaux et al. 2006 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-471 |
| 2009 | TPL | 49.87 | -125.33 | 0.422 | Humphreys et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-472 |
| 2010 | TPL | 49.87 | -125.29 | 0.277 | Humphreys et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-473 |
| 2011 | ENF | 53.92 | -104.69 | 0.226 | Howard et al. 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-474 |
| 2012 | ENF | 49.27 | -74.04 | 0.333 | Giasson et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-475 |
| 2013 | ENF | 49.69 | -74.34 | 0.257 | Bergeron et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-476 |
| 2014 | GRS | 47.29 | 7.73 | 0.534 | Ammann et al. 2006 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-477 |
| 2015 | BAR | 44.13 | 116.33 | 0.213 | Guangsheng Zhou in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-478 |
| 2016 | DBF | 51.08 | 10.45 | 0.258 | Knohl et al. 2003 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-479 |
| 2017 | ENF | 47.93 | 7.6 | 0.55 | Schindler et al. 2005 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-480 |
| 2018 | ENF | 50.96 | 13.57 | 0.451 | Grunwald and Bernhofer 2007 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-481 |
| 2019 | ENF | 50.45 | 11.56 | 0.357 | Rebmann et al. 2010 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-482 |
| 2020 | GRS | 42.15 | 1.45 | 0.271 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-483 |
| 2021 | ENF | 61.85 | 24.29 | 0.246 | Suni et al. 2003b in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-484 |
| 2022 | ENF | 67.36 | 26.64 | 0.237 | Suni et al. 2003a in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-485 |
| 2023 | GRS | 46.69 | 19.6 | 0.364 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-486 |
| 2024 | GRS | 47.85 | 19.73 | 0.376 | Pinter et al. 2008 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-487 |
| 2025 | GRS | 41.9 | 13.61 | 0.349 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-488 |
| 2026 | OSH | 52.03 | 5.07 | 0.484 | Hendriks et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-489 |
| 2027 | ENF | 52.17 | 5.74 | 0.512 | Dolman et al. 2002 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-490 |
| 2028 | GRS | 38.48 | -8.02 | 0.278 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-491 |
| 2029 | BAR | 31.59 | -110.51 | 0.258 | Meyers(unpublished) in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-492 |
| 2030 | CRN | 40.01 | -88.29 | 0.517 | meyers et al.2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-493 |
| 2031 | HMO | 34.25 | -89.97 | 0.36 | Meyers(unpublished) in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-494 |
| 2032 | GRS | 41.84 | -88.24 | 0.585 | Matamala et al. 2008 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-495 |
| 2033 | MXF | 44.45 | -121.56 | 0.372 | Law et al. 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-496 |
| 2034 | DBF | 38.74 | -92.2 | 0.605 | Gu et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-497 |
| 2035 | TPL | 35.81 | -76.71 | 0.567 | Sun et al. 2010 & Noormets et al. 2010 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-498 |
| 2036 | GRS | 31.82 | -110.87 | 0.323 | Scott et al., 2009 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-499 |
| 2037 | ENF | 46.24 | -89.35 | 0.268 | Desai et al., 2009 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-500 |
| 2038 | SAV | 38.43 | -120.97 | 0.408 | Baldocchi et al., 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-501 |

| | | | | | | |
|------|-----|-------|---------|-------|--|---|
| 2039 | DBF | 45.81 | -90.08 | 0.364 | Cook et al., 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-502 |
| 2040 | OSH | 31.74 | -109.94 | 0.177 | Scott et al., 2010 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-503 |
| 2041 | GRS | 47.12 | 11.32 | 0.283 | Wohlfahrt et al. 2008 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-504 |
| 2042 | SAV | 12.49 | 131.15 | 0.756 | Eamus et al. 2001 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-505 |
| 2043 | CRN | 50.55 | 4.74 | 0.435 | Moureaux et al. 2006 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-506 |
| 2044 | TPL | 49.87 | -125.33 | 0.226 | Humphreys et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-507 |
| 2045 | TPL | 49.87 | -125.29 | 0.219 | Humphreys et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-508 |
| 2046 | ENF | 53.92 | -104.69 | 0.32 | Howard et al. 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-509 |
| 2047 | ENF | 49.27 | -74.04 | 0.335 | Giasson et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-510 |
| 2048 | ENF | 49.69 | -74.34 | 0.332 | Bergeron et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-511 |
| 2049 | GRS | 47.29 | 7.73 | 0.342 | Ammann et al. 2006 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-512 |
| 2050 | BAR | 44.13 | 116.33 | 0.358 | Guangsheng Zhou in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-513 |
| 2051 | DBF | 51.08 | 10.45 | 0.386 | Knohl et al. 2003 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-514 |
| 2052 | ENF | 47.93 | 7.6 | 0.482 | Schindler et al. 2005 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-515 |
| 2053 | ENF | 50.96 | 13.57 | 0.361 | Grunwald and Bernhofer 2007 Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-516 |
| 2054 | ENF | 50.45 | 11.56 | 0.454 | Rebmann et al. 2010 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-517 |
| 2055 | GRS | 42.15 | 1.45 | 0.231 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-518 |
| 2056 | ENF | 61.85 | 24.29 | 0.303 | Suni et al. 2003b in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-519 |
| 2057 | ENF | 67.36 | 26.64 | 0.188 | Suni et al. 2003a in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-520 |
| 2058 | GRS | 46.69 | 19.6 | 0.375 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-521 |
| 2059 | GRS | 47.85 | 19.73 | 0.323 | Pinter et al. 2008 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-522 |
| 2060 | GRS | 41.9 | 13.61 | 0.327 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-523 |
| 2061 | OSH | 52.03 | 5.07 | 0.273 | Hendriks et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-524 |
| 2062 | ENF | 52.17 | 5.74 | 0.266 | Dolman et al. 2002 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-525 |
| 2063 | GRS | 38.48 | -8.02 | 0.239 | Gilmanov et al. 2007 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-526 |
| 2064 | BAR | 31.59 | -110.51 | 0.36 | Meyers(unpublished) in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-527 |
| 2065 | CRN | 40.01 | -88.29 | 0.654 | meyers et al.2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-528 |
| 2066 | HMO | 34.25 | -89.97 | 0.363 | Meyers(unpublished) in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-529 |
| 2067 | GRS | 41.84 | -88.24 | 0.456 | Matamala et al. 2008 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-530 |
| 2068 | MXF | 44.45 | -121.56 | 0.326 | Law et al. 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-531 |
| 2069 | DBF | 38.74 | -92.2 | 0.604 | Gu et al. 2006 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-532 |
| 2070 | TPL | 35.81 | -76.71 | 0.348 | Sun et al. 2010 & Noormets et al. 2010 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-533 |

| | | | | | | |
|------|-----|-------|---------|-------|--|--|
| 2071 | GRS | 31.82 | -110.87 | 0.465 | Scott et al., 2009 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-534 |
| 2072 | ENF | 46.24 | -89.35 | 0.258 | Desai et al., 2009 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-535 |
| 2073 | SAV | 38.43 | -120.97 | 0.27 | Baldocchi et al., 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-536 |
| 2074 | DBF | 45.81 | -90.08 | 0.416 | Cook et al., 2004 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-537 |
| 2075 | GRS | 31.74 | -109.94 | 0.307 | Scott et al., 2010 in Miralles et al. 2011 | Global land-surface evaporation estimated from satellite-based observations, Hydrol. Earth Syst. Sci. 15, 453-538 |
| 2076 | DBF | 47.23 | 39.82 | 0.465 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2077 | ENF | 47.23 | 39.82 | 0.472 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2078 | CRN | 47.23 | 39.82 | 0.449 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2079 | BAR | 47.23 | 39.82 | 0.343 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2080 | BAR | 47.23 | 39.82 | 0.386 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2081 | BAR | 47.23 | 39.82 | 0.403 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2082 | BAR | 47.23 | 39.82 | 0.369 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2083 | BAR | 47.23 | 39.82 | 0.336 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2084 | TPL | 47.23 | 39.82 | 0.433 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2085 | TPL | 47.23 | 39.82 | 0.482 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2086 | TPL | 47.23 | 39.82 | 0.517 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2087 | TPL | 47.23 | 39.82 | 0.541 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2088 | TPL | 47.23 | 39.82 | 0.647 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2089 | TPL | 47.23 | 39.82 | 0.692 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2090 | TPL | 47.23 | 39.82 | 0.687 | Speranskaya and Tsytsenko 2008 | Evapotranspiration in the Don River Basin and Its Variability, Russian Meteorology and Hydrology, Vol 33(4), 259-266, DOI: 10.3103/S1068373908040109 |
| 2091 | CRN | 42.4 | -85.4 | 0.708 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2092 | OSH | 40.05 | -105.61 | 0.647 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2093 | OSH | 63.63 | -149.56 | 0.284 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |

| | | | | | | |
|------|-----|-------|---------|-------|---------------------|--|
| 2094 | ENF | 64.75 | -148 | 0.36 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2095 | ENF | 58 | -134 | 0.495 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2096 | ENF | 40.28 | -105.65 | 0.851 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2097 | OSH | 34.33 | -106.67 | 0.252 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2098 | GRS | 45.4 | -93.2 | 0.733 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2099 | GRS | 40.82 | -104.77 | 0.43 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2100 | GRS | 39.08 | -96.58 | 0.747 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2101 | WTL | 37.5 | -75.66 | 0.993 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2102 | WTL | 33.5 | -79.21 | 1.207 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2103 | DBF | 35 | -83.5 | 1.173 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2104 | DBF | 43.93 | -71.75 | 0.713 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2105 | DBF | 42.53 | -72.17 | 0.851 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2106 | ENF | 44.23 | -122.18 | 0.764 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2107 | ENF | 46 | 89.67 | 0.649 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2108 | ENF | 47.83 | -122.88 | 0.794 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2109 | ENF | 38.86 | -105.63 | 0.753 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2110 | ENF | 29.5 | -82.25 | 1.166 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2111 | DBF | 17.95 | -65.87 | 0.503 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2112 | EBF | 10 | -83 | 1.699 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2113 | EBF | 19 | -66 | 1.234 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2114 | EBF | 10.3 | -84.8 | 1.084 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2115 | MXF | 9.17 | -79.85 | 1.368 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636- |

| | | | | | | |
|------|-----|-------|---------|-------|-----------------------|--|
| | | | | | | 2660 |
| 2116 | OSH | 32.5 | -106.75 | 0.292 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2117 | OSH | 33.5 | -117.75 | 0.236 | Addair et al., 2008 | Simple three-pool model accurately describes patterns of long-term litter decomposition in diverse climates, Global Change Biol. 14, 2636-2660 |
| 2118 | LAK | 10.36 | 4.6 | 1.75 | Henderson 1973 | In Gilbert et al., 1973(Eds). Man-Made Lakes: Their Problems and Environmental Effects, William Byrd Press, Richmond, Virginia |
| 2119 | ENF | 49.87 | -125.34 | 0.404 | Jassai et al., 2009 | Agr. For. Meteorol. 149 (6-7), 1168-1178 |
| 2120 | TPL | 49.52 | -124.9 | 0.409 | Jassai et al., 2009 | Agr. For. Meteorol. 149 (6-7), 1168-1178 |
| 2121 | TPL | 49.87 | -125.29 | 0.274 | Jassai et al., 2009 | Agr. For. Meteorol. 149 (6-7), 1168-1178 |
| 2122 | CRI | 36.63 | -120.38 | 1.47 | Benes et al., 2011 | Agr. Water Management, 105, 1-7 |
| 2123 | CRI | 36.63 | -120.38 | 1.376 | Benes et al., 2012 | Agr. Water Management, 105, 1-8 |
| 2124 | CRI | 36.63 | -120.38 | 1.275 | Benes et al., 2013 | Agr. Water Management, 105, 1-9 |
| 2125 | TPL | 37.23 | -72.32 | 0.863 | Huber et al., 2008 | Hydrol. Proc, 22, 142-148, DOI: 10.1002/hyp.6582 |
| 2126 | ENF | -1 | 37 | 1.446 | Pereira, 1964 | Trans. Rhod. Sci. Assoc. Proc. Vol 1, 119-124 |
| 2127 | GRZ | 8.63 | -71.03 | 2.692 | Ataroff and Rada 2000 | Deforestation Impact on water dynamics in a Venezuelan Andean cloud forest. Ambio, 29(7): 440-444 |
| 2128 | EBF | 18.8 | -98.75 | 0.5 | Tanaka et al. (2003) | Transpiration peak over a hill evergreen forest in northern Thailand in the late dry season: Assessing the seasonal changes in evapotranspiration using a multilayer model J. Geophys. Res, 108, 17, 1-15 , doi:10.1029/2002JD003028 |
| 2129 | EBF | 18.8 | -98.75 | 1.2 | Tanaka et al. (2003) | Transpiration peak over a hill evergreen forest in northern Thailand in the late dry season: Assessing the seasonal changes in evapotranspiration using a multilayer model J. Geophys. Res, 108, 17, 1-15 , doi:10.1029/2002JD003028 |
| 2130 | TPL | 35 | -83 | 2.015 | Johnson & Kovner 1996 | Effect of streamflow of cutting a forest understory. For. Sci. Vol 2, pp 82-91 |
| 2131 | CRN | 33 | -112 | 0.361 | Conley et al., 2001 | CO2 enrichment increases water-use efficiency in sorghum New Phytologist, 151, pp 407-412 |
| 2132 | ENF | 34.05 | 111.05 | 0.637 | Wenjuan et al., 2005 | Modeling carbon and water budgets in the Lushi Basin with Biome-BGC. Chinese Journal of Population, Resources and Environment, 2005, 3(2), pp. 27-34 |
| 2133 | ENF | 34.05 | 111.05 | 0.625 | Wenjuan et al., 2005 | Modeling carbon and water budgets in the Lushi Basin with Biome-BGC. Chinese Journal of Population, Resources and Environment, 2005, 3(2), pp. 27-34 |
| 2134 | ENF | 34.05 | 111.05 | 0.64 | Wenjuan et al., 2005 | Modeling carbon and water budgets in the Lushi Basin with Biome-BGC. Chinese Journal of Population, Resources and Environment, 2005, 3(2), pp. 27-34 |
| 2135 | ENF | 34.05 | 111.05 | 0.629 | Wenjuan et al., 2005 | Modeling carbon and water budgets in the Lushi Basin with Biome-BGC. Chinese Journal of Population, Resources and Environment, 2005, 3(2), pp. 27-34 |
| 2136 | EBF | - | 148.34 | 0.704 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2137 | EBF | - | 148.34 | 0.769 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2138 | EBF | - | 148.34 | 0.645 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2139 | EBF | - | 148.34 | 0.712 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2140 | EBF | - | 148.34 | 0.741 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2141 | EBF | - | 148.34 | 0.837 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for |

| | | | | | | |
|------|-----|------------|---------|---------|-------------------------------------|--|
| | | 36.95 | | | | bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2142 | EBF | - 36.95 | 148.34 | 0.727 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2143 | EBF | - 36.95 | 148.34 | 0.83 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2144 | EBF | - 36.95 | 148.34 | 0.831 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2145 | EBF | - 36.95 | 148.34 | 0.947 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2146 | EBF | - 36.95 | 148.34 | 0.726 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2147 | EBF | - 36.95 | 148.34 | 0.824 | Zhou et al., 2013 | Improving runoff estimates using remote sensing vegetation data for bushfire impacted catchments. Agricultural and Forest Meteorology, http://dx.doi.org/10.1016/j.agrformet.2013.04.018 |
| 2148 | EBF | -35 | 116 | 0.839 | Bari et al. (1996) | CHANGES IN STREAMFLOW COMPONENTS FOLLOWING LOGGING AND REGENERATION IN THE SOUTHERN FOREST OF WESTERN AUSTRALIA Hydrol. Process. 10, 447-461 |
| 2149 | ENF | 64.4 | 55.7 | 0.175 | Galenko 1983 in Lopatin et al. 2008 | Boreal Env. Res. 13, 539-552 |
| 2150 | ENF | 62.7 | 57.83 | 0.225 | Galenko 1983 in Lopatin et al. 2008 | Boreal Env. Res. 13, 539-552 |
| 2151 | ENF | 65.48 | 50.81 | 0.3 | Galenko 1983 in Lopatin et al. 2008 | Boreal Env. Res. 13, 539-552 |
| 2152 | ENF | 35.14 | -111.72 | 0.467 | Dore et al. 2010 | Ecological Applications, 20(3), 663-683 |
| 2153 | CRN | 43 | -89 | 0.501 | Brye et al., 2000 | Water-Budget Evaluation of Prairie and Maize Ecosystems Soil Science Society of America Journal, Vol 64, 715-724 |
| 2154 | CRN | 43 | -89 | 0.42 | Brye et al., 2000 | Water-Budget Evaluation of Prairie and Maize Ecosystems Soil Science Society of America Journal, Vol 64, 715-724 |
| 2155 | CRN | 50 | -108 | 0.176 | Akinremi et al., 1996 | Simulation of soil moisture and other componenets of the hydrological cycle using a water budget approach. Canadian J. of Soil Science, Vol 76(2), 133-142 |
| 2156 | GRZ | -31 | 151 | 0.641 | Murphy et al, 2004 | Surface soil water dynamics in pastures in northern New South Wales. Australian J. of Experimental Agriculture, Vol 44(6), pp 571-583 |
| 2157 | EBF | -33 | 116 | 1.113 | Silberteint et al | On the validation of a coupled water and energy balance model at small catchment scales J. of Hydrology, Vol 220, pp 149-168 |
| 2158 | CRI | 9.93 | -83.73 | 0.804 | Gomez-Delgado et al., 2011 | Modelling the hydrological behaviour of a coffee agroforestry basin in Costa Rica Hydrol. Earth Syst. Sci., 15, 369-392. |
| 2159 | EBF | 10.42 | -84.02 | 2.108 | Genereux et al., 2005 | A paired watershed budget study to quantify interbasin groundwater flow in a lowland rain forest, Costa Rica, Water Resour. Res., 41, W04011, doi:dx.doi.org/10.1029/2004WR003635, 2005. |
| 2160 | EBF | 9.17 | -79.85 | 1.272 | Kinner and Stallard, 2004 | Identifying storm flow pathways in a rainforest catchment using hydrological and geochemical modelling, Hydrol. Process., 18, 2851-2875, 2004. |
| 2161 | EBF | - 23.22 | -45.02 | 0.696 | Fujieda et al., 1997 | Hydrological processes at two subtropical forest catchments: the Serra do Mar, Sao Paulo, Brazil, J. Hydrol., 196, 26-46, 1997. |
| 2162 | CRI | 10.04 | -84.14 | 1.29657 | Siles, 2007, Cannavo et al., 2010 | Agroforestry associating coffee and Inga densiflora results in complementarity for water uptake and decreases |

| | | | | | | |
|------|-----|-------|--------|-------|-----------------------|--|
| | | | | | | deep drainage in Costa Rica, Agr. Ecosyst. Environ., in press, doi:10.1016/j.agee.2010.11.005, 2010. |
| 2163 | CRI | 9.27 | -83.55 | 0.996 | Harmand et al., 2007 | Nitrogen dynamics and soil nitrate retention in a Coffea arabica & Eucalyptus deglupta agroforestry system in Southern Costa Rica, Biogeochemistry, 85, 125&139, 2007. |
| 2164 | CRI | 10.03 | -83.77 | 0.883 | Imbach et al., 1989 | Balances h&A±dricos e ingreso con lluvias y lixiviaci&A±on de elementos nutritivos, Turrialba, 39, 400&414, 1989. |
| 2165 | CRI | 10.03 | -83.77 | 1.823 | Jimenez, 1986 | Balance h&A±drico con &A±nfasis en percolaci&A±on de dos sistemas agroforestales: caf&A±e-por&A±o y caf&A±e-laurel, en Turrialba, Costa Rica, MSc Thesis, CATIE, Turrialba, Costa Rica, 104 pp., 1986. |
| 2166 | EBF | 21.93 | 101.27 | 1.029 | Zhiheng et al., 2010 | Evapotranspiration of a tropical rain forest in Xishuangbanna, southwest China, Hydrol. Process 24, 2405-2416. |
| 2167 | DBF | 12 | 76 | 1.05 | Marechal et al., 2009 | Indirect and direct recharges in a tropical forested watershed: Mule Hole, India. J Hydrol 364:272-284 |
| 2168 | EBF | 10.43 | -84.02 | 2.138 | Loescher et al., 2005 | Energy dynamics and modeled evapotranspiration from a wet tropical forest in Costa Rica. J Hydrol 315:274-294 |
| 2169 | EBF | 10.43 | -84.02 | 2.172 | Luvall, 1984 | Tropical deforestation and recovery: the effects on evaporation processes. Ph.D. Dissertation, University of Georgia, Athens, Georgia, p. 146. |
| 2170 | TPL | 10.43 | -84.02 | 1.509 | Bigelow, 2001 | Evapotranspiration modelled from stands of three broad-leaved tropical trees in Costa Rica. Hydrol. Proc. 15, 2779&2796. |
| 2171 | TPL | 10.43 | -84.02 | 1.318 | Bigelow, 2001 | Evapotranspiration modelled from stands of three broad-leaved tropical trees in Costa Rica. Hydrol. Proc. 15, 2779&2796. |
| 2172 | EBF | -2.59 | -60.12 | 1.123 | Malhi et al., 2002 | Energy and water dynamics of a central Amazonian rain forest. J. Geophys. Res. 107 (D20), 107 (art. no. 8061). |
| 2173 | EBF | -2.77 | -55.09 | 1.3 | da Rocha et al., 2004 | Seasonality of water and heat fluxes over a tropical forest in eastern Amazonia. Ecol. Appl. 14, S22&S32. |
| 2174 | DBF | -32.4 | -60.3 | 1.1 | Nosetto et al., 2012 | The hydrologic consequences of land cover change in central Argentina, Agr. Ecosyst. Environ., 154, 2-11. |
| 2175 | TPL | -32.4 | -60.3 | 1.1 | Nosetto et al., 2012 | The hydrologic consequences of land cover change in central Argentina, Agr. Ecosyst. Environ., 154, 2-11. |
| 2176 | GRS | -32.4 | -60.3 | 0.78 | Nosetto et al., 2012 | The hydrologic consequences of land cover change in central Argentina, Agr. Ecosyst. Environ., 154, 2-11. |
| 2177 | CRI | -32.4 | -60.3 | 0.67 | Nosetto et al., 2012 | The hydrologic consequences of land cover change in central Argentina, Agr. Ecosyst. Environ., 154, 2-11. |
| 2178 | CRI | -32.4 | -60.3 | 0.8 | Nosetto et al., 2012 | The hydrologic consequences of land cover change in central |

| | | | | | | |
|------|-----|-------|---------|-------|-------------------------|--|
| | | | | | | Argentina, Agr. Ecosyst. Environ., 154, 2-11. |
| 2179 | EBF | 12.68 | 104.9 | 1.14 | Nobuhiro et al., 2007 | Year-around observation of evapotranspiration in an evergreen broadleaf forest in Cambodia. In Forest Environments in the Mekong River Basin, Sawada H, Araki M, Chappell NA, LaFrankie JV, Shimizu A (eds). Springer: Tokyo; 75â€“86. |
| 2180 | EBF | 4.2 | 114.03 | 1.545 | Kumagai et al., 2005 | Annual water balance and seasonality of evapotranspiration in a Bornean tropical rainforest. Agricultural and Forest Meteorology 128: 81â€“92. |
| 2181 | EBF | 2.98 | 102.31 | 1.548 | Tani et al., 2003 | Long-term estimation of evapotranspiration from a tropical rain forest in Peninsular Malaysia. In Water Resources Systemsâ€“Water Availability and Global Change, Franks S, Bloeschl G, Kumagai M, Musiak K, Rosbjerg D (eds). IAHS Publication No. 280. IAHS Press: Wallingford; 267â€“274. |
| 2182 | TPL | -1.19 | -47.57 | 1.424 | Sommer et al., 2002 | Transpiration and canopy con-ductance of secondary vegetation in the eastern Amazon.Agric. For. Meteorol.,112,103â€“121. |
| 2183 | EBF | -2.06 | -60.21 | 1.132 | Araujo et al., 2002 | AraÃ±jo, A. C., and Coauthors, 2002: Comparative measurementsof carbon dioxide fluxes from two nearby towers in a centralAmazonian rainforest: The Manaus LBA site.J. Geophys.Res.,107,8090, doi:10.1029/2001JD000676. |
| 2184 | EBF | -2.89 | -54.92 | 1.022 | Hutyra et al., 2005 | Hutyra, L. R., J. W. Munger, C. A. Nobre, S. R. Saleska, S. A.Vieira, and S. C. Wofsy, 2005: Climatic variability and veg-etation vulnerability in Amazonia.Geophys. Res. Lett.,32,L24712, doi:10.1029/2005GL024981 |
| 2185 | TPL | 35.92 | 106.07 | 0.348 | Pengtao Yu et al., 2013 | The effect of site conditions on flow after forestation in a dryland region of China. Agric. For. Meteorol. 178-179, 66-74. |
| 2186 | DNF | 35.92 | 106.07 | 0.348 | Pengtao Yu et al., 2013 | The effect of site conditions on flow after forestation in a dryland region of China. Agric. For. Meteorol. 178-179, 66-74. |
| 2187 | ENF | 65.12 | -147.49 | 0.207 | Nakai et al., 2013 | Characteristics of evapotranspiration from a permafrost black spruce forest in interior Alaska, Polar ScienceVolume 7, Issue 2, June 2013, Pages 136â€“148 |
| 2188 | ENF | 64.87 | -147.85 | 0.21 | Iwata et al., 2012 | The role of permafrost in water exchange of a black spruce forest in interior AlaskaAgric. For. Meteorol., 161 (2012), pp. 107â€“115 |
| 2189 | GRS | 46.31 | 101.62 | 0.3 | Liu et al., 2013 | Response of evapotranspiration and water availability to changing climate and land cover on the Mongolian Plateau during the 21st century |
| 2190 | ENF | 46.31 | 101.62 | 0.215 | Liu et al., 2013 | Response of evapotranspiration and water availability to changing climate and land cover on the Mongolian Plateau during the 21st century |
| 2191 | OSH | 46.31 | 101.62 | 0.14 | Liu et al., 2013 | Response of evapotranspiration and water availability to changing climate and land cover on the Mongolian Plateau during the 21st century |
| 2192 | LAK | 72 | 113 | 0.14 | Frolova et al., 2013 | Analysis of the effects of climate-dependent factors on the formation of zooplankton communities that inhabit arctic lakes in the Anabar River Basin. Contemporary Problems of Ecology 6(1), 1-11 |
| 2193 | OSH | 66 | 73 | 0.22 | Karlsson et al., 2012 | Thermokarst lake, hydrological flow and water balance indicatorsof permafrost change in Western Siberia. J. Hydrol. 464-465, 459-466 |
| 2194 | OSH | 67 | 75 | 0.215 | Karlsson et al., 2012 | Thermokarst lake, hydrological flow and water balance indicatorsof permafrost change in Western Siberia. J. Hydrol. 464-465, 459-466 |
| 2195 | OSH | 68 | 79 | 0.222 | Karlsson et al., 2012 | Thermokarst lake, hydrological flow and water balance indicatorsof permafrost change in Western Siberia. J. Hydrol. 464-465, 459-466 |
| 2196 | ENF | 50.97 | 13.58 | 0.5 | Spank et al., 2013 | Effects of measurement uncertainties of meteorological data on estimates of site water balance components, Journal of HydrologyVolume 492, 7 June 2013, Pages 176â€“189 |
| 2197 | GRS | 50.95 | 13.53 | 0.6 | Spank et al., 2013 | Effects of measurement uncertainties of meteorological data on estimates of site water balance components, Journal of HydrologyVolume 492, 7 June 2013, Pages 176â€“189 |

| | | | | | | |
|------|-----|------------|--------|-------|------------------------|---|
| 2198 | CRN | 50.88 | 13.53 | 0.5 | Spank et al., 2013 | Effects of measurement uncertainties of meteorological data on estimates of site water balance components, Journal of Hydrology Volume 492, 7 June 2013, Pages 176â€“189 |
| 2199 | ENF | 58.05 | 12.02 | 0.48 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2200 | ENF | 57.08 | 14.53 | 0.47 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2201 | ENF | 59.75 | 14.9 | 0.45 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2202 | ENF | 63.85 | 18.1 | 0.37 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2203 | ENF | 58.05 | 12.02 | 0.579 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2204 | ENF | 57.08 | 14.53 | 0.425 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2205 | ENF | 59.75 | 14.9 | 0.507 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2206 | ENF | 63.85 | 18.1 | 0.323 | Dirnbock et al., 2007 | Reports on national ICP IM activities in the Finnish Environment, http://www.ymparisto.fi/download.asp?contentid=72112&lan=EN |
| 2207 | LAK | 51.37 | -0.82 | 1.11 | Rutter, 1964 | J. of App. Ecol, 1: 29-44. |
| 2208 | DBF | 44.87 | -68.1 | 0.33 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 2209 | MXF | 43.9 | -71.6 | 0.61 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 2210 | DBF | 43.95 | -71.73 | 0.52 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 2211 | DBF | 44 | -74.21 | 0.38 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 2212 | DBF | 40.73 | -77.92 | 0.58 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 2213 | DBF | 39.05 | -79.68 | 0.75 | Campbell et al. (2004) | INPUT-OUTPUT BUDGETS OF INORGANIC NITROGEN FOR 24 FOREST WATERSHEDS IN THE NORTHEASTERN UNITED STATES: A REVIEW, Wat. Air Soil Poll. 151, 373-396 |
| 2214 | GRZ | - 37.37 | 141.88 | 0.44 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2215 | GRZ | - 37.37 | 141.88 | 0.528 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2216 | TPL | - 37.37 | 141.88 | 0.63 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2217 | TPL | - 37.37 | 141.88 | 0.425 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2218 | TPL | - 37.37 | 141.88 | 0.454 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2219 | TPL | - 37.37 | 141.88 | 0.529 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2220 | TPL | - 37.37 | 141.88 | 0.53 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2221 | TPL | - 37.37 | 141.88 | 0.525 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2222 | GRZ | - 34.84 | 118.17 | 0.554 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian |

| | | | | | | |
|------|-----|------------|--------|-------|--------------------------------|---|
| | | | | | | Agronomy Conference, Wagga Wagga, Australia |
| 2223 | TPL | - 34.84 | 118.17 | 0.482 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2224 | TPL | - 34.84 | 118.17 | 0.583 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2225 | GRZ | - 34.84 | 118.17 | 0.483 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2226 | TPL | - 34.84 | 118.17 | 0.694 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2227 | TPL | - 34.84 | 118.17 | 0.567 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2228 | TPL | - 34.84 | 118.17 | 0.541 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2229 | GRZ | - 31.08 | 150.92 | 0.659 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2230 | TPL | - 31.08 | 150.92 | 0.699 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2231 | TPL | - 31.08 | 150.92 | 0.671 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2232 | TPL | - 31.08 | 150.92 | 0.661 | Simpson et al.,1998 | A STRATEGIC ASSESSMENT OF SUSTAINABILITY OF GRAZED PASTURE SYSTEMS IN TERMS OF THEIR WATER BALANCE 9th Australian Agronomy Conference, Wagga Wagga, Australia |
| 2233 | SHR | 29.68 | -101 | 0.21 | Mast, M.A., Turk, J.T., 1999b. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-B, 130pp |
| 2234 | DBF | 44.09 | -92.07 | 1.87 | Mast, M.A., Turk, J.T., 1999b. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-B, 130pp |
| 2235 | CRN | 30.91 | -98.04 | 0.64 | Mast, M.A., Turk, J.T., 1999b. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-B, 130pp |
| 2236 | DBF | 39.03 | -85.04 | 1.03 | Mast, M.A., Turk, J.T., 1999b. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-B, 130pp |
| 2237 | GRS | 34.62 | -98.56 | 0.7 | Mast, M.A., Turk, J.T., 1999b. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-B, 130pp |
| 2238 | GRS | 40.72 | -93.94 | 1.36 | Mast, M.A., Turk, J.T., 1999b. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-B, 130pp |
| 2239 | MXF | 45.75 | -88.46 | 0.216 | Mast, M.A., Turk, J.T., 1999b. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-B, 130pp |
| 2240 | MXF | 33.1 | -83.72 | 0.92 | Mast, M.A., Turk, J.T., 1999a. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-A, 158pp |
| 2241 | DBF | 35.5 | -87.83 | 0.68 | Mast, M.A., Turk, J.T., 1999a. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-A, 158pp |
| 2242 | MXF | 34.15 | -80.31 | 0.77 | Mast, M.A., Turk, J.T., 1999a. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-A, 158pp |
| 2243 | MXF | 41.39 | -77.69 | 1.69 | Mast, M.A., Turk, J.T., 1999a. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-A, 158pp |

| | | | | | | |
|------|-----|-------|--------|-------|--------------------------------|---|
| 2244 | MXF | 42.12 | -74.38 | 0.83 | Mast, M.A., Turk, J.T., 1999a. | Environmental characteristics and water quality of hydrologic benchmark stations in the midwestern United States. US Geological Survey Circular No. 1173-A, 158pp |
| 2245 | GRZ | -37 | 144 | 0.526 | Jolly et al., 1997 | in Zhang et al., 1999 |
| 2246 | GRZ | 38.28 | 144.49 | 0.589 | Jolly et al., 1997 | in Zhang et al., 1999 |
| 2247 | OSH | 68.75 | 21.42 | 0.23 | Seuna & Linjama, 2004 | Water balances of northern catchments in Finland, Northern Research Basins Water BalanceÅ edited by Douglas L. Kane, Daqing Yang |
| 2248 | OSH | 68.4 | 27.4 | 0.239 | Seuna & Linjama, 2004 | Water balances of northern catchments in Finland, Northern Research Basins Water BalanceÅ edited by Douglas L. Kane, Daqing Yang |
| 2249 | WTL | 59.92 | 32.35 | 0.298 | Shutov, 2004 | Northern Research Basins Water BalanceÅ edited by Douglas L. Kane, Daqing Yang |
| 2250 | HMO | 25.7 | -80.36 | 0.833 | Migliaccio & Shoemaker, 2013 | Estimation of Urban Subtropical Bahiagrass (Paspalum notatum) Evapotranspiration using Crop Coefficients and the Eddy Covariance Method, Hydrological Processes |
| 2251 | CRN | 33.16 | -90.5 | 0.7 | Kim et al., 2013 | Assessing impacts of bioenergy crops and climate change on hydrometeorology in the Yazoo River Basin, Mississippi, Agricultural and Forest Meteorology, Volume 169, 15 February 2013, Pages 61â€“73 |
| 2252 | CRN | 33.16 | -90.5 | 0.716 | Kim et al., 2013 | Assessing impacts of bioenergy crops and climate change on hydrometeorology in the Yazoo River Basin, Mississippi, Agricultural and Forest Meteorology, Volume 169, 15 February 2013, Pages 61â€“73 |
| 2253 | CRN | 33.16 | -90.5 | 0.727 | Kim et al., 2013 | Assessing impacts of bioenergy crops and climate change on hydrometeorology in the Yazoo River Basin, Mississippi, Agricultural and Forest Meteorology, Volume 169, 15 February 2013, Pages 61â€“73 |
| 2254 | WTL | 64.75 | 24.7 | 0.306 | Tuittila et al., 2013 | Wetland chronosequence as a model of peatland development: Vegetation succession, peat and carbon accumulation, The Holocene, 23 |
| 2255 | OSH | 17.68 | 15.29 | 0.325 | Suzuki et al., 2013 | Effects of the introduction of rice on evapotranspiration in seasonal wetlands, Hydrological Processes |
| 2256 | CRI | 17.68 | 15.29 | 0.637 | Suzuki et al., 2013 | Effects of the introduction of rice on evapotranspiration in seasonal wetlands, Hydrological Processes |
| 2257 | WTL | 17.67 | 15.29 | 0.642 | Suzuki et al., 2013 | Effects of the introduction of rice on evapotranspiration in seasonal wetlands, Hydrological Processes |