Hydrol. Earth Syst. Sci. Discuss., 11, 371–410, 2014 www.hydrol-earth-syst-sci-discuss.net/11/371/2014/ doi:10.5194/hessd-11-371-2014 © Author(s) 2014. CC Attribution 3.0 License.



This discussion paper is/has been under review for the journal Hydrology and Earth System Sciences (HESS). Please refer to the corresponding final paper in HESS if available.

Comprehensive evaluation of water resources security in the Yellow River basin based on a Fuzzy Multi-Attribute Decision Analysis Approach

K. K. Liu^{1,2}, C. H. Li¹, Y. P. Cai^{3,4}, M. Xu¹, and X. H. Xia¹

¹Ministry of Education Key Laboratory of Water-sediment Science, School of Environment, Beijing Normal University, Beijing, 100875, China

²CERI eco Technology Co., LTD, Beijing 100053, China

³State Key Laboratory of Water Environment Simulation, School of Environment, Beijing Normal University, Beijing 100875, China

⁴Institute for Energy, Environment and Sustainable Communities, University of Regina, 120, 2 Research Drive, Regina, Saskatchewan S4S 7H9, Canada

Received: 9 December 2013 - Accepted: 10 December 2013 - Published: 10 January 2014

Correspondence to: C. H. Li (chunhuili@bnu.edu.cn) and Y. P. Cai (yanpeng.cai@bnu.edu.cn)

Published by Copernicus Publications on behalf of the European Geosciences Union.





Abstract

In this paper, a Fuzzy Multi-Attribute Decision Analysis Approach (FMADAA) was adopted in water resources security evaluation for the nine provinces in the Yellow River basin in 2006. A numerical approximation system and a modified left-right scoring ap-

- ⁵ proach were adopted to cope with the uncertainties in the acquired information. Four multi-attribute decision making methods were implemented in the evaluation model for impact evaluation, including simple weighted addition (SWA), weighted product (WP), cooperative game theory (CGT) and technique for order preference by similarity to ideal solution (TOPSIS) which could be used for helping rank the water resources security
- ¹⁰ in those nine provinces as well as the criteria alternatives. Moreover, several aggregation methods including average ranking procedure, borda and copeland methods were used to integrate the ranking results. The ranking results showed that the water resources security of the entire basin is in critical, insecurity and absolute insecurity state, especially in Shanxi, Inner Mongolia and Ningxia provinces in which water re-
- ¹⁵ sources were lower than the average quantity in China. Hence, future planning of the Yellow River basin should mainly focus on the improvement of water eco-environment status in the provinces above.

1 Introduction

Water is a fundamental resource for the sustainable development of human society and ecosystems. Also, it is a critical factor for maintaining natural ecosystems. Water conflicts between human and ecosystems are posing great challenges for maintaining such sustainability of water resources at the watershed scale. Along with the increasing consumptions of water resources by multiple users, water security crisis becomes an emerging issue faced by decision makers in many regions. How to allocate the water resources effectively among the multiple water users. It is desired to evaluate water





security to facilitate the management of water resources scarcity (Brown and Hilweil, 1987; Loucks, 2000; WWAP, 2002; Chen, 2004; Zhang, 2010).

Water resources security is a concept proposed in late 20th century (Jiang, 2001; Jia et al., 2002; Zheng, 2003; Xia and Zhang, 2007). It is generally believed by academia that at a certain stage of social and economic development, water supply that ensure both the quality and quantity is able to meet the needs of human survival, social progress, economic development and to maintain a good ecological environment on the basis of not exceeding the carrying capacity of water resources and water eco-environment. That means to safeguard the sustainable economic and social development by the water resources' sustainable use. The evaluation and insurance of water

- ¹⁰ ment by the water resources' sustainable use. The evaluation and insurance of water security are the core issues of water resources management. Conventionally, water resources supporting capacity is a basic water security measure which can be adopted in establishing the evaluation indicator system. At the same time, some scholars assumed that the water resources security's core lies in the sustainable use. If the water
- resources can be used sustainably, the water is safe. According to this theory, the indicator system can be established including the target level, the criterion level and the indicator level. The evaluation can be carried on in accordance with the indicators in five aspects including water resources condition, water resources exploitation and utilization efficiency, ecological environment condition, water resources reasonable denovment and water resources management ability (lia and Zhang, 2003; Zhang, and 2003).
- ²⁰ ployment and water resources management ability (Jia and Zhang, 2003; Zhang and Jia, 2003; Jia et al., 2004; Zhang et al., 2005, 2008).

Water resources security evaluation methods mainly include multi-level fuzzy comprehensive evaluation methods, mathematical statistic method, data envelopment analysis method, principal components analysis (PCA), system dynamics method (SD),

²⁵ "Pressure-state-response" modeling, set pair analysis method (SPA), vague set evaluation method, fuzzy element model, water poor exponential method (WPI), artificial neural networks (ANN), element analysis and so forth. Many scholars have applied these methods in their actual evaluation work (Han et al., 2001; Cong, 2007; Zhu et al., 2008).Because the uncertainty factors in the indicator system have influence on the





scientificity of evaluation, in order to deal with non-linear optimization of the evaluation process, the expression of implicit functions, fuzzy and random problems, the uncertainty evaluation methods and intelligent methods of integrated assessment methods gradually emerged and developed fast and new uncertainty methods or the improved

- ⁵ uncertainty methods have arisen gradually, which have obtained many research results in different research fields such as fuzzy comprehensive evaluation method. To solve the problems including non-linear optimization, expression of implicit function, fuzziness and randomness in the evaluation process, the integration of the above intelligent methods, intelligent methods and non-intelligent methods gradually emerged. The
- ¹⁰ Fuzzy Multi-Attribute Decision Analysis Approach (FMADAA) was one effective method for multiple criteria decision support. It was initially designed for a landfill selection problem in the city of Regina and then become a powerful tool for decision analysis, and it has been rapidly developed in numerous fields such as management, engineering, and so on (Buede, 1996; Eom, 1999).In water resources management, the multi-attribute decision analysis was successfully applied to multi-attribute decision-making problems
- and comprehensive evalutions (Yu et al., 2004; Parviz and Saeed, 2010; George and Mike, 2011; Harrison et al., 2011; Ana et al., 2012).

In the last two decades, the amount of water resources has decreased significantly in the Yellow River basin. The problem of water shortage becomes extremely serious

- ²⁰ (Li et al., 2004; Shen and Li, 2009; Li and Yang, 2004). Besides, water supply can not meet the needs of industry, agriculture, residential and ecological consumption, which has made water security a particularly prominent problem affecting the economical and social development in the basin. During recent years, some scholars put their effort on the calculation of the supplied water quantity and requirement in order to
- ²⁵ analyze water utilization and water allocation (Xia et al., 2009), so as to provide support for water resources management in the Yellow River basin. However, few researchers have carried the research in comprehensive water security evaluation in the Yellow River basin especially in the analysis on the regional differences of the whole basin, which is important to the management in the basin. Therefore, the security evaluation





in administrative regions of the basin is extremely necessary in order to promote the overall water resources security and to guarantee the coordinated development in the basin.

- Since Multiple Attribute Decision Making (MADM) in the aims to select the best alternative for decision-makers, it can also be used to deal with other decision problems. That is to say, various alternatives can be ranked according to certain criteria. When each region of the Yellow River basin is considered as an alternative and each evaluation method is considered as a criterion or an attribute, the evaluation problem turns to be a multi-attribute decision-making problem. Hence the system can be suitable in the water resources security evaluation in the Yellow River basin. Because ranking results of different methods are inconsistent in practical application, the results are also integrated in FMADAA which make the evaluation more rational and scientific. In addition, fuzzy information usually encountered in practical evaluation process can also be dealt with in FMADAA, so the process of uncertainties is more rational. Therefore, in the pa-
- per, we will adopt FMADAA to carry on the water resources security evaluation in the Yellow River basin in order to provide support for water management in the basin.

2 Overview of the Yellow River basin

The Yellow River is the second longest river in China. In total, the river flows over 5400 km, passes through nine provinces and autonomous regions. As the biggest basin
in the Northwest and North China, the Yellow River basin is of utmost importance for China in terms of food production, natural resources, and socioeconomic development. The Yellow River basin covers approximately 0.752 million km² areas (not including inland), accounting for eight percent of the total area of China. Most area of the Yellow River basin is in arid, semi-arid, and semi-humid climate zones, and it is one of the regions in China with the least water (Fig. 1). Affected by human activities and climate change, the Yellow River water resource has decreased significantly in recent years. Hence, water security problems, especially the disparity between supply and demand



of water, the gradual deterioration of water eco-environment are particularly prominent and seriously affecting economic and social development. Meanwhile, future climate change may further exacerbate regional droughts and floods, affecting the water supply and security of the Yellow River.

⁵ Considering the data availability, we selected 2006 to be the evaluation year to analyze the current situation of water resources security in the Yellow River basin. Meanwhile, the data is derived from "Comprehensive Planning in the Yellow River basin" (Yellow River hydro-conservancy committee, 2009), "Water Resources Comprehensive Planning in the Yellow River basin" (Yellow River basin" (Yellow River basin" (Yellow River basin"), related materials and statistical yearbook of the Yellow River (Yellow River hydro-conservancy committee, 2009), related materials and statistical yearbook of the Yellow River (Yellow River hydro-conservancy committee, 2006).

3 Formulation of a comprehensive water security evaluation indicator system

We established the "Pressure-State-Response" water resources security evaluation model system which covered the indicators reflecting the water security situation in the Yellow River basin. "Pressure" system refers to those resources, social and economic factors which may cause pressure on the system, and the indexes are the decisive factors of the security of system. "State" system is the system status under the action of resources, social and economic indicators. "Response" system refers to the sensitivity and adaptability of the system to the actions of resources, social and economic indica-

15

²⁰ tors and the various measures taken to decrease the aggravation of water resources security. Each sub-system is established from three aspects including water resources, soci-economic and water environment (Jia et al., 2002).

The index selection methods used in this paper contain frequency statistical method, theoretical analysis and expert consultation (Delphi method). Based on the feedback from experts, fuzzy analytic hierarchy process (FAHP) is adopted as the system analysis method to determine the water security evaluation indicator system (Zhang, 2000).





Hence, the indicator system can be established, the connotations and calculations of indicators are shown in Table 1.

The evaluation criteria of the Yellow River basin has only a relative sense, we took the national data as a benchmark to set the evaluation criteria. The main references for determining the criteria mainly include the statistical data, relevant standards, norms, procedures, development plan, existing research results and so forth. In this paper, five interval evaluation criteria have been formulated, followed by absolute security, security, critical security, insecurity and absolute insecurity. Based on the evaluation criteria, the standards of the evaluation system were determined which were shown in Table 2. Fuzzy analytic hierarchy process (FAHP) is adopted to determine the weights

¹⁰ Table 2. Fuzzy analytic hierarchy process (FAHP) is adopted to determine the weights of indicators and the calculation steps are the same as in the establishment of the water resources security evaluation indicator system. The weights of indicators were also obtained which were shown in Table 3.

4 Fuzzy Multi-Attribute Decision Analysis Approach

- ¹⁵ Fuzzy Multi-Attribute Decision Analysis Approach (FMADAA) is applied for security evaluation. The proposed FMADAA is composed of four phases. In the first phase, the evaluation alternatives should be established. The second phase is fuzzy impact transformation, which consists of two major steps: (1) linguistic-term conversion which transforms the impact values into a fuzzy set if they are verbal terms; and (2) conversion
- from a fuzzy set to a crisp value set where all the fuzzy sets are assigned crisp scores. The result of this phase is to produce a new impact matrix which only contains numeric data. In the third phase, classical MADM methods can be utilized to determine the ranking order of alternatives. At last, in the fourth phase, when the results of different MADM methods are inconsistent, a further aggregation is needed.
- ²⁵ In this paper, nine provinces in the Yellow River basin and evaluation criteria constituted the alternatives. Then the numerical approximation system and the modified left–right scoring approach were adopted to cope with the uncertainties in the acquired





information. Four commonly used multi-attribute decision making (MADM) methods were implemented in the evaluation model for impact evaluation, including simple weighted addition (SWA) method, Weighted product (WP) method, cooperative game theory (CGT) method and technique for order preference by similarity to ideal solution (TOPSIS) method. These MADM methods helped to rank the nine provinces and the criteria alternatives, and three aggregation methods including average ranking procedure, Borda and Copeland methods were used to integrate the ranking results. The details of the four phases are listed bellow.

4.1 Alternatives establishment

First, the alternatives which will be ranked in the MADM methods should be fixed. In this paper, the nine provinces in the Yellow River basin were considered to be the nine alternatives (see Fig. 2). Because MADM adopted in this paper is aimed to evaluate the water resources security of the Yellow River basin, the evaluation criteria should also be transformed into different alternatives in order to be compared with the security of the basin. Therefore, thirteen criteria alternatives A_a, A_b, A_c, A_d, A_e, A_f, A_g, A_h, A_i, A_j, A_k, A_l and A_m were obtained here, among which A_a, A_e, A_i and A_m are critical values of the five interval criteria. In addition, three criteria alternatives were added between A_a

and A_e , A_e and A_i , A_i and A_m respectively. It's worth noting that the criteria alternatives can be selected according to different conditions or different evaluation purposes.

20 4.2 Fuzzy impact transformation

1. Linguistic-term conversion

A numerical approximation system is proposed by Hwang et al. (1992) to systematically transform linguistic terms to their corresponding fuzzy sets. According to Hwang, the transformation requires eight conversion scales. The conversion scales are proposed by synthesizing and modifying the work of Baas et al. (1977), Bonissone (1982) and Chen (1988). It is assumed that the given figures



25

5

can adequately cover all expressions of any specific feature-"high" vs. "low". One of the figures will be employed when certain terms are provided and the principle is to simply select a scale figure that contains all the verbal terms given by the decision-maker and use the membership function set for that figure to represent the meaning of the verbal terms. For example, if the given certain terms include "low", "medium" and "high", the scale shown in Fig. 3 is to be selected.

2. Conversion from fuzzy sets to crisp values

A modified left-right scoring approach based on Jain's (1976, 1977) and Chen's (1985) works is introduced. In order to determine a crisp score, it is necessary to compare the fuzzy sets with a maximizing fuzzy set (fuzzy max) and a minimizing fuzzy set (fuzzy min) (Hwang et al., 1992). These two fuzzy sets are defined as:

$$\mu_{\max}(x) = \begin{cases} x, & 0 \le x \le 1\\ 0, & \text{otherwise} \end{cases}$$
(1)
$$\mu_{\min}(x) = \begin{cases} 1 - x, & 0 \le x \le 1\\ 0, & \text{otherwise} \end{cases}$$
(2)

$$\min(x) = \begin{cases} 1 - x, & 0 \le x \le 1 \\ 0, & \text{otherwise} \end{cases}$$

The right score refers to the intersections of the fuzzy set M with max. The right score of *M* can be determined using (see Fig. 3):

$$\mu_{\mathsf{R}}(M) = \sup_{x} [\mu_{M}(x) \land \mu_{\max}(x)]$$

Similarly, the left score of *M* can be determined using:

$$\mu_{\mathsf{L}}(M) = \sup_{x} [\mu_{M}(x) \wedge \mu_{\min}(x)]$$

Given the left and right scores of *M*, the total score of *M* can be calculated using:

$$\mu_{\rm T}(M) = [\mu_{\rm R}(M) + 1 - \mu_{\rm L}(M)]/2$$

Consequently, the set of μ_{total} can substitute the original linguistic terms and im-25 pact matrix with only the crisp values that are formed.



(3)

(4)

(5)



10

15

5

4.3 Multi-attribute decision making (MADM) methods

MADM methods are management decision aids in evaluating competing alternatives defined by multiple attributes. In this paper, four MADM methods are adopted in the evaluation system. The reason of applying these four methods is because they use the

same type of input parameters, whereas other MADM methods use different ones. Before presenting the details of these methods, some basic concepts of decision weight and data normalization should be introduced.

Firstly, almost all MADM problems require information regarding the relative importance of each attribute, including the methods used in the evaluation system here. The relative importance is usually given by a set of weights which are standardized to a sum equal to 1. Weight set is usually represented as follows:

$$\boldsymbol{W}^T = (\boldsymbol{w}_1, \boldsymbol{w}_2, \dots, \boldsymbol{w}_n)$$
$$\sum_{i=1}^n \boldsymbol{w}_i = 1$$

¹⁵ Where *n* represents the number of attributes, *T* represents a set of the traverse form, \boldsymbol{W}^{T} is a set of weights with *n* attributes. The weights can be assigned by different methods (Saaty, 1977; Chu et al., 1979; Nijkamp et al., 1990). In this paper, FAHP is adopted as referred before.

Then, according to Hwang et al. (1981), some methods as SWA must apply the normalization method to normalize values in the impact matrix so that any effect introduced by different measurement units is neutralized. In the evaluation system, two ways of normalization are applied to cope with different MADM methods. The linear normalization adopted here is a modified process by Hwang et al. (1981). The normalized



(6)

(7)

value r_{ii} can be defined as:

For impact value of benefit attributes,
$$r_{ij}^b = \frac{x_{ij} - x_i^{min}}{x_i^* - x_i^{min}}$$

For impact values of cost attributes, $r_{ij}^c = \frac{x_i^* - x_{ij}}{x_i^* - x_j^{min}}$

⁵ where $x_i^* = \max_j x_{ij}$ and x_i^{\min} is the least acceptable impact value of *i* attribute. The worst outcome of a certain attribute implies $r_{ij} = 0$, while the best outcome implies $r_{ij} = 1$. The vector normalization divides the impact value of each attribute by its norm, so that each normalized value r_{ij} can be calculated as:

$$r_{ij} = \frac{x_{ij}}{\sqrt{\sum_{j=1}^{m} x_{ij}^2}}$$

n

where m is the total number of alternatives. Several MADM methods will be adopted, including:

1. Simple weighted addition (SWA) method

The SWA method is the simplest MADM method to handle cardinal data (Hwang et al., 1981). Linear transformation is applied which normalizes the impact matrix and the utility function can be written as:

$$U_j = \sum_{i=1}^{m} w_i r_{ij}, j = 1, 2, \dots, m$$
(11)

where w_i is the importance weight of the attributes and r_{ij} is the normalized impact matrix. The alternative with the highest score is the most preferable one.



(8)

(9)

(10)



20

10

15

However, since complementarity often exists among attributes, the assumption of preferentially independent may be unacceptable, and ignoring the dependence among attributes may cause a misleading result (Hwang et al., 1992).

2. Weighted product (WP) method

The WP method was introduced long ago (Starr, 1972; Yoon, 1989) and the normalization is not necessary (Yoon et al., 1995). Formally, the utility value U_j of each alternative is given by:

$$U_j = \prod_{i=1}^n x_{ij}^{w_j}, j = 1, 2, \dots, m$$

- where w_j is the importance weight of the *i*th attribute and x_{ij} is the impact value of the *j*th alternative. Similarly, the alternative with the largest utility value is considered the most preferable one to the decision maker. Theoretically, the utility value may become infinite due to the characteristic of multiplication and the distance between the utility values of the most and second most preferable alternatives would be greater than that derived from SWA method.
 - 3. Cooperative game theory (CGT)

It is developed by Szidarovszky et al. (1978) and it is described as the hybrid of the WP and TOPSIS method. By using CGT, the decision maker looks for a solution that would be as far away from the worst solution as possible. Therefore, the safety of the solution is guaranteed. To define a worst solution, one way is to use the worst impact value of each attribute. Given a set of non-dominant alternatives, the set of worst impact value, denoted as A^- , is defined as:

$$A^{-} = \{(\min_{j} x_{ij} | i \in I), (\max_{j} x_{ij} | i \in I^{*}) | j = 1, 2, \dots, m\} = \{x_{1}^{-}, x_{2}^{-}, \dots, x_{j}^{-}, \dots, x_{n}^{-}\}$$
(13)



(12)



20

5

10

15

where x_{ij} is the impact value of attribute *i* and x_i^- is considered as the worst outcome for each attribute. Once the worst solution is defined, the utility values U_i for each attribute can be measured by the following formula (Gershon, 1984).

$$U_{j} = \prod_{i=1}^{n} |x_{ij} - x_{i}^{-}|^{w_{i}}, \quad j = 1, 2, \dots, m,$$
(14)

where w_i is the importance weight for each attribute. After calculating the utility values, the most preferable alternative can then be defined as the one with the greatest utility; and the result is given by ranking the values in descending order. However, due to the fact that multiplying any value by 0 equals 0, using CGT will automatically screen out all the alternatives that carry at least one worst impact value. Even if those alternatives might result in better outcomes (impacts) in other attributes, they still will not be considered.

4. Technique for order preference by similarity to ideal solution (TOPSIS)

TOPSIS is a technique that is developed by Hwang et al. (1981). They explain that a MADM problem may be viewed as a geometric system. The m alternatives that are evaluated by n attributes are similar to m points in the n-dimensional space. Therefore, the most preferable alternative should satisfy a condition such that it has the "shortest distance" from the positive-ideal solution and the "longest distance" from the negative-ideal solution.

4.4 MADM aggregation

5

10

15

²⁰ Due to the different characteristics of the four MADM methods, the outcomes from applying them to solve a decision-making problem might be diverse. If the diversity is small, then the outcome is considered reliable. If the outcomes are inconsistent, further aggregations have to be done. Different approaches of MADM aggregation were adopted in this paper, including:





1. Average ranking procedure

The average ranking procedure is the simplest technique among the three aggregation methods. This technique is based on the concept of statistical calculation and ranks the alternatives according to the average rankings from the MADM methods.

2. Borda method

5

10

20

25

It is based on the concept of voting and it compares each pair of alternatives separately and forms an $N \times N$ matrix. For each pair of alternatives A_j and $A_{j'}$, the number of votes is defined as the number of "supporting" methods in which A_j is more preferable than $A_{j'}$. Then a $N \times N$ matrix **X** is generated such that: $x_{jj'} = 1$, if A_j receives more votes than $A_{j'}$, $x_{jj'} = 0$, otherwise. S_j indicates the number of "wins" that A_j has received against other alternatives and it is calculated by summing the $x_{jj'}$ in each row of the matrix. Hence, the alternative with the highest S_j is considered the most preferable.

15 3. Copeland method

It is an extension of the Borda method which is also based on the voting concept. It is believed that the aggregation utility of A_j does not only depends on the number of "wins", but the number of "losses" also needs to be taken into account. The number of "losses", denoted as S'_j , is used to compensate the utility value of S_j . S'_j is calculated by summing the values of each column of the matrix and the aggregation utility is simply defined as the difference of S_j from S'_j . As with the Borda method, the Copeland method ranks the alternatives in descending order of their aggregation utilities from largest to smallest. Although using these aggregation methods may still result in inconsistencies among the rankings, some useful patterns can easily be observed by the decision-maker according to the analyzed information.





5 Results

5.1 Indicator value of nine provinces in the Yellow River basin

First, D_{33} indicator-"perfection degree of management system and legal system" which involves the fuzzy data was transformed into numeric data by applying the conversion scale including five terms (see Fig. 3). The indicator refers to the five terms "absolute good", "good", "medium", "poor" and "absolute poor" which are corresponding to the selected scale involving "high", "medium high", "medium", "medium low" and "low". Thus, the membership functions of M_1 , M_2 , M_3 , M_4 and M_5 can be presented as:

$$\mu_{M_1}(x) = -\frac{1}{0.3}x + 1, \quad 0 \le x \le 0.3$$

$$\mu_{M_2}(x) = \begin{cases} \frac{1}{0.25}x, & 0 \le x < 0.25 \\ -\frac{1}{0.25}x + 2, & 0.25 \le x < 0.5 \end{cases}$$

$$\mu_{M_3}(x) = \begin{cases} \frac{1}{0.2}x - \frac{3}{2}, & 0.3 \le x < 0.5 \\ -\frac{1}{0.2}x + \frac{7}{2}, & 0.5 \le x < 0.7 \end{cases}$$

$$\mu_{M_4}(x) = \begin{cases} \frac{1}{0.25}x - 2, & 0.5 \le x < 0.75 \\ -\frac{1}{0.25}x + 4, & 0.75 \le x < 1 \end{cases}$$

$$\mu_{M_5}(x) = \frac{1}{0.3}x - \frac{7}{3}, \quad 0.75 \le x \le 1 \end{cases}$$
(15)

Using Eqs. (3)–(5), the total utility scores were calculated and the set of μ_{total} can substitute the original linguistic terms, which were shown in Table 4. Hence, "absolute good", "good", "medium", "poor" and "absolute poor" were replaced with the values: 0.8846, 0.7000, 0.5000, 0.4333 and 0.1154.





Water resources security in the Yellow River basin is in the middle and the lower level in our country, so there is no need to add the four standard samples (A_a , A_b , A_c and A_d) in order to simplify the calculation process. Therefore, eighteen alternatives were determined in the evaluation including the nine provinces alternatives and nine criteria alternatives. The values of the eighteen alternatives are shown in Tables 5 and 6.

5.2 MADM ranking results

After the evaluation indicator system was established, the values of indicators were normalized by using Eqs. (8) and (9). Hence, the ranking results were obtained under the four MADM methods. By using Eq. (11), the SWA ranking results are: $A_e > A_f >$ Sichuan > A_a > Henan > A_b > Shandong > Qinghai > A_i > Shaanxi > A_i > Gansu > 10 Shanxi > A_k > Inner Mongolia > A_l > A_m > Ningxia. By using Eq. (12), the WP ranking results are: Qinghai > Sichuan > Gansu > A_e > Shandong > A_f > A_a > A_h > Inner Mongolia > Henan > Shaanxi > $A_i > A_i > A_k$ > Shanxi I > $A_i > A_m$ > Ningxia. It is worth noting that when the negative indicator equals to 0, its negative power does not make sense. Therefore, in order to rank all the provinces in the basin and the stan-15 dard alternatives, we used 0.00001 to replace the indicator which equals to 0 and the influence on the results can be ignored. By using Eq. (14), the CGT ranking results are: $A_e > A_f > A_a > A_h$ > Henan > $A_i > A_i$ > Shaanxi > $A_k > A_l$ > Gansu > Shandong > Qinghai > A_m > Inner Mongolia > Shanxi > Sichuan > Ningxia. Specifically, U_i is 0 when the alternative includes at least one indicator which was selected to be the worst 20 sample, which is not conducive to rank all the alternatives. Under this consideration, the positive indicator in the worst sample was minused by 0.00001, and the negative indicator was plused by 0.00001 during the data processing. By using TOPSIS, the ranking results are: Sichuan > A_e > A_f > Qinghai > Henan > A_a > A_h > Shaanxi >

Gansu > Shandong > A_i > Shanxi > A_j > A_k > Inner Mongolia > A_i > A_m > Ningxia.





5.3 MADM aggregation results

The alternatives were ranked according to the mean rankings from the four MADM methods, which are shown in Table 7.

According to Average Ranking Procedure, the final ranking order is: $A_e > A_f > A_q >$

Sichuan > A_h, Henan > Qinghai > Shandong > Gansu > Shaanxi > A_i > A_j > A_k > Inner Mongolia > Shanxi > A_i > A_m > Ningxia. According to Borda, each pair of alternatives were compared separately and the N × N matrix X was formed which is shown in Table 8. According to the value of S_j, the final ranking order is A_e > A_f > Sichuan > A_g > A_h, Henan > Qinghai > Shaanxi, Shandong > A_i, Gansu > A_j > A_k > Shanxi,
and Inner Mongolia > A_i > A_m > Ningxia. For Copeland method, according to the value of S_j - S'_j, the final ranking order is A_e > A_h, Henan > Ningxia.

Shaanxi, Shandong > A_i , Gansu > A_j > A_k > Shanxi > Inner Mongolia > A_l > A_m > Ningxia.

Based on the ranking results of the three aggregation methods, the water resources security degrees of the nine provinces in the Yellow River basin were shown in Table 9.

Copeland aggregation results are shown in Fig. 4 and Table 10.

Among the nine provinces in the Yellow River basin, water resources security evaluation condition is relatively poor in Shanxi, Inner Mongolia and Ningxia province. Ranking results of the thirty-three indicator values were obtained in Table 11.

20 6 Discussions

In the four MADM methods in FMADAA, CGT ranking results have a significant difference with the other three methods. This is because CGT will automatically rule out (or shrink) all the alternatives which contain at least one minimum indicator value of the worst sample although the other indicators are at a higher level of the whole basin. For example, water resources amount is abundant in Sichuan province, and many indica-

²⁵ example, water resources amount is abundant in Sichuan province, and many indicators of the evaluation system are better than the other provinces. However, the three



indicator values are 0 including modulus of groundwater resources, eco-environment water consumption ratio and water-saving irrigation rate, which decreases the whole water resources security in Sichuan province.

- From Table 9, it can be seen that the ranking order is different from Borda and ⁵ Copeland. This is because in FMADAA, four MADM methods' impacts on the results of average ranking procedure method are the same since it is determined by the mean rankings. Hence, we can see that compared with the Copeland aggregation method, the water resources security condition in Henan province is better than in Qinghai province, which is influenced by the results of CGT method. Meanwhile, the condition ¹⁰ in Gansu province is better than that in Shaanxi province and A_i standard alternative because of the impact by the results of WP method. We can also see that the results
- of Copeland are also a little different from the Borda method because it considers both "wins" and "losses" of the alternatives.
- Although the results of the three aggregation methods are not exactly consistent, ¹⁵ some certain and useful information can be obtained that the ranking order is $A_e > A_f$, Sichuan, $A_g > A_h$, Qinghai, Henan $> A_i$, Shandong, Shaanxi, Gansu $> A_j > A_k >$ Shanxi, Inner Mongolia $> A_i > A_m >$ Ningxia. The water resources security in these provinces is in the critical state include Sichuan, Qinghai and Henan. Shanxi and Inner Mongolia are in the insecurity state. Meanwhile, Ningxia province is in the absolute in-²⁰ security state. Shandong, Shaanxi and Gansu provinces are in the critical or insecurity state.

As to the ranking order of one province, because it is based on voting principle, Copeland method will rule out the influence of the large difference of evaluation results between one MADM method and the others. Besides, it considers both "wins"

and "losses" of the alternatives, so to some extent, it is more reasonable. The ranking order by using Copeland method is $A_e > A_f$, Sichuan $> A_g >$ Qinghai $> A_h$, Henan > Shaanxi, Shandong $> A_i$, Gansu $> A_j > A_k >$ Shanxi > Inner Mongolia $> A_i > A_m >$ Ningxia. From the results shown in Fig. 4 and Table 10, we can see that the water resources security of the whole basin is in critical, insecurity and absolute insecurity



state, which is at the lower level in China. The provinces whose water resources security is in the critical state include Sichuan, Qinghai, Henan, Shanxi, Shandong and Gansu. Shanxi and Inner Mongolia are in the in the insecurity state. Meanwhile, Ningxia province is in the absolute insecurity state.

- ⁵ For the regional distribution, we can see that water resources security of the provinces located in the upstream of the Yellow River is better than the other provinces such as Qinghai and Sichuan province. The southern provinces are better than the northern provinces such as Sichuan province. Meanwhile, the developed provinces are better than the other provinces such as Sichuan, Shandong and Henan province.
- ¹⁰ This is because that the amount of water resources is relatively abundant in the upstream and the values of socio-economic related indicators are higher in the developed provinces which enhance its whole water resources security.

Among the nine provinces in the Yellow River basin, water resources security evaluation condition is relatively poor in Shanxi, Inner Mongolia and Ningxia province. From

- Table 10, we can see that the indicator values of water resources pressure system are smaller in the three provinces, which means that in pressure system, water resources pressure is relatively high in the three provinces. Meanwhile, indicators in water resources state and water eco-environment state of state system and socio-economic response system are the worse in Shanxi province. It can be seen that the higher wa-
- ter resources pressure, the worse water resources and water eco-environment state and the backward responses result in insecure water resources in Shanxi province. Similarly, the higher water resources and socio-economic pressure and worse water eco-environment state result in insecure water resources in Inner Mongolia province. Water resource has absolute insecurity in Ningxia province because of the higher pres-
- ²⁵ sure in water resources, socio-economic, water environment system and backward socio-economic responses.

Therefore, the future planning of the Yellow River basin should focus on soil erosion management, improvement of water quality in water function areas, rivers and ground-water in order to improve water eco-environment status in Shanxi and Inner Mongolia





province. Meanwhile, the water utilization efficiency should be improved so that the socio- economic pressure is decreased and water management should be enhanced such as increasing the water conservancy investment, industrial and agricultural water-saving intense and the rural population access to up-to-standard drinking water. In ad-

dition, it is also important to raise the water supply capacity in Shanxi province in order to improve the water resources status and enhance the control of sewage disposal in Ningxia province so that the water environment pressure can be decreased.

In summary, FMADAA can be successfully applied in water resources security evaluation in the Yellow River basin because it's a combination of Fuzzy method and different

- MADM methods and it also aggregates various results of MADM methods, which can provide a more rational result. In addition, the system can also deal with fuzzy information which is usually encountered in practical evaluation process. The ranking results showed that the water resources security of the whole Yellow River basin is in critical, insecurity and absolute insecurity state, which is at the lower level in China especially
- in Shanxi, Inner Mongolia and Ningxia provinces whose water resources are in the insecurity and absolute insecurity state. Hence, future planning of the Yellow River basin should focus on the three provinces in order to promote the overall water resources security and to guarantee the coordinated development in the basin.

7 Conclusions

On the basis of theory of water resources security, we established the "Pressure-State-Response" water resources security evaluation model system in which the water resources protection is integrated in the coordinated operation of the society-economy-environment compound system and the water resources, socio-economy and eco-environment are involved in the "PSR" model. And, the water resources security evaluation system including 33 indicators were established.





- 2. Based on a Fuzzy Multi-Attribute Decision Analysis Approach (FMADAA), the water security evaluation is finished. As to the ranking order of one province, from the results of Copeland aggregation result showed that the water resources security of the whole basin is in critical, insecurity and absolute insecurity state, which is at the lower level in China. The provinces whose water resources security is in the critical state include Sichuan, Qinghai, Henan, Shanxi, Shandong and Gansu. Shanxi and Inner Mongolia are in the in the insecurity state. Meanwhile, Ningxia province is in the absolute insecurity state.
- 3. For the regional distribution, we can see that water resources security of the provinces located in the upstream of Yellow River is better than other provinces such as in Qinghai and Sichuan province. The southern provinces are better than northern provinces such as in Sichuan province. Meanwhile, the developed provinces are better than other provinces such as in Sichuan, Shandong and Henan province. This is because water resources amount is relatively abundant in the upstream and the values of socio-economic related indicators are higher in the developed provinces which enhance their whole water resources security.
 - 4. Since the water resources security in Shanxi, Inner Mongolia and Ningxia is the worst in the whole basin, future planning and management should focus on water management in the three provinces.
- Acknowledgements. This paper was sponsored by National Basic Research Program (973 Program) (2010CB951104), the National Science Foundation for Innovative Research Group (No. 51121003), and the special fund of State Key Lab of Water Environment Simulation (11Z01ESPCN).

References

5

10

15

²⁵ Ana, C. C., John, W. L., and Darrell, G. F.: Multicriteria decision support system for regionalization of integrated water resource management, Water Resour. Manag., 11, 1–22, 2012.





Introduction Abstract Conclusions References **Figures** Back Full Screen / Esc **Printer-friendly Version** Interactive Discussion

HESSD

11, 371-410, 2014

FMADAA-based

evaluation of water

resources security in

Yellow River basin

K. K. Liu et al.

Title Page

- Bass, S. M. and Kwakemaak, H.: Rating and ranking of multiple aspect alternative using fuzzy sets, Automatica, 3, 47–58, 1977.
- Bonissone, P. P.: A fuzzy set based linguistic approach: theory and applications, in: Approximate Reasoning in Decision Analysis, edited by: Gupa, M. M. and Sanchez, E., North-Holland Publishing Company, Asterdam, 329–339, 1982.

5

15

30

- Brown, L. R. and Hilweil, B.: China's water shortage could shake world food security, World Watch, 7, 8, 10–18, 1987.
- Buede, D.: Second overvies of the MCDA software market, Journal of Multi-Attribute Decision Analysis, 5, 312–216, 1996.
- ¹⁰ Chen, S. H.: Ranking fuzzy numbers with maximizing set and minimizing set, Fuzzy Set Syst., 2, 113–129, 1985.
 - Chen, S. J.: Water resources security concept and its discussion, China Water Resources, 17, 13–15, 2004.
 - Chen, S. M.: A new approach to handling fuzzy decision-making problems, IEEE T. Syst. Man Cyb., 6, 1012–1016, 1988.
 - Chu, A. T. W., Kalaba, R. E., and Spingarn, K.: A comparison of two methods for determining the weights of belonging to fuzzy sets, J. Optimiz. Theory App., 27, 531–538, 1979.

Cong, X.: Application of fuzzy mathematics in water quality assessment, Northwestern Water Conservancy and Hydropower, 276, 55–57, 2007 (in Chinese).

- Eom, S. B. and Min, H.: The contributions of multi-attribute decision making to the development of decision support systems subspecialties: an empirical investigation, Journal of Multi-Attribute Decision Analysis, 5, 239–255, 1999.
 - Gershon, M.: The role of weights and scales in the application of multiobjective decision making, Eur. J. Oper. Res., 15, 244–250, 1984.
- ²⁵ Gorge, T. and Mike, S.: Planning against long term water scarcity: a fuzzy multicriteria approach, Water Resour. Manag., 4, 1103–1129, 2011.
 - Han, P. Q., Lu, J. X., and Song, S. H.: Fuzzy clustering's application in water quality evaluation, Environ. Sci. Technol., 30, 165–167, 2001 (in Chinese).

Harrison, M., Saroj, S., and Kalanithy, V.: Multi-attribute decision analysis: a strategic planning tool for water loss management, Water Resour. Manag., 4, 1–23, 2011.

Hwang, C. L. and Chen, S. J.: Fuzzy Multiple Attribute Decision Making: Methods and Applications, Springer, New York, 1992.



Discussion

Paper

Discussion

Paper

Discussion Paper

HESSD 11, 371-410, 2014 **FMADAA-based** evaluation of water resources security in Yellow River basin K. K. Liu et al. Title Page Introduction Abstract Conclusions References **Figures** Back Full Screen / Esc **Printer-friendly Version** Interactive Discussion

Paper

Discussion

Papel

Discussion Paper

Discussion

Pape



- Hwang, C. L. and Yoon, K.: Multiple Attribute Decision Making: Methods and Applications, Springer, New York, 1981.
- Jain, R.: Decision making in the presence of fuzzy variables, IEEE T. Syst. Man Cyb., 6, 698–703, 1976.
- Jain, R.: A procedure for multi-aspect decision making using fuzzy sets, Int. J. Syst. Sci., 8, 1–7, 1977.
 - Jia, S. F. and Zhang, S. F.: Water resources security appraisement of Haihe basin, Progress in Geography, 4, 379–387, 2003 (in Chinese).
- Jia, S. F., Zhang, J. Y., and Zhang, S. F.: Regional water resources stress and water resources security appraisement indicators, Prog. Geogr., 6, 538–545, 2002 (in Chinese).
 - Jia, S. F., He, X. W., and Xia, J.: Problems and countermeasures of water resource security of China, Bulletin of the Chinese Academy of Sciences, 5, 347–351, 2004.
 - Jiang, W. L.: Study on water resource safety strategy for China in the 21st century, Advances in Water Science, 1, 66–71, 2001.
- Li, C. H. and Yang, Z. F.: Natural runoff changes in the Yellow River basin, J. Geogr. Sci., 24, 427–436, 2004.
 - Li, C. H., Yang, Z. F., and Wang, X.: Trends of Annual natural runoff in the Yellow River basin, Water Int., 4, 447–454, 2004.
 - Loucks, D. P.: Sustainable Water Resource Management, Water Int., 1, 3–10, 2000.
- ²⁰ Nijkamp, P., Rietveld, P., and Voogd, H.: Multicriteria Evaluation in Physical Planning, North-Holland Publishing Company, Asterdam, 1990.
 - Parviz, F. and Saeed, F.: A compromise programming model to integrated urban water management, Water Resour. Manag., 6, 1211–1227, 2010.
 - Saaty, T. L.: A scaling method for priorities in hierarchical structures, J. Math. Psychol., 15, 234–281, 1977.
 - Shen, N. and Li, C. H.: Evolution characteristics of runoff in Yellow River during recent 500 years, Journal of Water resources & Water Engineering, 5, 37–40, 2009 (in Chinese).
 Starr, M. K.: Production Management, Prentice-Hall, Englewood Cliffs, NJ, 1972.
- Szidarovszky, F. and Yakowitz, S.: Principles and Procedures of Numerical Analysis, Plenum Press, New York, 1978.
 - WWAP: World Water Development Report-WWDR, Washington D.C., 2002.

25

Xia, J. and Zhang, Y. Y.: Water security in north China and countermeasure to climate change and human activity, Phys. Chem. Earth, 33, 359–363, 2007.

Xia, X. H., Yang, Z. F., and Wu, Y. X.: Incorporation eco-environmental water requirements in integrated evaluation of water quality and quantity – a study for the Yellow River, Water Resour. Manag., 6, 1067–1079, 2009.

Yoon, K.: A reconciliation among discrete compromise situations, Journal of Operational Research Society, 40, 681–686, 1989.

5

10

- Yoon, K. P. and Hwang, C. L.: Multiple Attribute Decision Making: an Introduction. Sage Publication inc., Thousand oaks, California, 1995.
- Yu, Y. B., Wang, B. D., Wang, G. L., and Li, W.: Multi-person multi-objective fuzzy decisionmaking model for reservoir flood control operation, Water Resour. Manag., 2, 111–124, 2004.
- Zhang, J. J.: Fuzzy analytic hierarchy process (FAHP), Fuzzy System and Mathetic, 2, 80–88, 2000 (in Chinese).

Zhang, J. Y.: Impacts evaluation of climate changes on water resources security, China Water Resources, 8, 5–6, 2010 (in Chinese).

- ¹⁵ Zhang, J. Y., Wang, G. Q., Yang, Y., He, R. M., and Liu, J. F.: The possible impacts of climate change on water security in China, Advance Climate Change Research, 5, 290–295, 2008 (in Chinese).
 - Zhang, S. F. and Jia, S. F.: Water balance and water security study in the Haihe basin, Journal of Natural Resources, 3, 684–691, 2003 (in Chinese).
- Zhang, X., Xia, J., and Jia, S. F.: Definition of water security its assessment using, Resource Science, 3, 145–149, 2005 (in Chinese).

Zheng, T. H.: Discussions on water resources safety and water resources safety warning, China Water Resources, 6, 19–22, 2003 (in Chinese).

Zhu, H. Y., Du, S. S., and Gu, Y. Y.: Fuzzy mathematics and its application in surface water
 quality evaluation – take Fuyang River in Handan for an example, Groundwater, 5, 80–90,
 2008 (in Chinese).





Table 1. Water resources security evaluation indicator.

Eva	aluation indicator			Calculation formula	Indicator unit	Indicator meaning	Indicator type
	Water resources Pressure indicators C1	D1	Water production coefficient	Total amount of water resources/precipitation		Reflect the amount of water re- sources	positive
		D2	Annual runoff	Regional runoff/evaluation area	mm	Reflect the amount of water re- sources	positive
		D3	Modulus of groundwater resources	Groundwater resources amount/evaluation area	10 ⁴ m ³ km ⁻²	Reflect the amount of ground- water resources	positive
5		D4	Modulus of water resources	Total amount of water resources/evaluation area	10 ⁴ m ³ km ⁻²	Reflect the amount of water re- sources	positive
calors E		D5	Water utilization rate	Water consumption amount with the excep- tion of eco-environmental water consump- tion/total amount of water resources ×100 %	%	Reflect the development and utilization of water resources	negative
Pressure indicators DI	Socio-economic Pressure indicators C2	D6	Development degree of surface water	Exploitation amount of surface water/surface water resources amount	%	Reflect the development and utilization of surface water re- sources	negative
SD L	02	D7	Development degree of ground- water	Exploitation amount of groundwater/ground- water resources amount	%	Reflect the development and utilization of groundwater re- sources	negative
		D8	Water consumption per 10 000 Yuan of GDP	Total amount of water consumption/GDP	m ³ /10000 Yuan	Reflect the economic water con- sumption level	negative
		D9	Water consumption per 10 000 Yuan of industrial output	Total amount of water consumption/industrial output	m ³ /10 000 Yuan	Reflect the economic water con- sumption level	negative
	Water environment Pressure indicators C3	D10	Ratio of pollutants (COD and am- monia nitrogen)dumped into the river	Pollutants (COD and ammonia nitrogen) amount/annual runoff	t/10 ⁴ m ³	Reflect the discharge condition of the contaminants from the waste water	negative
	00	D11		Excessive extraction area of groundwater (depression funnel)/evaluation area $\times 100~\%$	%	Reflect the excessive extraction condition of groundwater	negative
	Water resources state indicators C4	D12	Index of water resources demand-supply balance(IWDS)	Average water demand amount/water supply amount		Reflect the water demand- supply balance condition	negative
		D13	Water resources amount per capita	Total amount of water resources/total popula- tion	m ³ /person	Reflect the amount of water re- sources and water scarcity con- dition	positive
	Socio-ecnomic state indicators C5	D14	Water supply modulus	Water consumption amount/evaluation area	$10^4 m^3 km^{-2}$	Reflect the intensity of water supply	positive
		D15	Water supply amount per capita	Water consumption amount/total population	m ³ /person	Reflect the intensity of water supply	positive
N		D16	GDP per capita	GDP/total population	10 000 Yuan/person	Reflect the overall economic condition	positive
orare il iulcarors dz		D17	Ratio of agricultural water con- sumption to total consumption	Agricultural water consumption amount/water consumption amount ×100 %	%	Reflect the agricultural water consumption level and the structure of water consumption	negative
מופ		D18	Domestic water consumption per capita	Domestic water consumption amount/total population/365	L(dperson)	¹ Reflect the living water security condition	positive
ñ	Water Eco- environment state indicators C6	D19	Eco-environment water con- sumption ratio	Eco-environment water consumption amount/total population ×100 %	%	Reflect the eco-environment water security condition	positive
	indicatoro de	D20	Ratio of soil erosion area to the total area	Soil erosion area/evaluation area ×100 %	%	Reflect the soil erosion condi- tion	negative
		D21	Up-to-standard rate of water quality in water function area	Number of up-to-standard water func- tion area/total number of water function area × 100 %	%	Reflect the water quality condi- tion in the function area	positive
		D22	Ratio of up-to-standard river length of water quality to the to- tal river length	Up-to-standard river length of water qual- ity/total evaluation river length × 100 %	%	Reflect the river water quality condition	positive
		D23		Class I, II and III groundwater area of water quality/total evaluation area $\times100\%$	%	Reflect the groundwater quality condition	positive



Discussion Paper

Discussion Paper

Discussion Paper



395

Table 1. Continued.

Eva	aluation indicator			Calculation formula	Indicator unit	Indicator meaning	Indicator type
	Socio-ecnomic re- sponse indicators C7	D24	Water conservancy investment rate	Water conservancy investment amount/ GDP $\times 100~\%$	%	Reflect the water conservancy investment condition	positive
		D25	Industrial water re-utilization rate	Industrial water re-utilization amount/ indus- trial water consumption amount ×100 %	%	Reflect the industrial water- saving condition	positive
		D26	Effective irrigation coverage rate	Effective irrigation area/cultivated land area ×100 %	%	Reflect the irrigation level	positive
מורמוטו א הט		D27	Water irrigation efficiency	Field water consumption amount/water intake amount in the field		Reflect the quality of the irriga- tion project, the level of irriga- tion technology and the water ir- rigation management condition	positive
Response indicators		D28	Water-saving irrigation rate	Water-saving irrigation area/effective irriga- tion area ×100 %	%	Reflect the irrigation water- saving condition	positive
		D29	Leakage rate of water supply pipe network	(Urban water supply amount – effective wa- ter supply amount)/Urban water supply amount ×100 %	%	Reflect the urban water-saving condition	negative
		D30	Water-saving appliances pene- tration rate	Water-saving appliances penetration fami- lies/total families ×100 %	%	Reflect the urban water-saving condition	positive
		D31	Ratio of urban population access to up-to-standard drinking water to the total urban population	Urban population access to up-to-standard drinking water/total urban population ×100 %	%	Reflect the urban drinking water condition	positive
		D32		Rural population access to up-to-standard drinking water/total rural population $\times100\%$	%	Reflect the rural drinking water condition	positive
		D33	Perfection degree of manage- ment system and legal system	management system and legal system		Reflect the water resources management condition	positive



Discussion Paper

Discussion Paper

Discussion Paper



Table 2. Criteria of basin water resources security evaluation.

Eva	luation indicator			Indicator			Evaluation criteri	a	
				unit	Absolute security (class I)	Security (class II)	Critical security (class III)	Insecurity (class IV)	Absolute insecurity (class V)
	Water resources Pressure indicators C1	D1	Water production coefficient		≥ 0.3	0.24–0.3	0.18-0.24	0.12-0.18	< 0.12
-		D2	Annual runoff	mm	≥ 130	90-130	50-90	10-50	< 10
B		D3	Modulus of groundwater resources	10 ⁴ m ³ km ⁻²	≥ 5.5	4-5.5	2.5-4	1-2.5	< 1
ţ		D4	Modulus of water resources	10 ⁴ m ³ km ⁻²	≥ 50	38-50	16-38	4-16	< 4
g		D5	Water utilization rate	%	< 1	1–2	2–3	3–4	≥ 4
Pressure indicators B1	indicators C2		Development degree of surface water	%	< 30	30–50	50-70	70–90	≥ 90
sul		D7	Development degree of groundwater	%	< 30	30-50	50-70	70–90	≥ 90
Pres		D8	Water consumption per 10000 Yuan of GDP	m ³ /10 ⁴ Yuan	< 100	100–200	200–300	300-400	≥ 400
		D9	Water consumption per 10 000 Yuan of industrial output	m ³ /10 ⁴ Yuan	< 30	30–60	60–90	90–120	≥ 120
	Water environment Pres- sure indicators C3	D10	Ratio of pollutants (COD and ammonia nitrogen)dumped into the river	t/10 ⁴ m ³	< 0.5	0.5–1	1.0-1.5	1.5–2	≥2
		D11	Area ratio of excessive extraction of groundwater	%	< 0.6	0.6–1	1-1.4	1.4–1.8	≥ 1.8
	Water resources state indicators C4		Index of water resources demand-supply balance (IWDS)		< 0.8	0.8–1	1–1.2	1.2–1.4	≥ 1.4
		D13	Water resources amount per capita	m ³ /person	≥ 1000	750-1000	500-750	250-500	< 250
			Water supply modulus	10 ⁴ m ³ km ⁻²	≥ 16	12–16	8–12	4–8	< 4
		D15	Water supply amount per capita	m ³ /person	≥ 800	600-800	400-600	200-400	< 200
		D16	GDP per capita	10 ⁴ Yuan/person	≥ 1.6	1.4–1.6	1.2-1.4	1–1.2	< 1
ate inc		D17	Ratio of agricultural water consumption to total consumption	%	< 55	55–65	65–75	75–85	≥ 85
ŝ		D18	Domestic water consumption per capita	L(dperson) ⁻¹	≥ 150	125-150	100-125	75-100	< 75
	Water Eco-environment state indicators C6	D19	Eco-environment water consumption ra- tio	%	≥ 3.6	2.7–3.6	1.8–2.7	0.9–1.8	< 0.9
		D20	Ratio of soil erosion area to the total area	%	< 15	15–35	35–50	50-75	≥ 75
		D21	Up-to-standard rate of water quality in water function area	%	≥ 80	65–80	50-65	35–50	< 35
		D22	water quality to the total river length		≥ 80	65–80	50-65	35–50	< 35
		D23	Ratio of class I, II and III groundwater area of water quality to the total area	%	≥ 75	60–75	45–60	30–45	< 30
	Socio-ecnomic response indicators C7	D24	Water conservancy investment rate	%	≥ 5	4–5	3–4	2–3	< 1
		D25	Industrial water re-utilization rate	%	≥ 80	70-80	60-70	50-60	< 50
		D26	Effective irrigation coverage rate	%	≥ 40	30-40	20-30	10-20	< 10
B		D27	Water irrigation efficiency		≥ 0.65	0.55-0.65	0.45-0.55	0.35-0.45	< 0.35
S		D28	Water-saving irrigation rate	%	≥ 90	75-90	60-75	45-60	< 45
dicato		D29	Leakage rate of water supply pipe net- work	%	< 10	10–13	13–16	16–19	≥ 19
Ē		D30	Water-saving appliances penetration rate	%	≥ 60	50-60	40-50	30-40	< 30
Response indicators B3		D31	Ratio of urban population access to up- to-standard drinking water to the total ur- ban population	%	≥ 99	96–99	93–96	90–93	< 90
Res		D32	Ratio of rural population access to up-to- standard drinking water to the total rural	%	≥ 85	75–85	65–75	55–65	< 55
		D33	population Perfection degree of management sys- tem and legal system		absolute good	Good	medium	poor	absolute poor

HESSD 11, 371-410, 2014 **FMADAA-based** evaluation of water resources security in Yellow River basin K. K. Liu et al. **Title Page** Abstract Introduction Conclusions References Tables Figures 14 ►I Close Back Full Screen / Esc **Printer-friendly Version** Interactive Discussion

Discussion Paper

Discussion Paper

Discussion Paper



397

Table 3. Weights of water resources securit	y evaluation indicator.
---	-------------------------

	C1	C2	C3	C4	C5	C6	C7	D-B weights	B1	B2	B3	D-A weights
			С	-B weigh	ts				E	A weigh	ts	
	0.4444	0.3222	0.2333	0.3778	0.3111	0.3111	1.0000		0.4111	0.3333	0.2556	
D1	0.1880							0.0836				0.0344
D2	0.1720							0.0764				0.0314
D3	0.2160							0.0960				0.0395
D4	0.2320							0.1031				0.0424
D5	0.1920							0.0853				0.0351
D6		0.2313						0.0745				0.0306
D7		0.2313						0.0745				0.0306
D8		0.2813						0.0906				0.0373
D9		0.2563						0.0826				0.0339
D10			0.6250					0.1458				0.0600
D11			0.3750					0.0875				0.0360
D12				0.5500				0.2078				0.0693
D13				0.4500				0.1700				0.0567
D14					0.2040			0.0635				0.0212
D15					0.2080			0.0647				0.0216
D16					0.2000			0.0622				0.0207
D17					0.1920			0.0597				0.0199
D18					0.1960			0.0610				0.0203
D19						0.2200		0.0684				0.0228
D20						0.2120		0.0660				0.0220
D21						0.1960		0.0610				0.0203
D22						0.1960		0.0610				0.0203
D23						0.1760		0.0548				0.0183
D24							0.0940	0.0925				0.0236
D25							0.0950	0.0938				0.0240
D26							0.0950	0.0938				0.0240
D27							0.0950	0.0938				0.0240
D28							0.0950	0.0938				0.0240
D29							0.0890	0.0863				0.0220
D30							0.0950	0.0938				0.0240
D31							0.1170	0.1213				0.0310
D32							0.1170	0.1213				0.0310
D33							0.1080	0.1100				0.0281


HESSD 11, 371–410, 2014 **FMADAA-based** evaluation of water resources security in Yellow River basin K. K. Liu et al. Title Page Introduction Abstract Conclusions References Tables Figures .∎◄ ►I

Discussion Paper

Discussion Paper

Discussion Paper

Discussion Paper



<

Back

Close



i	$\mu_{R}(M_i)$	$\mu_{L}(M_i)$	$\mu_{T}(M_i)$
1	0.2308	1.0000	0.1154
2	0.6667	0.8000	0.4334
3	0.5833	0.5833	0.5000
4	0.8000	0.4000	0.7000
5	1.0000	0.2308	0.8846

Discussion Paper	HESSD 11, 371–410, 2014
per Discussion Paper	FMADAA-based evaluation of water resources security in Yellow River basin K. K. Liu et al.
Paper	Title Page Abstract Introduction
Discussion Paper	ConclusionsReferencesTablesFigures
	I I A Back Close
Discussion Pape	Full Screen / Esc Printer-friendly Version



Table 5. Indicator value of 9 provinces in water resources security evaluation system in the Yellow River basin.

Indicator	A ₁ Qinghai	A ₂ Sichuan	A ₃ Gansu	A ₄ Ningxia	A ₅ Inner Mongolia	A ₆ Shaanxi	A ₇ Shanxi	A ₈ Henan	A ₉ Shandong
				0.08		0.14			•
D1 D2	0.28 114.73	0.30 164.59	0.15 63.19	0.08 16.01	0.13 9.18	0.14 47.74	0.11 31.51	0.25 105.51	0.21 78.31
D2 D3	0.08	0.00	0.28	0.46	9.18 1.88	47.74	2.43	4.63	78.31 5.04
	11.55	0.00 16.46	0.28 6.60	0.46 2.06	2.80	6.68	2.43 5.58	4.63 15.18	5.04 12.88
D4 D5	0.12	0.01	0.60	2.06 7.46	2.80	0.00	5.58 0.74	1.01	12.88
D6	9.28 339.02	0.79	42.58	908.40	533.79	49.62	48.21 108.92	105.96 177.87	763.57
D7		100.00	163.19	212.30	85.95	122.89		-	150.58
D8	441.77	134.08	304.19	1128.89	353.94	195.75	133.50	185.66	153.68
D9	312.00	182.00	235.00	228.00	84.00	92.00	67.00	101.00	71.00
D10	0.05	0.00	0.17	2.44	2.16	0.75	0.96	0.46	1.32
D11	0.00	0.00	0.00	0.97	0.00	0.07	2.19	1.16	0.00
D12	1.11	0.71	1.18	1.14	1.09	1.24	1.41	0.97	1.13
D13	3900.74	31123.47	518.24	175.58	496.71	312.89	245.96	321.24	218.17
D14	1.34	0.14	3.08	15.53	6.52	4.71	4.16	15.65	14.58
D15	451.99	266.96	242.26	1321.36	1156.91	220.68	183.56	331.21	247.08
D16	1.02	1.99	0.80	1.17	3.27	1.13	1.38	1.78	1.61
D17	76.02	83.33	58.56	90.19	87.16	61.42	59.82	69.56	57.59 75.79
D18	68.63	60.95	63.88	69.40	80.83	75.58	66.69	73.35	75.78
D19	0.29	0.00	0.91	0.86	0.56	1.15	0.69	1.59	0.61
D20	15.27	21.18	58.44	74.81	82.86	66.30	78.12	54.05	52.20
D21	78.00	50.00	55.00	37.00	43.80	47.10	34.00	48.20	27.60
D22	90.50	58.40	59.90	54.00	38.20	41.80	32.20	44.10	20.00
D23 D24	94.00 5.09	100.00 0.18	44.83 2.38	61.34 2.89	49.95 0.47	79.14 1.29	17.28 2.65	18.80 1.82	6.06 0.50
D24 D25		65.00		2.89 55.00		-	2.65 76.00	72.00	
D25 D26	57.00	2.14	45.00 16.34		58.00	60.00	76.00 34.15	72.00 59.49	70.00 87.71
	38.47			40.53	60.19	41.93			-
D27 D28	0.38	0.46	0.47	0.34	0.44	0.57	0.60	0.55	0.62
	27.90	0.00	46.80	30.97	42.84	54.61	68.67	34.89	46.00
D29 D30	13.50 36.30	18.70 22.00	17.80 45.50	22.00 22.40	16.30 55.10	19.00 60.30	15.60 50.10	18.00 53.50	20.00 55.00
		22.00		22.40 96.00		60.30 94.00			
D31 D32	96.00 54.13	64.88	89.00 58.54	96.00 44.37	54.00 58.27	94.00 60.92	86.00 46.75	90.00 60.81	100.00 70.87
D32 D33	0.70	0.70	0.50	44.37 0.43	0.43	0.50	46.75 0.50	0.50	0.50

HESSD 11, 371-410, 2014 **FMADAA-based** evaluation of water resources security in Yellow River basin K. K. Liu et al. Title Page Abstract Introduction Conclusions References Figures **Tables** 14 ►I Back Close Full Screen / Esc **Printer-friendly Version** Interactive Discussion

Discussion Paper

Discussion Paper

Discussion Paper



Table 6. Indicator value of 9 standards in water resources security evaluation system in the Yellow River basin.

Indicator	A _e	A_{f}	A_g	A _h	A_i	A_j	A_k	<i>A</i> ₁	A _m
D1	0.22	0.21	0.20	0.18	0.17	0.16	0.15	0.13	0.12
D2	80.00	71.25	62.50	53.75	45.00	36.25	27.50	18.75	10.00
D3	4.00	3.63	3.25	2.88	2.50	2.13	1.75	1.38	1.00
D4	35.00	31.25	27.50	23.75	20.00	16.25	12.50	8.75	5.00
D5	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00
D6	50.00	55.00	60.00	65.00	70.00	75.00	80.00	85.00	90.00
D7	50.00	55.00	60.00	65.00	70.00	75.00	80.00	85.00	90.00
D8	200.00	220.00	240.00	260.00	280.00	300.00	320.00	340.00	360.00
D9	65.00	71.25	77.50	83.75	90.00	96.25	102.50	108.75	115.00
D10	0.90	1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.70
D11	0.80	0.85	0.90	0.95	1.00	1.05	1.10	1.15	1.20
D12	1.00	1.05	1.10	1.15	1.20	1.25	1.30	1.35	1.40
D13	750.00	712.50	675.00	637.50	600.00	562.50	525.00	487.50	450.00
D14	12.00	11.00	10.00	9.00	8.00	7.00	6.00	5.00	4.00
D15	600.00	550.00	500.00	450.00	400.00	350.00	300.00	250.00	200.00
D16	1.80	1.75	1.70	1.65	1.60	1.55	1.50	1.45	1.40
D17	65.00	67.50	70.00	72.50	75.00	77.50	80.00	82.50	85.00
D18	125.00	118.75	112.50	106.25	100.00	93.75	87.50	81.25	75.00
D19	2.70	2.48	2.25	2.03	1.80	1.58	1.35	1.13	0.90
D20	35.00	40.00	45.00	50.00	55.00	60.00	65.00	70.00	75.00
D21	65.00	61.25	57.50	53.75	50.00	46.25	42.50	38.75	35.00
D22	65.00	61.25	57.50	53.75	50.00	46.25	42.50	38.75	35.00
D23	60.00	56.25	52.50	48.75	45.00	41.25	37.50	33.75	30.00
D24	4.00	3.75	3.50	3.25	3.00	2.75	2.50	2.25	2.00
D25	75.00	72.50	70.00	67.50	65.00	62.50	60.00	57.50	55.00
D26	70.00	67.50	65.00	62.50	60.00	57.50	55.00	52.50	50.00
D27	0.55	0.53	0.50	0.48	0.45	0.43	0.40	0.38	0.35
D28	75.00	71.25	67.50	63.75	60.00	56.25	52.50	48.75	45.00
D29	13.00	13.75	14.50	15.25	16.00	16.75	17.50	18.25	19.00
D30	55.00	52.50	50.00	47.50	45.00	42.50	40.00	37.50	35.00
D31	96.00	95.25	94.50	93.75	93.00	92.25	91.50	90.75	90.00
D32	75.00	72.50	70.00	67.50	65.00	62.50	60.00	57.50	55.00
D33	0.70	0.50	0.50	0.50	0.43	0.43	0.43	0.12	0.12

HESSD 11, 371-410, 2014 **FMADAA-based** evaluation of water resources security in Yellow River basin K. K. Liu et al. **Title Page** Abstract Introduction Conclusions References Figures **Tables** 14 ►I Back Close Full Screen / Esc **Printer-friendly Version** Interactive Discussion

Discussion Paper

Discussion Paper

Discussion Paper



	M	ADM I	Vetho	ds	Mean
	M1	M2	М3	M4	Rankings
A1 Qinghai	11	18	6	15	12.50
A_2 Sichuan	16	17	2	18	13.25
A_3^{-} Gansu	7	16	8	10	10.25
A_4 Ningxia	1	1	1	1	1.00
A ₅ Inner Mongolia	4	10	4	4	5.50
A ₆ Shaanxi	9	8	11	11	9.75
A7 Shanxi	6	4	3	7	5.00
A ₈ Henan	14	9	14	14	12.75
A ₉ Shandong	12	14	7	9	10.50
A _e	18	15	18	17	17.00
A_f	17	13	17	16	15.75
A_g	15	12	16	13	14.00
A_h^{s}	13	11	15	12	12.75
A_i	10	7	13	8	9.50
A_{i}	8	6	12	6	8.00
A_k	5	5	10	5	6.25
A_{l}^{n}	3	3	9	3	4.50
A _m	2	2	5	2	2.75

Table 7. Summary of indicator values in Average Ranking Procedure.



	<i>A</i> ₁	<i>A</i> ₂	A ₃	A_4	A_5	<i>A</i> ₆	<i>A</i> ₇	A ₈	A ₉	A _e	A_f	A_g	A_h	A_i	A_j	A_k	<i>A</i> ₁	A _m	S_{j}
A ₁	0	0	1	1	1	1	1	0	0	0	0	0	0	1	1	1	1	1	10
A_2	0	0	1	1	1	1	1	1	1	0	0	1	1	1	1	1	1	1	14
A ₃	0	0	0	1	1	0	1	0	1	0	0	0	0	0	0	1	1	1	7
A_4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A_5	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3
A ₆	0	0	1	1	1	0	1	0	0	0	0	0	0	0	1	1	1	1	8
A ₇	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3
A ₈	0	0	1	1	1	1	1	0	1	0	0	0	0	1	1	1	1	1	11
A ₉	0	0	0	1	1	0	1	0	0	0	0	0	0	1	1	1	1	1	8
A _e	1	0	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	16
A_f	1	0	1	1	1	1	1	1	1	0	0	1	1	1	1	1	1	1	15
A_q	0	0	1	1	1	1	1	1	1	0	0	0	1	1	1	1	1	1	13
A _h	0	0	1	1	1	1	1	0	1	0	0	0	0	1	1	1	1	1	11
A_i	0	0	0	1	1	0	1	0	0	0	0	0	0	0	1	1	1	1	7
A_j	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	1	1	1	6
A_k	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	4
A_{I}	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
A _m	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
S'_i	2	0	8	17	13	7	12	4	7	0	1	3	4	8	10	12	15	16	
$S_{j}^{'}-S_{j}^{'}$	8	14	-1	-17	-10	1	-9	7	1	16	14	10	7	-1	-4	-8	-13	-15	

Table 8. $N \times N$ matrix used in Borda and Copeland methods.



Discussion Paper

Discussion Paper

Discussion Paper



	Absolute security	Security				Critical security			Insecurity		Absolute insecurity			
	A _a	A_b	A _c	A _d	A _e	A_f	A_g	A_h	A_i	A_j	A_k	A_{l}	A _m	
(a) Average rank	king procedu	ure m	ethoc	I										
Qinghai								``	/					
Sichuan							,	/						
Gansu								١	/					
Ningxia														\checkmark
Inner Mongolia											`	/		
Shaanxi								`	/					
Shanxi											,	/		
Henan								\checkmark						
Shandong								١	/					
(b) Borda metho	d													
Qinghai								١	/					
Sichuan						`	/							
Gansu									\checkmark					
Ningxia														\checkmark
Inner Mongolia											,	/		
Shaanxi								`	/					
Shanxi											,	/		
Henan								\checkmark						
Shandong								١	/					
(c) Copeland me	ethod													
Qinghai							,	/						
Sichuan						\checkmark								
Gansu									\checkmark					
Ningxia														\checkmark
Inner Mongolia											,	/		
Shaanxi								``	/					
Shanxi											`	/		
Henan								\checkmark						
Shandong								、	/					

Table 9. Evaluation level of water resources security by 3 MADM Aggregation methods in 9 provinces in 2006.





Table 10. Water resources security levels in administrative regions in the Yellow River basin under Copeland aggregation method (in 2006).

	Security level								
	Absolute security	security	Critical security	Insecurity	Absolute insecurity				
Provinces			Sichuan, Qinghai, Henan, Shaanxi and Shandong, Gansu	Shanxi and Inner Mongolia	Ningxia				

Table 11. Ranking results of indicator value in Shanxi, Inner Mongolia and Ningxia provinces.

Eva	luation indicator			Shanxi	Inner Mongolia	Ningxi
	Water resources Pressure indicators C1	D1	Water production coefficient	8	7	9
_	0.	D2	Annual runoff	7	9	8
Β		D3	Modulus of groundwater resources	3	5	6
2		D4	Modulus of water resources	7	8	9
indicators B2		D5	Utilization rate	5	8	9
	Socio-economic Pressure indicators C2	D6	Development degree of surface water	4	7	9
	02	D7	Development degree of groundwater	1	3	8
		D8	Water consumption per 10 000 Yuan of GDP	1	7	9
		D9	Water consumption per 10 000 Yuan of industrial output	1	3	7
	Water environment Pressure indica- tors C3	D10	Ratio of pollutants (COD and ammonia nitrogen) dumped into the river	6	8	9
		D11	Area ratio of excessive extraction of groundwater	9	2	7
	Water resources state indicators C4	D12	Index of water resources demand-supply balance(IWDS)	9	3	6
		D13	Water resources amount per capita	7	4	9
	Socio-ecnomic state indicators C5	D14	Water consumption modulus	6	4	2
		D15	Water supply amount per capita	9	2	1
		D16		5	1	6
		D17	Agricultural water consumption ratio	3	8	9
		D18		7	1	4
	Water Eco-environment state indica- tors C6	D19	Eco-environment water consumption ratio	5	7	4
		D20	Ratio of soil erosion area to the total area	8	9	7
		D21	Up-to-standard rate of water quality in water function area	8	6	7
		D22		8	7	4
		D23		8	5	4
ñ	Socio-ecnomic response indicators C7	D24	Water conservancy investment rate	7	2	8
		D25	Industrial water re-utilization rate	1	6	8
		D26	Effective irrigation coverage rate	7	2	5
		D27		8	3	1
Response indicators		D28		1	5	7
		D29		2	3	9
		D30		5	2	8
		D31		8	9	4
		D32		8	6	9
		D33		5	8	9

HESSD 11, 371-410, 2014 **FMADAA-based** evaluation of water resources security in Yellow River basin K. K. Liu et al. **Title Page** Abstract Introduction Conclusions References Tables Figures 14 ►I Back Close Full Screen / Esc **Printer-friendly Version**

Discussion Paper

Discussion Paper

Discussion Paper

Discussion Paper



Interactive Discussion




Fig. 1. The Yellow River basin.






Fig. 2. Administrative regions to be evaluated of the Yellow River basin.



Discussion Paper

Discussion Paper

Discussion Paper




Fig. 3. One scale for the graph of membership function (Hwang et al., 1992).



Discussion Paper

Discussion Paper

Discussion Paper




Fig. 4. Copeland aggregation results in the nine provinces.



Discussion Paper

Discussion Paper

Discussion Paper

