1 Assessment of precipitation and temperature data from

2 CMIP3 Global Climate Models for hydrologic simulation

3

- 4 T. A. McMahon¹, M. C. Peel¹ and D. J. Karoly²
- 5 [1]{Department of Infrastructure Engineering, University of Melbourne, Victoria, 3010,
- 6 Australia}
- 7 [2]{School of Earth Sciences and ARC Centre of Excellence for Climate System Science,
- 8 University of Melbourne, Victoria, 3010, Australia}
- 9 Correspondence to: M. C. Peel (mpeel@unimelb.edu.au)

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

Abstract

The objective of this paper is identify better performing CMIP3 Global Climate Models (GCMs) that reproduce grid-scale climatological statistics of observed precipitation and temperature as input to hydrologic simulation over global land regions. Current assessments are aimed mainly at examining the performance of GCMs from a climatology perspective and not from a hydrology standpoint. The performance of each GCM in reproducing the precipitation and temperature statistics was ranked and better performing GCMs identified for later analyses. Observed global land surface precipitation and temperature data were drawn from the CRU 3.10 gridded dataset and re-sampled to the resolution of each GCM for comparison. Observed and GCM based estimates of mean and standard deviation of annual precipitation, mean annual temperature, mean monthly precipitation and temperature and Köppen-Geiger climate type were compared. The main metrics for assessing GCM performance were the Nash-Sutcliffe efficiency index and RMSE between modelled and observed long-term statistics. This information combined with a literature review of the performance of the CMIP3 models identified the following better performing GCMs from a hydrological perspective: HadCM3 (Hadley Centre for Climate Prediction and Research), MIROCM (Center for Climate System Research (The University of Tokyo), National Institute for Environmental Studies, and Frontier Research Center for Global Change), MIUB (Meteorological Institute of the University of Bonn, Meteorological Research Institute of

- 1 KMA, and Model and Data group), MPI (Max Planck Institute for Meteorology) and MRI
- 2 (Japan Meteorological Research Institute). The future response of these GCMs was found to
- 3 be representative of the 44 GCM ensemble members which confirms that the selected GCMs
- 4 are reasonably representative of the range of future GCM projections.

6

1 Introduction

- 7 Our primary objective in this paper is to identify better performing GCMs from a hydrologic
- 8 perspective. To do this we assess how well 22 Global Climate Models (GCMs) from the
- 9 World Climate Research Programme's (WCRP's) Coupled Model Intercomparison Project
- phase 3 (CMIP3) multi-model dataset (Meehl et al., 2007) are able to reproduce GCM grid-
- scale climatological statistics of observed precipitation and temperature over global land
- 12 regions. We recognise that GCMs model different variables with a range of success and that
- no single model is best for all variables and/or for all regions (Lambert and Boer, 2001;
- 14 Gleckler et al., 2008). The approach adopted here is not inconsistent with Dessai et al. (2005)
- who regarded the first step in evaluating GCM projection skill is to assess how well observed
- climatology is simulated. We also recognize there have been assessments published in peer-
- 17 reviewed journals, but all appear to be assessed from a climate science perspective. This
- 18 review concentrates on GCM variables and statistical techniques that are relevant to
- 19 engineering hydrologic practice.

- 21 GCM runs for the observed period do not seek to replicate the observed monthly record at any
- point in time and space. Rather a better performing GCM is expected to produce long-term
- 23 mean annual statistics that are broadly similar to observed conditions across a wide range of
- locations. Here, the assessment of CMIP3 GCMs is made by comparing their long-term mean
- annual precipitation (MAP), standard deviation of annual precipitation (SDP), mean annual
- temperature (MAT), mean monthly patterns of precipitation and temperature, and Köppen-
- 27 Geiger climate type (Peel et al., 2007) with concurrent observed data for 616 to 11886
- 28 terrestrial grid cells world-wide (the number of grid cells depends on the resolution of the
- GCM under consideration). These variables were chosen to assess GCM performance because
- 30 they provide insight into the mean annual, inter-annual variability and seasonality of
- 31 precipitation and temperature, which are sufficient to estimate the mean and variability of
- 32 annual runoff from a traditional monthly rainfall-runoff model (Chiew and McMahon, 2002)

or from a top-down annual rainfall-runoff model (McMahon et al., 2011) for hydrologic

2 simulation purposes.

4 The GCMs included in this assessment are detailed in Table 1. (Model acronyms adopted are

listed in the table.) Although no quantitative assessment of the BCCR model is made, this

model is included in Table 1 as details of its performance are available in the literature which

is discussed in Section 2. Other details in the table include the originating group for model

development, country of origin, model name given in the CMIP3 documentation (Meehl et

al., 2007), the number of 20C3M runs available for analysis, the model resolution, and the

number of terrestrial grid cells used in the precipitation and temperature comparisons.

Readers should note that when this project began as a component of a larger study in 2010,

runs from the Coupled Model Intercomparison Project phase 5 (CMIP5) were not available.

We are of the view that the approach adopted here is equally applicable to evaluating CMIP5

runs for hydrologic simulations. Conclusions about better performing models drawn from this

analysis may prove similar to a comparable analysis of CMIP5 runs since most models in

CMIP5 are, according to Knutti et al. (2013), "strongly tied to their predecessors". Analysis of

the CMIP5 models indicates that the CMIP3 simulations are of comparable quality to the

CMIP5 simulations for temperature and precipitation at regional scales (Flato et al., 2013).

This study is part of a larger research project that seeks to enhance our understanding of the uncertainty of future annual river flows world-wide through catchment scale hydrologic simulation, leading to more informed decision-making for the sustainable management of scarce water resources, nationally and internationally. To achieve this, it is necessary to determine, as a minimum, how the mean and variability of annual streamflows will be affected by climate change. Other factors of less importance are changes in the auto-correlation of annual streamflow, changes in net evaporation from reservoir water surfaces, and changes in monthly flow patterns, with the latter being more important for relatively small reservoirs. In this paper we deal with the key drivers of streamflow production namely the mean and the standard deviation of annual precipitation and mean annual temperature, the latter is adopted here as a surrogate for potential evapotranspiration (PET), along with

secondary factors, the mean monthly patterns of precipitation and temperature. Adopting temperature as a surrogate for PET is contentious. We provide a detailed discussion of this issue in the Supplementary Material associated with this paper. Suffice to say that a more complex PET formulation requires additional GCM variables other than temperature which are less reliable. This simplicity comes at the expense of potentially inadequate representation of future changes in PET, which may have important negative consequences when modelling streamflow in energy limited catchments. Nevertheless, in the following discussion we concentrate on mean annual temperature as the GCM variable representing PET.

Computer models of most water resource systems that rely on surface reservoirs to offset streamflow variability adopt a monthly time-step to ensure that seasonal patterns in demand and reservoir inflows are adequately accounted for. However, in a climate change scenario it is more likely that an absolute change in streamflow will have a greater impact on system yield than shifts in the monthly inflow or demand patterns. This will certainly be the case for reservoirs that operate as carryover systems rather than as within-year systems (for an explanation see McMahon and Adeloye (2005)). Therefore, in this paper we assess the GCMs in terms of annual precipitation and annual temperature, and patterns of mean monthly precipitation and temperature.

Following this introduction we describe, and summarise in the next section, several previous assessments of CMIP3 GCM performance. We also include some general comments on GCM assessment procedures. In Section 3, data (observed and GCM based) used in the analysis are described. Details and results of the subsequent analyses comparing GCM estimates of present climate mean and standard deviation of annual precipitation, mean annual temperature, mean monthly precipitation and temperature patterns and Köppen-Geiger climate type against observed data are set out in Section 4. In Section 5, we review the results and compare the literature information with our assessments of the GCMs. The final section of the paper presents several conclusions.

2 Literature

1

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

- 2 As noted above, to assess the impact of climate change on surface water resources of a region
- 3 through hydrologic simulation, it is necessary to assess, as a minimum, the performance of the
- 4 mean and the standard deviation of annual precipitation and mean annual temperature, and the
- 5 mean monthly patterns of precipitation and temperature. Noting this background we describe
- 6 in the next section procedures that have been adopted in the literature to assess GCM
- 7 performance.

2.1 Procedures to assess GCM performance

Ever since the first GCM was developed by Phillips (1956) (see Xu, 1999), attempts have been made to assess the adequacy of GCM modelling. Initially, these evaluations were simple side-by-side comparisons of individual monthly or seasonal means or multi-year averages (Chervin, 1981). To assess model performance, Chervin (1981) extended the evaluation procedure by examining statistically the agreement or otherwise of the ensemble average and standard deviation between the GCM modelled climate and the observed data using the vertical transient heat flux in an example application. Legates and Willmott (1992) compared observed with simulated average precipitation rates by 10° latitude bands. On a twodimensional plot, Taylor (2001) developed a diagram in which each point consisted of the spatial correlation coefficient and the spatial root mean square (RMS) along with the ratio of the variances of the modelled and the observed variables. Recently, some authors have used the Taylor diagram (Covey et al., 2003; Bonsal and Prowse, 2006) or a similar approach (Lambert and Boer, 2001; Boer and Lambert, 2001). Murphy et al. (2004) introduced a Climate Prediction Index (CPI) which is based on a broad range of present-day climates. This index was later used by Johns et al. (2006) for a different set of climate variables than those used by Murphy et al. (2004). Whetton et al. (2005) introduced a demerit point system in which GCMs were rejected when a specified threshold was exceeded. Min and Hense (2006) introduced a Bayesian approach to evaluate GCMs and argued that a skill-weighted average with Bayes factors is more informative than moments estimated by conventional statistics. Shukla et al. (2006) suggested that differences in observed and GCM simulated variables should be examined in terms of their probability distributions rather than individual moments. They proposed the differences could be examined using relative entropy. Perkins et al. (2007) also claimed that assessing the performance of a GCM through a probability density function (PDF) rather than using the first or a second moment would provide more confidence in model assessment. To compare the reliability of variables (in time and space) rather than individual models, Johnson and Sharma (2009a, 2009b) developed the Variable Convergence Score which is used to rank a variable based on the ensemble coefficient of variation. They observed the variables with the highest scores were pressure, temperature, and humidity. Reichler and Kim (2008) introduced a Model Performance Index by first estimating a normalised error variance based on the square of the grid-point differences between simulated (interpolated to the observational grid) and the observed annual climate weighted and standardised with respect to the variance of the annual observations. The error variance was scaled by the average error found in the reference models and, finally, averaged over all climates.

It is clear from this brief review that no one procedure has been universally accepted to assess GCM performance, which is consistent with the observations of Räisänen (2007). We also note the comments of Smith and Chandler (2010, page 379) who said: "It is fair to say that any measure of performance can be subjective, simply because it will tend to reflect the priorities of the person conducting the assessment. When different studies yield different measures of performance, this can be a problem when deciding on how to interpret a range of results in a different context. On the other hand, there is evidence that some models consistently perform poorly, irrespective of the type of assessment. This would tend to indicate that these model results suffer from fundamental errors which render them inappropriate."

In 1992, Legates and Willmott (1992) assessed the adequacy of GCMs based mainly on January and July precipitation fields. Although a number of GCM assessments were carried out during the following one and one-half decades, it was not until 2008 that mean precipitation, either absolute or bias, was included in GCM published assessments. In that year, Reichler and Kim (2008, page 303) argued that the mean bias is an important component of model error.

In Tables 2a and 2b we summarize the application of the numerical metrics and the ranking metrics of precipitation and temperature respectively applied to CMIP 3 data sets at the global

or country scales. These references cover the period from 2006 to 2014. Across these 15 papers, we observe that for precipitation and temperature the spatial root mean square error, either using raw data (RMSE) or normalised data as a percentage of the mean value (RRMSE), is adopted in seven of the 15 studies. (The data are normalised by the corresponding standard deviation of the reference or observed data.) This spatial root mean square metric, along with the bias in the mean of the data, is relevant to hydrologists as it provides an indication of the uncertainty in the climate variables of interest to them. Of more relevance to hydrologists is the uncertainty in temporal mean and variance of climatic variables, which for precipitation are only reported in four of the 15 studies. Although spatial correlation is not used directly in general hydrologic investigations, in GCM assessments it is often combined with the variance and spatial RMSE through the Taylor diagram (Taylor, 2001) which is an excellent summary of the performance of a GCM projected variable. As noted in Table 2, three papers utilize this approach. Lambert and Boer (2001, page 89) extended the Taylor diagram to display the relative mean square differences, the pattern correlations and the ratio of variances for modelled and observed data. This approach to displaying the second order statistics appears not to have been widely adopted. It is noted in Table 2a that only four papers include the mean or bias of the raw precipitation data in the GCM assessments which is important from a hydrological perspective. The second set of metrics listed in Table 2b is used essentially for ranking GCMs by performance. Several other assessment tools not included in Table 2b are the climate prediction index (Murphy et al., 2004) and Bayesian approaches (Min and Hense, 2006).

22

23

24

25

26

27

28

29

30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Specific climate features like the preservation of the ENSO signal (van Oldenborgh et al., 2005) would also be considered to be a non-numerical measure of GCM performance, but in some regions to be no less important to hydrologists than the numerical measures. Most of these ranking metrics have been developed for specific purposes with respective to GCMs and several have little utility to the practicing hydrologist who is primarily interested in bias, variance and uncertainty in projected estimates of precipitation and temperature (plus net radiation, wind speed and humidity to derive potential ET) as input to drive stand-alone global and catchment hydrologic models.

2.2 Results of CMIP3 GCMs assessments

- 2 Table 2a indicates that only two papers (Räisänen, 2007; Gleckler et al., 2008) detail
- 3 numerical measures for both mean annual precipitation and temperature for 21 and 22 CMIP3
- 4 GCMs respectively at a global scale. Reifen and Toumi (2009) (17 GCMs) and Knutti et al.
- 5 (2010) (23 GCMs) address, inter alia, only mean annual temperature. Hagemann et al. (2011)
- 6 used three GCMs to estimate precipitation and temperature characteristics, but the paper
- 7 includes only precipitation results.

8

1

- 9 Räisänen (2007) results illustrate the wide range of model performances that exist: for
- precipitation, RMSE = 1.35 mm day^{-1} with a range of 0.97 1.86 and for temperature RMSE
- 11 = 2.32 °C with a range of 1.58 4.56. Reichler and Kim (2008) considered 14 variables
- covering mainly the period 1979–1999 to assess the performance of CMIP3 models using
- their Model Performance Index. They concluded that there was a continuous improvement in
- model performance from the CMIP1 models compared to those available in CMIP3 but there
- are still large differences in the CMIP3 models' ability to match observed climates. Gleckler
- et al. (2008) normalised the data in Taylor diagrams for a range of climate variables and
- 17 concluded that some models performed substantially better than others. However, they also
- concluded that it is not yet possible to answer the question: What is the best model?

19

- 20 Reifen and Toumi (2009) (Table 2b) using temperature anomalies observed that "... there is
- 21 no evidence that any subset of models delivers significant improvement in prediction
- accuracy compared to the total ensemble". On the other hand, Macadam et al. (2010) (Table
- 23 2a) assessed the performance of 17 CMIP3 GCMs comparing the observed and modelled
- 24 temperatures over five 20-year periods and concluded that GCM rankings based on anomalies
- 25 can be inconsistent over time whereas rankings based on actual temperatures can be
- 26 consistent over time.

- 28 In summary, Gleckler et al. (2008) stated that the best GCM will depend on the intended
- application. In the overarching project of which this study is a component, we are interested
- 30 in the uncertainty in annual streamflow estimated through hydrologic simulation using GCM
- 31 precipitation and temperature and how that uncertainty will affect estimates of future yield

- 1 from surface water reservoir systems. Consequently, we are interested in which GCMs
- 2 reproduce precipitation and temperature satisfactory. Based on the references of Reichler and
- 3 Kim (2008), Gleckler et al. (2008) and Macadam et al. (2010), the performance of 23 CMIP3
- 4 GCMs assessed at a global scale are ranked in Table 3. In the table eight models that meet the
- 5 Reichler and Kim (2008) criterion are also ranked in the upper 50% based on the Macadam et
- 6 al. (2010) and Gleckler et al. (2008) references. These models are CCCMA-t47, CCSM,
- 7 GFDL2.0, GFDL2.1, HadCM3, MIROCM, MPI and MRI.

9

3 Data

- 10 Two data sets are used in the GCM assessment that follows in Section 4. One is based on
- observed data and the other on GCM simulations of present climate (20C3M). It should be
- 12 noted that of the 22 GCMs examined herein, multiple runs or projections were available for
- 13 nine models. The resulting 46 runs are identified in the tables summarising the results.

14

- 15 The first data set is based on monthly observed precipitation and temperature gridded at 0.5° x
- 16 0.5° resolution over the global land surface from CRU 3.10 (New et al., 2002) for the period
- 17 January 1950 to December 1999. For grid cells where monthly observations are not available,
- the CRU 3.10 dataset is based on interpolation of observed values within a 'correlation decay
- distance' of 450 km for precipitation and 1,200 km for temperature. The CRU 3.10 data set
- 20 provides information about the number of observations within the correlation decay distance
- of each grid cell for each month. In this analysis we defined a grid cell as 'observed' if ≥90%
- of months at that grid cell has at least one observation within the correlation decay distance
- 23 for the period January 1950 to December 1999. Only 'observed' grid cells are used to
- 24 compute summary statistics in the following analysis.

- 26 The second data set is monthly precipitation and temperature data for the present climate
- 27 (20C3M) from 22 of the 23 GCMs listed in Table 1 and consists of 46 GCM runs. The
- 28 20C3M monthly data for precipitation and temperature were extracted from the CMIP3
- dataset. As shown in Table 1 the GCMs have a wide range of spatial resolutions, all of which
- are coarser than the observed CRU data. In order to make comparisons between observed and
- 31 GCM data either the CRU and/or GCM data must be re-sampled to the same resolution. To

avoid re-sampling coarse resolution data to a finer resolution we only re-sampled the CRU data here. Thus in the following analysis the performance of each GCM is assessed at the resolution of the GCM and the CRU data are re-sampled to match the GCM resolution. Therefore, the number of grid cells in each comparison varies with the GCM resolution and ranged from 616 to 11886 for the temperature comparisons and 425 to 8291 for the precipitation comparisons. The difference in number of grid cells between temperature and precipitation is due to more terrestrial grid cells having observed temperature data than precipitation data over the period 1950-1999.

In the following analysis comparisons are made between observed and GCM values of mean and standard deviation of annual precipitation and mean annual temperature. The GCM values are based on *concurrent raw* (that is, not downscaled nor bias corrected) data from the 20C3M simulation. For example, if a grid cell has observed calendar-year data from 1953 – 1994, then the comparison is made with GCM values from the 20C3M run for the concurrent calendar years 1953 – 1994. Although the aim of a 20C3M run from a given GCM is not to strictly replicate the observed monthly record, we expect better performing GCMs to reproduce mean annual statistics that are broadly similar to observed conditions. Average monthly precipitation and temperature patterns are also compared to assess how well GCM runs reproduce observed seasonality. Finally, we assess how well the Köppen-Geiger climate classification (Peel et al., 2007) estimated from the CMIP3 data compares with present-day gridded observed climate classification.

4 Comparison of present climate GCM data with observed data

In the analyses that follow, GCM estimates of mean annual precipitation and temperature and the standard deviation of annual precipitation are compared against observed estimates for terrestrial grid cells with ≥90% observed data during the period 1950–1999.

Eight standard statistics – Nash-Sutcliffe efficiency (NSE) (Nash and Sutcliffe, 1970), product moment coefficient of determination (R²) (MacLean, 2005), standard error of regression (Maidment, 1992), bias (MacLean, 2005), percentage bias (Maidment, 1992), absolute percentage bias (MacLean, 2005), root mean square error (RMSE) (MacLean, 2005)

and mean absolute error (MacLean, 2005) – were computed as the basis of comparison but we report only the NSE, R^2 and RMSE in the following discussion. For our analysis, the NSE is the most useful statistic as it shows the proportion of explained variance relative to the 1:1 line in a comparison of two estimates of the same variable. R^2 is included because many analysts are familiar with its interpretation. Both NSE and R^2 were computed in arithmetic (untransformed) and natural log space. We have also included RMSE values (computed from

the untransformed values) as many GCM analyses include this measure.

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

1

2

3

4

5

6

7

In the following sub-sections comparisons between the concurrent raw GCM data and observed values for MAP, SDP, MAT, long-term average monthly precipitation and temperature patterns, and Köppen-Geiger climate classification at the grid cell scale are presented and discussed. Although we rank the models by each selection criteria and combine the ranks by addition, we note the warning of Stainforth et al. (2007) who argue that model response should not be weighted but ruled in or out. We follow this approach in this paper by identifying better performing GCMs to be used for hydrologic simulations reported in a companion paper (Peel et al., 2014). This approach is consistent with the concept recognised by Randall et al. (2007, page 608) that "... for models to predict future climatic conditions reliably, they must simulate the current climatic state with some as yet unknown degree of fidelity. Poor model skill in simulating present climate could indicate that certain physical or dynamical processes have been misrepresented". It is noted that our comparisons are conducted over the global terrestrial land surface rather than focussing on a single catchment, region or continent. This allows us to assess whether a GCM performs consistently well across a large area and reduces the chance of a GCM being selected due to a random high performance over a small area.

4.1 Mean annual precipitation

Comparisons of mean annual precipitation and the standard deviation of annual precipitation between GCM estimates and observed data for the grid cells across the 46 runs are presented in Table 4. For MAP, the Nash-Sutcliffe efficiency varied from a maximum of 0.68 (R² = 0.69) with a RMSE value of 335 mm year⁻¹ for model MIUB(3) to -0.54 for GISS-EH(3). (GCM run number is enclosed by parenthesis, for example MIUB(3) is run 3 for the GCM MIUB.) The MAP values for MIUB(3) are compared with the observed CRU MAP values in

- Figure 1. Each data point in this figure represents a MAP comparison at one of the 632
- 2 MIUB(3) terrestrial grid cells where observed CRU 3.10 data were available for the period
- 3 January 1950 to December 1999. The relationship between GCM and observed MAP shown
- 4 in this figure is representative of the other GCMs where high MAPs are underestimated and
- 5 low MAPs are overestimated. GISS-EH(3), shown in Figure 2, is an example of a poorly
- 6 performing GCM in terms of mean annual precipitation. Here, based on untransformed data,
- 7 the Nash-Sutcliffe efficiency is -0.54 ($R^2 = 0.37$) with a RMSE value of 697 mm year⁻¹.

22

- 9 The range of NSE values for the MAP comparisons across the 46 GCM runs is plotted in
- Figure 3. The results may be classified into four groups: 5 runs exhibiting NSE > 0.6, 27 runs
- 11 $0.4 < \text{NSE} \le 0.6$, 6 runs $0 < \text{NSE} \le 0.4$ and 8 runs ≤ 0 where the predictive power of the GCM
- is less than using the average observed MAP across all grid cells (Gupta et al., 2009).

13 **4.2 Standard deviation of annual precipitation**

- 14 For the standard deviation of annual precipitation, HadCM3 was the best performing model
- with a NSE of 0.57, R² of 0.62 and a RMSE of 51 mm year⁻¹. MIROCH also yielded a NSE of
- 16 0.57 and an R² of 0.58 but with a RMSE of 63 mm year⁻¹. These results along with other
- standard deviation values are listed in Table 4. Figure 4 is a plot for MIUB(3), which is
- 18 representative (rank 4, that is the 4th best performance of the 46 runs) of the relationship
- between GCM and observed SDP, and shows the model underestimates the standard deviation
- 20 of annual precipitation for high values and overestimates at low values of standard deviation
- 21 compared with observed values.

4.3 Mean annual temperature

- 23 The comparison of the GCM mean annual temperatures with concurrent observed data for the
- 24 grid cells are listed for each model run in Table 4. In contrast to the precipitation modelling,
- 25 the mean annual temperatures are simulated satisfactorily by most of the GCMs. Except for
- 26 the IAP and the GFLD2.0 models (NSE = \sim 0.90 and 0.93 respectively), all model runs exhibit
- NSE values ≥ 0.94 with 17 of the 46 GCM runs having a NSE value ≥ 0.97 . A comparison
- between MIUB(3) estimates of mean annual temperature (NSE = 0.96, rank 33) and observed
- values from the CRU data set is presented in Figure 5. Also shown in Figure 5 is a linear fit

- between GCM and observed MAT. The average fit for the 46 GCM runs (not shown)
- 2 exhibited a small negative bias of -1.03°C and a slope of 1.01.

4.4 Average monthly precipitation and temperature patterns

4 Because a monthly rainfall-runoff model is applied in the next phase of our analysis (reported 5 in a companion paper) it is considered appropriate to assess how well the GCMs simulate the observed mean monthly patterns of precipitation and temperature (see also the argument of 6 Charles et al., 2007). The NSE was used for the assessment by comparing the 12 long-term 7 8 average monthly values. For each GCM run the average precipitation and temperature values 9 for each month were calculated for each grid cell. Nash-Sutcliffe efficiencies were computed 10 between the equivalent 12 GCM and 12 CRU based monthly averages. The median NSE 11 values across terrestrial grid cells where observed CRU 3.10 data were available for the period January 1950 to December 1999 for each GCM run are summarised in Table 4. As 12 shown in Table 4 average monthly patterns of precipitation are poorly modelled. In fact, 57% 13 14 of the 46 model runs have a median NSE value of < 0. For these GCMs their predictive power for the monthly precipitation pattern is less than using the average of the 12 monthly values at 15 each of the terrestrial grid cells. Only two GCMs have NSE values > 0.25. In contrast, the 16 17 median NSEs of all monthly temperature patterns are > 0.75, with 41% > 0.90. The NSE 18 metric reflects how well the GCM replicates both the monthly pattern and the overall average 19 monthly value (bias). Thus the monthly pattern of temperature is generally well reproduced 20 by the GCMs, whereas the monthly pattern of precipitation is not, which is mainly due to the 21 bias in the GCM average monthly precipitation.

4.5 Köppen-Geiger classification

22

23

24

25

26

27

28

29

30

31

The Köppen-Geiger climate classification (Peel et al., 2007) (see Table 5) provides an alternate way to assess the adequacy of how well a GCM represents climate because the classification is based on a combination of annual and monthly precipitation and temperature data. Two comparisons between the MPI(3) model and CRU observed data are presented in Table 6. The MPI(3) was chosen as an example here as over the three levels of climate classes it estimated the observed climate correctly more often than the other model runs. In Table 6(a) a comparison at the first letter level of the Köppen-Geiger climate classification is shown. This comparison reveals how well the GCM reproduces the distribution of broad climate types: tropical, arid, temperate, cold and polar over the terrestrial surface. In Table 6(b) the

comparison shown is for the second letter level of the Köppen-Geiger climate classification, which assesses how well the GCM reproduces finer detail within the broad climate types; for example, the seasonal distribution of precipitation or whether a region is semi-arid or arid. The diagonal values shown in Tables 6(a) and 6(b) represent the number of grid cells correctly classified by the GCM whereas the off-diagonal values are the number of grid cells incorrectly classified by the GCM for the one- and two-letter level respectively. At the first letter level MPI(3) reproduces the correct climate type at 81% of the terrestrial grid cells. Within this good performance the MPI(3) produces more polar climate and less tropical and cold grids cells than observed. At the second letter level, MPI(3) reproduces the correct climate type at 67% of the terrestrial grid cells. The model produces less grid cells of tropical rainforest, cold with a dry winter and cold without a dry season than expected and more cold with a dry summer and polar tundra than expected.

Table 7 summarises the overall proportion of GCM grid cells that were classified correctly for each GCM run across the three levels of classification. As we wish to have a ranking of the comparisons we adopted this simple measure as it is regarded as "... one of the most basic and widely used measures of accuracy..." for comparing thematic maps (Foody, 2004, page 632). From Table 7 we observe that GCM accuracy in reproducing the climate classification decreases as one moves from coarse to fine detail climate classification. The average accuracy (and range) for the three classes are: 0.48 (0.36-0.60) for the three-letter classification, 0.57 (0.47-0.68) for the two-letter classification, and for one-letter 0.77 (0.66-0.82). In other words, at the three-letter scale nearly 50% of GCM Köppen-Geiger estimates are correct, increasing to nearly 60% at the two-letter level and, finally, at the one-letter aggregation more than 75% are correct across the 46 GCM runs. Using these average values across the three classes, the following seven models performed satisfactorily in identifying Köppen-Geiger climate class correctly: CNRM, CSIRO, HadCM3, HadGEM, MIUB, MPI, and MRI. Of these models the least successful run was for CSIRO with the percentage correct for each class being: three-letter 51%, two-letter 60% and one-letter 78%.

5 Discussion

1

22

23

24

25

26

27

28

29

30

2 5.1 Relating GCM resolution to performance

In the analysis presented in the previous section each GCM's performance in reproducing 3 4 observed climatological statistics was assessed at the resolution of the individual GCM. The question of whether GCMs with a finer resolution outperform GCMs with a coarser resolution 5 is addressed in Figure 6 where GCM performance in reproducing observed terrestrial MAP 6 and MAT, based on the NSE, is related to GCM resolution, defined as the number of grid 7 8 cells used in the comparison. The plot suggests there is no significant relationship between GCM resolution and GCM performance beyond 1500 grid cells for either MAP or MAT. 9 10 Interestingly, some lower resolution GCMs, <1500 grid cells, perform as well as higher resolution GCMs for MAP and MAT, yet for others, they perform poorly. While it is 11 12 sometimes assumed that higher resolution should normally lead to improved performance, there are many other factors that affect performance. These include the sophistication of the 13 14 parameterisation schemes for different sub-grid scale processes, the time spent in developing and testing the individual schemes and their interactions. Our purpose here is to report this 15 observation rather than speculate what it might mean for GCM model development. Our 16 observation is consistent with Masson and Knutti (2011) who comment that "... model 17 18 resolution in CMIP3 seems to only affect performance in simulating present-day temperature for small scales over land" (page 2691) and for precipitation they comment that "...no clear 19 20 relation seems to exist at least within the relatively narrow range of resolutions covered by CMIP3" (page 2686). 21

5.2 Joint comparison of precipitation and temperature

In using GCM climate scenarios in a water resources study, it is appropriate to ensure consistency between precipitation and temperature by adopting projections of these variables from the same GCM run. Grid cell based NSEs for mean annual temperature and mean annual precipitation from each GCM are compared in Figure 7, which illustrates the performance of each GCM for both variables. Models that have relatively high NSEs for precipitation do not necessarily have relatively high values for temperature. It is interesting to note that the rank of the models based on NSE of the MAP is unrelated to the ranking of the models based on MAT. Fortunately, however, most of the NSEs for MAT are relatively high and the

- acceptance or rejection of a GCM as a better performing model is largely dependent on its
- 2 precipitation characteristics.

3 5.3 Identifying better performing GCMs

4 To identify the better performing GCMs across the different variables assessed, the results in Table 4 are ranked by Nash-Sutcliffe efficiency and summarised in Table 8. The monthly 5 patterns of precipitation and temperature are combined by ranking the average of their 6 respective NSE values. The overall rank for each GCM run is based on combining, by 7 8 addition, the ranks for the individual variables and, finally, identifying the best performing run from each GCM. Selection of the better performing GCMs using these rankings is not 9 10 inconsistent with Stainforth et al. (2007) who argued that model response should not be 11 weighted but ruled in or out. From Table 8 we identify several GCMs, listed in Table 9, as 12 better performing models. These selected GCMs were based on the assumption that performance across the four variables (MAP, SDP, MAT and combined monthly pattern) is 13 14 equally weighted. GCMs that achieved MAP NSE > 0.50, SDP NSE > 0.45, MAT NSE > 0.95 and mean monthly pattern of precipitation NSE > 0.0 (Table 4) were identified as better 15 performing. (Because nearly all the GCM runs modelled mean monthly patterns of 16 17 temperature satisfactorily, this measure was not considered in the selection of models listed in 18 column 1, Table 9.) The following GCMs were selected (Table 9): HadCM3, INGV, 19 MIROCM, MIUB, MPI, and MRI. INGV was included although it failed the monthly 20 precipitation pattern criterion. The above criteria were selected to identify a small number of 21 GCMs that would require less bias correction to produce annual precipitation and temperature consistent with observations. 22

23

24

25

26

27

28

29

30

31

In Table 9, we summarise our observations from the literature review in Section 2 and the results from our analyses in Tables 4 and 8, where we identified six GCMs that satisfied our selection criteria (Table 9, column 1). From the literature review (Table 3), eight GCMs were identified as being satisfactory. We have added MIUB because in the literature review it ranked first overall, although no guidance was available from Reichler and Kim (2008). We also added MIROCH to this list as it performed better according to Gleckler et al. (2008) than several models in the above list and met the performance index of Reichler and Kim (2008). Columns (1) and (2) of Table 9 suggest there is some consistency between our analyses from

a hydrological perspective and that reported in the literature from a climatological perspective. From the table, we identify that, in terms of our objective to assess how well the CMIP3 GCMs are able to reproduce observed annual precipitation and temperature statistics and the mean monthly patterns of precipitation and temperature, the following models are deemed acceptable for the next phase of our project: HadCM3, MIROCM, MIUB, MPI and MRI. Although not used in the selection criteria we observe our selected GCMs performed well in the Köppen-Geiger climate assessment. We note here that INGV also performed satisfactorily but it was not included in our adopted GCMs as it was not reviewed in the papers of Gleckler et al. (2008), Reichler and Kim (2008) and Macadam et al. (2010).

5.4 Comparing future responses of selected GCMs

In order to confirm that the selected GCM runs are representative of the range of future responses to climate change in the CMIP3 ensemble, we plot in Figure 8 the ratio of mean annual precipitation for the period 2015-2034 (from the A1B scenario) to 1965-1994 against the mean annual temperature difference between 2015-2034 and 1965-1994 for the global land surface. The five selected GCM runs are well distributed amongst the 44 GCM ensemble members, which indicate that the selected GCMs are reasonably representative of the range of future GCM projections if all the runs were considered. We observe that most GCM runs are clustered around the median response, except for the seven CCSM runs in the top right quadrant with a precipitation ratio > ~1.04.

6 Conclusions

Our primary objective in this paper is to identify better performing GCMs from a hydrologic perspective over global land regions. The better performing GCMs were identified by their ability to reproduce observed climatological statistics (mean and the standard deviation of annual precipitation and mean annual temperature, and the mean monthly patterns of precipitation and temperature) for hydrologic simulation. The GCM selection process was informed by our results presented here and by a literature review of CMIP3 GCM performance. In terms of the Nash-Sutcliffe efficiency there was a large spread in values for mean annual precipitation and the standard deviation of annual precipitation over concurrent periods. The highest NSE for mean annual precipitation was 0.68 and 0.57 for the standard deviation of annual precipitation. On the other hand, for mean annual temperatures, the NSEs

- between modelled and observed data were very high, with median NSE being 0.97. Overall,
- 2 all GCMs reproduced the Köppen-Geiger climate satisfactorily at the broad first letter level.
- 3 From the literature, the following GCMs were identified as being suitable to simulate annual
- 4 precipitation and temperature statistics: CCCMA-T47, CCSM, GFDL2.0, GFDL2.1,
- 5 HadCM3, MIROCH, MIROCM, MIUB, MPI and MRI. After combining our results with the
- 6 literature the following GCMs were considered the better performing models from a
- 7 hydrologic perspective: HadCM3, MIROCM, MIUB, MPI and MRI. The future response of
- 8 the better performing GCMs was found to be representative of the 44 GCM ensemble
- 9 members which confirms that the selected GCMs are reasonably representative of the range of
- 10 future GCM projections. Our approach for evaluating GCM performance for hydrologic
- simulation could be applied to CMIP5 runs.

13

Acknowledgements

- 14 This research was financially supported by Australian Research Council Grant LP100100756
- and FT120100130, Melbourne Water and the Australian Bureau of Meteorology. Lionel
- 16 Siriwardena, Sugata Narsey and Dr Ian Smith assisted with extraction and analysis of CMIP3
- 17 GCM data. Lionel Siriwardena also assisted with extraction and analysis of the CRU 3.10
- data. We acknowledge the modeling groups, the Program for Climate Model Diagnosis and
- 19 Intercomparison (PCMDI) and the WCRP's Working Group on Coupled Modelling (WGCM)
- 20 for their roles in making available the WCRP CMIP3 multi-model dataset. Support of this
- 21 dataset is provided by the Office of Science, U.S. Department of Energy. The authors thank
- 22 two anonymous reviewers who provided stimulating comments on the discussion paper.

References

- Boer, G. J., and Lambert, S. J.: Second order space–time climate difference statistics, Clim.
- 3 Dynam., 17, 213–218, 2001.
- 4 Bonsal, B. T., and Prowse, T. D.: Regional assessment of GCM-simulated current climate
- 5 over Northern Canada, Arctic, 59(2), 115-128, 2006.
- 6 Charles, S. P., Bari, M. A., Kitsios, A., and Bates, B. C.: Effect of GCM bias on downscaled
- 7 precipitation and runoff projections for the Serpentine catchment, Western Australia, Int. J.
- 8 Climatol., 27, 1673-1690, 2007.
- 9 Chervin, R. M.: On the Comparison of Observed and GCM Simulated Climate Ensembles,
- 10 Journal of Atmospheric Sciences, 38(5), 885-901, 1981.
- 11 Chiew, F. H. S., and McMahon, T. A.: Modelling the impacts of climate change on Australian
- 12 streamflow, Hydrol. Process., 16, 1235–1245, 2002.
- Covey, C., Achutarao, K. M., Cubasch, U., Jones, P., Lambert S. J., Mann, M. E., Phillips, T.
- 14 J., and Taylor, K. E.: An overview of results from the Coupled Model Intercomparison
- 15 Project, Global and Planetary Change, 37, 103–133, 2003.
- Dessai, S., Lu, X., and Hulme, M.: Limited sensitivity analysis of regional climate change
- 17 probabilities for the 21st century, J. Geophys. Res., 110, D19108,
- 18 doi:10.1029/2005JD005919, 2005.
- 19 Flato, G., Marotzke, J., Abiodun, B., Braconnot, P., Chou, S. C., Collins, W., Cox, P.,
- Driouech, F., Emori, S., Eyring, V., Forest, C., Gleckler, P., Guilyardi, E., Jakob, C., Kattsov,
- V., Reason, C., and Rummukainen, M.: Evaluation of Climate Models. In: Climate Change
- 22 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment
- 23 Report of the Intergovernmental Panel on Climate Change [Stocker, T. F., D. Qin, G.-K.
- 24 Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P. M. Midgley
- 25 (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA,
- 26 2013.
- 27 Foody, G. M.: Thematic map comparison: Evaluating the statistical significance of
- differences in classification accuracy, Photogramm. Eng. Rem. S., 70(5), 627-633, 2004.
- 29 Gleckler, P. J., Taylor, K. E., and Doutriaux, C.: Performance metrics for climate models, J.
- 30 Geophys. Res.-Atmos., 113, D06104, doi:10.1029/2007JD008972, 2008.

- 1 Gupta, H. V., Kling, H., Yilmaz, K. K., and Martinez, G. F.: Decomposition of the mean
- 2 squared error and NSE performance criteria: Implications for improving hydrological
- 3 modelling, J. Hydrol., 377, 80-91, 2009.
- 4 Hagemann, S., Chen, C., Haerter, J.O., Heinke, J., Gerten, D. and Piani, C.: Impact of a
- 5 statistical bias correction on the projected hydrological changes obtained from three GCMs
- 6 and two hydrology models. J. Hydrometeor. 12, 556-578, 2011.
- 7 Heo, K.-Y., Ha, K.-J., Yun, K.-S., Lee, S.-S., Kim, H.-J. and Wang, B.: Methods for
- 8 uncertainty assessment of climate models and model predictions over East Asia. International
- 9 Journal of Climatology, 34:10.1002/joc.2014.34.issue-2, 377-390, 2014.
- Johns, T. C., Durman, C. F., Banks, H. T., Roberts, M. J., Mclaren, A. J., Ridley, J. K.,
- 11 Senior, C. A., Williams, K. D., Jones, A., Rickard, G. J., Cusack, S., Ingram, W. J., Crucifix,
- 12 M., Sexton, D. M. H., Joshi, M. M., Dong, B.-W., Spencer, H., Hill, R. S. R., Gregory, J. M.,
- 13 Keen, A. B., Pardaens, A. K., Lowe, J. A., Bodas-Salcedo, A., Stark, S., and Searl, Y.: The
- 14 new Hadley Centre climate model (HadGEM1): evaluation of coupled simulations, J.
- 15 Climate, 19, 1327–1353, 2006.
- Johnson, F. M., and Sharma, A.: GCM simulations of a future climate: How does the skill of
- 17 GCM precipitation simulations compare to temperature simulations, 18th World
- 18 IMACS/MODSIM Congress, Cairns, Australia, 2009a.
- 19 Johnson, F. and Sharma, A.: Measurement of GCM skill in predicting variables relevant for
- 20 hydroclimatological assessments, J. Climate, 22(16), 4373-4382, 2009b.
- 21 Knutti, R., Furrer, R., Tebaldi, C., Cermak, J. And Meehl, G.A.: Challenges in combining
- projections from multiple climate models. Journal of Climate, 23, 2739-2758.
- 23 Knutti, R., Masson, D., and Gettelman, A.: Climate model genealogy: Generation CMIP5 and
- 24 how we got there, Geophys. Res. Lett., 40, 1194–1199, 2013.
- Lambert, S. J., and Boer, G. J.: CMIP1 evaluation and intercomparison of coupled climate
- 26 models, Clim. Dynam., 17, 83–106, 2001.
- 27 Legates, D. R., and Willmott, C. J.: A comparison of GCM-simulated and observed mean
- January and July precipitation, Global and Planetary Change, 5(4), 345-363, 1992.

- 1 Macadam, I., Pitman, A. J., Whetton, P. H., and Abramowitz, G.: Ranking climate models by
- 2 performance using actual values and anomalies: Implications for climate change impact
- 3 assessments, Geophys. Res. Lett., 37, L16704, 2010.
- 4 MacLean, A.: Statistical evaluation of WATFLOOD (Ms), 2005.
- 5 Maidment, D. R.: Handbook of Hydrology. McGraw-Hill Inc., 1992.
- 6 Masson, D. and Knutti, R.: Spatial-scale dependence of climate model performance in the
- 7 CMIP3 ensemble, J. Clim. 24, 2680-2692, 2011.
- 8 McMahon, T. A., and Adeloye, A. J.: Water Resources Yield. Water Resources Publications,
- 9 CO, USA, 220pp, 2005.
- 10 McMahon, T. A., Peel, M. C., Pegram, G. G. S., and Smith, I. N.: A simple methodology for
- estimating mean and variability of annual runoff and reservoir yield under present and future
- 12 climates, J. Hydrometeorol., 12(1), 135-146, 2011.
- 13 Meehl, G. A., Covey, C., Delworth, T., Latif, M., McAvaney, B., Mitchell, J. F. B., Stouffer,
- 14 R. J., and Taylor, K. E.: The WCRP CMIP3 multi-model dataset: A new era in climate change
- 15 research, B. Am. Meteorol. Soc., 88, 1383-1394, 2007.
- 16 Min, S.-K., and Hense, A.: A Bayesian approach to climate model evaluation and multi-
- model averaging with an application to global mean surface temperatures from IPCC AR4
- 18 coupled climate models, Geophys. Res. Lett., 33, doi:10.1029/2006GL025779, 2006.
- 19 Murphy, J. M., Sexton, D. M. H., Barnett, D. N., Jones, G. S., Webb, M. J., Collins, M. J., and
- 20 Stainforth, D. A.: Quantification of modelling uncertainties in a large ensemble of climate
- 21 change simulations, Nature, 430, 768–772, 2004.
- Nash, J. E., and Sutcliffe, J. V.: River flow forecasting through conceptual models Part 1 A
- 23 discussion of principles, J. Hydrol., 10, 282-290, 1970.
- New, M., Lister, D., Hulme, M., and Makin, I.: A high-resolution data set of surface climate
- 25 over global land areas, Clim. Res., 21, 1–25, 2002.
- Peel, M. C., Finlayson, B. L., and McMahon, T. A.: Updated world map of the Köppen-
- 27 Geiger climate classification, Hydrol. Earth Syst. Sc., 11, 1633-1644, 2007.

- 1 Peel, M. C., Srikanthan, R., McMahon, T. A., and Karoly, D. J.: Approximating uncertainty
- 2 of annual runoff and reservoir yield using stochastic replicates of Global Climate Model data,
- 3 Submitted to Hydrol. Earth Syst. Sc., 2014.
- 4 Perkins, S. E., Pitman, A. J., Holbrook, N. J., and McAneney, J.: Evaluation of the AR4
- 5 climate models simulated daily maximum temperature, minimum temperature and
- 6 precipitation over Australia using probability density functions, J. Climate, 20, 4356-4376,
- 7 2007.
- 8 Phillips, N. A.: The general circulation of atmosphere: a numerical experiment, Q. J. R.
- 9 Meteorol. Soc., 82, 123–164, 1956.
- Räisänen, J.: How reliable are climate models? Tellus A, 59, 2-29, 2007.
- Raju, K.S. and Kumar, D.N.: Ranking of global climate models for India using multicriterion
- 12 analysis. Climate Research, 60, 103-117, 2014.
- 13 Randall, R.A. and Wood, R.A. (Coordinating lead authors): Climate models and their
- 14 evaluation. Contribution of Working Group I to the Fourth Assessment Report of the
- 15 Intergovernmental Panel on Climate Change AR4, Chapter 8, 589-662, 2007.
- Reichler, T., and Kim, J.: How well do coupled models simulate today's climate? B. Am.
- 17 Meteorol. Soc., 89, 303–311, 2008.
- 18 Reifen, C., and Toumi, R.: Climate projections: Past performance no guarantee of future skill?
- 19 Geophys. Res. Lett., 36, L13704, doi:10.1029/2009GL038082, 2009.
- Shukla, J., DelSole, T., Fennessy, M., Kinter, J., and Paolino, D.: Climate model fidelity and
- 21 projections of climate change, Geophys. Res. Lett., 33, L07702, DOI:
- 22 10.1029/2005GL025579, 2006.
- 23 Smith, I., and Chandler, E.: Refining rainfall projections for the Murray Darling Basin of
- 24 south-east Australia the effect of sampling model results based on performance, Climatic
- 25 Change, 102, 377-393, 2010.
- Stainforth, D. A., Allen, M. R., Tredger, E. R., and Smith, L. A.: Confidence, uncertainty and
- decision-support relevance in climate predictions, Philos. T. R. Soc. A, 365, 2145-2161, 2007.
- 28 Suppiah, R., Hennessy, K. L., Whetton, P. H., McInnes, K., Macadam, I., Bathols, J.,
- 29 Ricketts, J. and Page, C. M.: Australian climate change projections derived from simulations
- performed for IPCC 4th Assessment Report. Aust. Met. Mag, 56, 131-152, 2007.

- 1 Taylor, K. E.: Summarizing multiple aspects of model performance in a single diagram, J.
- 2 Geophys. Res., 106, 7183–7192, 2001.
- 3 van Oldenborgh, G. J., Philip, S. Y. and Collins, M.: El Niño in a changing climate: a multi-
- 4 model study. Ocean Science, 1, 81-95, 2005.
- 5 Watterson, I. G.: Calculation of probability density functions for temperature and
- 6 precipitation change under global warming. Journal of Geophysical Research 113, D12106,
- 7 doi:10.1029/2007JD009254, 2008.
- 8 Whetton, P., McInnes, K. L., Jones, R. J., Hennessy, K. J., Suppiah, R., Page, C. M., and
- 9 Durack, P. J.: Australian Climate Change Projections for Impact Assessment and Policy
- 10 Application: A Review. CSIRO Marine and Atmospheric Research Paper 001,
- www.cmar.csiro.au/e-print/open/whettonph_2005a.pdf, 2005.
- 12 Xu, C. Y.: Climate change and hydrologic models: A review of existing gaps and recent
- research developments, Water Resour. Manag., 13, 369-382, 1999.

Table 1. Details of 23 GCMs considered in this paper.

				Number	Resc	olution	Number	Number
Acronym	Originating group	Country	Model name in CMIP3	of 20C3M runs available	Lat (°)	Long (°)	of prec. grid cells*	of temp. grid cells‡
BCCR	Bjerkness Centre for Climate Research	Norway	bccr-bcm2.0	na†	1.9	1.9	na	na
CCCMA-t47	Canadian Centre for Climate Modeling and Analysis	Canada	cccma_cgm3_1_t4 7	1	~3.75	3.75	631	916
CCCMA-t63	Canadian Centre for Climate Modeling and Analysis	Canada	cccma_cgm3_1_t6	1	~2.8	2.8125	1169	1706
CCSM	National Centre for Atmospheric Research	USA	ccsm	8	~1.4	1.40625	5184	7453
CNRM	Météo-France / Centre National de Recherches Météorologiques	France	cnrm	1	~2.8	2.8125	1169	1706
CSIRO	Australia CSIRO	Australia	csiro_mk3_0	1	~1.87	1.875	2820	4068
GFDL2.0	NOAA Geophysical Fluid Dynamics Laboratory	USA	gfdl2_cm2_0	1	2	2.5	1937	2828
GFDL2.1	NOAA Geophysical Fluid Dynamics Laboratory	USA	gfdl2_cm2_1	1	~2	2.5	1911	2758
GISS-AOM	NASA Goddard Institute of Space Studies	USA	giss_aom_r1, 2	2	3	4	754	1076
GISS-EH	NASA Goddard Institute of Space Studies	USA	giss_eh1, 2,3	3	3 and 4	5	425	616
GISS-ER	NASA Goddard Institute of Space Studies	USA	giss_model_e_r	3	3 and 4	5	425	616
HadCM3	Hadley Centre for Climate Prediction and Research	UK	hadcm3	1	2.5	3.75	982	1421
HadGEM	Hadley Centre for Climate Prediction and Research	UK	HadGem	1	1.25	1.875	4316	6239
IAP	Institute of Atmospheric Physics, Chinese Acad. Sciences	China	iap_fgoals1.0_g	3	6.1 ~2.8	2.8125	1159	1664
INGV	National Institute of Geophysics and Vulcanology, Italy	Italy	ingv20c ECHAM4.6	1	~1.1	1.125	8291	11886
INM	Institute for Numerical Mathematics, Russia	Russia	inmcm3.0	1	4	5	420	620
IPSL	Institute Pierre Simon Laplace	France	ipsl_cm4	1	~2.5	3.75	980	1403
MIROCH	Center for Climate System Research (The	Japan	miroc3_2_hires	1	~1.1	1.125	8291	11886

	University of Tokyo), National Institute for		(mirochi)					
	Environmental Studies, and Frontier Research		,					
	Center for Global Change							
	Center for Climate System Research (The							
MIROCM	University of Tokyo), National Institute for	Japan	miroc3_2_medres	3	~2.8	2.8125	1169	1706
MIROCM	Environmental Studies, and Frontier Research	Japan	(mirocmedr)	3	~2.0	2.0123	110)	1700
	Center for Global Change							
	Meteorological Institute of the University of Bonn,	Germany						
MIUB	Meteorological Research Institute of KMA, and	South	miub_echo_g	3	~3.7	3.75	631	916
	Model and Data group	Korea						
MPI	Max Planck Institute for Meteorology	Germany	mpi_echam5 (mpi)	3	~1.8	1.875	2820	4068
MRI	Japan Meteorological Research Institute	Japan	mri_cgcm2_3_2a	5	~2.8	2.8125	1169	1706
DCM	Notional Contactor for Atmospheric Descend	-	(mri)	1	2.0	2.0125	1160	1706
PCM	National Center for Atmospheric Research	USA	pcm	1	~2.8	2.8125	1169	1706

[†] na: Not available. * Based on mean annual precipitation comparison between GCM and CRU. ‡ Based on mean annual temperature comparison between GCM and CRU.

Table 2a: Numerical measures of performance assessment of CMIP3 GCMs

	Global,	GCMs			Preci	pitation						Temperatu	re		
Reference	country, large region		Reference data sets	Mean of raw data	Bias in mean of raw data	Variance of raw data	RMS or similar metric	Spat. correl.		Reference data sets	Mean of raw data	Bias in mean of raw data	RMS or similar metric	Spat. correl.	Taylor plots
Bonsal & Prowse (2006)	Northern Canada	7 GCMs	CRU & other data		yes				yes (abs)		yes				yes (abs)
Perkins et al. (2007)	Australia	16 GCMs	Bureau of Met., Australia							Bureau of Met., Australia					
Suppiah et al. (2007)	Australia	23 GCMs	Bureau of Met., Australia				yes (abs)^	yes		Bureau of Met., Australia			yes	yes	
Räisänen (2007)	Global	21 GCMs	CRU, GPCPv2		yes as figure	yes as figure	yes	yes		CRU TS2.0, NCEP-NCAR		yes as figure	yes (abs)	yes	
Gleckler et al. (2008)	Global	22 GCMs	GPCP/ CMAP				yes (norm) #		yes (norm)	ERA40/NCEP- NCAR			yes (norm)		yes (norm)
Reifen & Toumi (2009)	Global	17 GCMs								HadCRUT3 5° x 5°			yes (abs)		
Knutti et al. (2010)	Global	23 GCMs								ERA40		yes	yes (abs)	yes	
Macadam et al. (2010)	Global	17 GCMs	HadCRUT3 dataset								yes as figure*				
Hagemann et al. (2011)	Global	MPI CNRM IPSL	WFD (ERA-40)	yes as figure	yes as figure	yes as figure									

Heo (2014)	et al.	East Asia	21GCMs	СМАР				yes (norm)	yes	yes (norm)	NCEP-I			yes (norm)	yes	yes (norm)
Raju	and ar (2014)	India	11 GCMs	NCAP/NCAR		yes		yes			NCAP/NCAR			yes		
Kuilla	11 (2014)			$2.5^{\circ} \times 2.5^{\circ}$		(norm)		(abs)			$2.5^{\circ} \times 2.5^{\circ}$			(norm)		
Numbe	r of refere	nces	11		1	4	2	5	3	3		2	2	7	4	3

^{^ (}abs): based on absolute data; # (norm): based on normalized data; ^ (ratio): as ratio of reference data; * also as an anomaly

1 Table 2b Ranking measures of performance assessment of CMIP3 GCMs

Reference	Global, country, large region	GCMs	PDF & related measures	Performance index based on variance	Entropy	Skill score	Variance convergence score	Signal noise ratio
Shukla et al. (2006)	Global	13 GCMs			yes			
Perkins et al. (2007)	Australia	16 GCMs	yes			yes		
Gleckler et al. (2008)	Global	22GCMs				yes		
Reichler & Kim (2008)	Global	21 GCMs		yes				
Watterson (2008)	Australia	23 GCMs	yes					
Johnson & Sharma (2009b)	Australia	9 GCMs					yes	
Knutti et al. (2010)	Global	23 GCMs	yes					
Heo et al. (2014)	East Asia	21 GCMs			yes			yes
Number of	freferences	8	3	1	2	2	1	1

1 Table 3. Summary of performance of 23 CMIP3 GCMs in simulating present climate based

2 on literature review

	Source	Macadam et al. (2010)	Gleckler et al. (2008)		Reichler and Kim (2008)
	Variables	Temperature	Precipitation		Many
GCM	Method	Ranking‡	Rel error ranking	Overall rank	Perf index*
BCCR		15	=13#	14	No
CCCMA-t47		9	=1	=3	Yes
CCCMA-t63		na†	=3	na	Yes
CCSM		6	=13	=10	Yes
CNRM		8	=19	13	No
CSIRO		12	=3	7	No
GFDL2.0		16	=3	=10	Yes
GFDL2.1		5	=3	2	Yes
GISS-AOM		na	=13	na	No
GISS-EH		na	=19	na	No
GISS-ER		1	=17	9	No
HadCM3		2	=9	5	Yes
HadGEM		14	=17	15	Yes
IAP		na	=9	na	No
INGV		na	na	na	Yes
INM		13	=19	16	No
IPSL		10	=9	=10	No
MIROCH		na	=9	na	Yes
MIROCM		7	=3	=3	Yes
MIUB		4	=1	1	na
MPI		3	=13	8	Yes
MRI		11	=3	6	Yes
PCM		17	22	17	No

^{3 *} As summarised in Smith and Chandler (2010) (The performance index is based on the error

⁴ variance between modelled and observed climate for 14 climate and ocean variables. 'Yes"

- 1 indicates the variance error is less than the median across the GCMs.) † na: Not available or
- 2 not applicable. ‡Rank 1 is best rank. # = more than one GCM with this rank.

Table 4. Performance statistics comparing CMIP3 GCM mean and standard deviation of annual precipitation, mean annual temperature, and mean monthly patterns of precipitation and temperature with concurrent observed data. (Analysis based on untransformed data.).

GCM Name	MAP			SDP			MAT			Monthly	y pattern
	R^2	NSE	RMSE	R^2	NSE	RMSE	\mathbb{R}^2	NSE	RMSE	NSE	NSE
										Prec	Temp
CCCMA-t47	0.498	0.457	435	0.342	0.252	63	0.984	0.953	3.14	0.409	0.838
CCCMA-t63	0.519	0.458	447	0.397	0.328	65	0.984	0.940	3.59	0.364	0.797
CCSM(1)*	0.496	0.483	460	0.426	0.413	71	0.982	0.981	2.06	-0.178	0.910
CCSM(2)	0.488	0.473	464	0.423	0.411	71	0.982	0.981	2.03	-0.210	0.912
CCSM(3)	0.493	0.479	462	0.418	0.403	71	0.981	0.980	2.08	-0.195	0.908
CCSM(4)	0.500	0.488	457	0.426	0.410	71	0.982	0.980	2.08	-0.174	0.911
CCSM(5)	0.493	0.480	461	0.423	0.410	71	0.983	0.981	2.02	-0.210	0.909
CCSM(6)	0.494	0.480	461	0.437	0.426	70	0.982	0.981	2.04	-0.181	0.909
CCSM(7)	0.496	0.483	460	0.429	0.420	71	0.982	0.981	2.06	-0.173	0.907
CCSM(9)	0.500	0.488	457	0.400	0.393	72	0.982	0.980	2.08	-0.157	0.910
CNRM	0.445	0.246	527	0.479	0.321	65	0.979	0.967	2.67	-0.631	0.879
CSIRO	0.387	0.363	503	0.462	0.452	65	0.971	0.959	2.99	0.034	0.825
GFDL2.0	0.544	0.528	434	0.588	0.460	63	0.980	0.934	3.79	-0.092	0.760
GFDL2.1	0.534	0.518	436	0.570	0.196	77	0.979	0.970	2.54	0.071	0.884
GISS-AOM(1)	0.330	-0.093	624	0.142	0.039	73	0.972	0.969	2.55	-0.325	0.873
GISS-AOM(2)	0.330	-0.087	623	0.132	0.027	74	0.972	0.970	2.54	-0.306	0.876
GISS-EH(1)	0.373	-0.510	692	0.210	-0.397	78	0.963	0.956	3.03	-0.856	0.858
GISS-EH(2)	0.375	-0.502	690	0.176	-0.589	83	0.962	0.955	3.07	-0.920	0.852
GISS-EH(3)	0.368	-0.535	697	0.181	-0.521	81	0.962	0.955	3.06	-0.858	0.856
GISS-ER(1)	0.386	-0.347	653	0.254	-0.115	70	0.970	0.960	2.87	-0.819	0.854

GISS-ER(2) 0.381 -0.357 656 0.203 -0.372 77 0.970 0.959 2.90 -0.739 0.850 GISS-ER(4) 0.386 -0.340 652 0.223 -0.214 72 0.970 0.960 2.88 -0.742 0.854 HadCM3 0.662 0.630 363 0.618 0.572 51 0.988 0.973 2.43 0.227 0.893 HadGEM 0.571 0.302 531 0.457 0.178 82 0.977 0.953 3.22 0.046 0.824 IAP(1) 0.496 0.438 456 0.191 0.096 75 0.963 0.894 4.64 -0.910 0.777 IAP(2) 0.493 0.433 458 0.188 0.041 77 0.962 0.895 4.61 -0.989 0.779 IAP(3) 0.499 0.440 455 0.186 0.048 77 0.963 0.896 4.60 -0.922 0.781 INGV 0.681 0.672 371 0.492 0.468 70 0.983 0.973 2.45 -0.263 0.882 INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833 IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846 MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906 MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.984 1.88 0.014 0.939 MPI(3) 0.542 0.536 430 0.462 0.415 67 0.985 0.984 1.88 0.014 0.939 MPI(3) 0.542 0.536 430 0.462 0.415 67 0.985 0.984 1.87 0.007 0.940 MRI(1) 0.617 0.535 414 0.507 0.499 56 0.977 0.969 2.57 0.217 0.912
HadCM3 0.662 0.630 363 0.618 0.572 51 0.988 0.973 2.43 0.227 0.893 HadGEM 0.571 0.302 531 0.457 0.178 82 0.977 0.953 3.22 0.046 0.824 IAP(1) 0.496 0.438 456 0.191 0.096 75 0.963 0.894 4.64 -0.910 0.777 IAP(2) 0.493 0.433 458 0.188 0.041 77 0.962 0.895 4.61 -0.989 0.779 IAP(3) 0.499 0.440 455 0.186 0.048 77 0.963 0.896 4.60 -0.922 0.781 INGV 0.681 0.672 371 0.492 0.468 70 0.983 0.973 2.45 -0.263 0.882 INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833
HadGEM 0.571 0.302 531 0.457 0.178 82 0.977 0.953 3.22 0.046 0.824 IAP(1) 0.496 0.438 456 0.191 0.096 75 0.963 0.894 4.64 -0.910 0.777 IAP(2) 0.493 0.433 458 0.188 0.041 77 0.962 0.895 4.61 -0.989 0.779 IAP(3) 0.499 0.440 455 0.186 0.048 77 0.963 0.896 4.60 -0.922 0.781 INGV 0.681 0.672 371 0.492 0.468 70 0.983 0.973 2.45 -0.263 0.882 INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833 IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846
IAP(1) 0.496 0.438 456 0.191 0.096 75 0.963 0.894 4.64 -0.910 0.777 IAP(2) 0.493 0.433 458 0.188 0.041 77 0.962 0.895 4.61 -0.989 0.779 IAP(3) 0.499 0.440 455 0.186 0.048 77 0.963 0.896 4.60 -0.922 0.781 INGV 0.681 0.672 371 0.492 0.468 70 0.983 0.973 2.45 -0.263 0.882 INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833 IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846 MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906
IAP(2) 0.493 0.433 458 0.188 0.041 77 0.962 0.895 4.61 -0.989 0.779 IAP(3) 0.499 0.440 455 0.186 0.048 77 0.963 0.896 4.60 -0.922 0.781 INGV 0.681 0.672 371 0.492 0.468 70 0.983 0.973 2.45 -0.263 0.882 INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833 IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846 MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906 MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.984 1.88 0.014 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
IAP(3) 0.499 0.440 455 0.186 0.048 77 0.963 0.896 4.60 -0.922 0.781 INGV 0.681 0.672 371 0.492 0.468 70 0.983 0.973 2.45 -0.263 0.882 INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833 IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846 MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906 MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
INGV 0.681 0.672 371 0.492 0.468 70 0.983 0.973 2.45 -0.263 0.882 INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833 IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846 MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906 MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.064 0.990 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902
INM 0.450 0.439 431 0.287 0.099 65 0.969 0.952 3.21 -0.247 0.833 IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846 MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906 MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
IPSL 0.394 0.116 563 0.421 0.223 68 0.967 0.957 3.05 -0.147 0.846 MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906 MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867
MIROCH 0.588 0.370 514 0.583 0.570 63 0.974 0.971 2.54 0.107 0.906 MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860
MIROCM(1) 0.555 0.512 424 0.477 0.454 58 0.970 0.969 2.58 0.061 0.899 MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(3) 0.543 0.536 430 0.462 0.415 67 0.985 0.984 1.88 0.014 0.939
MIROCM(2) 0.552 0.508 425 0.525 0.501 56 0.970 0.969 2.58 0.054 0.900 MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.984 1.87 0.002 0.940 <
MIROCM(3) 0.549 0.505 427 0.459 0.428 60 0.971 0.970 2.52 0.041 0.902 MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
MIUB(1) 0.689 0.676 336 0.527 0.510 51 0.979 0.960 2.92 0.166 0.870 MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
MIUB(2) 0.684 0.671 338 0.529 0.513 51 0.979 0.962 2.85 0.155 0.867 MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
MIUB(3) 0.691 0.678 335 0.524 0.515 51 0.979 0.958 2.99 0.167 0.860 MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
MPI(1) 0.543 0.538 429 0.464 0.437 66 0.985 0.984 1.88 0.014 0.939 MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
MPI(2) 0.541 0.536 430 0.462 0.415 67 0.985 0.983 1.90 -0.002 0.939 MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
MPI(3) 0.542 0.536 430 0.507 0.479 63 0.986 0.984 1.87 0.007 0.940
MRI(1) 0.617 0.535 414 0.507 0.499 56 0.977 0.969 2.57 0.217 0.912
MRI(2) 0.615 0.537 413 0.513 0.491 56 0.976 0.968 2.64 0.216 0.907
MRI(3) 0.617 0.541 411 0.523 0.505 55 0.977 0.969 2.57 0.222 0.911
MRI(4) 0.619 0.539 412 0.532 0.523 54 0.977 0.969 2.60 0.195 0.911
MRI(5) 0.615 0.538 412 0.503 0.487 56 0.977 0.968 2.62 0.211 0.907
PCM 0.360 0.190 546 0.336 0.135 73 0.975 0.943 3.49 -0.415 0.798

^{*} In the paper a parenthesis after a GCM name indicates run number.

Table 5. Köppen-Geiger climate classification (adapted from Peel et al., 2007)

- Tru - C : 1	
Köppen-Geiger class	Description of climate
Af	Tropical, rainforest
Am	Tropical, monsoon
Aw	Tropical. savannah
BWh	Arid, desert hot
BWk	Arid, desert cold
BSh	Arid, steppe hot
BSk	Arid, steppe cold
Csa	Temperate, dry and hot summer
Csb	Temperate, dry and warm summer
Csc	Temperate, dry and cold summer
Cwa	Temperate, dry winter and hot summer
Cwb	Temperate, dry winter and warm summer
Cwc	Temperate, dry winter and cold summer
Cfa	Temperate, without dry season and hot summer
Cfb	Temperate, without dry season and warm summer
Cfc	Temperate, without dry season and cold summer
Dsa	Cold, dry and hot summer
Dsb	Cold, dry and warm summer
Dsc	Cold, dry and cool summer
Dsd	Cold, dry summer and very cold winter
Dwa	Cold, dry winter and hot summer
Dwb	Cold, dry winter and warm summer
Dwc	Cold, dry winter and cool summer
Dwd	Cold, dry winter and very cold winter
Dfa	Cold, without dry season and hot summer
Dfb	Cold, without dry season and warm summer
Dfc	Cold, without dry season and cool summer
Dfd	Cold, without dry season and very cold winter
ET	Polar, tundra
EF	Polar, frost

Table 6. Köppen-Geiger climate estimated by MPI(3) compared with the observed Köppen-Geiger climate for (a) the one-letter and (b) the two-letter climate classification.

(a)				CRU			
	Land Surface	A	В	C	D	E	Sum
	A	414	19	8	0	0	441
	В	68	339	52	17	0	476
GCM	C	24	62	319	27	0	432
	D	0	76	16	1085	17	1194
	E	0	6	7	143	121	277
	Sum	506	502	402	1272	138	2820

(b)								CRU							
	Land Surface	Af	Am	Aw	BW	BS	Cs	Cw	Cf	Ds	Dw	Df	ET	EF	Sum
	Af	57	0	2	0	0	0	0	0	0	0	0	0	0	59
	Am	24	19	13	0	0	0	0	0	0	0	0	0	0	56
	Aw	25	49	225	0	19	0	4	4	0	0	0	0	0	326
	BW	2	1	2	134	50	3	4	0	0	0	2	0	0	198
	BS	4	11	48	50	105	13	19	13	4	0	11	0	0	278
	Cs	0	0	0	10	18	35	9	20	1	0	6	0	0	99
GCM	Cw	0	1	17	0	5	0	62	1	0	1	0	0	0	87
	Cf	2	2	2	3	26	1	35	156	0	0	19	0	0	246
	Ds	0	0	0	0	33	2	1	1	38	1	40	0	0	116
	Dw	0	0	0	0	5	0	1	0	0	102	2	0	0	110
	Df	0	0	0	3	35	0	4	7	2	57	843	17	0	968
	ET	0	0	0	0	6	2	2	3	8	22	113	93	0	249
	EF	0	0	0	0	0	0	0	0	0	0	0	11	17	28
	Sum	114	83	309	200	302	56	141	205	53	183	1036	121	17	2820

2

GCM Name	Köppen-Geiger climate class*								
	Three-letter	Two-letter	One-letter						
CCCMA-t47	0.498	0.620	0.753						
CCCMA-t63	0.429	0.558	0.709						
CCSM(1)	0.488	0.558	0.749						
CCSM(2)	0.489	0.563	0.748						
CCSM(3)	0.424	0.545	0.744						
CCSM(4)	0.466	0.549	0.749						
CCSM(5)	0.444	0.519	0.727						
CCSM(6)	0.490	0.563	0.757						
CCSM(7)	0.488	0.556	0.749						
CCSM(9)	0.489	0.560	0.755						
CNRM	0.539	0.602	0.775						
CSIRO	0.506	0.601	0.775						
GFDL2.0	0.430	0.563	0.726						
GFDL2.1	0.508	0.590	0.781						
GISS-AOM(1)	0.460	0.559	0.773						
GISS-AOM(2)	0.456	0.561	0.773						
GISS-EH(1)	0.407	0.487	0.751						
GISS-EH(2)	0.402	0.482	0.741						
GISS-EH(3)	0.400	0.473	0.744						
GISS-ER(1)	0.426	0.478	0.732						
GISS-ER(2)	0.424	0.468	0.722						
GISS-ER(4)	0.426	0.478	0.732						
HadCM3	0.549	0.624	0.797						
HadGEM	0.563	0.676	0.818						
IAP(1)	0.362	0.484	0.790						
IAP(2)	0.368	0.480	0.784						
IAP(3)	0.369	0.490	0.784						
INGV	0.495	0.616	0.815						
INM	0.452	0.526	0.731						
IPSL	0.459	0.544	0.749						
MIROCH	0.496	0.631	0.806						
MIROCM(1)	0.477	0.597	0.749						
MIROCM(2)	0.477	0.594	0.759						
MIROCM(3)	0.469	0.583	0.748						
MIUB(1)	0.528	0.604	0.783						
MIUB(2)	0.528	0.604	0.783						
MIUB(3)	0.520	0.610	0.778						

MPI(1)	0.599	0.666	0.801
MPI(2)	0.593	0.657	0.805
MPI(3)	0.602	0.669	0.808
MRI(1)	0.534	0.644	0.808
MRI(2)	0.521	0.625	0.798
MRI(3)	0.527	0.632	0.798
MRI(4)	0.528	0.634	0.799
MRI(5)	0.532	0.641	0.803
PCM	0.397	0.481	0.660

^{*}The three-, two- and one-letter climate classes are listed in Table 5.

1 Table 8. CMIP3 GCM run rank (rank 1 = best) based on Nash-Sutcliffe Efficiency

2	values from c	comparison	of 20C3M a	and concurrent	observed	grid cell data.

GCM Name	MAP	SDP	MAT	Monthly	Rank	Overall
GCIVI I vanic	rank	rank	rank	rank pattern rank*		GCM rank
CCCMA-t47	28	30	38	19	115	12
CCCMA-t63	27	28	42	22	119	13
CCSM(1)	21	22	7	18	68	8
CCSM(2)	26	23	5	17	71	
CCSM(3)	25	26	10	21	82	
CCSM(4)	20	25	11	16	72	
CCSM(5)	24	24	4	21	73	
CCSM(6)	23	19	6	20	68	
CCSM(7)	22	20	8	19.5	69.5	
CCSM(9)	19	27	9	17	72	
CNRM	36	29	26	30.5	121.5	14
CSIRO	34	16	32	28.5	110.5	11
GFDL2.0	14	14	43	34	105	10
GFDL2.1	15	32	15	17.5	79.5	9
GISS-AOM(1)	40	39	20	30.5	129.5	
GISS-AOM(2)	39	40	17	29.5	125.5	15
GISS-EH(1)	45	44	35	35.5	159.5	22
GISS-EH(2)	44	46	37	39	166	
GISS-EH(3)	46	45	36	36.5	163.5	
GISS-ER(1)	42	41	28	36	147	19
GISS-ER(2)	43	43	31	36.5	153.5	
GISS-ER(4)	41	42	29	36	148	
HadCM3	5	1	13	12	31	1
HadGEM	35	33	39	28	135	17
IAP(1)	31	36	46	44	157	
IAP(2)	32	38	45	45	160	
IAP(3)	29	37	44	44	154	21
INGV	3	13	12	28	56	5
INM	30	35	40	35	140	18
IPSL	38	31	34	29.5	132.5	16
MIROCH	33	2	14	14.5	63.5	7
MIROCM(1)	16	15	22	17	70	
MIROCM(2)	17	8	21	17	63	6
MIROCM(3)	18	18	16	17.5	69.5	
MIUB(1)	2	6	30	18.5	56.5	
MIUB(2)	4	5	27	19.5	55.5	4
MIUB(3)	1	4	33	19	57	
MPI(1)	9	17	2	10.5	38.5	
MPI(2)	12	21	3	12	48	

MPI(3)	11	12	1	10.5	34.5	2
MRI(1)	13	9	18	5	45	
MRI(2)	10	10	25	10.5	55.5	
MRI(3)	6	7	19	5.5	37.5	3
MRI(4)	7	3	23	8	41	
MRI(5)	8	11	24	11.5	54.5	
PCM	37	34	41	38.5	150.5	20

^{1 *} Monthly pattern rank is the rank of the average of the monthly pattern NSEs for

² precipitation and temperature

1 Table 9. Better performing CMIP3 GCMs identified from the literature and

2 our analyses.

Grid cells (Tables 4 & 8)	Literature (Table 3)	Better performing GCMs
(Col. 1)	(Col. 2)	(Col. 3)
	CCCMA-t47	
	CCSM	
	GFDL2.0	
	GFDL2.1	
HadCM3	HadCM3	HadCM3
INGV		
	MIROCH*	
MIROCM	MIROCM	MIROCM
MIUB	MIUB*	MIUB
MPI	MPI	MPI
MRI	MRI	MRI

^{3 *}Added to list – see Section 5.3 for explanation




Figure 1. Comparison of MIUB(3) model estimates of observed mean annual precipitation with CRU estimates. (Based on untransformed precipitation NSE = 0.678, rank 1 of 46 runs, and $R^2 = 0.691$).




Figure 2. Comparison of GISS-EH(3) model estimates of observed mean annual precipitation with CRU estimates. (Based on untransformed precipitation NSE = -0.535, rank 46 of 46 runs, and $R^2 = 0.368$).




Figure 3. Nash-Sutcliffe Efficiency (NSE) values for modelled versus observed MAP untransformed estimates for 46 CMIP3 GCM runs




Figure 4. Comparison of MIUB(3) model estimates of the standard deviation of annual precipitation with CRU observed estimates. (Based on untransformed precipitation NSE = 0.515, rank 4 of 46 runs, and $R^2 = 0.524$).




Figure 5. Comparison of MIUB(3) model estimates of mean annual temperature with CRU estimates. (Based on untransformed temperature NSE = 0.958, rank 33 of 46 runs, and $R^2 = 0.979$).




Figure 6. Relating 22 CMIP3 GCM resolutions (as the number of terrestrial grid cells for MAP) to model performance based on Nash-Sutcliffe efficiency for mean annual precipitation and mean annual temperature. (The trend lines are fitted to data with >1500 grid cells.).




Figure 7. Comparison of Nash-Sutcliffe efficiency values between CMIP3 GCM and observed mean annual temperatures with Nash-Sutcliffe efficiency values between CMIP3 GCM and observed mean annual precipitation.




Figure 8. Ratio of 2015-2034 to 1965-1994 mean annual precipitation compared with the change in mean annual temperature ([2015-2034] – [1965-1994]) for the selected five CMIP3 GCMs runs compared with the 23 CMIP3 GCMs including all ensemble members for the global land surface

Supplementary Material

2 Appendix A: Estimating potential evapotranspiration for climate change impact

3 assessments

1

13

- 4 Projected changes in water and energy at the catchment scale are the fundamental basis of all
- 5 hydrologic climate change impact assessments. Hydrologic models require time-series of
- 6 precipitation and, usually, potential evapotranspiration to represent the interaction of water
- 7 and energy within a catchment. Therefore, for hydrologic climate change impact assessments,
- 8 an estimate of potential evapotranspiration (PET) is required. For the practitioner the question
- 9 is which PET method to adopt? Here we briefly review three questions that influence the
- 10 choice of PET equation: (1) does the equation represent all relevant processes; (2) what PET
- information does a hydrologic model actually use; and (3) are future projections of variables
- used to estimate PET reliable?

A.1 Does the PET equation represent all relevant processes?

- McMahon et al. (2013) discuss a range of PET equations used in rainfall-runoff modelling.
- 15 Frequently adopted methods to represent PET include Penman (Penman, 1948), Penman-
- Monteith (Monteith, 1965), FAO reference crop (Allen et al., 1998), Morton (Morton, 1983)
- and pan evaporation data. Ideally to represent future PET conditions the method adopted
- should adequately capture all changes in the energy and aerodynamic components of the
- 19 evaporative process.
- 20 The potential danger of using a PET equation that does not adequately represent all relevant
- 21 processes is highlighted by recent trends in pan evaporation data. Over the past several
- decades the magnitude of evaporation from Class-A pans has decreased (between -1 to -4 mm
- 23 year⁻²) while at the same time annual temperatures have risen (Roderick et al., 2009a).
- Roderick et al. (2009b) warn against using temperature only PET estimates for climate change
- 25 studies as they would suggest that rising temperature would lead to rising evaporative
- demand; the opposite of what has been observed from pan data recently. Roderick et al.
- 27 (2009b) attribute much of the observed decline in pan evaporation to declines in radiation
- 28 and/or wind speed. Donohue et al. (2010), using the Penman formulation and gridded
- 29 Australian data (1981-2006), attributed increasing surface temperature with contributing +1.5

mm year⁻² toward evaporative demand. However, the temperature contribution was more than 1 offset by negative contributions from changes in wind speed (-1.3 mm year⁻²), net radiation (-2 0.6 mm year⁻²) and actual vapour pressure (-0.4 mm year⁻²) to give an overall decrease in 3 evaporative demand of -0.8 mm year⁻². Donohue et al. (2010) also compared the performance 4 of five formulations of differing complexity namely Thornthwaite (Thornthwaite (1948), 5 Priestly-Taylor (Priestley and Taylor, 1972), Morton point and areal (Wang et al., 2001) and 6 7 Penman (1948)) and preferred Penman, the most complex form, based on its ability to best 8 capture the dynamics of evaporative demand. Overall, Roderick et al. (2009a, 2009b), Chen et 9 al. (2005) and Hobbins et al. (2008) conclude that PET estimates based only on T are 10 problematic, particularly in energy limited environments (cold and polar climates), for climate 11 change studies.

A.2 What PET information does a conceptual hydrologic model actually use?

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

Whether conceptual hydrologic models require, or make use of, detailed PET data was assessed by Andréassian et al. (2004) and Oudin et al. (2005a, 2005b). They found that hydrologic models perform as well (if not better) when calibrated with mean monthly estimates of PET, or with temperature based estimates of PET, rather than time varying estimates of PET or more complex Penman based PET (Penman, 1948, Allen et al., 1998). Catchments used in their studies were located in France (Andréassian et al., 2004; Oudin et al., 2005a, 2005b), USA (Oudin et al., 2005a, 2005b) and Australia (Oudin et al., 2005a, 2005b). The vast majority of their catchments have a temperate climate (not strongly water or energy limited on an annual basis). Under these conditions the hydrologic models appear to be largely insensitive to the complexity of the PET data used to drive them. During calibration conceptual hydrologic models are flexible enough to extract the PET information they need from whichever PET data (simple or complex) are used (see Chapman, 2003). Thus, as long as PET estimates are broadly correct in terms of seasonal pattern and annual mean and the hydrologic model was calibrated on that PET data then model performance is likely to be acceptable. For example, Oudin et al. (2005b) tested 27 PET formulations, of varying complexity, over 308 catchments using four daily conceptual models and proposed a simple temperature (mean daily temperature for a given Day-of-Year) and extra-terrestrial radiation (estimated from latitude and Day-of-Year) method that performed as well as the daily Penman

- 1 method. In summary, a complex estimate of PET is not necessary for successful hydrologic
- 2 modelling in catchments that are not strongly water or energy limited on an annual basis.

A.3 Are future projections of variables used to estimate PET reliable?

- 4 In the previous two sections we have seen that a simple PET formulation may be good enough
- 5 for hydrologic modelling, but not good enough to represent projected changes in PET. The
- 6 final question relates to whether GCMs are able to provide reliable outputs on which to base a
- 7 complex estimate of PET? Kay and Davies (2008) used IPCC third assessment report runs for
- 8 5 GCMs and 8 regional climate models nested within the Hadley Centre GCM to calculate
- 9 PET using Penman-Monteith and the temperature/radiation (T/R) method of Oudin et al.
- 10 (2005b). They compared their two PET estimates derived from GCM data against observation
- based gridded values of Penman-Monteith PET for Britain. Overall, the GCM estimate of
- 12 PET using T/R performed better than GCM Penman-Monteith at reproducing observed
- Penman-Monteith for all climate models. Future values of PET based on Penman-Monteith
- were also more variable than those based on T/R, which they suggest may reflect reliability
- 15 issues with GCM variables, other than temperature, used to estimate Penman-Monteith.
- 16 Kingston et al. (2009) also highlight reliability issues with GCM inputs to the Penman-
- 17 Monteith equation. Although confidence in GCM-simulated temperature is generally high,
- 18 Kingston et al. (2009, page 4) note "less confidence can be placed in cloud cover and vapour
- 19 pressure", which influence GCM-simulation estimates of net radiation at the evaporating
- surface and relative humidity. Overall, Kay and Davies (2008) suggest hydrologic modellers
- should be pragmatic and use as many GCMs as possible and estimate PET in a consistent way
- 22 for any impact analysis.

23

3

A.4 Discussion and summary

- 24 Ideally, estimates of PET should be based on methodologies that include all key evaporative
- 25 processes to ensure future changes in PET are accurately represented. A Penman based
- 26 equation is thus an ideal methodology to adopt. However, the reliability of future PET
- estimates is dependent on the reliability of GCM projections of input variables. For example,
- 28 the Penman equation requires inputs of air temperature, net radiation at the evaporating
- 29 surface, wind speed and relative humidity. In this paper we have found that mean monthly

1 and mean annual temperature are well reproduced by CMIP3 GCMs. However, reported 2 confidence in GCM estimates of net radiation at the evaporating surface, wind speed and 3 relative humidity is much lower. For example, Johnson and Sharma (2009) have shown that in 4 terms of their Variable Convergence Score (VCS, scaled between 0 and 100, where 100 is perfect convergence between GCMs) the predictions of the surface wind and specific 5 6 humidity have VCS scores of approximately 40, net longwave radiation about 20 compared 7 with surface temperature and net shortwave radiation of about 70 and precipitation at 10. 8 Therefore, although Penman based methodologies have the capacity to represent future trends 9 due to changes in all key evaporative processes, GCM projections of those process variables, 10 other than temperature, may be unrealistic. Thus at this time PET based on Penman may 11 actually increase uncertainty in future PET, as seen in Kay and Davies (2008). PET based on 12 Penman will be preferable once GCM projections of net radiation at the evaporating surface, 13 wind speed and relative humidity become more reliable. 14 As GCM projections of temperature are considered reliable, here we adopt temperature as a 15 surrogate for PET. Such an approach is likely to provide sufficient PET information for 16 successful hydrologic modelling if the model is calibrated on that data. However, by adopting 17 this approach we acknowledge that the projected trend in PET will be an increase, when in 18 reality the trend may increase or decrease due to changes in temperature, net radiation at the

21 in precipitation are the main driver of changes in runoff. However, in energy limited

catchments, PET is a key driver of runoff and errors in PET trend will result in errors in

evaporating surface, wind speed and/or relative humidity. We note the error in PET trend is

unlikely to be important for hydrologic modelling of water limited catchments, where changes

23 runoff trend.

19

20

22

24

A.5 References

- 25 Allen, R. G., Pereira, L. S., Raes, D., and Smith, M.: Crop evapotranspiration Guidelines for
- 26 computing crop water requirements FAO Irrigation and Drainage Paper 56. Food and
- 27 Agriculture Organization of the United Nations, 1998.

- 1 Andréassian, V., Perrin, C., and Michel, C.: Impact of imperfect potential evapotranspiration
- 2 knowledge on the efficiency and parameters of watershed models, J. Hydrol., 286, 19-35,
- 3 2004.
- 4 Chapman, T. G.: Estimation of evaporation in rainfall-runoff models. MODSIM 2003
- 5 International Congress on Modelling and Simulation, Townsville, Australia, 2003.
- 6 Chen, D., Gao G., Xu C-Y., Guo, J., and Ren, G.: Comparison of the Thornthwaite method
- 7 and pan data with the standard Penman-Monteith estimates of reference evapotranspiration in
- 8 China, Clim. Res., 28, 123-132, 2005.
- 9 Donohue, R. J., McVicar, T. R., and Roderick, M. L.: Assessing the ability of potential
- 10 evaporation formulations to capture the dynamics in evaporative demand within a changing
- 11 climate, J. Hydrol., 386, 186-197, 2010.
- 12 Hobbins, M. T., Dai, A., Roderick, M. L., and Farquhar, G. D.: Revisiting the
- parameterization of potential evaporation as a driver of long-term water balance trends,
- 14 Geophys. Res. Lett., 35, L12403, doi:10.1029/2008GL033840, 2008.
- Johnson, F. M. and Sharma, A.: Measurement of GCM skill in predicting variables relevant
- 16 for hydroclimatological assessments, Journal of Climate, 22, 4373-4382, 2009b.
- 17 Kay, A. L., and Davies, H. N.: Calculating potential evaporation from climate model data: A
- source of uncertainty for hydrological climate change impacts, J. Hydrol., 358, 221-239,
- 19 2008.
- 20 Kingston, D. G, Todd, M. C., Taylor, R. G., Thompson, J. R., and Arnell, N. W.: Uncertainty
- in the estimation of potential evapotranspiration under climate change, Geophys. Res. Lett.,
- 22 36, L20403, 2009.
- 23 McMahon, T. A., Peel, M. C., Lowe, L., Srikanthan, R., and McVicar, T. R.: Estimating
- 24 actual, potential, reference crop and pan evaporation using standard meteorological data: a
- pragmatic synthesis, Hydrol. Earth Syst. Sci., 17, 1331-1363, 2013.
- 26 Monteith, J. L.: Evaporation and environment, In Fogg, G.E. (ed), The state and movement of
- water in living organisms, Symposium Society Experimental Biology, 19, 205-234.,
- 28 Cambridge University Press, London, 1965.

- 1 Morton, F. I.: Operational estimates of areal evapotranspiration and their significance to the
- 2 science and practice of hydrology, J. Hydrol., 66, 1–76, 1983.
- 3 Oudin, L., Michel, C., and Anctil, F.: Which potential evapotranspiration input for a lumped
- 4 rainfall-runoff model? Part 1 Can rainfall-runoff models effectively handle detailed
- 5 potential evapotranspiration inputs? J. Hydrol., 303, 275-289, 2005a.
- 6 Oudin, L., Hervieu, F., Michel, C., Perrin, C., Andréassian, V., Anctil, F., and Loumagne, C.:
- 7 Which potential evapotranspiration input for a lumped rainfall-runoff model? Part 2 -
- 8 Towards a simple and efficient potential evapotranspiration model for rainfall-runoff
- 9 modelling, J. Hydrol., 303, 290-306, 2005b.
- 10 Penman, H. L.: Natural evaporation from open water, bare soil and grass, Proceedings Royal
- 11 Society London, A, 193, 120-145, 1948.
- 12 Priestley, C. H. B., and Taylor, R.J.: On the assessment of surface heat flux and evaporation
- using large scale parameters, Mon. Weather Rev., 100, 81-92, 1972.
- 14 Roderick, M. L., Hobbins, M. T., and Farquhar, G.D.: Pan Evaporation Trends and the
- 15 Terrestrial Water Balance. I. Principles and Observations, Geography Compass, 3(2), 746-
- 16 760, 2009a.
- 17 Roderick, M. L., Hobbins, M. T., and Farquhar, G. D.: Pan Evaporation Trends and the
- 18 Terrestrial Water Balance. II. Energy Balance and Interpretation, Geography Compass, 3(2),
- 19 761-780, 2009b.
- 20 Thornthwaite, C. W.: An approach toward a rational classification of climate, Geogr. Rev.,
- 21 38, 55-94, 1948.
- Wang, Q. J., Chiew, F. H. S., McConachy, F. L. N., James, R., de Hoedt, G. C., and Wright,
- 23 W. J.: Climatic Atlas of Australia Evapotranspiration. Bureau of Meteorology,
- 24 Commonwealth of Australia, 2001.