Flood <u>reconstruction and transnational flood</u> risk along<u>analysis of</u> the upper Rhine <u>and</u> <u>its French and German tributaries</u> since AD 1480

I. Himmelsbacht, R. Glasert, J. Schoenbeint, D. Riemannt, B. Martinz

Physical Geography, Albert-Ludwigs-University Freiburg, Germany

2 CRESAT, University of Haut-Alsace Mulhouse, France

Correspondence to: J. Schoenbein (johannes.schoenbein@geographie.uni-freiburg.de)(johannes.schoenbein@geographie.uni-freiburg.de)

Formatvorlagendefinition: Standard: Englisch (USA), Keine Absatzkontrolle

Formatvorlagendefinition: Sprechblasentext: Englisch (USA), Keine Absatzkontrolle

Formatvorlagendefinition: Kommentartext: Englisch (USA), Keine Absatzkontrolle

Formatvorlagendefinition: Kommentarthema: Englisch (USA), Keine Absatzkontrolle

Formatvorlagendefinition: Listenabsatz: Englisch (USA), Keine Absatzkontrolle

Formatvorlagendefinition: Kopfzeile: Englisch (USA), Keine Absatzkontrolle

Formatvorlagendefinition: Fußzeile: Englisch (USA), Keine Absatzkontrolle

Formatiert: Links, Einzug: Links: 0,21 cm, Rechts: -0,04 cm, Abstand Vor: 2,95 Pt., Zeilennummern unterdrücken

Formatiert: Schriftart: Nicht Fett

Formatiert: Deutsch (Deutschland)

Formatiert: Schriftart: 7 Pt., Deutsch (Deutschland), Nicht Hochgestellt/ Tiefgestellt

Formatiert: Deutsch (Deutschland)

Formatiert: Schriftart: 7 Pt., Deutsch (Deutschland), Nicht Hochgestellt/ Tiefgestellt

Formatiert: Deutsch (Deutschland)

Formatiert: Schriftart: 7 Pt., Deutsch (Deutschland), Nicht Hochgestellt/ Tiefgestellt

Formatiert: Schriftart: 7 Pt., Nicht Fett, Deutsch (Deutschland)

Formatiert: Links, Einzug: Links: 0,21 cm, Rechts: -0,04 cm, Zeilennummern unterdrücken

Formatiert: Schriftart: 7 Pt., Deutsch (Deutschland), Nicht Hochgestellt/ Tiefgestellt

 Formatiert: Deutsch (Deutschland)

 Formatiert

 Formatiert: Deutsch (Deutschland)

 Formatiert: Schriftart: 7 Pt., Nicht Hochgestellt/ Tiefgestellt

 Formatiert
 (...

 Formatiert: Englisch (USA)

 Formatiert: Schriftart: 7 Pt., Nicht Hochgestellt/ Tiefgestellt

 Formatiert: Schriftart: 7 Pt., Nicht Hochgestellt/ Tiefgestellt

 Formatiert: Schriftart: 7 Dt., Nicht Hochgestellt/ Tiefgestellt

Formatiert: Englisch (USA)
Formatiert

Abstract, This paper presents the long-term analysis of flood-occurrence, eause and frequency changes of floods, 1 2 their development and distribution along the southern part of the upper Rhine River system and of 14 of its 3 tributaries in France and Germany covering the period from 1480BC. Special focus is given on the temporal and 4 spatial variations of flood events and their underlying meteorological causes which show a significant change over 5 space and time. Examples are presented how long-term information about flood events and knowledge about the 6 historical aspect of flood protection in a given area can help to improve the understanding of risk analysis and 7 therefor transnational risk and risk management analysis. Within this context special focus is given on flood 8 vulnerability while connecting singlecomparing selected historical and modern extreme events-, establishing a 9 common evaluation scheme.

10 The transnational aspect becomes especially evident analyzing the tributaries: on this scale flood protection developed impressively different on the French and German side. We argue, that the comparing high technological 11 12 standards of flood protection, which had been initiated by the dukes of Baden on the German side starting in the 13 early 19th century, misled to the common believe that the mechanical means of flood protection likewise dams and 14 barrages guarantee for security from floods and their impacts. This leads to widespread settlings and the 15 establishment of infrastructure as well as modern industries in potential unsafe areas until today. The legal status in 16 Alsace on the French side of the Rhine did not allow for continuous flood protection measurements leading to a 17 constant - and probably at last annoying - reminder, that the floodplains are a potentially unsafe place to be. From 18 a modern perspective of flood risk management this leads to a significant lower aggregation of value in the 19 floodplains the small rivers in Alsace compared to those on the Baden side – an interesting fact – especially if the 20 modern European Flood directive is taken into account.

1. Introduction

21

22 The knowledge about the occurrence of floods in historical times, their meteorological causes and their distribution 23 within the (hydrological) year does provide a deeper understanding of the natural variability of the severity of flood 24 events by providing long-term knowledge about changes in the causes, frequencies and gravities of the floods. 25 Flood research on smaller rivers presented in this paper complement those related to larger river systems for two 26 main reasons: first creeks, Creeks and small rivers show a more direct response to the atmospheric forcing-and second, especially smaller catchment areas are subject to major. The same holds true for land use changes and 27 28 alterations in the floodplain due to an increase in settlement areas of settlements and infrastructure- as those 29 alternations also directly affect discharge.

30 The flood risk management of these smaller catchments resides with the legal responsibility of smaller 31 communities while the large river systems are under control of larger and stronger administrative units. This 32 administrative difference concerning flood control and management plays an important role in modern flood risk 33 management. In France flood risk-management on non-navigable rivers is handled by PPRIs (Plan de prévention du 34 risque d'inondation) which are negotiated by the communities and the responsible parts of the administration. Their 35 goal is to definedetermine the area of the flood with a risk of being flooded along a river the examined rivers and his zonage in different sectors to discriminate between zones where different human activities arecan be allowed or has 36 37 to be forbidden (s. Chapter 6).

This study presents the flood history of 14 tributaries of the river Rhine on the French and German side as well as floods of the river Rhine between Basel and Strasbourg itself. The analyzed time period stretches from 1480 to 2007. The results presented here emanateIn Germany (especially in Baden-Wuerttemberg) the flood risk management of smaller tributaries (water bodies of the 2nd category) resides with the legal responsibility of communities while the large non-navigable rivers (water bodies of the 1st category) are under control of stronger administrative units like regional councils. Still the category of water body changes from 2nd category (the upper

Formatiert: Schriftart: 10 Pt.

Formatiert: Standard, Zeilenabstand: Genau 10 Pt.

Formatiert: Links: 1,5 cm, Rechts: 1,5 cm, Oben: 2,36 cm, Unten: 1,9 cm, Abschnittsbeginn: Fortlaufend, Breite: 21 cm, Höhe: 29,7 cm, Kopfzeilenabstand vom Rand: 1,27 cm, Fußzeilenabstand vom Rand: 1,27 cm,

Formatiert: Schriftart: Fett

Formatiert: Englisch (USA)

Formatiert: Einzug: Links: 0,12 cm, Nummerierte Liste + Ebene: 1 + Nummerierungsformatvorlage: 1, 2, 3, ... + Beginnen bei: 1 + Ausrichtung: Links + Ausgerichtet an: 0,4 cm + Einzug bei: 1,04 cm

Formatiert: Schriftart: Nicht Fett, Englisch (USA)

44 45

1

parts of the river) into the 1st category at positions which had been specified according to the master plan of Johann Gottfried Tulla (1770-1828) in the 19th century.

46 This study presents the results from the project TRANSRISK, which was realized between 2008 and 2011 in
47 collaboration between CRESAT of the University de Haute Alsace in Mulhouse andfunded by the French "Agence
48 Nationale de la Recherche" (ANR-07-FRAL-025) and the department of Physical Geography of the Albert49 Ludwigs-University of Freiburg, funded by the French "Agence Nationale de la Recherche" (ANR 07 FRAL-025)
50 and founded by the "Deutsche Forschungsgemeinschaft" (DFG-GI 358/5-1).

51

52

2. Study area

53 The study area is located within the Upper Rhine Rift and stretches approx. 110 km between Basel / Switzerland 54 and Strasbourg / France including the rims of the Black Forest and Vosges Mountains (Fig. 1). The elevation of the 55 Upper Rhine Rift ranges from about 250 m a.s.l. in Basel to 130 m-a.s.l. at Strasbourg. The highest mountaintops 56 of the region are the Feldberg (1493 m-a.s.l.) in the Black Forest and the Grand Ballon d'Alsace (1424 m-a.s.l.) in 57 the Vosges. The area is located in the mid-latitudes a zone of predominant westerly winds and in the transition of 58 maritime too continental climate. The climate is moderately mild due to its location around 48°N and decent 59 protection against cool air masses from the surrounding low mountain ranges. Warm southwesterly winds which 60 originate from the Western Mediterranean region can reach the area only moderately modified through the 'Belfort gap' ('Burgundische Pforte')... This however might only happen in less than 10% of the year. The westerly winds 61 62 and approx. 1000m of mean height difference between the rims and the valley floor account for a heterogeneous 63 distribution of precipitation between the Vosges Mountains and the Black forest as well as within the Upper Rhine 64 valley. Precipitation varies greatly from as little as 550mm/a at Colmar to approx. 1000mm/a around Freiburg representing the leeward and windward side of the valley floorof the Vosges Mountains to more than 2200mm/a at 65 66 the summits. Two precipitation maxima can be identified in the course of the year: one in July and another in 67 December-(mountain range). The July-maximum is generated mainly by convective rainfall, resulting usually from 68 thunderstorms.

69



70 71

72

73

74

75

76

77

Figure 1-1. Study area including the researched rivers and actual administrative districts in France and Germany.

Large parts of the study area belong to the European Region "RegioTriRhena" and nearly the whole study area is also topart of the Trinational Metropolitan Region "Oberrhein" (TMO-MRO) forming a multicore, tri-national conurbanisation with Bale, Freiburg, Lörrach and Mulhouse for the RegioTriRhena and in addition Karlsruhe and Strasbourg for the MRO, combining a bit-more than six million people and industrial hot spots-of the chemical, pharmaceutic, car and food industry, education and administration units. The MRO also serves as a European traffic turntable and stands for a highly productive agriculture as well as for cultural and historical high lights. The

Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand: Genau 10 Pt.

Formatiert: Englisch (USA)

Formatiert: Englisch (USA)

Formatiert: Englisch (USA)

Formatiert: Einzug: Links: 0,12 cm, Nummerierte Liste + Ebene: 1 + Nummerierungsformatvorlage: 1, 2, 3, ... + Beginnen bei: 1 + Ausrichtung: Links + Ausgerichtet an: 0,4 cm + Einzug bei: 1,04 cm

Formatiert: Englisch (USA)

Formatiert: Schriftart: Nicht Fett

Formatiert: Schriftart: Times New

Formatiert: Deutsch (Deutschland) Formatiert: Standard, Abstand Vor: 0,45 Pt., Zeilenabstand: Mindestens 12

Pt.

Roman, 11 Pt.
Formatiert: Schriftart: Fett

78 area is also well known for innovative ideas in civil societies, likewise participation and alternative life style and 79 manifold recreation possibilities. An increasing population and a - in comparison to the European average 80 younger population are some more indicators. Both concepts try to improve the transnational collaboration on the 81 fields of science, commerce, technology and politics as well as civil societies. Strasbourg is one of the European capitals. All in all the density in economic, scientific, cultural and societal values is very high; some of them are 82 83 vulnerable to floods. In history the researched area was affected from many territorial conflicts since the 17th century. Between 1871 and 1919 and again from 1940 to 1945 Alsace was occupied by Germany. As far as flood 84 85 control management is concerned, those different administrations tried to realize their own concepts and ideas 86 however both administrations had not been able to come up with and enforce any own master plan for flood 87 protection due to traditional water rights (see below).

88 3. Material<u>Methods</u> and methods<u>Data</u>

Within the TRANSRISK project the Rhine between Basel and Strasbourg and <u>1514</u> of its tributaries had been
analyzed: <u>Inin</u> Alsace the rivers Largue, Ill, Doller, Thur, Fecht and Lauch, in Baden the rivers Wiese, Klemmbach,
Kander, Neumagen/Möhlin, Dreisam, Elz, Schutter and Kinzig.

92 For none of those tributaries a flood research or a comparative survey regarding flood-protection measures had 93 hitherto been conducted. So the first interest was, to reconstruct the flood events between 1480 and 2007 as detailed 94 as possible, their underlying meteorological causes together with their spatio-temporal variation. Our approach 95 followed the method of critical source analysis which can be regarded as well established in the field of Historical 96 Climatology (Pfister 1985; Glaser & Stangl, 2003; Jacobeit et. al., 2006; Glaser et al., 2010; Wetter et al., 2011; 97 Himmelsbach, 2014), as of yet been conducted. So the first interest was, to reconstruct the flood events between 98 1480 and 2007, their meteorological causes and their temporal distribution. Following these well-established 99 principles of critical source analysis, the multitude of information gathered had been critically reviewed in a 100 hermeneutic approach due to their informational content mainly analyzing diction of the source as well as 101 additionally information about the author like level of education or social environment, intention etc., which might 102 have influenced or motivated the writings. Equally important is the cross-validation within different sources 103 describing the same event. Another valuable aspect for critical source analysis and evaluation is the described 104 impact of the floods and the damages, which are very often given in detailed images. Of course there is always a 105 time shift in historical records, the kind, that such detailed information decreases through time. Even though more than 2800 flood events had been identified by a total of over 4000 references, cross validation becomes more 106 107 difficult for early events. Therefor the level of uncertainty diminishes through time, which has to be taken into 108 account for all given results.

109 The use and usefulness of information derived from historical sources is an ongoing discussion within the scientific, and even more so, within the hydraulic engineering community. In contrast to measurement data 110 111 historical data never promises modelling results with seemingly mathematical exactness. Dealing with historical 112 information always means dealing with uncertainties, which is also a fundamental issue for all kind of statistical analysis. But besides loads of additional information which might been regarded useful for some research questions 113 historical data offer, so the methodology of critical source analysis had correctly been applied, sound information 114 115 on the occurrence of past events and allow for a reliable estimation of the magnitude of the past flood event. That those insights offer added value was proven amongst others by the work of Bürger et al. (2006) for the river Neckar 116 117 or by Grünewald (2010) for the river Elbe where the return intervals of flood events had to be recalculated due to data originated from historical sources. 118

As data source written evidence, flood-marks, drawings, flood-maps, newspapers, gauges data and
 contemporaneous administrative reports and chronicles had been considered. Flood risk management and
 perception had been analyzed on the basis of well-established methods introduced in Historical Climatology such
 as critical source analysis, the derivation of indices and the analysis of the hydro climatic factors (Pfister 1985;
 Glaser & Stangl, 2003; Jacobeit et al., 2003a/b; Jacobeit et.All possible information regarding flood events, their

Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand: Genau 10 Pt.

Formatiert: Schriftart: Nicht Fett

Formatiert: Einzug: Links: 0,12 cm, Nummerierte Liste + Ebene: 1 + Nummerierungsformatvorlage: 1, 2, 3, ... + Beginnen bei: 1 + Ausrichtung: Links + Ausgerichtet an: 0,4 cm + Einzug bei: 1,04 cm 124 duration and spatial extent or mitigation strategies for helping those who were affected had been extracted. To
 125 estimate and rank the intensity of the flood event a-al., 2006; Glaser et al., 2010; Wetter et al., 2011; Himmelsbach,
 126 2014).-

A classification scheme had been applied, in which the intensity and spatial dimension as well as the impacts as
 primary indicators, the duration as secondary indicators and the mitigation strategies as tertiary indicators were
 taken into account (Table 1). (Table 1). With this scheme it is possible to distinguishdifferentiate between smaller,
 medium size, strong and extreme events (see Glaser et al., 2012).

For some case studies, detailed information on impacts had been used to analyze and quantify the vulnerability. To
 compare the spatial and economic dimension of single events of selected historical with modern events, the
 economic values had been standardized.-

134

Class	Classification (Intensity and spatial dimension)	Primary indicators (Damages)	Secondary indicators (temporal structure)	Tertiary indicators (Mitigation)	•	Formatierte Tabelle
- 1	No classification possible	no Information	no Information	no Information		
1	Small flood [Return periodRegulated]	Little damage: e.g. on bankside fields and gardens; no bigger damages named	Short flood	Little (local) supporting measures	•	Formatiert: Schriftart: 9 Pt., Englisch (Großbritannien) Formatiert: Zeilenabstand:
2	rivers; up to 20. years]HQ ₂₀ -equivalent Above-average , big or	Average damageStrong	Flooding of average	Coordinated		Mindestens 11 Pt. Formatiert: Schriftart: 9 Pt. Formatiert: Schriftart: 9 Pt., Englisch
2	Free transfer and the supra-regional flood f	decline: damages on bridges and bankside buildings; flood-protection systems like dams or barrages are affected or damaged; loss of cattle and people;	duration to few days	supporting measures with participation of regional organizations		(Großbritannien)
3	Extreme / supra-regional flood of a catastrophically dimension freturn period is- higherRegulated rivers:	Morphodynamical processes, Serious damageStrong decline:severe damages / destruction of flood- protection systems bridges and buildings; damages on the bankside fields and gardens, loss of cattle and	Long-lasting flooding (several weeks)	Supra-regional (national), coordinated measures of major extent <u>.</u> The event is followed by long lasting discussions about security and a better		Formatiert: Abstand Vor: 4 Pt., Nach 4 Pt., Zeilenabstand: Mindestens 11 Pt. Formatiert: Schriftart: 9 Pt.
	bigger, than 100- years]HQ ₁₀₀ -equivalent	people:		The flood-event became part of the long-term- memory and resides as a reference figure.		Formatiert: Schriftart: 9 Pt., Englisch (Großbritannien)
A Table 1 1	Classification scheme for	r flood-events (meso-scale)				Formatiert: Schriftart: Times New Roman, Nicht Fett, Englisch (USA)
a die <u>+, 1.</u> 4. Data		r noou-events (meso-scale)				Formatiert: Links, Einzug: Links: 0,2 cm, Rechts: -0,04 cm, Zeilenabstand: Genau 12,3 Pt.
		extreme events in histo	orical sources is general	ly not overly difficult a	<u>s</u>	Formatiert: Schriftart: 11 Pt., Schriftartfarbe: Automatisch

At last Gathering information on extreme events in historical sources is generally not overly difficult as
 catastrophic events are of a total 2.830certain interest and widely recorded. In as far as medium or small events are
 concerned information however become sparser and a correct differentiation between them is difficult.

Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand: Genau 10 Pt.

Formatiert: Schriftart: Nicht Fett

0,2 cm, Rechts: -0,04 cm

5

Formatiert: Standard, Einzug: Links:

142 The availability of sources describing flood-events- events on the French and the German side show some distinct differences. In Alsace data on flood events is provided by a long tradition of writing chronicles, which was shared 143 144 by municipalities, abbeys or individuals and holds until the 19th century. Examples could be the town-chronicles of 145 Murbach, Mulhouse, Ensisheim, Colmar, Sélestat, Ribeauvillé or Strassbourg. Famous is the chronicle from the 146 Abbey of Thann by Malachias Tschamser (1678-1742) who reports on extremes also outside of Alsace. Even so 147 gauging data is sparse in Alsace until the 1870th, the fact that all creeks discharge into the river III before 148 discharging in the much bigger river Rhine allow for possible cross validation of flood events as the flood wave can 149 be tracked on its way and chronicles will (normally) state the villages and towns affected. The floods of 1511 150 (mentioned by 14 sources) or 1529 (mentioned by six sources) can be used as examples. Gauging data is available in Alsace from 1870 to the 1930th and from the 1950th onward. 151

152 The situation is different on the German side. Here chronicles came "out of style" since the middle ages and the 153 few, which indeed had been written mainly concentrate on reporting political events. Even by researching 154 alternative sources like transcripts of the city councils or the building authorities it is not possible to gather the 155 same quantity of sources which is available in Alsace. Exceptions are the flood events of the river Rhine, which are 156 often described in great detail by the chronicles of Switzerland especially from Bern and Basel, like the floods of 157 summer 1480 and 1511 or December 1506. Especially for Basel the given information is exact enough to assess the 158 biggest ones (Wetter et. al. 2011). Following the idea of Johann Gottfried Tulla (1770-1828) Baden begun with the installation of official gauging stations during the early 19th century and expanded the measuring network to the 159 160 tributaries during the 1820th. In the early 1870th the duchy of Baden initiated the "Nachrichtendienst bei Hochwasser" - a news service which was activated in case of flood events which was to establish communication 161 162 with the downstream communities in case of rising water levels. The related laws provide detailed information on 163 the water level, which had been regarded as dangerous.

With the 19th century newspaper started to appear within the research area which complemented the information 164 165 about past flood events by providing for a once more widened information base.

166 A total of 2830 flood-events were found and in written sources and gauge data and were evaluated within the 167 research area-, (Table 2), In Germany wea total of 1302 events have been identified 1.302 events, with an emphasis 168 on the 20th century. In contrast to that most of the flood events identified on the French side dates earlierIn France we identified 1201 events and for the river Rhine 327 events could be found. We found more events in France for 169 170 the time before the 19th century, than for the 19th century. German part of the research area, A main reason for that 171 can be found in a higheris the existence of many chronicles in Alsace and nearly none for the German part, which 172 can be regarded as a result of the existence of more cities and monasteries in Alsace along the rivers and a deeper 173 tradition to jot down personal histories ("Livres de raison"). On the other hand, we could identify much more flood-174 events on the German side on a basis of gauges data, because of the work of Johann Gottfried Tulla, who ordered 175 the installation of gauging stations on every river since 1816, as a basis for his rectification plans. In contrast the 176 limits of the French water rights prohibited the rectification of the rivers in Alsace during the 19th century (see 177 Sect. 5) there was no need to put gauges on the rivers and working with mobile devices seemed sufficient. This led 178 to only a minor, number of written chronicles which had been passed through time in France. However not as many 179 gauge data had been collected in France in comparison to the German side (Table 2).data concerning water levels. 180 During the German occupation (1871-1919) some stationary gauges had been active, but were decommissioned by 181 the French administration in the early 1930th. (Table 2).

182 To make this impressive data set accessible to the interested scientific community and the public, the data will be 183 presented on the Collaborative Research Environment www.tambora.org.

 17^{th} 15^{th} 16th 18th 19th 20^{th} 21^{th} River Total Ill 489 6 37 28 74 116 210 18

Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand: Genau 10 Pt. Formatiert: Englisch (USA)

Formatiert: Englisch (USA)

Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA)

Formatiert: Englisch (USA)

Formatiert: Englisch (USA) Formatiert: Einzug: Links: 0,4 cm, Rechts: -0,04 cm, Abstand Vor: 3,65 Pt., Tabstopps: 1,2 cm, Links Formatierte Tabelle Formatiert: Deutsch (Deutschland)

6

2 3 5 3 2 2 21	16 21 28 13 14	12 11 18 9 8	17 16 16 16	45 26 39	56 38 30	9 9 3	157 124
3 5 3 2	21 28 13 14	11 18 9	16 16	26	38	9	124
5 3 2	28 13 14	18 9	16				
3 2	13 14	9		39	30	3	100
2	14		16			5	139
		0		28	43	8	120
21		8	27	43	60	18	172
	129	86	166	297	437	65	1,201
1	8	26	39	88	160	10	332
1	3	4	2	21	32	5	68
1	6	4	23	53	96	5	188
1	3	10	22	57	115	10	218
2	3	3	8	15	115	10	156
1	3	2	6	10	11	1	34
1	3	2	2	5	18	0	31
1	3	8	14	60	176	11	237
9	32	59	116	309	723	54	1,302
28	81	41	28	86	59	4	327
							2,830
	1 1 1 2 1 1 1 9	1 8 1 3 1 6 1 3 2 3 1 3 1 3 1 3 1 3 9 32	1 8 26 1 3 4 1 6 4 1 3 10 2 3 3 1 3 2 1 3 2 1 3 2 1 3 8 9 32 59	1 8 26 39 1 3 4 2 1 6 4 23 1 3 10 22 2 3 3 8 1 3 2 6 1 3 2 2 1 3 2 2 1 3 2 1 3 8 14 9 32 59 116	1 8 26 39 88 1 3 4 2 21 1 6 4 23 53 1 3 10 22 57 2 3 3 8 15 1 3 2 6 10 1 3 2 2 5 1 3 8 14 60 9 32 59 116 309	1 8 26 39 88 160 1 3 4 2 21 32 1 6 4 23 53 96 1 3 10 22 57 115 2 3 3 8 15 115 1 3 2 6 10 11 1 3 2 2 5 18 1 3 8 14 60 176 9 32 59 116 309 723	1 8 26 39 88 160 10 1 3 4 2 21 32 5 1 6 4 23 53 96 5 1 3 10 22 57 115 10 2 3 3 8 15 115 10 1 3 2 6 10 11 1 1 3 2 2 5 18 0 1 3 8 14 60 176 11 9 32 59 116 309 723 54

Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert:	Deutsch	(Deutschland)
Formatiert: nächsten Abs		,, .

Formatiert: Einzug: Links: 0,12 cm, Hängend: 0,63 cm, Abstand Vor: 0 Pt., Keine Aufzählungen oder Nummerierungen

Formatiert: Schriftart: Nicht Fett, Englisch (USA)

Formatiert: Standard, Links, Einzug: Links: 0,12 cm, Abstand Vor: 10 Pt., Keine Aufzählungen oder Nummerierungen

Formatiert: Schriftart: Nicht Fett

Formatiert: Nicht unterstrichen

Table 2-2. Occurrence of reconstructed flood-events per century and catchment area

5. 4. Results

The highly spatio-temporal resolved data set and the detailed information on damages and impacts on the society 189 offers interpretation towards two main directions. First, different types of spatial flood occurrences had been 190 classified into five major groups and the underlying meteorological causes had been determined. There is evidence 191 about the changes of these underlying causes and changes in seasonality of the flood occurrences in the context of 192 the overall climatic change debate.-

193 A second part deals with the vulnerability of HQ 100 year events and the possibility of incorporation of historical 194 information into modern, integrated flood risk management. There is also another example about technical 195 alterations regarding the city of Mulhouse.-

Occurrence and definition4.1 The derivation of specific spatial patterns of flood types floods, 196 5.1

197 In a first step all flood events had been clustered regarding their spatial patterns. Five types can be identified: 198 Floodsfloods only at river Rhine, Floods at river Rhine and all its tributaries, floods on the French tributaries, 199 Floods at the German tributaries and Floods on French and German tributaries. These types are described below (see Fig. 2 to Fig. 6). 200


201 Type 1: Floods occur only at the river Rhine without involving its tributaries. Examples for that type are the floods 202 of July 1343, June 1876, September 1881 or July 1910. The cause for this flood-type is located in the Alps and/or in the Swiss midlands. For extreme summer events high temperatures and long lasting rain in addition to a quick 203

186 187

185

	<u>۸</u>		Formatiert: Schriftart: 10 Pt.
204	snow-melt in the higher regions of the Alps are in most cases the reasons for those events. In the hydrological		Formatiert: Standard, Zeilenabstand: Genau 10 Pt.
204	winter half-year an early snow-fall and afterwards a quick snow-melt in addition to longer and/or stronger rainfall		
206	are the meteorological conditions for extreme floods of the river Rhine. In other cases it might be a Vb weather		
207	situation, which causes heavy rainfall in the Swiss midlands (Wetter et al. 2011, Wetter, Pfister (2011))		
208	Type 2: Affects the river Rhine and all its tributaries in the study area at the same time. Examples are the floods of		Formatiert
209	July 1480, December 1882 or January 1910. In historic times as well as recently this flood type is characterized by	\sim	Formatiert: Nicht unterstrichen
210	the biggest spatial extent of heavy damages. For this reason it is necessary to give the meteorological causes of this		
211	type a special attention. Large scale and intensive rainfall events and/or rain on heavy snow pack characterize this		
212	type		
213	Type 3: This type only affects the French tributaries in Alsace. Examples are the floods of March 1876 or February	(Formatiert
214	and December 1999. Small scale low-pressure systems with snow melt characterize this type		
215	Type 4: This type only affects the German tributaries in Baden. An example is the flood of December 1991, which		Formatiert
216	was a so called "Christmas-flood": Thethe flow turns to the northwest and Lows, as part of a Cyclone family,		
217	initiate an early Christmas thaw. The precipitation falls into the summit level of the average mountains as rain,		
218	which could not infiltrate into the frozen ground (Weischet & Endlicher, 2000).	(Formatiert: Nicht unterstrichen
219	Type, 5: This type represents flood-events, where only the French and German tributaries of the river Rhine are		Formatiert
220	affected, but not the Rhine itself. Examples are the events of May 1872, February 1877, March 1896, December		
221	1919, December 1947 or April 1983.		

The spatial pattern types can be connected with prevailing weather situation and therefore are of specific interest for further climatological interpretation. This connection will be subject of further research (see Jacobeit et al., 2003a/b). In the following chapter the changes in underlying meteorological causes through times is elaborated.



225

Figure 1. Damage map of the flood inFigure 2. Damage map of the flood in December 1882September 1881 (Type 1)(Type 2)

226

Feldfunktion geändert Formatiert: Englisch (USA) Feldfunktion geändert Formatiert: Englisch (USA) Formatiert: Schriftart: Nicht Fett, Englisch (USA) Formatiert: Beschriftung, Links, Tabstopps: Nicht an 7,75 cm

Formatiert: Tabstopps: Nicht an 7,75

cm

Formatiert: Tabstopps: Nicht an 7,75

Feldfunktion geändert


Feldfunktion geändert Formatiert: Englisch (USA)

cm

Formatiert: Englisch (USA)

Formatiert: Tabstopps: Nicht an 7,75

Formatiert: Schriftart: Nicht Fett



227

228

Figure 3. Damage map of the flood inFigure 4. Damage map of the flood in December 1991December 1999 (Type 3)(Type 4)





230


231

Figure 6.6. Damage map of the flood in March 1896 (Type 5)

5.2 <u>4.2</u>Changes in underlying meteorological causes and seasonality

Everyone, who deals with reconstructing and evaluating historical floods from historical data with hermeneutical methods, has to determine indicators to differentiate the severity of the floods. Glaser & Stangl, 2003 and Glaser et al., 2010 focusfocused on the effects and the damage caused by floods. However, it is important not only to collect data about the consequences of the flood events, it is also important to record timing and, in case hints can be found, meteorological causes of the event. Often historical sources provide that kind of information. Their collections might be useful to help reconstructing the initial meteorological situation which led to the researched event. Based on meteorological information which further described the researched flood events we tried to display Formatiert: Links, Einzug: Links: 0,12 cm, Hängend: 0,63 cm, Keine Aufzählungen oder Nummerierungen Formatiert: Schriftart: Nicht Fett Formatiert: Englisch (USA) Formatiert: Englisch (USA) Formatiert: Englisch (USA)

l	•	-	Formatiert: Schriftart: 10 Pt.
239	the temporal development of meteorological causes of floods for some of the researched tributaries. To classify		Formatiert: Standard, Zeilenabstand: Genau 10 Pt.
240	meteorological causes the classification scheme from Bauer, (1952) is used, which distinguishes five causes:		Formatiert: Englisch (USA)
241	convective and continuous rainfall, snowmelt, ice breakup and rain on snow.		Formatiert: Englisch (USA)
2	on rout re and continuous rainfail, show more creatup and rain on show		Formatiert: Englisch (USA)
242	A comparison of the meteorological causes which induced flood events on some selected tributaries shows, that		Formatiert: Englisch (USA)
243	over the whole period "snowmelt/rain on snow" is the most important cause which is followed by "long-lasting		Formatiert: Englisch (USA)
244	rainfall". Events which are triggered by "convective rain" are currently discussed in connection with a changing		
245	climate (REMO, 2006; Zebisch et al., 2005) played a less important role as well as "icebreakice break". However:		Formatiert: Englisch (USA)
246	comparing the meteorological causes of the floods for the whole time-period with the last five decades a		
247	significant <u>distinct</u> increase of convective-rain-events can be noted-with one exception the Wiese, while. It is		Formatiert: Englisch (USA)
248	reasonable to assume, that convective events gain intense due to an increased hydrological cycle intensified by		
249	higher temperatures. Likewise ice break-up has almost vanished as a reason for flood events in modern times. This		Formatiert: Englisch (USA)
250	however can not only be attributed to generally higher temperatures, but to a variety of reasons with the widespread	\sim	Formatiert: Englisch (USA)
251	loss of floodplains and induction of coolants being some major reasons. There is also an increase in snowmelt		Formatiert: Englisch (USA)
252	related events. Floods caused by rain on snow show antithetic development. Changes in occurrence of floods		Formatiert: Englisch (USA)
253	caused by long lasting rain range from pronounced to minor decrease (see Fig. 7-).		Formatiert: Englisch (USA)






Figure 7.7. Changes of the meteorological causes of the floods in the last five decades in comparison to the period

In a second step the changes in seasonality of flood events happening at the river Rhine have been

analysed analyzed. Previous studies concluded that the runoff regime of the river Rhine changed during the 20th

century from a main discharge during the hydrological summer- to the hydrological winter half year (IKHR, 2007;

IKSR, 2011). From our<u>Our</u> data it is evidentsuggests, that only during a period lasting from the 1820th to the 1860th

the river Rhine displayed pronounced a phase with an accentuated and rather unusual occurrence of summer

runofffloods, That event might be linked to the ending of the Little Ice Age (LIA) around 1850. ButHowever, it has

to be taken into account that from 1817 onwards the massive alterations in the context of the rectification of the

river Rhine system by Tulla and successors changed the runoff regime.likely increased awareness to even minor

flood events and the installation of numerous new gauging stations raised the availability of data. This alone might

interpret the risen number of flood events as a pure data signal – which will, of course, give no reasonable explanation for the observed decline of flood events. All other decades from 1500 to now did not show a distinct

emphasis towards one season. The only exception might be the period between the 1940th and the 1970th where

winter runoff dominated (see Fig. 8). In contrast to the period around the 1950th where the elevated winter runoff did not occur in conjunction with extreme events (see Fig. 10), the period at the ending of the LIA was, at last to a

257 258

259

260

261

262

263

264

265

266

267

268 269

270

271

272

273


from 1480-2007





Formatiert: Englisch (USA)



Formatiert: Englisch (USA)







	•		Formatiert: Schriftart: 10 Pt.
220			Formatiert: Standard, Zeilenabstand: Genau 10 Pt.
328	paid for the work of the administration, limited projects could have been brought forward like the canal protecting		
329	Mulhouse (see sect. 5.3.3). Neither the French administration after the revolution of 1789, nor the German		
330	administration between 1871 and 1919 were able to get a full access on these kinds of rivers. In the end flood		
331	protection in Alsace on the non-navigable rivers developed more as a chain of random individual actions. That led		
332	the consequence that the natural flood plains of the rivers had to be respected as a potentially unsafe area to settle.		
333	In the German part of the study area the Grand Dutch of Baden followed another tradition of law: Since 1716, were		
334	parts of the river Murg (outside the study area) were rectificated to protect the town of Rastatt it was obvious, that		
335	the administration had no problem to see the non-navigable rivers as part of their responsibility. That claim was		
336	unchallenged since. The German riparian rights were first fixed in the so called "Sachsenspiegel" in the beginning		
337	of the 13th century. The non-navigable rivers became part of the feudal system which means that the feudal		
338	landowner had all rights on them. Without that legislation the work of Johann Gottfried Tulla and those who		
339	followed him would have never happened. In the state of the Grand Duchy of Baden the first attempt to work on		
340	the non-navigable rivers was done in 1816 by founding the first river training syndicate of the Grand Duchy of		
341	Baden ("1.Großherzoglich-Badischer Flussbauverband"), which was a result of the engagement of Johann Gottfried		
342	Tulla, The fact that the state incurred 2/3 of river construction costs offered at some rivers a "win-win-situation"		Formatiert: Englisch (USA)
343	between the state, the riparian and the communities. On other rivers, e.g. the Wiese, some communities left the		
344	syndicate (1822) to rejoin in 1882 after some serious floods (Bär, 1870; Zentralbüro für Meteorologie und		
345	Hydrographie des Großherzogtums Baden, 1887). Up to the middle of the 19th century nearly all non-navigable		
346	rivers in the Grand Duchy of Baden were canalized.		
347	In Alsace the riparian rights prohibit technical flood protection outside the towns on the non-navigable rivers. The		Formationt: Englisch (UCA)
347 348	attempt of the French government, to challenge that by launching so called "river training syndicates" ("Syndicates")		Formatiert: Englisch (USA)
349	fluviaux") failed because of the complicate structures, the insufficient support by the administration but most		
350	frequently because of the divergent interests of the members which had been ordered into them. One part was only		
351	interested in water for agricultural needs, the other part were industrials (mainly from the drapery), which wanted		
352	to canalize the rivers, to get constant water into their factories and to protect them against flooding. The farmers		
353	worried, that a canalization of the rivers hinders irrigating their land. This conflict could be solved neither by the	_	Formatiert: Englisch (USA)
354	French nor by the German administration after 1871. The only bigger project that was done was the correction		
355	work on the river III between Meyenheim and Colmar between 1878 and 1888 (Bordmann, 2004, Himmelsbach,		
356	2014).		
550			
357	In a long-term consequence these different concepts of flood protection led to two different points of view		
358	regarding the natural stream channel: in Baden all rivers were canalized while in Alsace no significant flood		
359	protection was archived the natural flooding areas needed to be respected. In Baden-Wuerttemberg the attitude		
360	evolved, that behind the technical flood protection systems one can build nearly anything, from industrial areas to		
361	apartment houses. Now as the European Flood-Risk-Management directive from 2007 (EU 2007) is implemented		
362	by publishing the flood- and risk-maps, a big and controversial discussion has started in the concerned communities		
363	regarding the consequences for the private people and the enterprises, who reside near the rivers, what will happen		
364	to the prices of their properties besides the rivers (and behind the dams) and which possibilities will the enterprises		
365	have in the industrial areas (which in many cases were placed in the natural flood areas) if they want to expand?		
366	5.3 <u>5.1 Vulnerability analysis</u>		Formatiert: Standard, Links, Einzug:
			Links: 0,12 cm, Abstand Vor: 10 Pt., Keine Aufzählungen oder
367	Historical sources provide not only information about floods and climate but also on damages and impacts on	\setminus	Nummerierungen
368	society, which can be used to analyse analyze vulnerability and resilience aspect. Both, hazards and vulnerability	//	Formatiert: Schriftart: Nicht Fett
369	are fundamental elements of risk analysis. One major task of the TRANSRISK project is to bridge modern and		Formatiert: Englisch (USA)
370	historical information.		Formatiert: Englisch (USA)

371 While there are convincing examples concerning flood events and hazard analysis (Grünewald, 2010; Bürger et al., 372 $\frac{2006}{100}$, the concepts to evaluate vulnerability is subject of recent and further research. Integrating historical gauging 373 data for definition of return periods likewiselike the mega-flood of 2002 at Dresden leads to a significant changed 374 reassessment of this important parameter. Taking the gauging data from 1879-2002 into account vs.in comparison 375 to merely using the data for the time period from 1936 to 2002, changes the return period offrom a HQ1000 to a 376 HQ150- (Grünewald, 2010), A case study for the extreme flood event 1824 at river Neckar at Stuttgart showed that 377 both,flood events, water, level and, return period and rainfall intensity were underestimated using modern data 378 alone. For this purpose, historical data on precipitation pattern and intensity and inundation areas were incorporated 379 into modern the hydrological budget model LARSIM, (Bürger et al., 2006) and led to a redefined design flood for 380 the river Neckar, Pfister et al., (1999) underlined the importance of the social dimension and can be regarded as 381 first step for vulnerability assessment.

The below, given examples for the river Dreisam and Mulhouse showdemonstrate, how HQ100 events can be used
 for a better understanding of the spatial dimension of flood extent and damages and to evaluate vulnerability
 aspects as integrating part of modern and historical flood risk management.

In a second approachFor the tributaries of the river Dreisam, the flooded areas at the water bodies category II east
 of Freiburg had been compared with the modern HQ50 and HQ100 flood prone area as lined out by administration
 authorities as part of the risk maps of the European water directive (EU 2007; Santato et al., 2013; Kjellgren,
 2013): and the actual status of the bridges within a HQ100 or higher event was added to underline our point of an
 missing flood protection of the water bodies category II.

For Mulhouse it was possible to reconstruct the build-process of the so called "Canal de décharge", a major part of
 the flood-protection system of Mulhouse, which was started in the early 19th century, as an example for the a
 historical dealing with flood-risk-management accompanied by technical problems.

393 **5.3.1** 5.1.1 River Dreisam: Flood March 1896 vs December 1991

1

For parts of the German river Dreisam catchment area it was possible to summarize and map the damages, which were caused by two HQ100-events. To show the differences between the damage of the two flood-_events, we worked with raster maps (1:25000), to get a spatial view of the concentration of the damages, like on bridges, sluices dams and the areas which were flooded. We determined, that a raster cell of 625 square meters fits best in this case to show the normalized We normalized the damage in four classes from "no damage" (white) to "high damage" (red) (Jeworutzki, 2010).


In Fig. 14 different patterns for the damages can be observed which are specific to each flood situation. For the inner city of Freiburg the comparison shows that the damages in 1896 had been more concentrated along the Dreisam river itself, while the one of 1991 had been more disperse around the modern city and also touches a canal in the city. The map of the accumulative damages for 1896 shows that the smaller villages like Zarten have been much more affected by the flood than the city of Freiburg.


405 The background for this observation is the fact, that the part east of the city of Freiburg is(some of the tributaries of the river Dreisam) were and are not protected in the same way against floods: Therethere, are no dams along the 406 407 river and the creeks. On the other handAnyway there was an increase of human activities induring the last 100 408 years in this region, concerning settlements and industrial areas. The displayed tributaries are waterbodies of the 409 category II, and the responsibility of their flood protection lies in the hands of the communities, which hadn't had 410 the financial resources and /or the knowledge to take the needed actions. Both developments led to the fact that the 411 pattern of the damages in this region hason the tributaries had not changed very much between 1896 and 1991 in total. However in the upper parts of the researched creeks the more damage was caused. However it had to be 412 413 noted, that due to a multitude of reasons the available data is in all likelihood not complete. So the spatial distribution of the damages might to a certain degree also be influenced by the data availability, 414

Formatiert: Schriftart: 10 Pt.
Formatiert: Standard, Zeilenabstand: Genau 10 Pt.
Formatiert: Englisch (USA)

Formatiert: Englisch (USA)

Formatiert: Englisch (USA)







I

416


Spatial damage raster of the Dreisam catchment area

417 Figure 14,14. Normed damages of the floods from March 1896 (left) and December 1991 (right) near Freiburg 418

419 5.1.2 Comparison of flooded areas of 1896 and 1991 with modern HO50 and HO100 risk maps, 5.3.2

420 The comparison of the historical inundationflooded areas of the 1896 and 1991 eventsflood with modern HQ50 and 421 HQ100 inundation areas as published by LUBW (Regional planning authority of Baden-Württemberg) as part of 422 the EU water directive (EU 2007) shows more differentiated that the modelled areas do not always correlate with 423 those which actually had been flooded in recent events. In addition it seems that important actions had not been 424 taken since 1991. So bridges and partly contradictory pattern (Fig. 15). After 1991 only minor changes in the 425 riverbed and small flood protection measurementstheir bases, were establisched (Riach, 2014). There is an ongoing 426 debate whether differences not up to a HQ100-event, because they are due to either weak constructed or their spread 427 was too small so that swells could be caused (Fig. 15). Even if the results from past flood events cannot be 428 translated into modern alterationstimes without adaptation the comparison of the flooded area from the 1896 and 429 the 1991 events with the expected flood area of a future HQ-100 event demonstrates that at a local scale the 430 necessary (technical) development of the creeks and land use changes or misinterpretationrivers is not only a 431 question of perception but also of planning intervals, communication processes with the affected local 432 administration and incomplete modellingthe financial priorities and the acceptance of the planned measures by the 433 residents,


Formatiert: Englisch (USA) Formatiert: Rechts: 0,48 cm Formatiert: Standard, Links, Einzug: Links: 0,12 cm, Abstand Vor: 10 Pt., Keine Aufzählungen oder Nummerierungen Formatiert: Schriftart: Nicht Fett Formatiert: Englisch (USA) Formatiert: Englisch (USA)



451 floods) and thereby on the vulnerability of the city, through the protection it provides, enabling the urbanization,
452 which became possible after its completion.

Until 1860 there is a high coherence between floods at Mulhouse and the rest of the basin as to the number and
intensity of the floods. So, the efficiency of the diversion canal has only become manifest very progressively. There
was a huge demand for building land, and the urbanization (factory buildings and housing estates) was carried out
in parallel with, and even in anticipation of the construction of the canal.-

And the new districts, working-class and industrial, developed on land liable to flooding, were those that proved
highly vulnerable owing to the weaknesses of the early versions of the canal. Conversely, after the year 1905 when
the final version of the canal was completed, Mulhouse appears clearly marked off from the rest of the III basin,
with fewer and above all less damaging floods (Martin et al., 2010; Martin et al., 2011).



Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand: Genau 10 Pt.

Formatiert: Englisch (USA)

Formatiert: Rechts: 0,27 cm, Abstand Vor: 1,55 Pt., Zeilenabstand: Mehrere 1,13 ze

Formatiert: Englisch (USA)

Formatiert: Rechts: 0,48 cm

463 6. Trans-boundary aspects

461

462

For the navigable rivers, like the river Rhine, there was not a big difference between the French and the German part of the research area: On both sides one worked on dams, sluices and other flood protection projects since the 18th century. But the quality of the technical protection buildings was not only a technical question, but also a question of financial opportunities and was not coordinated between France and the German domains along the Rhine. First in 1840 a contract was handled out between the states of France and the Grand Duchy of Baden, which leads to a controlled and planned development of the river Rhine according to the plans and projects of Johann Gottfried Tulla (1770-1828) (Himmelsbach, 2014).-

The real difference in terms of flood control developed between Baden and France along the non-navigable rivers.
To underline the political and administrative dimension of flood control it is necessary to analyse the different laws,
bylaws and regulations concerning the flood control. While there had been a distinct flood control in the different
communities mostly by fishermen and by associations (Genossenschaften) the official regulative started on the
German side after the foundation of the Grand Duchy of Baden in 1806 whereas on the French side the first
administration for bridges and roads, the "Corps des ingénieurs des ponts et chaussées" already started their work
nearly 100 years before in 1716.

Therefore, the administrative experience with the flood regulations has a much longer tradition on the French side.
In the following decades after 1716 many small regulations were conducted, in most of the cases where the main roads in Alsace cross rivers. This was mainly due to the legal situation regarding the Non- navigable Rivers, which were neither in Alsace nor in Baden accessible to the state but under control of the respective landlords. Even changes in the legal system after the French Revolution and during the Napoleonic era were not able to change this:
The French riparian rights based on the Roman legal tradition, where the Non navigable Rivers were part of the owners property. Only with their permission the administration could implement her plans.

485 In the state of the Grand Duchy of Baden the first attempt to work on the non -navigable Rivers was done in 1816 by founding the First river training syndicate of the Grand Duchy of Baden ("1. Großherzoglich- Badischer 486 487 Flussbauverband"), which was a result of the engagement of Johann Gottfried Tulla (1770-1828). This was only possible, because the Grand Duke of Baden had the self-concept of being not only the sovereign of the people but 488 also landlord for all types of the rivers in his country. This position reminded undisputed, The fact that the state 489 incurred 2/3 of river construction costs offered at some rivers a "win win situation" between the state, the riparian 490 491 and the communities. On other rivers, e.g. the Wiese, some communities left the syndicate (1822) to rejoin in 1882 492 after some serious floods (Bär, 1870; Zentralbüro für Meteorologie und Hydrographie des Großherzogtums Baden, 493 1887). Up to the middle of the 19th century nearly all non navigable rivers in the grand duchy of Baden were 494 canalized.

495 In Alsace the riparian rights prohibit technical flood protection outside the towns on the non-navigable rivers. The 496 attempt of the French government, to build so called "river training syndicates" ("Syndicats fluviaux") failed in this 497 time because of the complicate structures, the insufficient support by the administration but most frequently 498 because of the divergent interests of the members, which had been ordered to them: One part was only interested in 499 water for agricultural needs, the other part were industrials (mainly from the drapery), which wanted to canalise the 500 rivers, to get constant water into their factories and to protect them against flooding. The farmers worried, that a canalisation of the rivers led to a loss of the possibility to irrigate their grassland. This conflict could be solved 501 502 neither by the French nor by the German administration after 1871. The only bigger project that was done was the 503 motion work on the river Ill between Meyenheim and Colmer between 1070 and 1000 (Dordmann 2004 504 Himmelsbach, 2014).

505 a long term consequence these different concepts of flood protection led to two different points of view 506 channel:-In Baden all rivers were canalized while in Alsace one has to respect the 507 natural flooding areas So in Baden Wuerttemberg the attitude evolved, that behind the technical flood protection 508 systems one can build nearly anything, from industrial areas to apartment houses. In France one has to respect the 509 natural flood areas at the non navigable rivers and as a consequence, flood protection gets part of a site protection. 510 the European Flood Risk Management directive from 2007 (EU 2007) is implemented by publishing the flood-and risk-maps a big and controversial discussion has started in the concerned communities regarding the 511 consequences for the private people and the enterprises, who reside near the rivers, what will happen to the prices 512 of their properties besides the rivers (and behind the dams) and which possibilities will the enterprises have in the 513 514 industrial areas (which in many cases were placed in the natural flood areas) if they want to expand?

516 **7. 6. Conclusions**

515

517 The reconstruction of The French-German transboundary project Transrisk demonstrates that it is possible to 518 identify, record and evaluate historical floods at high spatial and temporal resolutions allows flood events on both 519 sides of the border with high temporal and spatial resolution from documentary sources by using a common 520 classification scheme. Often the sources itself contains additional information which allow for detailed insights into 521 flood hazard and flood hazard perception. The The derived 500 yearlong flood chronology identified different 522 spatial patterns of flood concurrencies which reveal local, regional and supra-regional dimensions of flood events.

523 Changes in flood frequencies (long-time series) are not coherent between the different rivers and tributaries. The
 524 reconstruction of underline The identification of flood triggering meteorological causes allows identifying changes
 525 in the climatological eauses is possible at different scales and leads to a clear and systematic image. The derivation
 526 of damage maps as part of the vulnerability analysis is also possible. It's even more detailed in the historical flood
 527 regime.

Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand: Genau 10 Pt.

Formatiert: Englisch (USA)

Formatiert: Englisch (USA)

Formatiert: Englisch (USA)

Formatiert: Standard, Einzug: Links: 0,12 cm, Keine Aufzählungen oder Nummerierungen Formatiert: Englisch (USA) Formatiert: Schriftart: Nicht Fett, Englisch (USA) Formatiert: Englisch (USA)

l	<u>۸</u>		Formatiert: Schriftart: 10 Pt.
528	Regarding the social-political context due to the restrictive regulations on public data access in modern times.		Formatiert: Standard, Zeilenabstand: Genau 10 Pt.
528 529	Flood control, flood control was exploited for political objectives in many timestime periods on both sides of the		Formatiert: Englisch (USA)
530	border and the. The border is clearly reflected in the risk perception but also risk management and risk assessment		Formatiert: Englisch (USA)
531	clearly. This aspect clearly shows the different history of the both nations as far as legal water-rights is concerned,	\swarrow	Formatiert: Englisch (USA)
532	which leads to different ways of flood-protection: The German side set focus on a technical development of the	$\langle \rangle$	Formatiert: Englisch (USA)
533	rivers. In Alsace this was legally not possible so the flood plains remained an unsafe place to be and had to be		Formatiert: Englisch (USA)
534	evited.		
505			
535	The examples of the river Dreisam and Mulhouse show, that the derivation of damage maps from historical sources		
536 537	as part of the vulnerability analysis is also possible. Especially the example of the river Dreisam shows, that the vulnerability on minor tributaries could increase if the flood-protection measurements will not keep pace with the		
537 538	<u>development of the human occupations of the riverside</u> , Since 2007 the flood risk management is controlled by the		Formatiert: Englisch (USA)
539	EU-policies (EU 2007) but we see many differences in the which does not extend to small tributaries, flood risk		
540	management remains in the responsibility of the communities.		Formatiert: Englisch (USA)
540	management remains in the responsionity of the communities.		
541	For the future it is necessary to focus on risk perception, risk acceptance and the communication structures between		
542	the administration and the concerned persons regarding the implementation on the regional and local level, where		Formatiert: Englisch (USA)
543	uncertainties occur, regarding the perspective of private and economic operations in the future. of flood protection		
544	systems also on minor tributaries in congested areas. This could lead to a comprehensive and integrative flood risk		
545	management. The aim should be a holistic understanding of the flood risk management, which traces the changing		
546	aspects in perception, policy decisions, assessment of technology and the role of risk- and public-discourse at the		
547	interface between climate change and social conceptualization in their temporal dynamics,		Formatiert: Englisch (USA)
548	8. Acknowledgements		
549	The research project TRANSRISK was supported by DFG and ANR (ANR 07 FRAL 025, TRANSRISK, Analyse		
550	interdisciplinaire et transfrontalière de l'histoire des risques d'inondation dans l'espace du Rhin Supérieur).		
551	9. 7. References		Formatiert: Standard, Einzug: Links:
001			0,12 cm, Keine Aufzählungen oder
552	Bär, F.J.: Die Wasser- und Strassenbau-Verwaltung in dem Grossherzogthum Baden, Karlsruhe, 1870.		Nummerierungen
553	Bauer, L.: Hydrologie des Flussgebietes von Unstrut und Gera unter besonderer Berücksichtigung der	$ \setminus $	Formatiert: Deutsch (Deutschland)
555 554	Hochwassererscheinungen und des Einflusses von Kahlschlagflächen auf die Wasserführung. Diss. Jena, 1952.		Formatiert: Schriftart: Nicht Fett, Deutsch (Deutschland)
554	Hochwassererschemungen und des Emmusses von Kamschagnachen auf die Wasserfumung. Diss. Jena, 1952.		Formatiert: Deutsch (Deutschland)
555	Bordmann, G.: Les colères de l'Ill aux environs d'Oberentzen et Oberhergheim, Annuaire -Société d'histoire de la		
556	Hardt et du Ried, 51-62, 2004.		Formatiert: Absatz-Standardschriftart,
			Schriftart: +Textkörper (Calibri)
557	Bürger, K., Dostal, P., Seidel, J., Imbery, F., Barriendos, M., Mayer, H., Glaser, R.: Hydrometeorological		
558	reconstruction of the 1824 flood event in the Neckar River basin (southwest Germany). Hydrological Sciences		Formatiert: Französisch (Frankreich)
559	Journal 51, 864-877, 2006.		
560	EU (2007): EU flood risk management directive (2007/60/EC), http://eur-lex.europa.eu/legal-http://eur-		
561	lex.europa.eu/legal- content/EN/TXT/?uri=CELEX:32007L0060		Formatiert: Schriftartfarbe: Blau,
			Französisch (Frankreich)
562	Glaser, R. & Stangl, H.: Historical floods in the Dutch Rhine Delta. In: Natural Hazards and Earth System Sciences		Formatiert: Französisch (Frankreich)
563	3, S. 605-613, 2003.		
564	Glaser, R., Riemann, D., Schönbein, J., Barriendos, M., Brázdil, R., Bertolin, C., Camuffo, D., Deutsch, M.,		
565	Dobrovolný, P., van Engelen, A., Enzi, S., Halícková, M., Koenig, S., Kotyza, O., Limanówka, D., Macková, J.,		
566	Sghedoni, M., Martin, B. and Himmelsbach, I.): The variability of European floods since AD 1500. Climatic	_	Formatiert: Deutsch (Deutschland)
567	Change 101, 235-256, 2010.		

1			(
ļ		$\overline{}$	Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand:
568 569 570 571	Glaser, R., Riemann, D., Himmelsbach, I., Drescher, A., Schönbein, J., Martin, B., Vogt, S.: Analyse historischer Hochwasserereignisse – Ein Beitrag zum Hochwasserrisikomanagement. In: WBW Fortbildungsgesellschaft für Gewässerentwicklung mbH (Ed): Erfahrungsaustausch Betrieb von Hochwasserrückhaltebecken in Baden- Württemberg. Berichtsband der 18. Jahrestagung, 8-17, 2012.		Genau 10 Pt.
572 573	Grünewald, U.: Zur Nutzung und zum Nutzen historischer Hochwasseraufzeichnungen. Hydrologie und Wasserbewirtschaftung 2, 85-91, 2010.		
574 575	Himmelsbach, I.: Erfahrung – Mentalität – Management. Hochwasser und Hochwasserschutz an den nicht- schiffbaren Flüssen im Ober-Elsass und am Oberrhein (1480-2007), Freiburger Geographische Hefte Nr. 74, 2014.		
576 577	Internationale Kommission für die Hydrologie des Rheingebietes (Ed): Das Abflussregime des Rheins und seiner Nebenflüsse im 20. Jahrhundert. Analyse, Veränderungen, Trends (= Bericht Nr. I-22 der KHR), 2007.		
578 579	Internationale Kommission zum Schutz des Rheins (Ed.): Szenarienstudie für das Abflussregime des Rheins. Stand April, 2011.		
580 581 582 583	Jacobeit, J., Glaser, R., Luterbacher, J., Nonnenbacher, M., Wanner, H.: Links between flood events in central Europe since AD 1500 and the large-scale atmospheric circulation. In: V.R. Thorndycraft, G. Benito, M. Barriendos & M.C. Llasat (Hrsg): Palaeofloods, Historical Data and Climatic Variability: Applications in Flood Risk Assessment Verlag, 269-274, 2003a.		
584 585	Jacobeit, J., Glaser, R., Luterbacher, J., Wanner, H.: Links between flood events in central Europe since AD 1500 and large-scale atmospheric circulation modes. Geophysical Research Letters, 30 (4), 1172-21-1-4, 2003b.		
586 587	Jacobeit, J., A. Philipp & M. Nonnenmacher: Atmospheric circulation dynamics linked with prominent discharge events in Central Europe. Hydrological Sciences Journal 51, 946-965, 2006.		Formatiert: Deutsch (Deutschland)
588 589	Jeworutzki, A.: GIS-gestützte Analyse hochwasserinduzierter Schadwirkungen an der Dreisam. (M.Sc.) unpublished, 2010.		
590 591	Kjellgren, S.: Exploring local risk managers` use of flood hazard maps for risk communication purposes in Baden- Württemberg. Natural Hazards and Earth System Sciences, 13, 1857-1872, 2013.		
592	Martin, B., Ansel, R., Drescher, A., Guerrouah, O., Glaser, R., Riemann, D., Vitoux, MC., Vogt, S., With, L.:		
593 594	Threatening disaster or masterd risk? A geo-historical approach of flood risk in urban area. Example of Mulhouse (France). Territorium 17, 201-209, 2010.		Formatiert: Englisch (USA)
595	Martin, B., Ansel, R., Guerrouah, O., Vitoux, MC., With, L., Drescher, A., Glaser, R., Himmelsbach, I.,		
596 597	Schönbein, J.: Géohistoire critique de la crue de janvier 1910 dans le Fossé Rhénan (Alsace /Pays de Bade). La Houille Blanche 1, 62-68, 2011.		Formatiert: Deutsch (Deutschland)
598 599	Max-Planck-Institut für Meteorologie (Ed.): REMO – Regionale Klimasimulationen für Deutschland, Österreich und die Schweiz, 2006		
600	Riach, N.: Zum Hochwasserrisikomanagement im Einzugsbereich der Dreisam. (B. Sc.) unpublished, 2014.		Formatiert: Deutsch (Deutschland)
601	Pfister, C.: Klimageschichte der Schweiz 1525-1860 Bern, Stuttgart, 1985.		
602 603	Pfister, C., Brázdil, R. & Glaser, R. (Eds.): Climatic Variability in Sixteenth Century Europe and Its Social Dimension In: Climatic Change, Special Volume, 43 (1), 111-150, 1999.		
604	Santato, S., Bender, S. & Schaller, M: The European Floods Directive and Opportunities offered by Land Use		
605	Planning. CSC Report 12, Climate Service Center, Germany, 2013. 21		Formatiert: Deutsch (Deutschland)

606 607	Weischet, W., Endlicher, W. (Ed.): Regionale Klimatologie. Teil 2: Die Alte Welt: Europa, Afrika, Asien, Stuttgart, 2000.	Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand: Genau 10 Pt.
608 609	Wetter, O., Pfister, C.: Das Jahrtausendhochwasser von 1480 an Aare und Rhein. In: Berner Zeitschrift für Geschichte 4 (2011), S. 1-10.	
610 611	Wetter, O., Pfister, C ₄ , Weingartner, R., Luterbacher, J., Reist, T., Trösch, J.: The largest floods in the High Rhine basin since 1268 assessed from documentary and instrumental evidence. HSJ 56:5, 733-758, 2011.	Formatiert: Deutsch (Deutschland)
612 613	Zebisch, M., Grothmann, T., Schröter, D., Hasse, C., Fritsch, U., Cramer, W.: Klimawandel in Deutschland- Vulnerabilität und Anpassungsstrategien klimasensitiver Systeme. Berlin: Umweltbundesamt, 2005.	Formatiert: Deutsch (Deutschland)
614 615	Zentralbüro für Meteorologie und Hydrographie des Großherzogtums Baden: Der Binnenflussbau im Großherzogtum Baden. Beiträge zur Hydrographie des Großherzogtums Baden, Heft 5, 1887.	

Response to the referees on the HESS article 617 "Flood risk along the upper Rhine since AD 1480" from Himmelsbach et al. 618 619 620 We, the authors, thank the reviewers for their constructive comments which helped improving the text. We 621 hope that we were able to edit the passages in question in an acceptable manner. Please find our 622 comments on the referee's suggestions in the text below. 623 Anonymous Referee #1 624 625 Received and published: 13 February 2015 626 [...] My principal remark relies on the main scientific objectives of the paper: 627 these objectives should (in my opinion) figure more clearly, starting from the abstract 628 and the introduction. Some parts of the article suffer then from a lack of connection 629 between them, which contributes to reduce the organization and the coherence of your 630 631 results. For instance, the link between underlying the meteorological causes and the 632 risk management analysis should be developed and argued. 633 Those points had been addressed by the referee in greater detail in the sections below. Please find our 634 comments there. 635 636 The general visibility of the Figures has to be improved (use a bigger font, localize the examples on your 637 638 studied area by adding a small map in a corner of the figure, use a more contrasted colour for the "natural flood plain" of the Rhine river). 639 640 We generally revised the figures, changed fond size and some color and added information (e.g. in form 641 of a general map) where necessary. 642 643 644 Some general remarks for each section 645 The title of the paper may be judged as too neutral and doesn't point totally out your 646 approach. Maybe consider to change it for a more relevant one. 647 648 We agree with the point made by the revere and changed the title. 649 650 The abstract is tooshort, and doesn't seem to represent all the objectives of your study. You should 651 maybe give more details on your methodology and your results in order to incite the reader. Insist more on the originality of the studied area and of the solicited approach in a such way to promote the scientific 652 653 interest of the paper. During the introduction you point out 654 the interest of studying small catchments area but don't develop this aspect anymore in the rest of the paper, and especially in the conclusion. As in the abstract, the main 655 purpose of the study should clearly figure and be developed within the introduction 656 657 (historical analysis of floods events and relation between floods risk and vulnerability, 658 flood risk management?). 659 We agree with the revere and revised the abstract. 660 661 Concerning the methodology and the data set, the paper makes reference of the several 662 classifications schemes used in historical climatology and seems especially based 663 on the works of Glaser. It firstly would be necessary to develop the main criteria used 664 665 and show the main limits of each class. For instance, we don't know exactly the difference between the class "average damage" and the class "severous damage" without 666 looking at the referenced articles. It would be a good idea to represent these limits 667 inside the Table 1 (?). 668 669

670 We added the requested class limits into table 1 as suggested.

1

23

Formatiert: Schriftart: 10 Pt. Formatiert: Standard, Zeilenabstand:

Genau 10 Pt.

671 Secondly, the uncertainties about dealing with historical information 672 673 are not mentioned. These uncertainties are yet a significant parameter to point out 674 in order to criticize the methodology (especially for quantitative data such as return periods or economic values). For instance, comparing economic value of disasters from 675 676 different temporal and spatial scales raises many questions such as the data availability 677 through centuries. 678 679 In general we agree with the referee. Uncertainties are always an important aspect when dealing with 680 (historical) data. As far as our methodology comparing economic loss between two flood events from 681 different centuries goes, we however feel to have addressed that issue by normalizing the damages. We have not claimed that the database we use will cover the entire losses of both events. Neither can that be 682 archived nor is it necessary for our approach. However we feel that the comparison we made – based on 683 the available data – is sound. We added a paragraph hinting to the likely incomplete dataset. 684 685 686 The analysis of the evolution of meteorological causes triggering to floods points out some interesting points. It should however be relevant to bring some conclusions at the 687 end of this part and link this part with the vulnerability analysis. I would be more critic 688 about this second part of your results. In fact, you mainly compare the vulnerability 689 face to flood taking mainly into account the inundated area and the damages and don't 690 really take into account the land-use evolution (except for the case study of Mulhouse 691 which is more detailed and quite clear). It would be interesting to link more the land use 692 693 and flood risk management evolutions in consideration for the two first case studies. 694 The second needs in that way to be more developed (it doesn't seem very useful in 695 comparison with the others which are more detailed). We don't know of which part of 696 the studied area you make reference within this part (it is the same for Fig. 15). The studied of trans-boundary aspects should me bore linked to the rest of the study. You 697 mention many interesting points but the text should be related to the precedent points 698 699 developped in the paper (Why the study of local flood risk management is interesting 700 and influence or is influenced by the floods chronology?) 701 702 Maybe the title of this part should be review and focusing more on rivers and flood risk management? 703 704 You could also post section 6 before section 5, in order to explain the administrative differences between 705 France and Germany. 706 707 We discussed the suggestion of the referee to reorganize the text and found that idea helpful. We decided 708 to print paragraph 6 before paragraph 5.3. 709 Finally within the conclusions, some on the main results should be resumed and more 710 developed in order to illustrate why this paper can be considered as an original article 711 and is relevant for improving flood risk analysis (or depending from you initial 712 713 objectives). The conclusions given are not substantial and need to be revised. Some perspectives should also appear. 714 715 716 Specific remarks: P178, L21-26: You give some examples about flood risk management on small catchment 717 area in France. How is this management in Germany? 718 719 720 We added the requested information. 721 722 P179: Maybe insist on the historical context of the studied area. How this historical context significant in your 723 724 analysis? For instance you didn't mention that Alsace was attached to the German 725 government for almost 50 years. I would suggest to also insisting on the originality

of the studied area: a local context marked by the presence of a significant river (the 726 727 Rhine) and a cross-border location. Concerning the meteorological aspects, maybe a map could illustrate the annual rainfall on the studied area in order to shed the light on 728 the rainfall characteristics? You indicate the presence of numerous stakes inside the 729 730 region: are they spread over the territory in a homogenous way? (I especially think 731 about the little tributary of the III River)? 732 733 We added a small map of the spatial distribution of precipitation. However we feel that this topic was 734 conclusively dealt with during the REKLIP project and we therefor want to refer to their web-page. 735 736 P180, L19: You wrote 15 tributaries instead of 14 mentioned on the page 179. 737 738 We apologize for the typo and corrected the passage in question. 739 740 P180, L24: The sentence "Had as of yet" seems incorrect. I suggest "Had yet been 741 conducted"? 742 743 We edited the passage in question. 744 P181, L1: The dash for "Flood-risk-management" seems unnecessary. 745 746 747 We apologize for the typo and corrected the passage in question. 748 749 P181: The data should be more detailed as well as it limits (cf. General remarks). 750 P181: I disagree with your affirmation indicating that most of the floods events in France can be found before the 19th century. According to the table, it seems that there are 751 402 events from the 15th to the 18th and 799 events from the 19th to the 21th century 752 753 right? Next sentence: does the figure 2 only points out the gauge data or is it also 754 about written sources? (cf. remarks on methodology) 755 756 We substantially edited the passage in question and added information in the text. 757 P182: It would be better to give the number of the Figure after the date of the concerned 758 759 flood instead of at the beginning of the section. 760 761 We discussed that point. However we decided to maintain our system. 762 763 P182, L15: What is the general meteorological pattern responsible for this kind of flood? I know it is located outside of the studied area but I would be interesting to 764 notice it from the literature. 765 766 We edited the passage in question and added some information. 767 768 P182: End of 5.1 section. Remark: A table similar to the table 2 and including the 769 number of floods within each group (and associated with the class of severity) would 770 771 be interesting to create in order to go further in the analysis. 772 773 We agree with the referee. However the organization of our dataset would make that task time consuming, so that we unfortunately will go without that table. 774 775 P183, L15-17: Why is it important to collect data on timing and meteorological causes? 776 777 It would be necessary to affirm the aim of this information and link it to the objective of 778 your analysis. 779 780 We edited the passage in question and added information in the text.

781 P184, L2: Are the changes in Fig. 7 statistically significant or simply due to sampling 782 783 variability? 784 We edited the passage in question and substituted the word significant. 785 786 787 P185, L11: Syntax problem: A link word seems missing between "modern" and "the hydrological budget 788 789 790 We corrected the passage in question. 791 792 P185: I think the term of "vulnerability analysis" has to be taken with precaution. Maybe 793 give more examples of how useful can be your work for studying flood vulnerability? In 794 the same order, you may mention your methodology clearly: comparing the inundated 795 area from different floods on a same territory and analysing the damage location in order to see the changes and the possible influence of risk management policies and 796 797 land use? 798 799 We substantially edited the passage in question and added information in the text. 800 P186, L6: FIG. 14: You need to locate the village mentioned in the text on the map, 801 unless we cannot verify your point. 802 803 804 We added a general map providing that information. 805 P186, L13: "The pattern of this region has not changed very much between 1896 and 806 807 1991" seems in contradiction with you last paragraph explaining the changes. Maybe 808 that's an assessment to do at the beginning of the section? 809 810 811 812 P185, L20: "Established" without the "c". 813 814 We apologize for the typo and corrected the passage in question. 815 P186, L25: Spelling mistake: "an analysis" 816 817 818 We apologize for the typo and corrected the passage in question. 819 P. 186: "After 1991" isn't supposed to be "After 1896"? We cannot judge of the situation 820 821 after 1991 from the map? What is the return period of these two events according to your analysis (I think it has to be indicated)? What are the differences on damages 822 823 between these two floods? 824 825 We indeed meant "after 1991". The passage in question gives additional information which exceeds the 826 information given in the maps. We substantially edited the passage in question and added information in 827 the text. 828 P186, section 5.3. As suggested on general remarks, I would suggest developing 829 830 or deleting this point. The merits of this case study are not clearly shown from your 831 comments. 832 We substantially edited the passage in question and added information in the text. 833 834 FIG. 15: We don't know exactly where the area is located. You need to put another 835

Ι.

836 837	map on the left high corner in order to locate this region in you study area. We don't know which river this point is focusing on: is it still on the Dreisam River or is it one of	
838 839	its tributary?	
840	We added a general map providing that information.	
841 842 843	P187, L1: I suggest to date the last major flood event (1924 according to the figure).	
844 845	We added that information in the text.	
846 847	P187, L25: Maybe indicate the subject of your comparison: "flood risk management?" or "rivers management"? On" the research area instead "of" seems better.	
848 849	We edited the passage in question.	
850 851 852 853	P188: The older example of prevention cited is 1716, but the study is starting in 1480 : What was the situation before ? In a general way, how can you link this part with the first ones and with the scientific interest of your study?	
854 855	We substantially edited the passage in question and added information in the text.	
856 857 858	P188, L22; P189, L14; P189, L24: after ":" do not start with a capital letter.	
858 859 860	We apologize for the typos and corrected the passage in question.	
860 861 862 863 864 865 866	P190: Your conclusions are short. I suggest developing briefly the main results coming from your research (changes in flood chronology, evolution in vulnerability (or nonevolution)?). You need to bring some new perspectives and highlights why the Transrisk project contributed to improve the methodology on flood risk analysis. Do these results can be used for Flood Directive?	
867 868 869	M. Ertsen (Referee #2)	
870 871	Received and published: 27 February 2015	
872 873 874	[] Basically, what I argue is that the paper should include more detail on the source material, includin the type, certainty, and socio-political context.	g
875 876 877 878	In general we do totally agree with the point taken by the referee. However we feel this discussion, covering the region of the upper Rhine with its eventful history and an actual count of nearly 3000 described floods way overshoots the possibilities even of a long paragraph in this article, but would be perfectly suitable for an paper of its own.	
879 880 881	The introduction stands rather brief as is, (comment continued below)	
882	We agree that the introduction was to short and revised the paragraph. See comments to referee#1.	
883 884 885 886 887 888	(comment continued) and suggests that "small" and "large" can be compared as "weak" and "strong Even if this were to be correct for the cases to be discussed, it would still need to be shown. We feel that we never implied that "small" could be compared to "weak" and "large" could be compared to "strong". We did not use the latter categories in the text, but only referred to the physical size of the catchment areas researched. We apologize for a possible misunderstanding of our text.	".
889 890	In addition, the introduction could be used to position this study within the larger scholarly context of	
		27

891 historical hydrology. 892 893 894 The paragraphs 3 and 4 as they are now, are hardly informative and could apply to any 895 896 study - even on those about very different topics. 897 898 We edited parts of paragraph 3 and substantially edited and added information in paragraph 4. 899 The interesting remark in 4 about the difference between France and Germany suggests that the 900 database is shaped through differential data sets. This is obviously well-known in history: the surviving 901 data are usually the data of the winners and at least of those who could write. 902 903 In order to be able to judge the validity of the hydrological argument, I would suggest 904 that much more emphasis on the historical argument is needed. 905 What do the different types of data mean? 906 We agree with the referee that our dataset on flood events in the upper Rhine region (covering nearly 907 3000 different events as of now) originates form a large variety of sources covering different 908 administrations and different political and social systems since 1480. This lies in the nature of things. 909 However we argue that information about floods are mostly free of value. Furthermore the method of 910 critical source analysis requires multiple hints to a single event to be regarded as "true" information. 911 *Therefore we feel that our data is – at large – reliable.* 912 913 914 915 Why are certain data sources better represented or not? 916 See comment to the point taken by referee#1 to p181. 917 918 919 Similar debates have been held within studies on fisheries, with historians suggesting that treating historical material as neutral raw data is problematic, as these data (like the 920 actual catch and processes on board of ships) were at least partially manipulated within 921 922 the existing political economy. 923 924 We argue that concerning the motivation to edit / falsify data there is a large difference between 925 economic data giving information about trade value and the descriptions about flood events used in our 926 text. 927 928 Especially the transboundary aspects of the case in the paper would allow for a critical analysis on the 929 source material. This would improve the paper even further. 930 931 We substantially edited the passage in question and added information in the text. 932