

Response to Reviewers

We would like to thank the reviewers for their helpful, thoughtful comments. Our responses are in italics for clarity.

Response to Reviewer 1

We would like to thank the reviewer for the helpful comments. Our response is broken out such that the reviewer's comments are in normal font and our response in italics.

Reviewer 1:

Summary: This paper synthesizes a collection of studies, mostly from the special issue in HESS/ESD, "Predictions under change: water, earth, and biota in the Anthropocene," and brings out certain key elements that in the opinion of the authors dominate these studies, such as one vs two directional coupling, type of socio-hydrological data used, norms and ethics as feedbacks, value laden nature of socio-hydrological research, etc.

Comments: This paper is an interesting contribution to the special issue. The discussion of one-way vs two way feedbacks and dynamic connectivity is quite interesting. I have only few concerns, which I hope would help the authors to provide a more balanced synthesis.

We thank Reviewer 1 for the positive summary. Throughout the Review, it appears that our interpretation of the term "synthesis" differs from the reviewers. We wish to address this upfront.

Reviewer 1 describes the goal of this paper as being to: "bring out certain key elements that in the opinion of the authors dominate these studies." It seems that Reviewer 1 interprets our use of the word "synthesis" as primarily meaning a "summary" of the papers in the Special Issue. In several additional comments, Reviewer 1 raises the concern that we incorporate issues that were not clearly articulated by papers within the Special Issue, and asks whether this is appropriate in a synthesis paper.

Our motivation in writing this paper is to provide a critical evaluation of the papers in the Special Issue dealing with sociohydrology, including addressing the conceptual and methodological gaps and opportunities that resulted from this evaluation. Thus, our goal was to go beyond a simple summary of the papers within the Special Issue. We agree that this is necessarily a subjective exercise that led us to prioritize issues that we consider important. However, we believe this "critical synthesis" leads to a more useful and forward-looking paper than one which was constrained to simply summarize existing works. For this reason (and others, see below), we did not prioritize an exhaustive summary of the papers in the Special Issue, and we have included topics of discussion that we see emerging from gaps in the existing literature, rather than simply reflecting the points of view made already by other authors. In addition, some of the papers in the Special Issue were more focused on traditional hydrological prediction rather than the feedbacks between human and natural systems, and these were not included in the

synthesis. We went through and ensured every paper that dealt with human-water interactions was included.

1) The statement in their abstract that socio-hydrology can be embedded in socio-ecological studies has nowhere been substantiated by the synthesis.

Thank you for raising this important point. We softened the language in the abstract to pose sociohydrologic systems as a type of complex system, rather than specifically a social-ecological system.

We raise the issue in the main part of the paper not because it has been addressed, but because its omission is problematic – ignoring the socio-ecological context of any socio-hydrological problem risks over-simplifying the web of inter-relations between water and society, and ignoring established theory and methods. Going forward, we think this is an important avenue for socio-hydrology researchers to consider.

Rather than looking within the Special Issue to illustrate this point, we can take many examples from the socio-ecological systems literature. Picked here, more or less at random, is a causal loop diagram intended to diagnose factors leading to sustainability in the management of the Cat Ba Island Reserve in Halong Bay, Vietnam (Nguyen, N. C. and Bosch, O. J. H. (2013), A Systems Thinking Approach to Identify Leverage Points for Sustainability: A Case Study in the Cat Ba Biosphere Reserve, Vietnam. Syst. Res., 30: 104–115. doi: 10.1002/sres.2145).

Water factors into this question – the utilization and availability of groundwater influences the biodiversity and attraction of the island to tourists (Figure below). However this causal relationship is embedded within many additional and complex feedback loops, arising from the intersection of tourism infrastructure and revenue with agricultural practices and investment, population dynamics and conservation practices. Isolating the effects of water on the sustainability of this socio-ecological system is a non-trivial challenge, and an attempt to focus purely on water without somehow controlling or accounting for the other influences on revenue, etc. at Cat Ba Island would be fallacious.

Clearly situations can be imagined in which the connections between social dynamics and water dynamics are simple. In today's complex society, however, it is hard to conceive that these situations are the norm rather than the exception, and bringing awareness of socio-ecological systems theory to the table when considering socio-hydrology is likely to be important for the majority of case studies.




Figure 3 from Nguyen and Bosch (2013) demonstrating how water/hydrology can be just one component of a larger SES framework.

2) The paper perhaps may want to provide an exhaustive review of the special issue first before embarking on the synthesis. This will allow potential readers to put the synthesis in context of cited literature. At present it appears that the synthesis is selective and often the paper gives an impression of being an opinion piece rather than an unbiased synthesis of the special issue. References to the articles from the special issue appear to be selective.

As explained above, the goal of this paper was not to provide an unbiased summary of the papers in the Special Issue, but instead to undertake a “critical synthesis” of conceptual and methodological issues that emerge from a review of the papers, including highlighting gaps that we think are important. We will clarify our motivation in the revised manuscript.

Further, many papers in the Special Issue are not deeply socio-hydrological in nature, but instead address questions such as anthropogenic climate change. These papers maintain the traditional paradigm of treating humans as exogenous agents influencing hydrological response, rather than as a component of an integrated system. These papers – while undoubtedly valuable scientific contributions – are not clear examples of socio-

hydrology research, so we do not focus on them in this paper. In the final version of the paper, we have ensured that all papers that are socio-hydrological in nature are included.

3) Do we need a synthesis of the special issue to discuss the challenges faced by socio-hydrological research methodologies? Models will always be value laden, or that finding appropriate data will always be a challenge irrespective of the field of research.

Thank you for this point. Methodological reviews that are specific to individual fields are valuable for practitioners in those fields. It is universally true that common methodological strategies across fields will have common limitations and challenges: this does not mean that methodology should only be assessed in abstract terms and isolated from the proposed applications.

4) Section 3.1 and 3.2: if socio-hydrology is limited by data, to what extent can we then use techniques from nonlinear dynamics theory (including identification of dynamic connectivity, threshold behavior, and multiple stable states) or from econometric literature on causal inference? These techniques do not work well when data is scarce. Further, do the suggestions of the authors that we should use complex system science and econometric techniques in socio-hydrology emerge from the synthesis of the special issue?

We agree that nonlinear dynamics and econometric techniques are data hungry, and as such might be better suited to some socio-hydrologic problems (e.g. those that emerge in a contemporary setting, when remote sensing, “big data”, and distributed observation platforms offer the capacity to obtain large datasets) than to others (e.g. historical reconstruction). For this reason, we include the first sentence of Section 3.2 (“If the data availability and reliability challenges can be overcome...”).

Our point in highlighting these methods is not to insist that they are the only approaches that can be applied in socio-hydrology. Instead, it is to note that to date there do not appear to have been any serious attempts to use these methods to address this problem (at least in a study that identifies itself as being socio-hydrological), despite their potential promise.

Again our identification of these methods as needing discussion emerges from the observation of a “gap” in the methodologies in the Special Issue, not from a “summary” of techniques used. The introductory paragraph in Section 3 has been re-written to better reflect the intent of the section.

5) Use of econometric methods in reducing bias in estimation of sociohydrological model parameters is an opinion that I share with the authors. But the assumptions behind existence of estimation bias in econometric models are based in microeconomic concepts such as utility maximization. Techniques such as instrument variable regression have been proposed to remove such biases, assuming that agents, for e.g., maximize their utilities. Yet the authors suggest the use of econometric methods for causal inference alongside the use of nonlinear system dynamics theory that does not have any

microeconomic underpinning. The synthesis of the authors suggests that system dynamics based socio-hydrological models are the only types of models in the special issue. I wonder if one can then use econometric methods for causal inference using such models.

To elaborate further, consider the flood-human model of Di Baldessarre et al. (2013). The movement of population center to or away from a river corridor and human actions of raising a levee are given by apriori specified functions. Corresponding parameters of the functions are accordingly defined. While such specifications provide powerful insights, the nature of bias in estimating its parameters is not clear unless there are certain underlying models that specify how the choices of population movement and raising of levees are made. Without clarity on underlying choice hypotheses, it is difficult to apply instrument variable techniques such as 2-stage regression to remove parameter estimation bias. Efforts are currently underway to explain coupled human flood systems using growth theory, expanding the possibility to understand and remedy biases in inferences of causal relationships. The authors may therefore want to further clarify when to use econometric methods for parameter estimation of socio-hydrological models.

Thank you for allowing us to clarify this important point. We highlight the potential of applying methods of econometric causal inference to socio-hydrology settings in Section 3.2. These tools are used to understand if a causal relationship exists between variables in complex systems, and, if so, to quantify its magnitude. So, we suggest that tools of econometric causal inference have a large potential application to socio-hydrology systems. It is true that the estimate obtained from a causal inference estimate could be used to parameterize a socio-hydrology model, but we do not suggest this is in Section 3.2. We instead highlight the opportunity of applying these state of the art statistical techniques to empirical data to gain causal understanding in socio-hydrology.

Tools of causal inference in econometrics do not make assumptions about underlying system microeconomics. Thus, these tools can be readily combined with other tools of analyses – such as complex systems theory – without worry about incompatibility in the underpinning assumptions. The assumption underpinning each specific technique in causal inference is distinct, but typically the tools assume that “pseudorandomization” has been achieved and a causal interpretation is warranted. For example, in the case of instrumental variables -- one type of causal inference tool in econometrics -- it is assumed that the instrument is NOT correlated with the error term in the explanatory equation, thereby correctly identifying the causal impact of treatment. No assumptions are made about underlying system mechanisms, such as maximization of utility amongst agents.

We think part of the confusion stems from our use of the term “econometrics”. We instead used the term “causal inference” in the revised manuscript.

Response to Referee 2, Maurits Ertsen:

We would like to thank the Dr. Ertsen for the helpful comments. Our response is broken out such that the reviewer's comments are in normal font and our response in italics.

The paper presents a nice overview of the different contributions on sociohydrology (SH) in the special issue of HESS/ESD. As such, I only have a few remarks on elements in the text which might ask the authors to push their argumentation just a little further.

Thank you – we have found these prompts to clarify our thinking, expression and logic very helpful.

First on the issue of complexity. I am not too sure the general definition of complexity is very helpful. The idea of multiple interactions is not so clear anyway, it is how these are defined and conceptualized.

Based on the handwritten comment on the PDF, it appears that the authors and the referee think about the meaning of “complexity” differently and this was clarified. We were referring to complex systems as one would in complex systems science, not the typical vernacular meaning.

On page 3322, two interesting remarks are made that I would see as examples of phrasing (and framing) that would require some more thought. How can there be scale mismatches between systems (line 15)? Either systems are related or they are not, and I am certain not all the processes are to the liking of all, but mismatches suggests there would a good match possible. For whom is that to judge?

A scale mismatch does not imply the systems are not related, just that the scale at which the two systems function may not be the same.

An example of this would be a time scale mismatch, and by this term, what we mean is that hydrologic processes may operate at one time scale while societal dynamics on another. The simplest example might be flooding and flood response. The flood can occur on the order of hours to days, whereas the response to flooding can occur on the order of weeks to months or years, as has been seen with Hurricane Katrina in New Orleans. This point is clarified in the text, with a different example of scale mismatch, and the Cumming et al. (2006) reference in the text goes into defining and providing several examples of socioecological system's with scale mismatches.

In addition, why is two-way coupling necessarily a slow process (line 25). That seems to presuppose certain types of changes.

We have changed the wording of this sentence. As the reviewer correctly pointed out, it implied that two-way coupling is a slow process by definition. Rather, we intended to say that for systems with slow changes, one needs observations for a sufficiently long period to observe the changes. We thank the reviewer for catching this.

These opening remarks from my side link to the issue of one-way or two-way couplings. I would argue that all our SH systems are two-way coupled, or, as the authors correctly state, there are always multiple couplings. I would like to draw the attention to the

concept of Human Niche Construction, which builds on the concept of Niche Construction in stressing that in changing their selective environment organisms change themselves too. Human NC simply argues that humans do so as well. In stressing the importance of human agency, HNC comes close to the concept of Evolutionary History (EH). Evolution is everywhere, happening all the time and humans have played an enormous role – conscious or not – in shaping evolutionary processes. HNC and EH relate changes across four dimensions: 1. Material environment – modified by human agency; 2. social arrangements – when modifying the environment and responding to the changes; 3. genetic structure of the human group – as a result of modifications; and 4. genetic structure of other groups than humans. Now, whether these changes are short term or not, and how extensive they are, is not easily to defined before any research. The issue which level of coupling to go for would but only be a matter of methodological possibilities or limitations to engage fully with the fully coupled system. There is only one way to go in theory, but practical limitations might require distinguishing between more or less integral coupling. This would mean we need to think about two-way coupling, water-human one-way coupling, and water-human one-way coupling as methodological issues, not as conceptual issues.

This is an interesting theory of which the authors are unfamiliar, but it does seem like there are parallels with sociohydrology. It would be an open question about genetic changes and studies about this would certainly be interesting although beyond the disciplinary boundaries of those currently conducting sociohydrologic research. We agree that coupling needs to be considered as both two-way and one-way, but this needs to be done both conceptually and methodologically, not one or the other. We chose not to add the HNC and EH concepts into the synthesis paper as it does not arise from our synthesis of the special issue, but we find it an intriguing similarity in framing of sociohydrologic problems, coming from a different disciplinary perspective.

The paper suggests a few times that whether areas are wet or dry matters (page 3324 for wet, 3325 for dry). I have no problem with bringing material conditions in the analysis of SH, not at all I should say, but the whole concept of SH forces us to rethink what dry and wet mean. The material conditions are no longer external anymore. Quite often, the issue is not wet or dry, but linking different rhythms and the manipulations to realize certain rhythms. The paper also suggests a few times that wetness or dryness shapes behavior or preference (page 3339 for example); a similar relation between rich and poor people's preference is suggested on page 3331. The observation that certain sites have something does not make it a preference. Collective outcomes are not to be confused by people's outcomes. Societies do not make any change, people do. We should not confuse outcomes with actions. Obviously, I am flattered that the authors use in their conclusion the choice between two approaches as discussed in one of my own contributions to the field, but I would like to suggest that several approaches in the special issue are either not making that choice or do things that go against what I wanted to suggest when making the statement in the first place.

Thank you for raising this important point. We agree that a simple description of the state of water resources (“material conditions”, as you call it) is often inadequate, as it is with people's behavior. Indeed, it is often a description of the state variable of interest relative to other spatial or temporal locations that is the driver of system dynamics. These spatial

and temporal heterogeneities are critical to both hydrology and social systems, providing a key basis for socio-hydrologic coupling.

We have incorporated this important critique into the revised version of the paper such that it is not a simple wet/dry statement. Places in the paper where climatic conditions are referenced are done so in a more specific way with justification.

A main concern I have about the field of SH (and social complexity in general) is how human agency is taken on board. This issue is discussed in the review paper, but I would suggest some more on it along the lines below – either in agreement or disagreement.

Many times, predefined responses are used, or known responses are copied by an algorithm. This includes quite a few studies on the Murrumbidgee system, but also the work on flooding. The unraveling of feedback seems to rather difficult in such work, as the feedback mechanisms have been predefined. What is there to unravel when the outcome is already known? Basically, the approach that shows that it can mimic behavior that was expected (which is pretty good perhaps) does not provide a way to be surprised. The problem in complexity sciences to me is the two-way issue of assumptions and pattern-repetition. What we think will happen is modeled to happen. This is a huge problem and we should strive for avoiding doing exactly that in SH. Whether economic sciences (or sociology for that matter) will help much is not clear to me. Several fields of economy have been pretty successful in using predefined behavior as input – claiming the predefined agency to be the desired one was well.

The econometric methods for causal inference suggested in this paper should help with this. These methods are used to determine causality in complex systems. Although they emerge from the economic sciences, they can be applied to a range of scientific studies. We suggest that this methodology be employed more in future work for exactly the point you raised – it is currently difficult to know if the models work because the feedbacks are pre-determined and prescribed.

If there are fields of scholarship the SH community could engage with it is (environmental) history and archaeology. In those disciplines, ideas about the value of data from the past, from human-environmental interactions, about proxy's and analysis of change, are much better developed than in the hydrological community – and if you ask me also in much of the complex sciences field, which is heavily driven by economy and psychology.

This suggestion will be incorporated in the Research Methodologies section as both of those fields have a lot that could contribute to sociohydrology.

In addition to the written review, a PDF was included with hand-written remarks. Not all of these remarks required addressing as some were included in the formal review and others are in agreement with what was written, but those that did are included below.

Page 3323 what does the “dynamic” offer extra...

Dynamic appears in two different places on this page, and we were unsure to which the comment was referring.

If it's the first, dynamic connectivity refers to coupling that only arises under certain conditions. For example, humans may be unaffected by their region's hydrology until a catastrophic event. This was seen in the northeastern US, which was largely oblivious to flooding until Hurricane Irene and Superstorm Sandy.

Given that the usage of this term is defined in the text, we are assuming it was the second reference when discussing Figure 1. The language has been modified as the referee made a valid point that the structures are always dynamic. Instead the term "coupling structures" is used.

Page 3324, water rich: *This point was clarified.*

Page 3325, statistical vs. mechanistic: *We do not see this as something that is either/or, rather they are complementary. Statistical relationships need a mechanistic explanation, and a mechanistic theory requires evidence, which could be a statistical relationship.*

Page 3326: *An example of their sociohydrologic system transition was added.*

Page 3328: *The language was softened in this paragraph to make it clear that these points are only based on the special issue, and as such constitute a hypothesis, not a conclusion, that requires further study.*

Page 3331: *"Favored" was changed to "had" to avoid expressing the community expressed a preference.*

Page 3332: *We disagree with the referee's position that complex system science is solely based on assumptions and pattern repetition. There are mathematical techniques available that can establish causality and do not require a priori assumptions of relationships, such as those introduced in Sugihara et al (2012), based on non-linear state space reconstruction.*

Reference: Sugihara et al (2012) Detecting causality in complex ecosystems, Science, 338:6106, pp. 496-500.

Page 3338: *We fully agree with this point and are aware of a collaboration of researchers currently studying and exploring the community sensitive state variable.*

Referee 3, Giuliano Di Baldassarre

We would like to thank Dr. Di Baldassarre for his insightful review. Rather than address his review by point by point, as was done with the other referees, we will instead address the broad issues he brings up as this is more applicable.

Basic vs. applied science

This is an excellent point that was glossed over in the submitted manuscript. We agree that sociohydrology is still in the basic science development stage with a significant need to pull together case studies with comparative analysis and the development of theory and stylized models (steps 1, 2, and 3 as outlined in the review). In Sivapalan et al. (2012), they called it a use-inspired science. For sociohydrology to reach that goal, it requires both basic and applied science, as the theory cannot and should not exist in a vacuum, apart from water science practitioners. However, before it can be used in practice, it does need to develop the basic science component of knowledge building, as Dr. Di Baldassarre notes.

Specifically, a paragraph discussing this, incorporating some of the points made by Pat Gober and Howard Wheater in their WRR Debates paper, was added to the discussion.

Stylized/toy models

The sentence that the referee objects too will be softened, as he makes a good case that for some models typical validation is not possible nor applicable. We agree that stylized models present an opportunity to advance our understanding and as such are potentially powerful tools for understanding the system dynamics. We believe we might be disagreeing on the meaning of the word “validation” in this context. We agree with the referee’s point that these models can not be validated in the same paradigm as traditional hydrologic models; rather the model validation should involve ensuring it captures the system dynamics. This will be made clearer in the revised manuscript.

However, we do not currently have a community consensus on what stylized model validation (or diagnosis, using the referee’s language) should look like. One reason for this might be the lack of studies thus far that do exactly what Dr. Di Baldassarre suggested: iterating on case studies, comparative analysis, and identifying salient facts or feedbacks. Until this work has been done, these stylized models rest, in some cases, on hypotheses of coupled human-natural system dynamics that are not yet theory. If we can build to theory as a community, then we will be able to have more faith in these models, knowing that the results are not simply an artifact of imposed model structure.

However, to the specific part of the paper that the referee objected, in Section 4.2.2, we believe some of the disagreement derives from the language which has been clarified. The intention of that section was to say that the empirical studies could help with model development, given the difficulty in validating these models. The language has been clarified.

To the point about models being “too specific” or “too general”, this thinking arises from

the paper by Levins (*American Scientist*, 1966) that lays out the tradeoffs every modeler must make between generalizability, specificity/realism, and precision. This is not to say that a given model is too much of one, simply that as modelers, we need to make decisions about the form, structure, and purpose of the model.

Additional references

We will include the points made by Ahlers et al. (2014) and McDonald (1989) in the revised paper. In addition, we will incorporate the WRR Debates papers. Thank you for pointing these out.

Other changes made to the manuscript on the basis of this review:

- Suggested references incorporated.
- Paragraph added to the Discussion about the points made in McDonald and where sociohydrology is in this spectrum of knowledge development.

Moving sociohydrology forward: A synthesis across studies

T.J. Troy¹, M. Konar³, V. Srinivasan³, and S. Thompson⁴

¹Department of Civil and Environmental Engineering,
Lehigh University,
STEPS 9A, 1 W. Packer Ave, Bethlehem, PA 18015, USA

²Department of Civil and Environmental Engineering,
University of Illinois at Urbana-Champaign,
2525 Hydrosystems Laboratory, 205 N. Mathews Ave., Urbana, IL 61801, USA

³Ashoka Trust for Research in Ecology and the Environment,
Royal Enclave Srirampura, Jakkur Post,
Bangalore 560 064, Karnataka, India

⁴Department of Civil and Environmental Engineering,
University of California, Berkeley,
661 Davis Hall, Berkeley, CA 94720, USA

Abstract

Sociohydrology is the study of coupled human-water systems, building on the premise that water and human systems co-evolve; the state of the water system feeds back on the human system, and vice versa, a situation denoted as 'two way coupling'. A recent special issue in HESS/ESD, "Predictions under change: water, earth, and biota in the Anthropocene," includes a number of sociohydrologic publications that allow for a survey of the current state of understanding of sociohydrology and the dynamics and feedbacks that couple water and human systems together, of the research methodologies being employed to date, and of the normative and ethical issues raised by the study of sociohydrologic systems. Although sociohydrology is concerned with coupled human-water systems, the feedback may be filtered by a connection through natural or social systems, for example the health of a fishery or through the global food trade, and therefore it may not always be possible to treat the human-water system in isolation. As part of a larger complex system, sociohydrology can draw on tools developed in the social-ecological and complex systems literature to further our sociohydrologic knowledge, and this is identified as a ripe area of future research.

Sally Thompson 7/8/15 8:46 AM

Deleted: with

Tara Troy 7/14/15 10:11 PM

Deleted: , that is,

Sally Thompson 7/8/15 8:47 AM

Deleted: often with two-way coupling

Sally Thompson 7/8/15 8:48 AM

Deleted: coupled system

Sally Thompson 7/8/15 8:48 AM

Deleted: available

Tara Troy 7/14/15 10:12 PM

Deleted: by researchers

Sally Thompson 7/8/15 8:48 AM

Deleted: norms

Sally Thompson 7/8/15 8:48 AM

Deleted: ethics

Sally Thompson 7/8/15 8:49 AM

Deleted: involved

Sally Thompson 7/8/15 8:49 AM

Deleted: in

Sally Thompson 7/8/15 8:49 AM

Deleted: ing

Sally Thompson 7/8/15 8:49 AM

Deleted: s

Sally Thompson 7/8/15 8:49 AM

Deleted: through

Sally Thompson 7/8/15 8:49 AM

Deleted: other

Sally Thompson 7/8/15 8:49 AM

Deleted: system

Sally Thompson 7/8/15 8:49 AM

Deleted: s

Sally Thompson 7/8/15 8:49 AM

Deleted: such as

Sally Thompson 7/8/15 8:49 AM

Deleted: ies

t. 7/1/15 8:49 PM

Deleted: it is critical to consider the sociohydrologic system as embedded in a larger, complex social-ecological system through which human-water feedbacks can occur and from which the sociohydrologic system cannot be isolated.

t. 7/1/15 8:49 PM

Deleted: such

1 Introduction

Many of the major improvements in hydrology in the past decades have been grounded in the understanding of natural systems. The significant modification of the water cycle by human activity has primarily been treated as an external perturbation to such natural systems. However, externalizing the dependencies between human action and the availability, quality and dynamics of water clearly poses limitations to making predictions about water within the Anthropocene (Thompson et al., 2013). To address these limitations, a new generation of studies now focus on *sociohydrology*, which aims to understand the dynamics and co-evolution of coupled human-water systems (Sivapalan et al., 2012). Within sociohydrology, humans and their activities are considered as part of the water cycle, rather than as an external driver (Sivapalan et al., 2012). The interplay of cause and effect between human activity and hydrologic dynamics becomes a primary topic of research interest. Improved understanding of the relationships between human decision-making (as it pertains to water systems) and the condition of the water system itself may lead to better prediction, and thus management, of water systems.

This joint Hydrology and Earth System Sciences/Earth System Dynamics special issue, "Predictions under change: water, earth, and biota in the Anthropocene," contains a wide range of studies, from the impact of climate change on water resources to large-sample hydrology. In particular, it contains a number of sociohydrology-focused studies, which, along with other recent publications, can be taken to represent the current state of this emerging field. Here we take the opportunity to use these sociohydrologic studies as a basis for a synthesis of the emerging questions and challenges that the research community faces as it grapples with the nature and practice of sociohydrology. Three major themes emerge for further consideration: (i) the state of our understanding of the coupling between human society and hydrology, (ii) the strengths and new opportunities in the suite of research approaches used within sociohydrology, and (iii) the normative and ethical questions that arise in the context of sociohydrologic research, which are often neglected in research on the hydrology of natural systems.

2 State of Understanding of Sociohydrology: Water - Society dynamics

Sociohydrology is conditioned on the existence of connections, coupling and feedback between elements of the water cycle and the society being studied. In this sense, sociohydrology isolates a suite of specific processes from within a broader social-ecological system (SES) comprising the resources, users, and governance subsystems relevant to a given society (Ostrom, 2009). An SES is a type of complex system, which can be differentiated from other dynamical systems by the presence of multiple interacting components, local connections and nonlinear relationships between the components (Levin, 1998; Solé and Bascompte, 2006). As a consequence of these features, complex systems (and SES) can display a wide variety of dynamical behaviors, including thresholds, self-organization, chaos, multi-stability, and path dependence (i.e. a dependence on history). Complex systems pose major challenges to modeling, inference and analysis in general. Sociohydrology therefore faces the challenge of identifying the pathways of influence between water and social responses within a broader and more complex web of cause-and-effect represented by a society and its dependence on and regulation of the use of natural resources.

Tara Troy 7/4/15 9:23 AM

Deleted: are

Tara Troy 7/4/15 9:24 AM

Deleted: E

Sally Thompson 7/8/15 8:51 AM

Deleted: along with other recent publications

Tara Troy 7/14/15 10:13 PM

Deleted: is conceptualized as the study of how water systems and human society develop in tandem. This conceptualization

Tara Troy 7/4/15 9:52 AM

Deleted: there

Tara Troy 7/4/15 9:53 AM

Deleted: being

Sally Thompson 7/8/15 8:51 AM

Deleted: elements of

Isolating the sociohydrologic components of an SES is non-trivial since water resources affect many of the other resources within the SES. Thus, a sociohydrologic relationship may arise directly - for example a direct relationship between reduced wellbeing and water scarcity (Srinivasan, 2015) - or indirectly, for example a relationship between economic output from a fishery and water quality. [Changes in flow regimes can affect fish species richness](#) (Yoshikawa et al., 2014), [and regions dependent on fishing may become sensitive to hydrologic change through the impact on fish rather than water quantity](#). Fundamentally, the presence of multiple pathways for coupling between water and society, and [the potential for](#) these pathways to occur indirectly and to be influenced by other components of the system, suggests the study of sociohydrology is prototypical of complex systems science. Typical of complex systems, sociohydrologic systems are likely to exhibit nonlinear dynamics and thresholds (Liu et al., 2007) with scale mismatches between the two systems. (Cumming et al., 2006) [For example, there can be a spatial scale mismatch between small farmers' perception of the impacts of their irrigation activities and the overall large-scale hydrologic change in the region, where the farmers' impacts might be experienced downstream](#). More specific examples of these effects as revealed by the studies presented in the [special issue](#) are outlined below. Methodologically, framing sociohydrology as an SES suggests that techniques used in the SES and coupled natural-human systems research fields [have the potential to advance](#) sociohydrology (see Section 3).

In an idealized sense, sociohydrology aims to understand the co-evolution of human and water systems and thus posits that a two-way coupling exists between these systems. Individual case studies, however, exhibit tremendous variability in terms of [the](#) strength of the relationships between water and society, in the pertinent response timescales, and in one-way vs. two-way coupling. [Figure 1 conceptually illustrates a suite of coupling structures. In some cases, the coupling is direct; in others it is indirect and is mediated by other systems, including institutions, economic drivers, or infrastructure \(Figure 1b and c\). In others, an element of the coupling may be dynamic and the feedback can only occur under certain conditions \(Figure 1d\). Table 1 provides a summary of feedbacks in the studies in this special issue. In systems with slow changes, two-way coupling may only become evident when an observation window is long enough to reveal the changes in either system, and when the influence of water on society, or vice-versa, is sufficiently direct that it can be isolated as a driver of change. Because observational periods are often constrained, and because sociohydrologic dynamics are nested in a broader SES and can often be indirect, many studies are able to explore only the one-way influence of water→humans and humans→water. It is also possible that in some cases one-way influences are all that exists.](#)

The spatial scale on which a sociohydrologic system is conceptualized can also influence the way that coupling emerges. For example, national food prices can influence the number of acres planted for agricultural production, with flow-on effects on irrigation water demands and streamflow availability. Energy extraction technology and market dynamics have made hydraulic fracking much more attractive in many regions, which may then impact the local sociohydrologic system through water requirements and

- Tara Troy 7/1/15 10:16 AM
Deleted:
- Sally Thompson 7/8/15 8:52 AM
Deleted: for
- Tara Troy 7/1/15 8:53 AM
Deleted: ly
- Tara Troy 7/4/15 9:55 AM
Deleted: .
- Tara Troy 7/1/15 4:06 PM
Deleted: E
- Tara Troy 7/4/15 9:55 AM
Deleted: Special
- Tara Troy 7/4/15 9:55 AM
Deleted: Issue
- Tara Troy 7/4/15 9:55 AM
Deleted: should advance

- Tara Troy 7/1/15 4:12 PM
Deleted: T
- Tara Troy 7/4/15 9:56 AM
Deleted: s
- Tara Troy 7/4/15 9:56 AM
Deleted: only
- Tara Troy 7/1/15 4:13 PM
Deleted: slow
- Tara Troy 7/1/15 4:13 PM
Deleted:
- Tara Troy 7/1/15 10:12 AM
Deleted: s
- Tara Troy 7/1/15 10:12 AM
Deleted: windows
- Tara Troy 7/4/15 9:56 AM
Deleted: specific examples
- Tara Troy 7/4/15 9:56 AM
Deleted: , and
- Tara Troy 7/4/15 9:56 AM
Deleted: i

pollution concerns. While regional or global models can internalize these dynamics, smaller-scale models may be forced to treat them as external, and thus one-way, drivers of sociohydrology.

Furthermore, several examples where human and water systems are tightly coupled, but only develop on an intermittent basis, can be found. Kumar (2011) call this intermittency "dynamic connectivity", which can either arise along a continuum or emerge as a threshold behavior. Such threshold dynamics clearly arise for human-water interactions when considering the strong coupling that emerges during extreme events (such as flooding or extreme drought), while water availability during 'normal' conditions may have limited influence on a society. Continuum examples of dynamic connectivity include the long-term emergence of water crises as a combination of environmental constraints, infrastructure development and changing demand. The challenge, of course, is predicting when such crises - and thus tight sociohydrologic coupling - will arise.

2.1 Feedbacks within a Sociohydrologic System

Understanding the feedbacks within sociohydrologic systems can be furthered by exploring the range of coupling structures found in the special issue, including one-directional influence, two-way coupling, and dynamic connectivity.

2.1.1 One-directional influence

The majority of the papers in the special issue focus on one-way influences, and many studies remain within the "natural systems paradigm" in which human action is externalized and treated as a perturbation to a natural hydrologic regime. For example, several studies considered the effects of land use change altering the hydrologic regime, through increased irrigation in the Heihe River in China (Zhang et al., 2014), alterations to the water cycle through tile drainage (Yaeger and Sivapalan, 2013), irrigation from groundwater in the midwestern US (Zeng and Cai, 2014), and deforestation in eastern Mexico (Muñoz-Villers and McDonnell, 2013). The one-way nature of influence in these studies possibly results from a timescale separation between the rapid timescales of human intervention in the water cycle, and the longer timescales on which these interventions alter agricultural productivity.

The spatial-scale separation challenge also results in some sociohydrologic studies in the special issue focusing primarily on one-way influences. For example, Konar et al. (2013) examined how changing spatial patterns of crop yield would affect the water footprint of trade in the coming decades, and O'Bannon et al. (2014) examined how agricultural trade concentrates water pollution in only a handful of countries. The separation in spatial scale between international trade and local farmer decision-making highlights the need to understand the interactions and effects of human actions at different scales, which remains a challenge in the fields of micro- and macro-economics. and the scale separation may make it inevitable that only one-way interactions can be evaluated. However, it may be possible to link processes across scales to reveal the full suite of feedbacks if we reconcile "top-down" (i.e. relatively large spatial scale) and "bottom-up" (i.e. relatively small spatial scale) human processes. If the full range of processes across scales is understood, it may be possible to move from studying only one-way interactions to two-way couplings at different scales.

- Sally Thompson 7/8/15 8:53 AM
Deleted: Finally
- Sally Thompson 7/8/15 8:53 AM
Deleted: arising
- Sally Thompson 7/8/15 8:54 AM
Deleted: This
- Sally Thompson 7/8/15 8:54 AM
Deleted: appears to be particularly true
- Sally Thompson 7/8/15 8:54 AM
Deleted: in the flooding context
- Sally Thompson 7/8/15 8:54 AM
Deleted: , but hydrology also appears to be dynamically connected to society under conditions that can lead to conditions of water crisis
- Sally Thompson 7/8/15 8:55 AM
Deleted: clear
- Tara Troy 7/14/15 10:18 PM
Deleted: Assuming that Sociohydrologic sociohydrologic systems are embedded within complex socio-ecologic systems (SES), and thethen a clear identification of the pathways by which water influences social change, and social actions alter the water cycle is complicated by separation in timescales, in spatial scales, and by the presence of indirect pathways of influence through other components of the SES. Unsurprisingly, therefore, only a susbet of the studies in the literature describe the an idealized, fully-coupled sociohydrologic system (Sivapalan et al., 2012). Instead, a suite of dynamical structures are described, as illustrated conceptually in Figure 1. In some cases, the coupling is direct; in others it is indirect and is mediated through another system, such as including institutions, economic factors ... [1]
- Sally Thompson 7/8/15 9:00 AM
Deleted: with
- Sally Thompson 7/8/15 9:00 AM
Deleted: ing
- Tara Troy 7/4/15 10:00 AM
Deleted: likely
- Tara Troy 7/14/15 10:18 PM
Deleted: It is also possible in water-rich that the feedback from water→humans is ve ... [2]
- Tara Troy 7/7/15 8:57 PM
Deleted: (
- Tara Troy 7/7/15 8:57 PM
Deleted: ,
- Tara Troy 7/14/15 10:19 PM
Deleted: However,
- Tara Troy 7/14/15 10:19 PM
Deleted: t

Assuming that Sociohydrologic sociohydrologic systems are embedded within complex socio-ecologic systems (SES), and then a clear identification of the pathways by which water influences social change, and social actions alter the water cycle is complicated by separation in timescales, in spatial scales, and by the presence of indirect pathways of influence through other components of the SES. Unsurprisingly, therefore, only a subset of the studies in the literature describe an idealized, fully-coupled sociohydrologic system (Sivapalan et al., 2012). Instead, a suite of dynamical structures are described, as illustrated conceptually in Figure 1. In some cases, the coupling is direct; in others it is indirect and is mediated through another system, such as including institutions, economic factors/drivers, or even infrastructure (Figure 1b and c). In others, an element of the coupling may be dynamic and the feedback can only occur under certain conditions (Figure 1d). Table 1 provides a summary of feedbacks in the studies in this special issue.

It is also possible in water-rich that the feedback from water→humans is very weak or non-existent (except weakly via water quality concerns). ; The mechanisms by which the water system influences social systems in water rich or low-demand regions (and if it does so significantly at all) this remains an open question in for sociohydrology.

2.1.2 Two-directional coupling

Several studies explored two-way coupling in specific regions: in Chennai, India (Srinivasan, 2015); Portland, Oregon in the US (Chang et al., 2014); the Murrumbidgee in eastern Australia (Elshafei et al., 2014; Kandasamy et al., 2014; van Emmerik et al., 2014); the Toolibin catchment in western Australia (Elshafei et al., 2014); and Saskatchewan in Canada (Gober and Wheeler, 2014). In the majority of these studies, the focus was on water scarcity generated primarily by human water demands. Other studies focused on the human-water systems coupling in the context of flooding (Di Baldassarre et al., 2013b; O'Connell and O'Donnell, 2014). Many of these examples conform to the notion of a sociohydrologic system that is embedded in a larger SES, resulting in an indirect coupling between water and society (Figure 1c). Identifying the complete suite of interactions that constitute the pathways of influence between changes in water and changes in a social metric remains a significant challenge in these studies. For example, Chang et al. (2014) explored the feedback between water quality and house prices, and land use policy and water quality. Although there is likely to be a relationship between home prices and land use policy as well, which would allow the feedback loop to be "closed", this relationship was not identified by the researchers, making it difficult to determine the complete set of relationships between land use, house prices and water quality.

Two-way coupling is more evident in studies that outline the history of human-water systems, illustrating how the systems changed together over time. A common inference drawn from these studies is that two-way coupling between the human and water systems has tended to strengthen over time as human water demands grew in relation to the available water supply (analogous to the nonlinear dynamics situation in which a forward process becomes progressively inhibited by a strengthening negative feedback). For example, Pande and Ertsen (2014) found that water scarcity triggered complex, cooperative agreements in two ancient societies. In the Tarim River in China, the arid hydroclimatology of the basin initially limited human settlement. People could only settle along oases and the river; the mean annual precipitation of 50-100 mm/yr was insufficient to support human development elsewhere in the basin. During the 19th and 20th centuries, irrigated agriculture and its associated infrastructure allowed human activities to affect the hydrologic regime, with the infrastructure releasing the water resources constraints previously placed on human settlement. Growing population and water demands eventually outpaced the water availability, leading to environmental degradation and a re-prioritization of water resources (Liu et al., 2014), in a situation where water is strongly managed by people and where water limitations strongly limit human activity in the region. Other basins displayed similar transitions. In the Murrumbidgee in Australia during the first half of the 20th century, human water appropriation for irrigation was the dominant dynamic. Only when water stress and environmental degradation reached an unacceptable threshold were legislative and social norms applied to modulate water use, resulting in a tightly coupled sociohydrologic system (Kandasamy et al., 2014). Notably, the effect of changing hydrology on social systems in these studies emerged on decadal to century timescales (Kandasamy et al., 2014), and frequently has only manifested in social change in recent years. Typically, these social changes occurred in response to some form of heightened social "sensitivity"

Tara Troy 7/14/15 10:20 PM

Deleted: In other words, it is important to evaluate how our understanding of "top-down" (i.e. relatively large spatial scale) and "bottom-up" (i.e. relatively small spatial scale) human processes can be reconciled. Alternatively, changes in water availability were treated as an external driver of the pattern of human settlement in the Tarim River basin in China, prior to the development of water infrastructure (Liu et al., 2014). This basin's extreme aridity limited human settlements, and it is reasonable to hypothesize that this has also occurred in other arid regions of the world.

Sally Thompson 7/8/15 9:05 AM

Deleted: due

Sally Thompson 7/8/15 9:05 AM

Deleted: to

Sally Thompson 7/8/15 9:05 AM

Deleted: .

Sally Thompson 7/8/15 9:05 AM

Deleted: but o

Sally Thompson 7/8/15 9:06 AM

Deleted: is

Sally Thompson 7/8/15 9:06 AM

Deleted: yet

Sally Thompson 7/8/15 9:25 AM

Comment [1]: We have the same study listed in the previous section as an example of a 1 way feedback... don't we? Which is it?

to the condition of the water system. This sensitivity takes the form of a normative shift towards increased societal valuation of the environment and the water system, typically in response to the experience of degradation or scarcity. [In New Mexico, traditional communities have adapted to hydrologic variability for centuries while simultaneously affecting the hydrologic cycle through irrigation, and this coupling has led to a resilient system](#) (Fernald et al., 2015).

2.1.3 Dynamic connectivity

[In many of the papers studying two-way coupling, the strength and, in some cases, the existence of the feedbacks between human and water systems changed with time. This dynamic connectivity is an important consideration when studying these systems with two-way coupling, as it implies that if one was to study the feedbacks between different system components as static in time, important transitions and evolutions in the coupled human-water system would be missed.](#) Gober and Wheeler (2014) showed that hydrology is continually modified by human activity, with these modifications increasing as populations grow and water resources become fully allocated. Not until drought revealed the extent of water scarcity crisis was a feedback to decision-making about water activated. Under drought crisis conditions, decision-makers were willing to explore changes to the infrastructure and governance used to manage the water resources. Similarly, Di Baldassarre et al. (2013a) showed that flooding significantly reduced the floodplain population density for some years afterwards; however with the fading memory of the flood, [population growth in the floodplain resumed](#). In this case, there was an immediate feedback (population decline) whose importance diminished over time. O'Connell and O'Donnell (2014) indirectly examined the effects of this intermittency in floodplains, exploring how flood-rich (when water→society feedbacks are stronger) and flood-poor periods (when these feedbacks are eroded) might affect the decisions made about flood management. Intermittency in coupling appears to arise when thresholds are crossed: thresholds related to changing community values about the environment (Elshafei et al., 2014), water scarcity (Gober and Wheeler, 2014), infrastructure development (Liu et al., 2014), or acute environmental damage (Di Baldassarre et al., 2013a). This intermittency could be viewed as another manifestation of social sensitivity to the state of the water system - but in this case induced by the experience of extreme events, and often non-stationary, decreasing in strength and importance over time (Di Baldassarre et al., 2013b).

[Ribeiro Neto et al. \(2014\) laid out a hypothesized sequence of coupled human-water system development. First human water demands exceed the locally available water supply, leading to infrastructure development to stabilize and/or enhance the local supply. Eventually, the water demands grow beyond the infrastructure capacity, leading to new infrastructure that captures the non-local supplies. They point out that this leads to sociohydrologic system transitions: in their study, this involved a reconfiguration of spatial and sector water demands in response to water availability. Their hypothesized sequence allows for dynamic connectivity, with the system switching between one-way and two-way feedbacks depending on the balance between supply and demand. The rate at which sensitivity develops, and the extent to which social uses of water respond to this sensitivity, is strongly socially mediated.](#)

Tara Troy 7/14/15 10:21 PM

Deleted: Ribeiro Neto et al. (2014) laid out a hypothesized sequence of coupled human-water system development. First human water demands exceed the locally available water supply, leading to infrastructure development to stabilize and/or enhance the local supply. Eventually, the water demands grow beyond the infrastructure capacity, leading to new infrastructure that captures the non-local supplies. They point out that this leads to sociohydrologic system transitions. This hypothesized sequence allows for dynamic connectivity, with the system switching between one-way and two-way feedbacks depending on the balance between supply and demand. The rate at which sensitivity develops, and the extent to which social uses of water respond to this sensitivity, is strongly socially mediated.

Sally Thompson 7/8/15 9:10 AM

Deleted: the population did eventually return to a state of

Sally Thompson 7/8/15 9:11 AM

Deleted: kinds of

2.2 What comprises a sociohydrologic system?

The definition of sociohydrology as the study of a two-way coupling between human and water systems is clearly challenged by the observation that sociohydrologic systems are embedded in a broader SES, subject to time and spatial scale separations and to intermittency in the very existence of a two-way coupling. With this background, a case can be made that studies considering exogenous effects of people on hydrologic systems, without a consideration of feedback mechanisms, should form part of the scope of sociohydrologic research - and indeed, important insights about the nature of human-imposed change on water systems can be derived from such studies. Clearly, however, sociohydrology cannot be limited to studies within such a "natural systems" paradigm.

It would be equally problematic, however, to confine sociohydrologic studies to consideration of situations where consistent, strong two-way human-water feedbacks arise. Based on the studies in the special issue, [we hypothesize](#) such "tight coupling" is a special case, arising in systems with simple water and social infrastructure - such as irrigated subsistence agriculture in a water-limited region - or in situations where some form of water crisis (or other threshold) is reached. Below such a threshold, [the coupling in most sociohydrologic systems appears](#) to be strongly one-way in terms of human influence on hydrology, with little or weak coupling from water to human systems. Thresholds may be stochastically determined - e.g. by drought (Gober and Wheeler, 2014) or by flooding (Di Baldassarre et al., 2013b). [The exception may be in extremely arid basins, where human development is constrained by available water if there is a lack of infrastructure \(water to human rather than the opposite\), which was seen in the Tarim River \(Liu et al., 2014\).](#) Moreover, it is not inevitable that thresholds exist - they are presumably a function of the socio-ecological system that is being considered. For example, the Aral Sea retreat that began under the Soviet Union and has since continued imposes significant costs on the communities and environments near the former shoreline, yet this environmental catastrophe has not been sufficient to alter patterns of water use (Micklin, 2007). The fact that no feedback on the water use mechanisms has occurred [potentially](#) reflects the relative political weight given to the environment and local population versus the maintenance of upstream irrigated agriculture. Social responses to hydrologic crises may be significantly delayed (Kandasamy et al., 2014), and different societies and political systems may be more sensitive to certain hydrologic impacts than others. Yet the lack of an evident two-way feedback mechanism should not exclude such important [cases](#) from being considered [within the umbrella of](#) sociohydrology. Instead, the framework of viewing sociohydrology as a subset of a broader socio-ecological system, a complex system in which multiple pathways of influence link hydrological and social dynamics, offers a conceptual model that can encompass many different forms, [and directions](#), of influence between human and water systems.

3 Research methodologies and data needs

[The sociohydrologic studies discussed above have used a range of research methodologies, including historical analysis, simplified systems of differential equations, and statistical-empirical analyses.](#) Based on these studies, [some data and methodological challenges arise.](#) [If one views sociohydrology as a field of study that focuses on particular components of a complex system, then complex systems science has developed empirical,](#)

Tara Troy 7/1/15 5:10 PM
Deleted: -

Tara Troy 7/1/15 5:10 PM
Deleted: only

Sally Thompson 7/8/15 9:11 AM
Deleted: very

Sally Thompson 7/8/15 9:11 AM
Deleted: most

Sally Thompson 7/8/15 9:12 AM
Deleted: examples

Sally Thompson 7/8/15 9:12 AM
Deleted: ical

Sally Thompson 7/8/15 9:13 AM
Deleted: i

Tara Troy 7/1/15 8:24 AM
Deleted: If sociohydrology should be conceived of as a field of study that focuses on one set of components of a complex system, a suite of methodological consequences arise

Tara Troy 7/1/15 8:25 AM
Deleted: The field of

modeling and analytical techniques that apply to complex systems [and can be utilized in sociohydrologic research](#). Some of these approaches are already being applied by researchers in sociohydrology, while other methodologies represent new opportunities for discovery. More fundamentally, however, sociohydrology poses significant challenges for data collection and data generation. [Long-term datasets of both social and hydrological data can be difficult to find, but alternative sources and approaches may fill this gap.](#)

3.1 Sociohydrologic data

Detailed hydrologic data has a finite history, with the majority of the instrumented hydrological record having been collected in the past 100 years. Longer-term analyses typically require the use of proxy data, whether physical (e.g. sedimentology) or historical (e.g. tax records, oral histories of flooding). Social datasets are broader in their potential scope, and while they may extend for long periods of time, data availability is likely to place a strong constraint on the kinds of sociohydrologic questions that can be addressed *post hoc*. Given the observation that evidence of social changes in response to changing water dynamics typically emerges over long timescales, or in response to specific episodes, long-term records [describing water and people's interactions with water are likely to be essential](#).

To date, two different approaches have been used to address data availability. The first of these is an attempt to assemble a historical archive of physical and human data over sufficiently long timescales to reveal key dynamics (Dermody et al., 2014). Physically, there is a broad suite of proxy data that can be used to extend physical records into historical or even deep time. Even where the data are not specifically hydrologic, a combination of paleoclimatological methods and hydrologic modeling can provide a plausible representation of historical flow regimes and hydrologic behavior (French et al., 2012).

Data regarding social dynamics may need to be pieced together from multiple sources, such as narrative information, numerical records (crop planting dates, flood levels), pictorial information, [or archaeological information](#) (flood levels and excavations) (Brazdil and Kundzewicz, 2006; Brazdil et al., 2012; 2006). Parker (2008) refers to the development of these multi-sourced datasets as the creation of a "human archive" for the historical period. Robust and reliable techniques to generate physical and human historical archives represents an important area of methodological development in sociohydrology: for example, Ertsen et al. (2014) detail several different ways to collect data from archaeological data on irrigation systems, including looking at the sedimentation in the canals and climate reconstruction with tree-ring data. Similarly, Zlinszky and Timár (2013) laid out a methodology for the analysis of historical maps that specifically addresses the correction of errors resulting from cartography in the pre-photographic era. Even when detailed data are unavailable, historical studies can illuminate [broad sensitivities and correlations between society and hydrology](#). For example, social and economic contraction, simplification, and periods of destruction in the Kingdom of Angkor (in present day Cambodia) coincided with droughts of sufficient severity and duration to deplete the kingdom's water storage and supply mechanisms (Buckley et al., 2010); while worldwide incidents of rebellion in the seventeenth century

Tara Troy 7/14/15 10:24 PM
Deleted: kinds of

Sally Thompson 7/8/15 9:13 AM
Deleted: augment

Sally Thompson 7/8/15 9:13 AM
Formatted: Font:Italic

Sally Thompson 7/8/15 9:13 AM
Deleted: the availability of

Sally Thompson 7/8/15 9:13 AM
Deleted: of

Sally Thompson 7/8/15 9:13 AM
Deleted: both

Sally Thompson 7/8/15 9:13 AM
Deleted: is

Sally Thompson 7/8/15 9:14 AM
Deleted: and

Sally Thompson 7/8/15 9:14 AM
Deleted: sensitivity

Sally Thompson 7/8/15 9:15 AM
Deleted: in a broad sense

were often coincident with extreme weather phenomena (Parker, 2008). The diversity of potential approaches and data sources suggests that methodological questions in the compilation of sociohydrologic datasets will be a rich and challenging component of the field.

An alternative approach that circumvents the challenges in assembling a long data record is to undertake comparative studies over relatively short time periods but across multiple sites. In the absence of controlled experiments, comparative studies provide opportunities to generate insights based on systematic differences arising in different locations and watersheds. Comparative studies can be primarily qualitative, investigating a limited number of sites in great detail, with the goal of generating conceptual understanding. In this mode, Scott et al. (2014) compared three agricultural catchments to understand the relationship between irrigation efficiency improvements and basin resilience. Across three cases, they find that expanding irrigation efficiency without limits on use or irrigated area may increase production, but it could worsen resilience to water scarcity. Similarly, Wescoat (2013) presented a comparative analysis of the "duty of water" concept, a standard governing application of irrigation water. Although the duty of water concept was applied in both British India and the United States in order to maximize the utilization of irrigation water, its use evolved in opposite directions, because of the different social conditions prevailing in each nation.

An alternative comparative methodology leverages the greater statistical power associated with a large number of data points as a technique to overcome the inherent heterogeneity of catchments. Comparative hydrology was initiated in the late 1980s (Falkenmark and Chapman, 1989). For sociohydrologic analysis, the approach is extended to incorporate social variables in addition to environmental and climatic drivers, ideally exploring behavior across important gradients in social factors. Wutich et al. (2014) compared cross-cultural water management choices across gradients of water scarcity and per capita income. They found that people in less developed sites had small-scale, decentralized, community based water management solutions, while people in more developed sites favored large-scale, centralized, infrastructure and regulatory solutions. A conceptual framework for undertaking such comparative studies was presented in Thompson et al. (2013), although the challenges inherent in this approach have also been highlighted, such as data availability and sharing protocols (Gupta et al., 2014). Comparative studies may be most effective where they can be used to test specific hypotheses. For example, the hypothesis proposed for the Murrumbidgee of irrigation moving upstream and then back downstream due to development and then a re-prioritizing of water usage (Kandasamy et al., 2014; Sivapalan et al., 2012) could be explored across many locations to evaluate if it is an evolutionary pattern specific to the case study or whether it is illustrative of a broader phenomenon arising as a consequence of the intersection of development pathways, water usage priorities, and environmental attitudes during the past century. While potentially powerful, comparative studies are data intensive, and the generation of appropriately curated, quality assured and meaningful social datasets that could be included in such studies remains a major challenge to widespread use of such approaches.

Tara Troy 7/1/15 4:58 PM

Deleted: favored

3.2 Causal inference

If the data availability and reliability challenges associated with sociohydrology can be overcome, a broad range of techniques are available to analyze the data. Of particular interest are the tools available to recognize the complex-systems nature of the problem. Complex system studies have developed a very broad toolkit for data analysis, including techniques to evaluate causal relationships (e.g. information theory, synchronicity and time-delays, and entropy based measures (Thompson et al., 2013)), to reconstruct the underlying complex system based on timeseries measures (e.g. attractor reconstruction, recurrence metrics, etc. (Shalizi, 2006)), and even to analyze timeseries based on object-oriented occurrences of "patterns" in the timeseries (an approach that may be suitable to use when quantitative data are unavailable) (Das et al., 1998). This is an enormous and growing field, summarized in both the "big data" and "complex systems science" literature. The key benefits to sociohydrology are likely to be in the determination of the directionality, delays and strength of the networks of cause and effect between components of a system. The major limitation to these methods, however, is that they tend to be highly data demanding (Shalizi, 2006).

An alternative pathway towards the determination of causality can be drawn from the medical science and economic literature. Although randomized controlled trials (RCT) form a gold standard for inference in these fields, they are frequently impossible to implement (Stock and Watson, 2010). Econometric methods - a suite of empirical-statistical techniques to identify causal understanding - are becoming increasingly important as an alternative basis for causal inference (Angrist and Pischke, 2009). [These tools of causal inference do not make assumptions about underlying system microeconomics or dynamics.](#) The main goal of causal inference is to employ an "identification strategy" to approximate an RTC with real-world, empirical data. When selection is random (i.e. as in an RCT), the difference in outcomes across treatment groups represents the causal impact of the treatment. This differs from a statistical regression in that selection within a regression is not random, meaning that regressions provide information only about correlations but not causation.

Causal inference employs statistical methods in an attempt to try to obtain "pseudo-randomization" in a dataset in which random selection does not clearly exist. In other words, the goal of causal inference is to overcome selection bias (which is present without random sampling) in order to determine the causal effect of the treatment of interest. The core techniques are regression discontinuity designs, instrumental variables methods for the analysis of natural experiments, and differences-in-differences methods that take advantage of changes in policy (Angrist and Pischke, 2009). [These statistical tools](#) for causal inference were originally developed to gain intuition in complex socio-economic systems, which share many similarities with sociohydrologic systems. [Methods of causal inference](#) are not yet widely used in the sociohydrologic studies represented by the special issue, but could potentially provide a powerful alternative to the data-intensive causality metrics developed in nonlinear science fields.

Sally Thompson 7/8/15 9:15 AM

Deleted: there are

Tara Troy 7/1/15 8:27 AM

Deleted: swath

Sally Thompson 7/8/15 9:15 AM

Deleted: that

Tara Troy 6/29/15 4:11 PM

Deleted: econometric

Tara Troy 6/29/15 4:11 PM

Deleted: methods for causal inference

Tara Troy 6/29/15 4:05 PM

Deleted: force random selection onto

Tara Troy 6/29/15 4:12 PM

Deleted: econometric

Tara Troy 6/29/15 4:13 PM

Deleted: Econometric methods

Tara Troy 6/29/15 4:17 PM

Deleted: Econometric

Tara Troy 6/29/15 4:17 PM

Deleted: m

3.3 Modeling

The final methodological area within sociohydrology is mathematical modeling. Mathematical models were proposed for several specific coupled human-water systems in the special issue (see Table 1). Modeling approaches range from "toy" models consisting of a few coupled differential equations, to detailed, region-specific models. A broad review of coupled human-environmental models can be found in (Letcher et al., 2013).

Existing models used in the special issue, such as the Soil and Water Assessment Tool (SWAT) (Zeng and Cai, 2014; Zhang et al., 2014), land surface hydrologic models (Kummu et al., 2014), or policy models (van Soesbergen and Mulligan, 2014), can be used to provide detailed descriptions of hydrological response to exogenous human drivers. These modeling approaches, while informative, do not clearly depart from the current hydrological paradigm.

In an effort to treat human systems as part of the water cycle, systems dynamics models have been proposed to describe the sociohydrologic system. For example, Srinivasan (2015) developed a model for how water-human systems developed in Chennai, India. Pande et al. (2014) built a theoretical model about how technology and human water demands can evolve in a water-scarce society. Elshafei et al. (2014) developed a conceptual model that accounted for water demands and evolving community awareness to environmental conditions, testing it over two idealized catchments. A dynamical modeling approach allows for full coupling, either directly between the human and water systems, as in water withdrawals, or indirectly. For example, several models conceptualized a dynamic social awareness of the environment (Di Baldassarre et al., 2013b; Elshafei et al., 2014; van Emmerik et al., 2014). The representation of complex aspects of a social system is clearly a major challenge to these models, although empirical observations of the modeled system can incorporate specific details of household behavior, the water distribution system, pricing and their influence on water use (Srinivasan, 2015). These models allow for asking questions about the coupled system's behavior that cannot be asked of historical data, given that a region's history followed one fixed trajectory. For example, Di Baldassarre et al. (2015) explored the effect of choosing infrastructure or adapting to floods on flood damages. As (Loucks, 2015) points out, "human behavior can be surprising, and we would like to be forewarned about and prepare for such possible surprises."

Understanding sociohydrology through the lens of complex systems suggests an expanded role for modeling in future work. Features such as dynamic connectivity, threshold behavior, and multiple stable states are characteristic of nonlinear systems, and models that can reproduce these behaviors are likely to provide useful insights into potential modes of sociohydrologic behavior. To date, modeling studies tend towards being very specific - and thus hard to generalize beyond a given case study - or very general, and thus dependent upon the construction of "environmental sensitivity" metrics, which are challenging to measure, model or describe in concrete terms. In future studies, the use of data analytics to unravel networks of cause and effect, in conjunction with numerical modeling to explore the potential behaviors that such networks can produce, could provide a robust and generalizable approach to understanding these systems.

Sally Thompson 7/8/15 9:17 AM

Deleted: for

Tara Troy 7/14/15 10:26 PM

Deleted: In most studies, the model was developed or parameterized for a specific location, allowing for specificity but not necessarily generalizability.

t. 7/1/15 8:41 PM

Deleted: Clearly

t. 7/1/15 8:41 PM

Deleted: t

Sally Thompson 7/8/15 9:18 AM

Deleted: strictly

Tara Troy 7/4/15 10:20 AM

Deleted: suffer a little from either being too specific

Tara Troy 7/4/15 10:20 AM

Deleted: too

4 Norms and ethics

Sociohydrology presents many new challenges for hydrologists, one of which is that sociohydrologic research may explicitly explore and influence the lives of people within a studied system. Traditionally, hydrologists have tended to view themselves as impartial observers of the systems they study, avoiding the need to address ethical questions about their role as researchers. In at least some sociohydrologic studies, this position is likely to become untenable. Instead, sociohydrologists may need to confront questions about social norms (collectively held beliefs on how individuals should behave in a particular context), values (benefit derived by an individual from a particular good or service) and their influence on sociohydrologic research (Ertsen et al., 2014; Lane, 2014; Wescoat, 2013). These challenges are most pressing for researchers studying contemporary systems over constrained spatial scales. These researchers are necessarily both participants and observers, because their research could influence decision-making and policy and therefore social futures. The potential for the research outcomes to directly impact people's lives raises a clear ethical dimension to sociohydrology. This dimension is less urgent for researchers studying historical sociohydrologic systems over timescales of hundreds or thousands of years, who can investigate dynamics and feedbacks as impartial observers. Although some would argue that any research reflects the researcher's own values and biases, in this case the researcher's framing arguably has less direct real-world implications.

4.1 Researchers as participant-observers

When researchers study contemporary sociohydrologic systems, the issue of norms arises because the research itself could influence real-world outcomes. The choices hydrologists make about what to study and therefore what information to provide decision-makers are not themselves "scientific" or objective. This raises two concerns: the framing of research questions, and the validity and legitimacy of the research undertaken.

4.1.1 Value-laden framing of research questions

Many studies in the hydrologic literature are motivated by studying water problems faced by society, from floods and drought, to the impacts of climate change, to predicting water resource availability. When sociohydrologists engage in research with the objective of informing decision makers, their research outputs could affect the trajectory of the coupled human-water system. Prediction in hydrologic modeling must be thought through carefully because of "the power that it has to shape the landscape" (Lane, 2014). Despite good intentions, researchers, particularly natural scientists, often do not acknowledge the values implicit in their study design.

This subjectivity raises ethical questions because decisions about what to study are value laden. This is particularly important when the hydrologist is an outsider to the region of study; there may be a divergence between the hydrologist's own values and those of the majority of the local community at the research site. For instance, some scholars have critiqued western researchers for imposing their views on large dams on the developing world, arguing that it has constrained them from developing their own infrastructure to developed world levels (Muller, 2010). [This critique is ongoing: development efforts in Afghanistan after three decades of war still focus on large dams, regardless of the](#)

Sally Thompson 7/8/15 9:18 AM

Deleted: being

Sally Thompson 7/8/15 9:18 AM

Deleted: now

Sally Thompson 7/8/15 9:18 AM

Deleted: s

Sally Thompson 7/8/15 9:19 AM

Deleted: in

Sally Thompson 7/8/15 9:19 AM

Deleted: at

Sally Thompson 7/8/15 9:19 AM

Deleted: small

Sally Thompson 7/8/15 9:19 AM

Deleted: and temporal

Sally Thompson 7/8/15 9:19 AM

Deleted: -

Sally Thompson 7/8/15 9:20 AM

Deleted: on

Sally Thompson 7/8/15 9:20 AM

Deleted: However, d

Sally Thompson 7/8/15 9:20 AM

Deleted: on

[practicality of such plans or the existence of the `institutional capacity needed to manage the dams \(Ahlers et al., 2014\).](#)

There is also a tendency to assume that model equations and variables are “scientifically chosen”. However, model structure and spatial and temporal scale of variables **represent a choice by researchers that** may implicitly privilege some water users. For instance, the decision to focus on aggregate measures, such as water resources at the basin scale and availability to a “representative” water user, overlooks the fact that low streamflows in dry years may disproportionately affect poorer, **more** vulnerable populations. Others may focus on preserving ecological flows and fail to recognize that dry season flows for agriculture are the biggest constraint. Many researchers do not openly acknowledge the implications of the choice of model variables and the value judgments implicit in them.

4.1.2 Validity and legitimacy of research

Most hydrologic research is designed to incorporate data and assumptions in forms that scientists recognize - stream gage data, groundwater level data from water level sensors, hydro-climatic data from weather stations etc. But often sociohydrologic knowledge is distributed, **and held by people who live within the water system**. Scientific studies have no way of incorporating sometimes profound knowledge of the water system that “lay” people have (Lane, 2014). Particularly in data-scarce regions, modelers often prefer to use simplistic assumptions that turn out to be incorrect, rather than risk relying on unconventional sources of information.

To address these concerns, (Gober and Wheater, 2014) suggest that sociohydrology can play a role in considering community values and local knowledge in scientific studies by eliciting the views of stakeholders. (Lane, 2014) recommends calling on "non-certified" experts; local resources users who have tremendous understanding of the system who could validate and contribute to such assumptions arguing that such "co-production" of knowledge between researchers and society could result in more robust hydrologic prediction. Several previous studies have highlighted how such collaborative modeling exercises between stakeholder communities and researchers could be undertaken.

4.2 Researchers as impartial observers

When researchers study the historical dynamics of sociohydrologic systems over long time scales of hundred of years (Di Baldassarre et al., 2013a), the assumption of an impartial observer is probably a reasonable one. Here, the research cannot influence the social outcomes observed and so the concerns are more pedantic. Several papers have used stylized or toy models to study the dynamics of sociohydrologic systems. In the majority of these modeling studies norms are not explicitly discussed; rather they are implicit in model equations and derived from secondary literature. Only a few studies have attempted to *empirically* investigate social norms using primary data or textual analysis of historical or linguistic records.

4.2.1 Values as model feedbacks

In these studies, social norms express how societies adapt themselves to environmental change. (Di Baldassarre et al., 2013a) examine sociohydrologic responses to flood over long periods of time. In their sociohydrological model of flooding, social norms are

Sally Thompson 7/8/15 9:20 AM

Deleted: the

Tara Troy 7/14/15 10:28 PM

Deleted: -

Sally Thompson 7/8/15 9:21 AM

Deleted:

expressed through the “awareness” variable. The memory of devastation gets imprinted in collective social memory and prevents societies from settling close to the river in the aftermath of a flood. As the memory fades, the norms weaken and societies once again settle closer to the river.

Several studies have highlighted how changing values in favor of the environment have resulted in water being reallocated from human uses to restore ecological flows. In fact, hydrologic flows in these systems could not be predicted without understanding how preferences have changed. (Kandasamy et al., 2014) analyze the dynamics of the Murrumbidgee over a 100-year time period. They find that social values and norms have shifted in favor of preserving the environment. This has resulted in reductions in anthropogenic water abstractions and more water being reallocated to the environment. (Liu et al., 2014) report similar dynamics in the Tarim River Basin in China, where they refer to changing norms as a balancing or restorative force. (Elshafei et al., 2014) propose a general model to capture the dynamics in such systems using a “community sensitivity state variable”, which captures the perceived level of threat to a community’s quality of life. The community sensitivity variable reflects social norms about the environment; economists and policy researchers have extensive experience in designing research tools, including surveys, which might be suitable to measure social values and norms.

4.2.2 Values emergent from empirical analysis

In the papers described above, both social values and norms are deduced from the decisions societies make in response to environmental variables (floods or ecosystem decline). However, the norms and values themselves are not the subject of study. Only a few studies have investigated social norms over water empirically. (Wescoat, 2013) examines how norms vary, by examining how the same norm --- “duty of water” --- was applied very differently in colonial India (as a maximum amount of water applicable to a given amount of land) versus western USA (as the minimum standard for private water rights appropriation and use.) In a contemporary setting, (Wutich et al., 2014) examine how both environmental and socio-economic variables influence community perceptions of what types of infrastructure solutions are feasible. The study finds that community norms and therefore how communities invest in infrastructure are shaped by water resource availability. (Chang et al., 2014) take an economic approach (hedonic value estimation) using property sales as a proxy to estimate how people value water quality improvements and consequently enforcement of water quality regulations.

The modeling and empirical approaches are somewhat complementary. One potential shortcoming of many of the toy or stylized models, is the difficulty in validation of the system dynamics. This difficulty can be bridged by the methods used by these empirical studies to justify or derive model equations and parameters. For instance, the behavior of the “community sensitivity” variable might be verified by analyzing newspaper articles or government documents over time to analyze the frequency and usage of key words.

5 Discussion & Future Directions

The special issue provided an opportunity to reflect on current research in sociohydrology, as well as the state of the field more generally. The papers in the special issue are varied, but they all focus on improving our knowledge of coupled human-water systems to

- t. 7/1/15 8:44 PM
Deleted: weakness
- t. 7/1/15 8:44 PM
Deleted: absence of
- t. 7/1/15 8:44 PM
Deleted: against real-world observations
- t. 7/1/15 8:45 PM
Deleted: T
- t. 7/1/15 8:45 PM
Deleted: could be used by modelers
- Sally Thompson 7/8/15 9:23 AM
Deleted: unique

address important societal challenges, a key aspect of sociohydrology. These papers have highlighted some of the important issues that must be explored as the field continues to grow and develop.

In a survey of econometric studies, McDonald (1989) laid out the five steps towards creation of new knowledge: data collection, examination of the data to determine the facts that require explanation, theory and model development to explain the pertinent facts, model calibration and validation, and model application. One could argue that this knowledge creation process is universal across disciplines, and it occurred in hydrology. Based on the special issue, sociohydrology is currently focused in the first three steps as theories are posed about the coupled behavior of human-water systems, particularly the feedbacks between the two systems and when these feedbacks occur. For those coming to sociohydrologic research from the hydrology discipline, model calibration and validation will be a different process with different standards as compared to traditional hydrologic models. (Troy et al., 2015).

Our assessment of the literature highlights two major themes that need to be reconciled by future researchers. The first of these relates to the observation that sociohydrology cannot focus on two-way feedbacks between human and water systems without acknowledging that these feedbacks are embedded in a complex web of cause and effect represented by socio-ecologic systems. This recognition suggests that the modes of interaction between hydrologic variables and social variables will be multifaceted, difficult to isolate, variable from system to system, and nested in terms of both spatial and temporal scales. Thus, definitions of sociohydrology that focus on the clear identification of two-way feedbacks between human and water systems are likely to be challenging to work with in practice, because the identification of such two-way feedbacks is itself a non-trivial problem, and are potentially an inappropriate way to frame the relationship between society and water systems.

The second consequence of recognizing that sociohydrology arises from a complex system is the opportunity to draw on the huge developments in complex-systems science and data analysis. While we have not comprehensively reviewed this field, the range of tools for inferring causality and for reconstructing elements of a nonlinear dynamical system from incomplete observations are highly pertinent to analyzing the behavior of sociohydrologic systems - provided data limitations can be overcome. Alternative interpretations of causality, as embodied by econometric approaches, offer further approaches towards analyzing these systems. These data analysis techniques have not been implemented in sociohydrologic studies to date, and they represent a significant opportunity to formalize understanding of the relationship between human activity and hydrologic variability.

While the theme of sociohydrology as a complex systems science identifies opportunities at the cutting edge of quantitative analysis and modeling, the other emergent theme - that of sociohydrologic research as a value-laden, human activity - pulls researchers in the opposite direction. While social scientists routinely address the ethical implications of their work - particularly work that incorporates intervention and experimentation -

hydrologists typically lack awareness and a framework for evaluating the ethical consequences of their studies. The human implications of the research choices that hydrologists make may need to be incorporated into the research toolkit of sociohydrologists.

Sociohydrology as a science of people and water has emerged primarily from the hydrological literature. This poses numerous oppositional challenges: the desire to be quantitative but to incorporate (often qualitative and specific) knowledge from social science disciplines; the challenge of reconciling numerical data with descriptive histories; the need to base analyses on empirical facts but to develop generalizable understanding; the desire to observe and predict the behavior of a system while being a part of that system. As Ertsen et al. (2014) lays out, there are two potential approaches to modeling human agency. One approach is to start at the largest scale possible, society itself, with time steps of years to decades, depending on the time scale of decisions/changes made by society; we can think of this as a top-down approach. The other approach is start at the level of human beings themselves, with institutions developing in the model through personal relationships of the individual humans; this would be a bottom-up approach. These are choices that are going to be confronted in many sociohydrologic studies, particularly those focused on modeling.

[Sociohydrology aims to be a use-inspired science to inform the complex water sustainability challenges faced in the Anthropocene \(Sivapalan, 2015; Sivapalan et al., 2014\). “Use-inspired” means it may encompass both the fundamental and applied sciences. Quantifying and understanding the feedbacks in sociohydrologic systems, essentially understanding the fundamentals of the systems, is needed before it can be applied for policy-making. In addition, simply developing the science is insufficient: how the knowledge is disseminated to policy-makers may determine the utility of sociohydrology and its models \(Gober and Wheeler, 2015\). As Sivapalan \(2015\) points out, the natural sciences and social sciences can mutually benefit from working together on sociohydrologic problems, each with their respective strengths; as Gober and Wheeler \(2015\) discuss, there is a rich literature and a need to include policy-makers and policy scientists in sociohydrology.](#)

The breadth, depth and sheer number of papers contributed to the special issue suggests that sociohydrology is vibrant, exciting and relevant to many authors working at the interface of hydrology and social systems. While data, methodologies, norms, ethics and the hurdles of interdisciplinarity present non-trivial challenges to achieving the vision of understanding coupled human-water systems, there are also tremendous opportunities to be seized by drawing on social-ecological systems thinking, complex systems science, econometrics, and the detailed disciplinary expertise required to describe these systems in isolation. These opportunities have the potential to greatly increase our understanding of sociohydrologic systems, thereby allowing for better understanding and prediction of water problems.

Acknowledgements

The authors would like to thank [Maurits Ertsen](#), [Giuliano Di Baldassarre](#), and an anonymous reviewer for their thought-provoking and helpful reviews.

References

Ahlers, R., L. Brandimarte, I. Kleemans, and S.H. Sadat: *Ambitious development on fragile foundations: Criticalities of current large dam construction in Afghanistan*, 54, 49-58, doi: 10.1016/j.geoforum.2014.03.004, 2014.

Angrist, J. D. and Pischke, J.-S.: *Mostly Harmless Econometrics: An Empiricist's Companion*, 1st ed., Princeton University Press, Princeton, NJ. 2009.

Brazdil, R. and Kundzewicz, Z. W.: Historical hydrology—Editorial, *Hydrological sciences journal*, 51(5), 733–738, doi:10.1623/hysj.51.5.733, 2006.

Brazdil, R., Chromá, K., Valášek, H. and Dolák, L.: Hydrometeorological extremes derived from taxation records for south-eastern Moravia, Czech Republic, 1751–1900 AD, *Clim. Past*, 8(2), 467–481, doi:10.5194/cp-8-467-2012, 2012.

Brazdil, R., Kundzewicz, Z. W. and Benito, G.: Historical hydrology for studying flood risk in Europe, *Hydrological sciences journal*, 51(5), 739–764, doi:10.1623/hysj.51.5.739, 2006.

Buckley, B. M., Anchukaitis, K. J., Penny, D., Fletcher, R., Cook, E. R., Sano, M., Nam, L. C., Wichienkeo, A., Minh, T. T. and Hong, T. M.: Climate as a contributing factor in the demise of Angkor, Cambodia, *PNAS*, 107(15), 6748–6752, doi:10.1073/pnas.0910827107, 2010.

Chang, H., Thiers, P., Netusil, N. R., Yeakley, J. A., Rollwagen-Bollens, G., Bollens, S. M. and Singh, S.: Relationships between environmental governance and water quality in a growing metropolitan area of the Pacific Northwest, USA, *Hydrology and Earth System Sciences*, 18(4), 1383–1395, doi:10.5194/hess-18-1383-2014, 2014.

Cumming, G. S., Cumming, D. H. and Redman, C. L.: Scale mismatches in social-ecological systems: causes, consequences, and solutions, *Ecology and Society*, 11(1), 14, 2006.

Das, G., Lin, K. I., Mannila, H., Renganathan, G. and Smyth, P.: Rule Discovery from Time Series, *KDD*, 1998.

Dermody, B. J., van Beek, R. P. H., Meeks, E., Klein Goldewijk, K., Scheidel, W., van der Velde, Y., Bierkens, M. F. P., Wassen, M. J. and Dekker, S. C.: A virtual water network of the Roman world, *Hydrol. Earth Syst. Sci. Discuss.*, 11(6), 6561–6597, doi:10.5194/hessd-11-6561-2014-supplement, 2014.

Di Baldassarre, G., Kooy, M., Kemerink, J. S. and Brandimarte, L.: Towards understanding the dynamic behaviour of floodplains as human-water systems, *Hydrol. Earth Syst. Sci. Discuss.*, 10(3), 3869–3895, doi:10.5194/hess-17-3235-2013, 2013a.

Di Baldassarre, G., Viglione, A., Carr, G., Kuil, L., Salinas, J. L. and Blöschl, G.: Socio-hydrology: conceptualising human-flood interactions, *Hydrology and Earth System Sciences*, 17(8), 3295–3303, doi:10.5194/hess-17-3295-2013, 2013b.

Di Baldassarre, G., Viglione, A., Carr, G., Kuil, L., Yan, K., Brandimarte, L. and Blöschl, G.: Debates-Perspectives on socio-hydrology: Capturing feedbacks between physical and social processes, *Water Resources Research*, n/a–n/a, doi:10.1002/2014WR016416, 2015.

Elshafei, Y., Sivapalan, M., Tonts, M. and Hipsey, M. R.: A prototype framework for models of socio-hydrology: identification of key feedback loops and parameterisation approach, *Hydrology and Earth System Sciences*, 18(6), 2141–2166, doi:10.5194/hess-18-2141-2014, 2014.

Ertsen, M. W., Murphy, J. T., Purdue, L. E. and Zhu, T.: A journey of a thousand miles begins with one small step – human agency, hydrological processes and time in socio-hydrology, *Hydrology and Earth System Sciences*, 18(4), 1369–1382, doi:10.5194/hess-18-1369-2014, 2014.

Falkenmark, M. and Chapman, T.: *Comparative hydrology: an ecological approach to land and water resources*, The UNESCO Press, Paris. 1989.

Fernald, A., Guldan, S., Boykin, K., Cibils, A., Gonzales, M., Hurd, B., Lopez, S., Ochoa, C., Ortiz, M., Rivera, J., Rodriguez, S. and Steele, C.: Linked hydrologic and social systems that support resilience of traditional irrigation communities, *Hydrology and Earth System Sciences*, 19(1), 293–307, doi:10.5194/hess-19-293-2015, 2015.

French, K., Duffy, C. and Bhatt, G.: *The hydroarchaeological method: A case study at the Maya site of Palenque*, Latin American Antiquity, 2012.

Gober, P. and Wheeler, H. S.: Socio-hydrology and the science-policy interface: a case study of the Saskatchewan River basin, *Hydrology and Earth System Sciences*, 18(4), 1413–1422, doi:10.5194/hess-18-1413-2014, 2014.

Gober, P. and Wheeler, H. S.: Debates-Perspectives on socio-hydrology: Modeling flood risk as a public policy problem, *Water Resources Research*, n/a–n/a, doi:10.1002/2015WR016945, 2015.

Gupta, H. V., Perrin, C., Blöschl, G., Montanari, A., Kumar, R., Clark, M. and Andreassian, V.: Large-sample hydrology: a need to balance depth with breadth, *Hydrology and Earth System Sciences*, 18(2), 463–477, doi:10.5194/hess-18-463-2014, 2014.

Kandasamy, J., Sounthararajah, D., Sivabalan, P., Chanan, A., Vigneswaran, S. and Sivapalan, M.: Socio-hydrologic drivers of the pendulum swing between agricultural development and environmental health: a case study from Murrumbidgee River basin, Australia, *Hydrology and Earth System Sciences*, 18(3), 1027–1041, doi:10.5194/hess-18-1027-2014, 2014.

Konar, M., Hussein, Z., Hanasaki, N., Mauzerall, D. L. and Rodriguez-Iturbe, I.: Virtual water trade flows and savings under climate change, *Hydrology and Earth System Sciences*, 17(8), 3219–3234, doi:10.5194/hess-17-3219-2013, 2013.

Kumar, P.: Typology of hydrologic predictability, *Water Resources Research*, 47(3), n/a–n/a, doi:10.1029/2010WR009769, 2011.

Kummu, M., Gerten, D., Heinke, J., Konzmann, M. and Varis, O.: Climate-driven interannual variability of water scarcity in food production potential: a global analysis, *Hydrology and Earth System Sciences*, 18(2), 447–461, doi:10.5194/hess-18-447-2014, 2014.

Lane, S. N.: Acting, predicting and intervening in a socio-hydrological world, *Hydrology and Earth System Sciences*, 18(3), 927–952, doi:10.5194/hess-18-927-2014, 2014.

Letcher, R. A. K., Jakeman, A. J., Barreteau, O., Borsuk, M. E., ElSawah, S., Hamilton, S. H., Henriksen, H. J., Kuikka, S., Maier, H. R., Rizzoli, A. E., van Delden, H. and Voinov, A. A.: Environmental Modelling & Software, *Environmental Modelling & Software*, 47(C), 159–181, doi:10.1016/j.envsoft.2013.05.005, 2013.

Levin, S. A.: Ecosystems and the biosphere as complex adaptive systems, *Ecosystems*, 1(5), 431–436, 1998.

Liu, J., Dietz, T., Carpenter, S. R., Alberti, M., Folke, C., Moran, E., Pell, A. N., Deadman, P., Kratz, T., Lubchenco, J., Ostrom, E., Ouyang, Z., Provencher, W., Redman, C. L., Schneider, S. H. and Taylor, W. W.: Complexity of Coupled Human and Natural Systems, *Science*, 317(5844), 1513–1516, doi:10.1126/science.1144004, 2007.

Liu, Y., Tian, F., Hu, H. and Sivapalan, M.: Socio-hydrologic perspectives of the co-evolution of humans and water in the Tarim River basin, Western China: the Taiji–Tire model, *Hydrology and Earth System Sciences*, 18(4), 1289–1303, doi:10.5194/hess-18-1289-2014, 2014.

Loucks, D. P.: Debates-Perspectives on socio-hydrology: Simulating hydrologic-human interactions, *Water Resources Research*, doi:10.1002/2015WR017002, 2015.

[McDonald, J.F.: Econometric Studies of Urban Population Density: A Survey, 26\(3\), 361-385, 1987.](#)

Micklin, P.: The Aral Sea Disaster, *Annual Review of Earth and Planetary Sciences*, 35(1), 47–72, doi:10.1146/annurev.earth.35.031306.140120, 2007.

Muller, M.: Fit for purpose: taking integrated water resource management back to basics, *Irrig Drainage Syst*, 24(3-4), 161–175, doi:10.1007/s10795-010-9105-7, 2010.

Muñoz-Villers, L. E. and McDonnell, J. J.: Land use change effects on runoff generation in a humid tropical montane cloud forest region, *Hydrology and Earth System Sciences*, 17(9), 3543–3560, doi:10.5194/hess-17-3543-2013, 2013.

O'Bannon, C., Carr, J., Seekell, D. A. and D'Odorico, P.: Globalization of agricultural pollution due to international trade, *Hydrology and Earth System Sciences*, 18(2), 503–510, doi:10.5194/hess-18-503-2014-supplement, 2014.

Tara Troy 7/7/15 8:33 PM

Deleted: , n/a–n/a

O'Connell, P. E. and O'Donnell, G.: Towards modelling flood protection investment as a coupled human and natural system, *Hydrology and Earth System Sciences*, 18(1), 155–171, doi:10.5194/hess-18-155-2014, 2014.

Ostrom, E.: A General Framework for Analyzing Sustainability of Social-Ecological Systems, *Science*, 325(5939), 419–422, doi:10.1126/science.1172133, 2009.

Pande, S. and Ertsen, M.: Endogenous change: on cooperation and water availability in two ancient societies, *Hydrology and Earth System Sciences*, 18(5), 1745–1760, doi:10.5194/hess-18-1745-2014, 2014.

Pande, S., Ertsen, M. and Sivapalan, M.: Endogenous technological and population change under increasing water scarcity, *Hydrology and Earth System Sciences*, 18(8), 3239–3258, doi:10.5194/hess-18-3239-2014, 2014.

Parker, G.: Crisis and catastrophe: The global crisis of the seventeenth century reconsidered, *The American Historical Review*, 113(4), 1053–1079, 2008.

Ribeiro Neto, A., Scott, C. A., Lima, E. A., Montenegro, S. M. G. L. and Cirilo, J. A.: Infrastructure sufficiency in meeting water demand under climate-induced socio-hydrological transition in the urbanizing Capibaribe River basin – Brazil, *Hydrology and Earth System Sciences*, 18(9), 3449–3459, doi:10.5194/hess-18-3449-2014, 2014.

Scott, C. A., Vicuña, S., Blanco-Gutiérrez, I., Meza, F. and Varela-Ortega, C.: Irrigation efficiency and water-policy implications for river basin resilience, *Hydrology and Earth System Sciences*, 18(4), 1339–1348, doi:10.5194/hess-18-1339-2014, 2014.

Shalizi, C. R.: *Methods and Techniques of Complex Systems Science: An Overview*, in *Complex systems science in biomedicine*, edited by T. S. Deisboeck and J. Y. Kresh, Springer, New York, 2006.

Sivapalan, M.: Debates-Perspectives on socio-hydrology: Changing water systems and the “tyranny of small problems-”Socio-hydrology, *Water Resources Research*, n/a–n/a, doi:10.1002/2015WR017080, 2015.

Sivapalan, M., Konar, M., Srinivasan, V., Chhatre, A., Wutich, A., Scott, C. A., Wescoat, J. L. and Rodriguez-Iturbe, I.: Socio-hydrology: Use-inspired water sustainability science for the Anthropocene, *Earth's Future*, 2(4), 225–230, doi:10.1002/%28ISSN%292328-4277, 2014.

Sivapalan, M., Savenije, H. H. G. and Blöschl, G.: Socio-hydrology: A new science of people and water, *Hydrol. Process.*, 26(8), 1270–1276, doi:10.1002/hyp.8426, 2012.

Solé, R. V. and Bascompte, J.: *Self-Organization in Complex Systems*, Princeton University Press, Princeton, NJ, 2006.

Srinivasan, V.: Reimagining the past – use of counterfactual trajectories in socio-

hydrological modelling: the case of Chennai, India, *Hydrology and Earth System Sciences*, 19(2), 785–801, doi:10.5194/hess-19-785-2015, 2015.

Stock, J. H. and Watson, M. W.: *Introduction to Econometrics*, 3rd ed., Addison-Wesley, Boston, MA. 2010.

Thompson, S. E., Sivapalan, M., Harman, C. J., Srinivasan, V., Hipsey, M. R., Reed, P., Montanari, A. and Bloschl, G.: Developing predictive insight into changing water systems: use-inspired hydrologic science for the Anthropocene, *Hydrology and Earth System Sciences*, 17(12), 5013–5039, doi:10.5194/hess-17-5013-2013, 2013.

Troy, T. J., Pavao-Zuckerman, M. and Evans, T. P.: Debates-Perspectives on socio-hydrology: Socio-hydrologic modeling: Tradeoffs, hypothesis testing, and validation, *Water Resources Research*, n/a–n/a, doi:10.1002/2015WR017046, 2015.

van Emmerik, T. H. M., Li, Z., Sivapalan, M., Pande, S., Kandasamy, J., Savenije, H. H. G., Chanan, A. and Vigneswaran, S.: Socio-hydrologic modeling to understand and mediate the competition for water between agriculture development and environmental health: Murrumbidgee River basin, Australia, *Hydrology and Earth System Sciences*, 18(10), 4239–4259, doi:10.5194/hess-18-4239-2014, 2014.

van Soesbergen, A. J. J. and Mulligan, M.: Modelling multiple threats to water security in the Peruvian Amazon using the WaterWorld policy support system, *Earth Syst. Dynam.*, 5(1), 55–65, doi:10.5194/esd-5-55-2014, 2014.

Wescoat, J. L.: Reconstructing the duty of water: a study of emergent norms in socio-hydrology, *Hydrology and Earth System Sciences*, 17(12), 4759–4768, doi:10.5194/hess-17-4759-2013, 2013.

Wutich, A., White, A. C., White, D. D., Larson, K. L., Brewis, A. and Roberts, C.: Hard paths, soft paths or no paths? Cross-cultural perceptions of water solutions, *Hydrology and Earth System Sciences*, 18(1), 109–120, doi:10.5194/hess-18-109-2014, 2014.

Yaeger, M. A. and Sivapalan, M.: Comparative analysis of hydrologic signatures in two agricultural watersheds in east-central Illinois: legacies of the past to inform the future, *Hydrology and ...*, doi:10.5194/hess-17-4607-2013, 2013.

Yoshikawa, S., Yanagawa, A., Iwasaki, Y., Sui, P., Koirala, S., Hirano, K., Khajuria, A., Mahendran, R., Hirabayashi, Y., Yoshimura, C. and Kanae, S.: Illustrating a new global-scale approach to estimating potential reduction in fish species richness due to flow alteration, *Hydrology and Earth System Sciences*, 18(2), 621–630, doi:10.5194/hess-18-621-2014, 2014.

Zeng, R. and Cai, X.: Analyzing streamflow changes: irrigation-enhanced interaction between aquifer and streamflow in the Republican River basin, *Hydrology and Earth System Sciences*, 18(2), 493–502, doi:10.5194/hess-18-493-2014, 2014.

Zhang, Z., Hu, H., Tian, F., Yao, X. and Sivapalan, M.: Groundwater Dynamics under

Water Saving Irrigation and Implications for Sustainable Water Management in an Oasis: Tarim River Basin of Western China, *Water Resources Res.*, 1–41, 2014.

Zlinszky, A. and Timár, G.: Historic maps as a data source for socio-hydrology: a case study of the Lake Balaton wetland system, Hungary, *Hydrology and Earth System Sciences*, 17(11), 4589–4606, doi:10.5194/hess-17-4589-2013, 2013.




Figure 1: Multiple forms of coupling between a water system and a target study population of people can arise. In the simplest case (A) both the water system and the target population are tightly and directly coupled to each other - as might arise for subsistence farmers in a water limited system. In many other cases (B) the target population is not only affected by changes in the water system, but also by a suite of other issues, meaning that changes to the target population in response to water issues occur slowly. This is complicated (C) when the effects of water on the target population are indirect and filtered through other institutions, spatial scales and social or environmental systems, meaning that isolating the effects of water from the whole complex system is difficult. Because of the time, spatial and institutional separations in scale between water and human populations, tight coupling between water systems and human responses often arises only intermittently (D) as a “dynamic connectivity” (sensu Kumar (2011)), often in response to a crisis (e.g. critical water scarcity or severe flooding).

Table 1: Site-specific coupled human-water models

Citation	Feedbacks	Description of feedbacks	Exogenous Drivers	Type of Model
Chang et al.	Water Quality→Humans Humans→Water Quality	Scientific knowledge and human perceptions about local water quality influence policy Governance in turn affects local water quality over time in urban areas through the type and extent of monitoring etc.	Climate, urbanization, demography	Statistical
Di Baldassarre et al.	Humans→Hydrology Hydrology→Humans	Flood damage depends on distance of settlement from river, settlement size, and height of levees Economic activity (which grows/shrinks slowly) abruptly shrinks after major floods Human decisions on settlement and investment in levees depend on the memory of last flood and economic and technological factors	Technology, culture	Toy: assumptions from literature
Elshafei et al.	Hydrology→Ecosystem Services Ecosystem Services→Humans Humans→Hydrology	Ecosystem services are a function of water quality, environmental flows and vegetation. Loss of ecosystem services along with external factors like politics, economic growth, drive community sensitivity to the environment. Humans abstract water for productive uses. Communities also act to restore water systems if the level of sensitivity to the environment exceeds productive demands for water.	Climate, political, cultural and socioeconomic factors	Toy: assumptions from literature
O’Connell and O’Donnell	Hydrology→Humans Humans→Hydrology	Damage function as a function of flood magnitude and level of protection. Inclusion of an ABM to model flood protection decisions discussed but not implemented.	Climate change, Flood protection	Statistical
Srinivasan	Humans→Hydrology Hydrology→Humans	People with wells extract groundwater depending on availability of water from other sources. Investment in reservoir storage depends on the ability of the water utility to make investments. When the water table drops, people’s wells go dry and they are forced to buy water from other sources. Investment in wells increases/decreases depending on reliability of piped water.	Economic, population growth	Process-based using site-specific data
Zang et al.	Humans→Hydrology	Land use change, irrigation expansion and climate variability influence the flows of green and blue water	Land use change, irrigation expansion, climate	Process-based
Yoshikawa et al.	Hydrology→Ecosystems	Fish species richness (FSR) depends on flow characteristics of river, which are expected to alter with climate change	Climate change	Statistical
Zeng and Cai (2013)	Humans→Hydrology	Land use change accompanied by irrigation expansion	Climate, Land use patterns	Process-based using site-specific data