Hydrol. Earth Syst. Sci. Discuss., 12, 4353–4385, 2015 www.hydrol-earth-syst-sci-discuss.net/12/4353/2015/ doi:10.5194/hessd-12-4353-2015 © Author(s) 2015. CC Attribution 3.0 License.



This discussion paper is/has been under review for the journal Hydrology and Earth System Sciences (HESS). Please refer to the corresponding final paper in HESS if available.

Climate model uncertainty vs. conceptual geological uncertainty in hydrological modeling

T. O. Sonnenborg¹, D. Seifert², and J. C. Refsgaard¹

¹Geological Survey of Denmark and Greenland (GEUS), Department of Hydrology Øster Voldgade 10, 1350 Copenhagen, Denmark ²ALECTIA A/S, Water & Environment, Teknikerbyen 34, 2830 Virum, Denmark

Received: 7 April 2015 - Accepted: 8 April 2015 - Published: 29 April 2015

Correspondence to: T. O. Sonnenborg (tso@geus.dk)

Published by Copernicus Publications on behalf of the European Geosciences Union.





Abstract

Projections of climate change impact are associated with a cascade of uncertainties including CO_2 emission scenario, climate model, downscaling and impact model. The relative importance of the individual uncertainty sources is expected to depend on sev-

- ⁵ eral factors including the quantity that is projected. In the present study the impacts of climate model uncertainty and geological model uncertainty on hydraulic head, stream flow, travel time and capture zones are evaluated. Six versions of a physically based and distributed hydrological model, each containing a unique interpretation of the geological structure of the model area, are forced by 11 climate model projections. Each
 ¹⁰ projection of future climate is a result of a GCM-RCM model combination (from the ENSEMBLES project) forced by the same CO₂ scenario (A1B). The changes from the
- reference period (1991–2010) to the future period (2081–2100) in projected hydrological variables are evaluated and the effects of geological model and climate model uncertainties are quantified. The results show that uncertainty propagation is context de-
- ¹⁵ pendent. While the geological conceptualization is the dominating uncertainty source for projection of travel time and capture zones, the uncertainty on the climate models is more important for groundwater hydraulic heads and stream flow.

1 Introduction

Climate change will have major impacts on human societies and ecosystems (IPCC, 2007). Climate change adaptation is, however, impeded by the large uncertainties arising from climate projection uncertainties as well as the uncertainties related to hydrological modelling (Foley, 2010; Refsgaard et al., 2013). Uncertainties related to climate projections are often considerable (Déqué et al., 2007; Seaby et al., 2013; IPCC, 2013), and may be divided into internal variability, model uncertainty and scenario uncertainty. Several studies (e.g., Hawkins and Sutton, 2011; Kjellström et al., 2011) have shown that model uncertainty dominates for lead times exceeding a couple





of decades, while uncertainties on greenhouse gas emissions will take over towards the end of the present century. Assessments of uncertainties on climate change impacts on water resources become complicated, because climate projection uncertainties should be propagated through hydrological models, where a range of additional uncertainty sources needs to be considered. These sources include uncertainties in input data, parameter values and model structural uncertainties, i.e. conceptualisation of the representation of vegetation, soils, geology, etc. and process descriptions (Refsgaard et al., 2007). In hydrological modelling of groundwater conditions, the conceptual geological uncertainty often turns out as the dominant source of uncertainty (Neumann, 2003; Bredehoeft, 2005; Refsgaard et al., 2012). 10

Because of the complexities and computational aspects involved, it is not feasible to explicitly consider all sources of uncertainty in a single study. It is therefore interesting to know in which contexts the different sources of uncertainties will be dominating. Several studies have assessed the uncertainty propagation from climate projections

through hydrological modelling (Minville et al., 2008; Bastola et al., 2011; Poulin et al., 15 2011; Dobler et al., 2012) concluding that in some cases climate model uncertainty dominates over hydrological model uncertainty and vice versa in other cases. These studies have focussed on surface water hydrological systems, while we are not aware of studies that have investigated the relative importance of conceptual geological model uncertainty vs. climate model uncertainty.

20

The objective of the present study is to assess the effects of climate model uncertainty and conceptual geological uncertainty for projection of future conditions with respect to different river flow and groundwater aspects.





2 Study area and model setup

2.1 Study area

The study site has an area of 465 km² and is located in the central part of Zealand, Denmark (Fig. 1) where focus is given to the area covered by the Langvad Stream valley system. The model area is bounded by Køge Bay in the east and by Roskilde Fjord in the north. The area is relatively hilly, with maximum elevations of approximately 100 m above sea level. Land use within the model area is dominated by agriculture (80%), while the remaining area is covered by forest (10%), urban areas (10%) and lakes (<1%). The main aquifer in the area, the Limestone formation, is overlain by Quaternary deposits of interchanging and discontinuous layers of clayey moraine till and fluvial sand. Groundwater is abstracted at six main well fields in the focus area and exported to Copenhagen for water supply. The study area is described in details in Seifert et al. (2012).

2.2 Model setup

25

- ¹⁵ Based on the national water resource model developed by the Geological Survey of Denmark and Greenland (Henriksen et al., 2003; Højberg et al., 2008, 2013) a hydrological model of the catchment area has been developed. The model is constructed using the MIKE SHE/MIKE 11 modeling software (DHI, 2009a, b). MIKE SHE includes a range of alternative process descriptions and here the modules for evapotranspira-
- tion, overland flow, a two-layer description of the unsaturated zone, and the saturated zone incl. drains are used. The river model MIKE 11 links to MIKE SHE, so that water are exchanged between streams and the groundwater aquifers.

Six alternative geological models comprising between 3 and 12 hydrostratigraphical layers, Table 1, have been established (Seifert et al., 2012). The basis of the geological models is two national models (N1 and N2), two regional models (R1 and R2) and two local models (L1 and L2). All models consist from bottom to top of Paleocene



Limestone, Paleocene clay and Quaternary deposits. In the more complex geological models the Quaternary unit is divided into several alternating sand and clay layers. The location of the limestone surface and the extent of the sand aquifers differ significantly between the geological models. The six geological models were incorporated into the

- ⁵ hydrological model resulting in six alternative hydrological models (Seifert et al., 2012). Horizontally, the models are discretized in 200 m × 200 m cells. Vertically, the numerical layers are discretized according to the geological layers, though in model N1 and N2 the three top layers are combined into one numerical layer. Between three and ten numerical layers are used in the six models.
- The models are calibrated against hydraulic head and stream discharge data from 2000–2005 and validated in the period 1995–1999, Seifert et al. (2012), where the validation period is characterized by a groundwater abstraction that is about 20 % higher than in the calibration period. Generally, the simulation results for the validation period are slightly inferior to the results for the calibration period, but the statistical values have
- ¹⁵ the same magnitude for the two periods. The calibration results, Table 1, reveal quite large differences in the match to hydraulic head (represented by the mean error, ME, and the root mean squared value, RMS), the stream discharge (given by the Nash– Sutcliffe coefficient, *E*, and the relative water balance error, F_{bal}) using the different geological models. However, based on the calibration/validation statistics no model is
- 20 generally superior to the others. More details on the model setup including historical climate data and model calibration and validation can be found in Seifert et al. (2012).

The period 1991–2010 is used as a reference to the future scenarios. In this period the abstraction decreased from 23 million $m^3 yr^{-1}$ in 1990 to less than 15 million $m^3 yr^{-1}$ in 2010. To minimize transient effects a constant groundwater abstraction of about 16 million $m^3 yr^{-1}$ (based on average data from 2000–2005) is used for both the reference period and future scenarios.

25



2.3 Climate data

25

Climate projections representing the period 2081–2100 are obtained from Seaby et al. (2013) using results from 11 climate models from the ENSEMBLES matrix (Christensen et al., 2009) of Global and Regional Climate Model parings (GCM-RCM), Ta-⁵ ble 2.

The delta change (DC) method (Hay et al., 2000; van Roosmalen et al., 2007) is used as downscaling approach on precipitation (*P*), reference evapotranspiration (ET_{ref}) and temperature (*T*). The delta change factors for Zealand are derived by comparing monthly mean values of past and future climate data from the climate models (Seaby et al., 2013), see Table 3. The model projections of the future climate change factors on precipitation ranging between 0.83 and 1.17 on an annual basis. However, major differences between the models are also found with respect to the seasonal signal. To obtain time series of future climate, observed records of *P* and ET_{ref} in the control period (1991–2010) are multiplied by the monthly delta change factors (ΔP and

 ΔET_{ref}), while the temperature delta change values (ΔT) are added to the observed time series of T. The DC method does not include changes in precipitation dynamics such as number of dry/wet days but as shown by van Roosmalen et al. (2011) this is not important when mean variables, e.g., mean monthly stream discharge or mean annual hydraulic head, are considered.

Here, an ensemble of results based on eight RCMs and four GCMs are used and only one downscaling method is used. Using another ensemble of climate models or another downscaling method would probably affect the mean/median of the results. However, in the present study the results from different climate projections are only used for comparison against results obtained using different geological models, and not for predicting the actual changes in the hydrological system as a result of climate changes. Hence, the ensemble used here is assumed to represent the (unknown) full variability found in climate model projections.





3 Methodology

Results from the six hydrological models forced by climate projections from the 11 climate models (total of 66 model simulations) are extracted and the variance caused by geological model and climate model is derived. The results are also compared to

⁵ results representing the reference period 1991–2010 that covers both the calibration and validation periods, to quantify the changes in hydraulic head, Δh , in the Limestone aquifer in the focus area, (Fig. 1), changes in stream discharge, ΔQ , at a downstream gauging station in the Langvad Stream system, travel time, ΔT , and capture zone area, ΔA_{cap} , for the well fields in the focus area. The change in hydrological variable is caused by climate change only as the geology is the same for both reference and scenario climate.

3.1 Hydraulic head and stream discharge

The mean hydraulic head (*h*) in the Limestone aquifer within the focus area are extracted from all model simulations and the change in hydraulic head (Δh) as a result of changing climate is calculated.

A large part of the precipitation is expected to flow directly to the streams, either as surface runoff or through the drains, especially during the winter season. Hence, the total stream discharge is expected to be highly sensitive to changes in climate. In order to capture the effect of climate change on the groundwater dominated base flow, stream discharge results from the summer period (June, July and August) are extracted at the downstream discharge station, st. 52.30 (see Fig. 1).

3.2 Travel time

20

25

Travel times from the water table to the well fields are estimated by forward particle tracking using MIKE SHE. Particles are initially located randomly in the upper 1–3 numerical layers depending on how the geology is represented by the numerical layers





in the models. The sum of particles in the vertical direction is 200 particles per cell, resulting in about 2 mio. particles per model. The flow solution on which the particle tracking simulation is based is obtained by recycling the flow results for the simulation period (1991–2010 for the reference period and 2081–2100 for the future climate pe-

- riod). After 1000 years of simulation the end points are registered and particles with end points at the well fields are extracted. Since the thickness of the numerical layers vary considerable between the models, only particles originating from the upper 10 m of the saturated zone are used for the travel time assessment in order to get comparable results. The median travel time, T, at each well field is calculated for each of the
- 11 future climate projections and for the reference climate. The changes in travel time, 10 ΔT , from the reference climate to the future climate projections are also calculated.

3.3 Capture zone

The capture zones to the well fields are also simulated by forward particle tracking where the particles are tracked for 1000 years as described above. Particles are initially located randomly in the upper layers and in all aquifers. Particles with end points at the 15 well fields are extracted and the origin of the particles is projected to the 2-D horizontal plane. The capture zones are delineated as the grid cells that contain particle start locations, Fig. 2, and the capture area, A_{cap} , is defined as the area of these grid cells. The change in capture zone area from the reference climate to a future climate is defined as the capture area included in the future climate simulation but not in the 20 reference climate simulation, $\Delta A_{cap, future}$.

Results 4

25

Uncertainty on hydraulic head 4.1

The matrix of results on mean hydraulic head within the focus area as a function of climate scenario and geological model is presented in Table 4. In the two columns to

Discussion Paper 12, 4353-4385, 2015 Climate model uncertainty vs. conceptual Discussion geological uncertainty T. O. Sonnenborg et al. Paper **Title Page** Abstract Introduction Discussion Paper Conclusions References **Figures** Back **Discussion** Pape Full Screen / Esc **Printer-friendly Version** Interactive Discussion

HESSD

the right and the two bottom rows the mean and standard deviation of the results are listed. Changes in hydraulic head between the reference climate simulation and the scenario climate simulation are indicated in brackets. No reference geology is defined and the uncertainty on the change in hydraulic head caused by climate (SD climate,

- ⁵ bottom row) therefore equals the uncertainty on the absolute heads. In Table 5, the uncertainty on the absolute head values are summarized together with results on the change in heads due to climate change. In Fig. 3 the results are illustrated using box plots both with respect to absolute values (Fig. 3a) and with respect to changes from the reference to the future period (Fig. 3b). Hence, Fig. 3a corresponds to the left
- two columns in Table 5 while Fig. 3b illustrates the results summarized in the three columns to the right in Table 5. With respect to the absolute hydraulic head values, Fig. 3a and Table 5, the impact of geological model and climate model is comparable. The difference between the mean hydraulic head using the six geologies is primarily caused by differences in calibration results given by the mean errors (ME), see Table 1,
- since climate change affects the mean hydraulic head of the individual geological model comparatively. For model R2 changes in mean head between -1.12 and 0.82 m are found with a standard deviation of 0.66 m. The mean standard deviation on all six models is 0.52 m, Tables 4 and 5, which is in the same order of magnitude as the standard deviation caused by the different geological models amounting to 1.03 m.
- ²⁰ When the changes in hydraulic head are compared across geological models, Fig. 3b and Table 5, it is clear that the effect of geology is relatively small. Some of the geological models are more sensitive to the changes in climate (e.g., R2) than others (e.g., L2), represented by the length of the whiskers for each geological model in Fig. 3. Changes in hydraulic head that are up to twice as high are found for the most sensitive models
- ²⁵ compared to the models that are relatively insensitive. However, larger differences in hydraulic head change are found across climate models represented by the difference between the upper and lower end of the whiskers. A two-factor analysis of variance shows that the climate model has more impact on the change in hydraulic head than the geological model, as $F_{\text{climate}} = 104.6$ ($\gg F_{\text{crit}} = 2.0$) and $F_{\text{geology}} = 1.2$ ($< F_{\text{crit}} = 2.4$).





The same conclusion can also be drawn from Table 5 by comparing the standard deviation on the changes in hydraulic head, h, caused by geological models (0.11 m) with the standard deviation caused by climate models (0.52 m).

The changes in mean hydraulic head are also illustrated in Fig. 4 as a function of the 11 climate models. The direction and the magnitude of the change in hydraulic head depend primarily on the climate model. Three of the climate models result in decreasing hydraulic heads, with values ranging between -0.28 and -1.16 m depending on the geological model and the climate model. The remaining eight climate models all result in increasing hydraulic heads in the Limestone aquifer between 0.08 and 0.82 m.

- ¹⁰ From Fig. 4 it is also observed that the difference between the head results from the six geological models is larger when the mean change in hydraulic head caused by climate changes increases in positive or negative direction. For example, climate model BCM-HIRHAM5 that is characterized by delta change values for precipitation close to one during winter season (Table 3) results in a small change in mean hydraulic
- ¹⁵ head and the response from the six geological models is almost the same. In contrast, relatively large differences are found between the response from the geological models when the climate model ECHAM-HIRHAM5 is used. Here, the delta change values during winter, where groundwater primarily is generated, are relatively large (Table 3) and the mean change in hydraulic head is also relatively large. The same tendency is
- ²⁰ found for the other climate models. Hence, since the mean change in hydraulic head is expected to depend on the changes in precipitation and evapotranspiration, the mean standard deviation on heads from the different geological models are compared to the change in the net precipitation (here represented by precipitation minus reference evapotranspiration, P – ET_{ref}). The result, Fig. 5, reveals a clear linear tendency for
- increasing uncertainty caused by geological model as the changes projected by the climate model differs from the present climate, where the model was calibrated. Hence, as the future climate moves away from the baseline, the more sensitive the results are with respect to the conceptual geological model and the higher projection uncertainty might be expected.





4.2 Uncertainty on stream discharge

Figure 6a shows a box plot of the simulated mean summer stream discharge at the downstream discharge station (st. 52.30, see Fig. 1). The projection of mean summer discharge depends to a large degree on the geological model, with lower values for

the local models (L1 and L2) and higher values for the regional models (R1 and R2). The uncertainty caused by climate model, represented by the length of the whiskers, is also significant with a tendency for larger uncertainties for larger absolute mean summer discharge. The relative change is almost constant for the six models, from approximately 50 % reduction to 50 % increase. However, the geological model has the strongest impact, resulting in a standard deviation of 0.21 m³ s⁻¹ compared to a value of 0.14 m³ s⁻¹ caused by climate uncertainty, Table 5.

In Fig. 6b the box plot of the change in summer discharge from the reference period to the future scenarios shows that the response in summer stream discharge from the different geological models is similar when the median value is considered. On average,

- ¹⁵ the mean change in summer discharge is zero, see Table 5. The difference between upper and lower whiskers indicates that the impact of climate models on the projection of the change in summer stream discharge is significant, with changes from -0.3to $0.3 \text{ m}^3 \text{ s}^{-1}$. The standard deviations listed in Table 5 shows that the uncertainty on the change in summer discharge caused by geology is $0.05 \text{ m}^3 \text{ s}^{-1}$ whereas the uncer-
- ²⁰ tainty caused by climate model amounts to $0.14 \text{ m}^3 \text{ s}^{-1}$, i.e. the climate uncertainty is largest although the contributions are in the same order of magnitude. With respect to annual mean discharge, Q_a , see Table 5, climate uncertainty is much higher than geological uncertainty, especially when the change in discharge is considered. This shows that the uncertainty on annual mean stream discharge is much more sensitive to cli-
- ²⁵ mate change than to geological model. Summer discharge, where groundwater-river interactions are relatively more important, is much more affected by the uncertainty in geology.





4.3 Uncertainty on travel time

The travel time of the groundwater abstracted at each of the six well fields in the focus area has been quantified and listed in Table 5. The results obtained at the six wells fields are similar, and therefore only results on travel times and changes in travel time are illustrated for one of the well fields, Lavringe, see Fig. 7.

The absolute travel times, Fig. 7a, depends strongly on geological model. Median travel times from less than 50 years to nearly 200 years are found for the different geological models. Based on results from all six well fields, differences in median travel time of up to a factor of 10 are found with a tendency for smaller travel times using the geo-

- ¹⁰ logical model R2 and larger travel times using N1. Compared to the results for hydraulic head and stream discharge, Figs. 3a and 6a, respectively, it is clear that the effect of the geological model is crucial when travel times are considered. The standard deviations on geological models, in the order of 30–80 years, Table 5, is significantly higher than the standard deviations on climate models, in the range of 2–6 years. Hence, the
- climate model has limited impact on the absolute travel time predictions. This indicates that climate changes do not notably change the flow pattern that controls the flow paths and hereby the travel time of the groundwater from the surface to, e.g., an abstraction well.

If changes in travel time from the reference to future climate, Fig. 7b and Table 5, are considered, it is seen that the role of the geological model on the change in travel time is similar to the impact of climate change. The mean standard deviation on the change caused by climate models and geological models are of the same magnitude with values of approximately 2 years for Lavringe well field. At the other well fields comparative results are also obtained with values in the range 2.5 to 7.1 years, Table 5.

²⁵ This is in contrast to the results for hydraulic head and stream discharge where the climate signal was the most important factor for the changes.





4.4 Uncertainty on capture zones

Figure 8a shows results on capture zone area from Lavringe well field. Capture zone areas between 20 and 40 km^2 are found for the different geological models. If all six well fields in the focus area, Fig. 1, are considered the capture zone area varies with a factor

- of 2–3 using different geological models. In comparison, the effect of climate model on the uncertainty is relatively small. For most models the change in capture zone area caused by climate change, Fig. 8b, amounts to less than 2 km² corresponding to less than 10% of the reference area. Hence, the results with regard to the capture zone area are very similar to those found for travel time, Fig. 7.
- The impacts of climate model and conceptual geology on the capture zone locations are illustrated for Gevninge and Lavringe well fields in Fig. 9. At the left side the uncertainty of the capture zones using different geological models are illustrated. To the right the impact on using different climate models is shown. It is clear that relatively large differences between capture zone areas are found when multiple geological models are used whereas almost identical capture zones are predicted for the 11 climate models.

5 Discussion

In Table 5 the uncertainties caused by climate model and geological model are summarized, both with respect to the absolute level in the future situation and the change from the reference to the future situation. The results on the absolute values reflect the

²⁰ differences in model calibration which in turn affects the results in the future climate. It should be noted that no calibration has been carried out with respect to travel time and catchment area.

For projections of hydraulic head, the impact of geological model and climate model on the uncertainty on absolute heads is in the same order of magnitude with differences

²⁵ in standard deviations of about a factor of two. If the changes in hydraulic heads from reference to future climate are considered, the climate model is more important for the





uncertainty than the geology (difference of a factor of five). Hence, in this case the choice of climate model is very important for the hydrological projection and on the uncertainty on the changes in future hydraulic head levels.

- The results for summer stream discharge, Q_s , are somewhat similar. The uncertainty on the absolute discharge is almost equally controlled by geological model and climate model, which is comparable to the results for hydraulic head. If the change in summer discharge is considered, the uncertainty caused by climate model is a factor of three higher than geological uncertainty. Hence, climate model uncertainty is most important but both sources of uncertainty are significant. With respect to annual mean discharge,
- Q_a , the impact from climate model uncertainties on the absolute discharge is a factor of four higher than the geological uncertainty. If the change from reference to future period is considered, the results are even more clear. Almost all the uncertainty is caused by the climate model whereas the geology has almost no impact on the results (standard deviations of 0.01 m³ s⁻¹ vs. 0.32 m³ s⁻¹). Therefore, the climate model projection is extremely important for results on future annual mean stream discharge. The relatively
- 15 extremely important for results on future annual mean stream discharge. The relatively small impact of the geological model is probably explained by the clayey top soils in the catchment that cause discharge to be dominated by shallow flow components such as overland flow and drain flow, especially in the wet season (winter).

The uncertainty on absolute travel time (left two columns in Table 5) is dominated by the geological model with standard deviations of up to about 80 years, whereas the uncertainties due to climate model only amount to a few years. Hence, in this case the geological model uncertainty is by far the most important source of uncertainty and the impact of climate model uncertainty can almost be ignored. However, the uncertainties on the changes (the column to the right) caused by geology is in the same

order of magnitude as the impact from climate model. The same type of results is obtained as for capture zones, Fig. 8. The geological model dominates the uncertainty on the absolute capture zone area while the uncertainties on geology and climate have a comparable, and relatively small, effect on the change in capture zone location.





It should be noted that travel time and capture zone location were not included in the model calibration where only observations on hydraulic head and stream discharge were matched by the models. Hence, travel time and capture area were not constrained against a common target and larger differences between the results from the six models

- can therefore be expected. Additionally, only model parameters (e.g., hydraulic conductivity) but not the geological structure were adjusted to fit the observations and possible structural errors in the geological models are therefore, at least partially, compensated by the estimated model parameters. Hence, larger differences are expected between model predictions of travel time and capture zone, especially since the geological structure ture has been shown to be crucial for variables as travel time and capture zone that
- ¹⁰ ture has been shown to be crucial for variables as travel t depends on flow path (Seifert et al., 2008; He et al., 2013).

15

It was also found that when the models are used for simulating conditions beyond the calibration base, i.e., used to simulate situations or type of data, which they have not been calibrated against, the differences in the geological models become more important and significant differences in the model results should be expected. Hence, the uncertainty caused by the conceptual geological model increases as the climate

moves away from the baseline conditions.

Our findings are based on results from a specific case study with specific geological conditions and hence the general applicability of our conclusions for other locations needs to be considered with caution. As we are not aware of other studies that have

- needs to be considered with caution. As we are not aware of other studies that have reported results from comparison of climate model uncertainty and conceptual geological model uncertainty we are not able to provide firm generic conclusions on this specific aspect. However, our findings confirm the conclusions of previous studies that conceptual geological uncertainty is an important source of uncertainty in groundwa-
- ter modeling (Neumann, 2003; Bredehoeft, 2005) and that it becomes more and more dominating compared to other sources the further away model predictions are from the calibration base (Refsgaard et al., 2012).

The fact that climate change uncertainty dominates over conceptual geological uncertainty for projections of groundwater heads and river discharge, while the opposite is





the case for projection of groundwater travel time and capture zones, clearly illustrates the context dependency of uncertainty propagation (Refsgaard et al., 2013), i.e. that climate uncertainty may be amplified and dominate in some cases but may be reduced to negligible importance in other cases. Similar conclusions were drawn by Velazquez

- et al. (2012) where several hydrological models with different structures were forced by climate projections from several climate models. They found that the uncertainty on climate change impacts on high flows were dominated by climate model uncertainty, while hydrological model structure uncertainty contributed significantly for low flows. Hence, our results on the travel times and capture zones are examples where climate change uncertainty does not matter in practice (Befsgaard et al., 2013).
- ¹⁰ change uncertainty does not matter in practice (Refsgaard et al., 2013).

6 Conclusions

Based on hydrological model simulation using a combination of six geological models and projections from 11 climate models the following conclusions are derived. (1) Climate model uncertainty is important for projection of hydraulic head and stream dis-

- ¹⁵ charge. Especially for stream discharge the uncertainty is dominated by the climate model. (2) Geological model uncertainty is important for projection of hydraulic head and the uncertainty becomes larger as the climate signal moves away from the baseline conditions. (3) Geological model uncertainty has a relatively small effect on the projections of stream discharge even though summer stream discharge is analyzed where
- groundwater-river interactions controls a relatively high fraction of the total discharge. (4) The uncertainty on travel times and capture zones to well fields are dominated by geological model uncertainty. This uncertainty is controlled by the geological structure which is not constrained during the calibration process. The impact and hence the choice of climate model is relatively insignificant.
- Acknowledgements. This work was funded by a grant from the Danish Strategic Research Council for the project Hydrological Modelling for Assessing Climate Change Impacts at different Scales (HYACINTS – www.hyacints.dk) under contract DSF-EnMi 2104–07-0008. Lauren





Seaby, Geological Survey of Denmark and Greenland, is acknowledged for providing the delta change factors used for downscaling the results from the climate models.

References

5

25

30

Bastola, S., Murphy, C., and Sweeny, J.: The role of hydrological modelling uncertainties in

- climate change impact assessments of Irish river catchments, Adv. Water Resour., 34, 562– 576, 2011.
- Bredehoeft, J.: The conceptualization model problem surprise, Hydrogeol. J., 13, 37–46, 2005.

Christensen, J. H., Rummukainen, M., and Lenderink, G.: Formulation of very-high-resolution

- regional climate model ensembles for Europe (Research Theme 3), ENSEMBLES: Climate Change and its Impacts: Summary of research and results from the ENSEMBLES project, Met Office Hadley Centre, Exeter, UK, 47–58, 2009.
 - Déqué, M., Rowell, D. P., Lüthi, D., Giorgi, F., Christensen, J. H., Rockel, B., Jacob, D., Kjellström, E., de Castro, M., and van den Hurk, B.: An intercomparison of regional climate model
- simulations for Europe: assessing uncertainties in model predictions, Climatic Change, 81, 53–70, 2007.

DHI Water and Environment (DHI): MIKE SHE User manual, vol. 1; user guide, and vol. 2: reference guide, Institut for Vand and Milljo, available at: http://www.hydroasia.org (last access: 1 February 2012), DHI, Hørsholm, Denmark, 2009a.

DHI Water and Environment (DHI): MIKE 11, A modelling system for rivers and channels, user guide and reference manual, Institut for Vand and Milljo, available at: http://www.hydroasia. org (last access: 1 February 2012), DHI, Hørsholm, Denmark, 2009b.

Dobler, C., Hagemann, S., Wilby, R. L., and Stötter, J.: Quantifying different sources of uncertainty in hydrological projections in an Alpine watershed, Hydrol. Earth Syst. Sci., 16, 4343–4360. doi:10.5194/hess-16-4343-2012. 2012.

Foley, A. M.: Uncertainty in regional climate modelling: a review, Prog. Phys. Geog., 34, 647–670, 2010.

Hay, L. E., Wilby, R. L., and Leavesley, G. H.: A comparison of delta change and downscaled GCM scenarios for three mountainous basins in the United States, J. Am. Water Resour. As., 36, 387–398, 2000.





- Hawkins, E. and Sutton, R.: The potential to narrow uncertainty in projections of regional precipitation change, Clim. Dynam., 37, 407–418, doi:10.1007/s00382-010-0810-6, 2011.
- He, X., Sonnenborg, T. O., Jørgensen, F., Høyer, A.-S., Møller, R. R., and Jensen, K. H.: Analyzing the effects of geological and parameter uncertainty on prediction of groundwater head
- and travel time, Hydrol. Earth Syst. Sci., 17, 3245-3260, doi:10.5194/hess-17-3245-2013, 5 2013.
 - Henriksen, H. J., Troldborg, L., Nyegaard, P., Sonnenborg, T. O., Refsgaard, J. C., and Madsen, B.: Methodology for construction, calibration and validation of a national hydrological model for Denmark, J. Hydrol., 280, 52-71, 2003.
- Højberg, A. L., Troldborg, L., Nyegaard, P., Ondraeck, M., Stisen, S., Christensen, B. S. B., and 10 Nørgaard, A.: National Vandressource model – Sjælland, Lolland, Falster og Møn – Opdatering januar 2008. GEUS Rapport 2008/65. Geological Survey of Denmark and Greenland. Copenhagen, Denmark, 2008.
- Højberg, A. L., Troldborg, L., Stisen, S., Christensen, B. S. B., and Henriksen, H. J.: Stakeholder driven update and improvement of a national water resources model. Environ. Modell. Softw., 15 40, 202-213, doi:10.1016/j.envsoft.2012.09.010, 2013.
 - IPCC: Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, edited by: Parry, M. L., Canziani, O. F., Palutikof, J. P., van der Linden, P. J., and Hanson, C. E., Cambridge University Press, Cambridge, UK, 976 pp., 2007.
- 20 IPCC: Climate Change 2013: The Physical Science Basis, Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change, edited by: Stocker, T. F., Qin, D., Plattner, G. K., Tignor, M., Allen, S. K., Boschung, J., Nauels, A., Xia, Y., Bex, V., and Midgley, P. M., Cambridge University Press, Cambridge, UK and New York, NY, USA, 1535 pp., 2013. 25
 - Kjellström, E., Nikulin, G., Hansson, U., Strandberg, G., and Ullerstig, A.: 21st century changes in the European climate: uncertainties derived from an ensemble of regional climate model simulations, Tellus, 63A, 24-40, doi:10.1111/j.1600-0870.2010.00475.x, 2011.
- Minville, M., Brisette, F., and Leconte, R.: Uncertainty of the impact of climate change on the hydrology of a Nordic watershed, J. Hydrol., 358, 70-83, 2008. 30
 - Neumann, S. P.: Maximum likelihood Bayesian averaging of uncertain model predictions, Stoch. Env. Res. Risk A., 17, 291–305, 2003.







- Poulin, A., Brisette, F., Leconte, R., Arsenault, R., and Malo, J. S.: Uncertainty of hydrological modelling in climate change impact studies in a Canadian, snow-dominated river basin, J. Hydrol., 409, 626–636, 2011.
- Refsgaard, J. C., van der Sluijs, J. P., Højberg, A. L., and Vanrolleghem, P. A.: Uncertainty in
- the environmental modelling process a framework and guidance, Environ. Modell. Softw., 22, 1543–1556, 2007.
 - Refsgaard, J. C., Christensen, S., Sonnenborg, T. O., Seifert, D., Højberg, A. L., and Troldborg, L.: Review of strategies for handling geological uncertainty in groundwater flow and transport modelling, Adv. Water Resour., 36, 36–50, 2012.
- Refsgaard, J. C., Arnbjerg-Nielsen, K., Drews, M., Halsnæs, K., Jeppesen, E., Madsen, H., Markandya, A., Olesen, J. E., Porter, J. R., Christensen, J. H.: The role of uncertainty in climate change adaptation strategies – a Danish water management example, Mitigation and Adaptation Strategies for Global Change, 18, 337–359, 2013.

Seaby, L. P., Refsgaard, J. C., Sonnenborg, T. O., Stisen, S., Christensen, J. H., and

- Jensen, K. H.: Assessment of robustness and significance of climate change signals for an ensemble of distribution-based scaled climate projections, J. Hydrol., 486, 479–493, doi:10.1016/j.jhydrol.2013.02.015, 2013.
 - Seifert, D., Sonnenborg, T. O., Scharling, P., and Hinsby, K.: Use of alternative con-ceptual models to assess the impact of a buried valley on groundwater vulnerability, Hydrogeol. J., 16, 659–674, 2008.
 - Seifert, D., Sonnenborg, T. O., Refsgaard, J. C., Højberg, A. L., and Troldborg, L.: Assessment of hydrological model predictive ability given multiple conceptual geological models, Water Resour. Res., 48, W06503, doi:10.1029/2011WR011149, 2012.

van Roosmalen, L., Christensen, B. S. B., and Sonnenborg, T. O.: Regional differences in cli-

- mate change impacts on groundwater and stream discharge in Denmark, Vadose Zone J.,
 6, 554–571, doi:10.2136/vzj2006.0093, 2007.
 - Velázquez, J. A., Schmid, J., Ricard, S., Muerth, M. J., Gauvin St-Denis, B., Minville, M., Chaumont, D., Caya, D., Ludwig, R., and Turcotte, R.: An ensemble approach to assess hydrological models' contribution to uncertainties in the analysis of climate change impact on water
- ³⁰ resources, Hydrol. Earth Syst. Sci., 17, 565–578, doi:10.5194/hess-17-565-2013, 2013.



20

		. ,		, bui		-
Name	R1	R2	L1	L2	N1	N2
No. of hydro-stratigraph. layers	3	5	7	7	11	12
No. of numerical layers in model	3	5	7	7	9	10
Reference	(Roskilde Amt. 2002)	(Roskilde Amt. 2003)	(Københavns Energi, 2005)	(Københavns Energi, 2005)	(Henriksen et al., 1998)	(Højberg et al 2008)
ME _{TS} (m)	-1.41	-0.20	0.31	-0.16	1.38	-0.19
RMS _{TS} (m)	6.52	3.12	2.08	2.01	4.41	4.82
E (-)	0.58	0.58	0.17	-0.12	0.63	0.75
F _{bal} (%)	-17	-8	-2	-2	-2	-2

Table 1. Geological models of the Langvad Stream catchment area. Calibration statistics are indicated by the mean error (ME_{TS}) and root mean square error of hydraulic head time series

(RMS_{TS}), the Nash–Sutcliff coefficient (*E*) and the water balance (F_{hal}) for stream discharge.

HESSD 12, 4353-4385, 2015 **Climate model** uncertainty vs. conceptual geological uncertainty T. O. Sonnenborg et al. **Title Page** Introduction Abstract Conclusions References Tables Figures Back Full Screen / Esc **Printer-friendly Version** Interactive Discussion

Discussion Paper

Discussion Paper

Discussion Paper

Discussion Paper



Table 2. Matrix of ENSEMBLES climate models with GCM-RCM pairings used for the climate models (GCM = Global Climate Model, RCM = Regional Climate Model). From Seaby et al. (2013).

GCM RCM	HadCM3	ECHAM5	ARPEGE	BCM2
HadRM3	Х			
REMO		Х		
RM5.1			Х	
HIRHAM5		Х	Х	Х
CLM	Х			
RACMO2		Х		
RegCM3		Х		
RCA3		Х		Х



Table 3. Monthly DC values for precipitation ΔP , reference evapotranspiration ΔET_{ref} and temperature ΔT for the Zealand submodel 1 for the National Water Resources Model of Denmark in the far future period 2071–2100.

Δ <i>P</i> (-)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
ARPEGE-RM5.1	0.96	1.04	0.91	0.85	0.97	0.91	0.78	0.58	0.53	0.90	0.87	1.25	0.88
ARPEGE-HIRHAM5	1.02	1.02	0.82	0.78	0.79	0.67	0.77	0.66	0.57	0.83	0.83	1.20	0.83
BCM-HIRHAM5	1.13	0.99	1.41	1.13	1.04	1.28	1.28	1.02	1.02	0.87	1.02	1.05	1.10
BCM-RCA3	1.29	0.89	1.20	1.27	1.15	1.07	1.07	1.07	1.10	1.01	1.10	1.21	1.12
ECHAM-HIRHAM5	1.38	0.89	1.19	1.33	1.24	1.03	1.13	1.14	0.98	0.98	1.41	1.34	1.17
ECHAM-RegCM3	1.30	1.01	1.03	1.05	1.04	0.98	0.95	0.87	0.91	0.98	1.32	1.23	1.06
ECHAM-RACMO2	1.33	1.08	1.18	1.09	1.33	0.89	1.08	0.89	0.97	0.95	1.29	1.34	1.12
ECHAM-REMO	1.24	1.00	1.15	1.04	1.19	0.85	1.03	0.86	0.87	0.88	1.26	1.27	1.05
ECHAM-RCA3	1.25	1.07	1.20	1.27	1.13	1.03	0.94	0.87	0.93	0.92	1.39	1.28	1.11
HADQ0-CLM	1.22	1.29	0.87	1.47	0.91	1.05	0.88	0.80	0.91	0.96	1.40	1.44	1.10
HADQ0-HadRM3	1.20	1.06	0.92	1.18	1.00	0.95	0.95	0.76	1.20	0.73	1.09	1.26	1.03
Mean	1.21	1.03	1.08	1.13	1.07	0.97	0.99	0.87	0.91	0.91	1.18	1.26	1.05
$\Delta \text{ET}_{\text{ref}}$ (-)	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
ARPEGE-RM5.1	1.31	1.27	1.14	1.15	1.07	1.12	1.19	1.29	1.40	1.18	1.45	1.58	1.26
ARPEGE-HIRHAM5	1.37	1.23	1.09	1.10	1.05	1.07	1.07	1.06	1.08	0.98	1.12	1.51	1.14
BCM-HIRHAM5	1.52	1.27	1.18	1.12	1.00	0.99	1.05	1.10	1.08	1.16	1.34	1.47	1.19
BCM-RCA3	1.49	1.11	1.13	0.96	0.97	0.99	0.97	0.98	1.07	1.10	1.21	1.33	1.11
ECHAM-HIRHAM5	1.41	1.25	1.06	0.94	0.98	1.03	0.91	0.94	1.04	1.12	1.33	1.42	1.12
ECHAM-RegCM3	1.17	1.04	1.03	1.15	1.14	1.16	1.12	1.20	1.12	1.16	1.22	1.10	1.13
ECHAM-RACMO2	1.40	1.18	1.06	1.10	1.06	1.13	1.09	1.08	1.17	1.10	1.23	1.18	1.15
ECHAM-REMO	1.56	1.24	1.05	1.00	0.97	1.08	1.04	1.07	1.12	1.06	1.25	1.17	1.13
ECHAM-RCA3	1.39	1.10	0.95	0.94	0.98	1.07	1.06	1.05	1.09	1.06	1.19	1.09	1.08
HADQ0-CLM	1.53	1.25	1.09	0.97	0.98	1.03	1.06	1.34	1.28	1.23	1.47	1.58	1.23
HADQ0-HadRM3	1.97	1.58	1.35	1.21	1.18	1.20	1.21	1.31	1.34	1.44	1.71	1.85	1.45
Mean	1.47	1.23	1.10	1.06	1.03	1.08	1.07	1.13	1.16	1.14	1.32	1.39	1.18
Δ <i>T</i> (°C)	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
ARPEGE-RM5.1	2.08	2.12	2.01	1.80	1.56	1.78	2.05	2.49	2.42	1.81	2.06	2.92	2.09
ARPEGE-HIRHAM5	2.22	2.44	1.94	1.82	1.87	1.97	1.86	1.93	1.79	1.32	1.64	2.88	1.97
BCM-HIRHAM5	2.65	2.79	3.56	2.58	1.32	1.63	1.36	1.35	1.26	1.47	2.14	2.67	2.07
BCM-RCA3	2.57	2.82	3.01	2.05	1.45	1.53	1.04	1.61	1.21	1.06	1.78	2.34	1.87
ECHAM-HIRHAM5	2.73	2.55	1.76	1.51	1.39	1.41	0.78	1.07	1.66	2.44	3.22	3.10	1.97
ECHAM-RegCM3	2.72	2.45	1.53	2.03	2.30	2.21	1.84	2.33	2.14	2.76	2.86	2.96	2.34
ECHAM-RACMO2	2.51	2.30	1.91	1.91	2.17	2.09	1.86	2.05	2.03	2.54	2.50	2.85	2.23
ECHAM-REMO	2.71	2.60	1.92	1.94	1.97	1.92	1.67	1.98	2.14	2.39	2.59	2.77	2.22
ECHAM-RCA3	2.82	2.54	1.86	1.79	1.78	1.87	1.68	1.90	2.05	2.48	2.74	2.88	2.20
HADQ0-CLM	4.47	2.81	3.28	2.92	2.42	2.41	2.49	3.89	3.53	4.07	4.16	4.32	3.40
HADQ0-HadRM3	5.11	3.35	3.17	3.21	3.06	2.75	2.80	3.68	3.66	3.98	3.91	3.81	3.54
Mean	2.96	2.62	2.36	2.14	1.94	1.96	1.77	2.21	2.17	2.39	2.69	3.05	2.35





Table 4. Simulated mean hydraulic head in the Limestone aguifer in the focus area for the reference scenario and the scenario climates. Changes in mean hydraulic head from reference to scenario climate are listed in brackets. "Mean geology" and "SD geology" are the average and the SD of the results from the hydrological models for each climate scenario. "Mean climate" and "SD climate" the average and the SD of the results from the different climate models used in each hydrological model.

	R1	R2	L1	L2	N1	N2	Mean geology	SD geology
<i>h</i> mean, m								
Reference Climate	21.0	20.7	20.0	20.4	18.5	19.1	19.9	1.0
ARPEGE-RM5.1	20.0 (-1.01)	19.6 (-1.12)	19.3 (-0.73)	19.8 (-0.61)	17.3 (–1.16)	18.1 (-0.94)	19.0 (-0.93)	1.07 (0.22)
ARPEGE-HIRHAM5	20.0 (-1.00)	19.6 (-1.07)	19.3 (-0.69)	19.8 (-0.59)	17.4 (-1.08)	18.2 (-0.88)	19.1 (-0.89)	1.04 (0.21)
BCM-HIRHAM5	21.2 (0.17)	20.9 (0.19)	20.1 (0.11)	20.5 (0.08)	18.6 (0.14)	19.2 (0.12)	20.1 (0.13)	1.00 (0.04)
BCM-RCA3	21.5 (0.47)	21.2 (0.52)	20.3 (0.31)	20.7 (0.25)	18.8 (0.40)	19.4 (0.33)	20.3 (0.38)	1.02 (0.10)
ECHAM-HIRHAM5	21.7 (0.71)	21.5 (0.82)	20.5 (0.48)	20.8 (0.39)	19.0 (0.60)	19.6 (0.49)	20.5 (0.58)	1.05 (0.16)
ECHAM-RegCM3	21.2 (0.23)	20.9 (0.23)	20.1 (0.13)	20.5 (0.09)	18.6 (0.14)	19.2 (0.11)	20.1 (0.15)	1.02 (0.06)
ECHAM-RACMO2	21.5 (0.45)	21.2 (0.48)	20.3 (0.28)	20.6 (0.21)	18.8 (0.34)	19.4 (0.27)	20.3 (0.34)	1.04 (0.11)
ECHAM-REMO	21.2 (0.21)	20.9 (0.21)	20.1 (0.13)	20.5 (0.10)	18.6 (0.15)	19.2 (0.12)	20.1 (0.15)	1.01 (0.05)
ECHAM-RCA3	21.5 (0.50)	21.2 (0.55)	20.3 (0.33)	20.7 (0.25)	18.8 (0.40)	19.4 (0.32)	20.3 (0.39)	1.03 (0.11)
HADQ0-CLM	21.4 (0.39)	21.1 (0.40)	20.2 (0.24)	20.6 (0.18)	18.7 (0.28)	19.3 (0.23)	20.2 (0.29)	1.03 (0.09)
HADQ0-HadRM3	20.6 (-0.39)	20.2 (-0.47)	19.7 (-0.32)	20.1 (-0.28)	18.0 (-0.47)	18.7 (-0.41)	19.6 (-0.39)	1.02 (0.08)
Mean climate	21.1 (0.07)	20.7 (0.07)	20.0 (0.02)	20.4 (0.01)	18.4 (-0.02)	19.1 (-0.02)	20.0 (0.02 ^a)	1.03 (0.11 ^b)
SD climate	0.60 (0.60)	0.66 (0.66)	0.42 (0.42)	0.34 (0.34)	0.60 (0.60)	0.49 (0.49)	0.52 (0.52 ^c)	1.07 (0.51 ^a)

^a Mean and SD based on all the numbers in the matrix. ^b Mean of the SDs of geological models.

^c Mean of the SDs of climate models.



Discussion Paper

Discussion Paper

Discussion Paper

Discussion Paper



Table 5. Results of variance analysis with respect to climate models and geological models on (1) absolute mean values and (2) changes in mean values compared to results obtained using reference climate with respect to hydraulic head, discharge (annual and summer dis.), travel time and catchment area. All variance components are presented as standard deviations.

	Location	Absolute values Geology Climate		Change relative Mean change	ce climate Climate	
Head, m	Focus area	1.03	0.52	0.02	0.11	0.52
Annual dis., m ³ s ^{−1}	St. 52.30	0.08	0.32	0.08	0.01	0.32
Summer dis., m ³ s ⁻¹	St. 52.30	0.21	0.14	0.00	0.05	0.14
Travel time, year	Assermølle	30.7	6.4	-0.2	4.6	6.4
	Gevninge	60.3	4.1	0.6	2.5	4.1
	Hule Mølle	36.4	4.9	1.6	7.1	4.9
	Kornerup	81.0	2.8	0.6	2.7	2.8
	Lavringe	58.5	2.4	1.5	2.4	2.4
	Ramsø	66.5	4.2	0.8	3.4	4.2
Catchment area, km ²	Assermølle	13.0	1.6	2.4	1.4	1.6
	Gevninge	1.6	0.6	0.8	0.5	0.6
	Hule Mølle	6.2	0.5	0.7	0.5	0.5
	Kornerup	15.9	1.0	2.9	1.6	1.0
	Lavringe	6.7	0.3	0.9	0.4	0.3
	Ramsø	10.5	0.4	1.0	0.5	0.4





Figure 1. Model area of the Langvad Stream catchment area with land surface elevation, streams, abstraction wells and location of the main well fields in the focus area (the clusters of wells along the streams).



Discussion Paper



Figure 2. Methodology for estimation of and change in capture zone area for a well field.







Figure 3. Based on results where each of the six hydrological models are forces by 11 climate model projections: (a) boxplot of the simulated mean hydraulic head, h, in the limestone aquifer in the focus area and (b) boxplot of the change in h from reference to future scenarios.





Figure 4. Simulated change in mean hydraulic head of the Limestone aquifer in the focus area using six geological models and 11 climate models.







Figure 5. Standard deviations of the change in hydraulic head from the geological models, Table 4, compared with the change in the reference net precipitation ($P - ET_{ref}$).







Figure 6. (a) Boxplot of the simulated mean summer stream discharge, Q_s , in a downstream discharge station (st. 52.30) using input from 11 climate models, and **(b)** boxplot of the change in Q_{summer} from reference to future scenarios.





Figure 7. (a) Boxplot of the simulated median travel time to Lavringe well field, and (b) boxplot of the percentage change in median travel time from reference to future scenarios.





Figure 8. (a) Boxplot of the simulated capture zone area for Lavringe well fields and (b) boxplot of the percentage change in capture zone area from reference to future scenarios.







Figure 9. Uncertainty of catchment areas for two well filelds using (a) 6 geological models with same climate model, and (b) 11 climate models with the same geological model.



