

Interactive comment on “Long-term monitoring of nitrate-N transport to drainage from three agricultural clayey till fields” by V. Ernstsén et al.

V. Ernstsén et al.

ve@geus.dk

Received and published: 15 April 2015

Comments to referee 1 is attached as a pdf file.

Please also note the supplement to this comment:

<http://www.hydrol-earth-syst-sci-discuss.net/12/C1028/2015/hessd-12-C1028-2015-supplement.pdf>

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 12, 639, 2015.

C1028

Table X1. Days with drainage per year and in percentage of the year for 2001–2011 at Faardrup, Silstrup and Estrup.

Field	Daily drainage >0 mm (Number of days year ⁻¹)	Daily drainage >0 mm (% of the year)
Faardrup	88	34
Silstrup	86	33
Estrup	243	67

Fig. 1. Table X1

C1029

Table X2. Drainage (% of cumulated drainage 2001-2011) on days with an average daily temperature above 5°C, 10°C, and 15°C, respectively, at Faardrup, Silstrup and Estrup.

Field	Drainage at	Drainage at	Drainage at	Cumulated drainage 2001-2011 mm
	>5°C	>10°C % of cumulated drainage	>15°C	
Faardrup	49	16	3.3	961
Silstrup	56	12	0.3	2304
Estrup	58	22	5.4	4921

Fig. 2. Tabel X2

C1030

Supplement

Long-term monitoring of nitrate-N transport to drainage from three agricultural clayey till fields

V. Erntsen¹, P. Olsen², and A. E. Roseholm²

¹Geological Survey of Denmark and Greenland, Øster Voldgade 10, DK-1350 Copenhagen K, Denmark

²Aarhus University, Department of Agroecology, Blichers Allé 20, DK-8830 Tjele, Denmark
Correspondence to: V. Erntsen (ve@gen.dk)

Fig. 3. Figure SX

C1031