

## ***Interactive comment on “Long-term monitoring of nitrate-N transport to drainage from three agricultural clayey till fields” by V. Ernstsens et al.***

**V. Ernstsens et al.**

ve@geus.dk

Received and published: 15 April 2015

Comments to referee 1 is attached as a pdf file.

Please also note the supplement to this comment:

<http://www.hydrol-earth-syst-sci-discuss.net/12/C1028/2015/hessd-12-C1028-2015-supplement.pdf>

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 12, 639, 2015.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

Table X1. Days with drainage per year and in percentage of the year for 2001-2011 at Faardrup, Silstrup and Estrup.

Field	Daily drainage >0 mm (Number of days year <sup>-1</sup> )	Daily drainage >0 mm (% of the year)
Faardrup	88	34
Silstrup	86	33
Estrup	243	67

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Fig. 1. Table X1

Table X2. Drainage (% of cumulated drainage 2001–2011) on days with an average daily temperature above 5 °C, 10 °C, and 15 °C, respectively, at Faardrup, Silstrup and Estrup.

Field	Drainage at	Drainage at	Drainage at	Cumulated drainage 2001–2011
	>5°C	>10°C	>15°C	
	% of cumulated drainage			mm
Faardrup	49	16	3.3	961
Silstrup	56	12	0.3	2304
Estrup	58	22	5.4	4921

Fig. 2. Tabel X2

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



## Supplement

### Long-term monitoring of nitrate-N transport to drainage from three agricultural clayey till fields

V. Ernstsen<sup>1</sup>, P. Olsen<sup>2</sup>, and A. E. Rosenbom<sup>1</sup>

<sup>1</sup>Geological Survey of Denmark and Greenland, Øster Voldgade 10, DK-1350 Copenhagen K, Denmark

<sup>2</sup>Aarhus University, Department of Agroecology, Blichers Allé 20, DK- 8830 Tjele, Denmark  
Correspondence to: V. Ernstsen (ve@geus.dk)

Fig. 3. Figure SX

C1031

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

