Hydrol, Earth Syst, Sci. Discuss., 12, 3319-3348, 2015 www.hydrol-earth-syst-sci-discuss.net/12/3319/2015 doi:10.5194/hessd-12-3319-2015 © Author(s) 2015. CC Attribution 3.0 License



Discussion

Paper

Discussion Paper

**Discussion** Paper

Discussion Paper

Discussion

This discussion paper is/has been under review for the journal Hydrology and Earth System Sciences (HESS). Please refer to the corresponding final paper in HESS if available.

# Moving sociohydrology forward: a synthesis across studies

### T. J. Troy<sup>1</sup>, M. Konar<sup>2</sup>, V. Srinivasan<sup>3</sup>, and S. Thompson<sup>4</sup>

<sup>1</sup>Department of Civil and Environmental Engineering, Lehigh University, STEPS 9A,

1 W. Packer Ave, Bethlehem, PA 18015, USA <sup>2</sup>Department of Civil and Environmental Engineering, University of Illinois at Urbana-Champaign, 2525 Hydrosystems Laboratory, 205 N. Mathews Ave.,

Urbana, II 61801, USA

Ashoka Trust for Research in Ecology and the Environment, Royal Enclave Sriramapura, Jakkur Post, Bangalore, 560 064, Karnataka, India Department of Civil and Environmental Engineering, University of California, Berkeley,

661 Davis Hall, Berkeley, CA 94720, USA

Received: 2 March 2015 - Accepted: 6 March 2015 - Published: 25 March 2015

Correspondence to: T. J. Troy (tarajtroy@gmail.com)

Published by Copernicus Publications on behalf of the European Geosciences Union.

3319

Mile overview, I any have some complication remarks, to pish the authors a little purther



#### Abstract

Sociohydrology is the study of coupled human-water systems with the premise that water and human systems co-evolve, often with two-way coupling. A recent special issue in HESS/ESD, "Predictions under change: water, earth, and biota in the Anthropocene," includes a number of sociohydrologic publications that allow for a survey of the current state of understanding of sociohydrology and the coupled system dynamics and feedbacks, the research methodologies available, and the norms and ethics involved in studying sociohydrologic systems. Although sociohydrology is concerned with coupled human-water systems, it is critical to consider the sociohydrologic system as

Some ISSARES

embedded in a larger, complex social-ecological system through which human-water feedbacks can occur and from which the sociohydrologic system cannot be isolated. As such, sociohydrology can draw on tools developed in the social-ecological and complex systems literature to further our sociohydrologic knowledge, and this is identified as a ripe area of future research.

#### 15 1 Introduction

20


Many of the major improvements in hydrology in the past decades are grounded in the understanding of natural systems. The significant modification of the water cycle by human activity has primarily been treated as an external perturbation to such natural systems. Externalizing the dependencies between human action and the availability, quality and dynamics of water clearly poses limitations to making predictions about water within the Anthropocene (Thompson et al., 2013). To address these limitations,

- a new generation of studies now focus on sociohydrology, which aims to understand the dynamics and co-evolution of coupled human-water systems (Sivapalan et al., 2012). Within sociohydrology, humans and their activities are considered as part of the water cycle, rather than an external driver (Sivapalan et al., 2012). The interplay of 25
- cause and effect between human activity and hydrologic dynamics becomes a primary



# HESSD

12, 3319-3348, 2015



topic of research interest. Improved understanding of the relationships between human decision-making (as it pertains to water systems) and the condition of the water system itself may lead to better prediction, and thus management, of water systems. This joint Hydrology and Earth System Sciences/Earth System Dynamics special

- issue, "Predictions under change: water, earth, and biota in the Anthropocene," contains a number of sociohydrology-focused studies, which can be taken to represent the current state of this emerging field. Here we take the opportunity to use these studies as a basis for a synthesis of the emerging questions and challenges that the research community faces as it grapples with the nature and practice of sociohydrology. Three
- major themes emerge for further consideration: (i) the state of our understanding of the coupling between human society and hydrology, (ii) the strengths and new opportunities in the suite of research approaches used within sociohydrology, and (iii) the normative and ethical questions that arise in the context of sociohydrologic research, which are often neglected in research on the hydrology of natural systems.

#### 15 2 State of understanding of sociohydrology: water - society dynamics

Sociohydrology is conceptualized as the study of how water systems and human society develop in tandem. This conceptualization is conditioned on there being connections, coupling and feedback between elements of the water cycle and elements of the society being studied. In this sense, sociohydrology isolates a suite of specific processes from within a broader social-ecological system (SES) comprising the resources, users, and governance subsystems relevant to a given society (Ostrom, 2009). An SES is a type of complex system, which can be differentiated from other dynamical systems by the presence of multiple interacting components, local connections and nonlinear relationships between the components (Levin, 1998; Solé and Bascompte, 2006). As a consequence of these features, complex systems can display a wide variety of dynamical behaviors, including thresholds, self organization, chaos, multi-stability, and path dependence (i.e. a dependence on history). Complex systems

3321



Discussion Paper

Discussion Paper


Discussion Paper

\_

Discussion Paper

Moving sociohydrology forward: a synthesis across studies


T. J. Troy et al.



pose major challenges to modeling, inference and analysis in general. Sociohydrology therefore faces the challenge of identifying the pathways of influence between water and social responses within a broader and more complex web of cause-and-effect represented by a society and its dependence on and regulation of the use of natural resources.

Isolating the sociohydrologic components of an SES is non-trivial since water resources affect many of the other resources within the SES. Thus, a sociohydrologic relationship may arise directly – for example a direct relationship between reduced wellbeing and water scarcity (Srinivasan, 2015) – or indirectly, for example a relationship between economic output from a fishery and water quality. Fundamentally, the presence of multiple pathways for coupling between water and society, and for these pathways to occur indirectly and to be influenced by other components of the system, suggests the study of sociohydrologic systems are likely to exhibit nonlinear dynamics and thresholds (Liu et al., 2007) with scale mismatches between the two systems (Cumming et al., 2006). Examples of these effects as revealed by the studies presented in the Special Issue are outlined below. Methodologically, framing sociohydrology as an SES suggests that techniques used in the SES and coupled natural-human systems research fields should advance sociohydrology (see Sect. 3).

In an idealized sense, sociohydrology aims to understand the co-evolution of human and water systems and thus posits that a two-way coupling exists between these systems. Individual case studies, however, exhibit tremendous variability in terms of strength of the relationships between water and society, in the pertinent response timescales, and in one-way vs. two-way coupling. Two-way coupling becomes evident only when an observation window is long enough to reveal slow changes in either system, and when the influence of water on society, or vice-versa, is sufficiently direct that it can be isolated as a driver of change. Because observations windows are often constrained, and because sociohydrologic dynamics are nested in a broader SES and can often be indirect, many specific examples are able to explore only the one-way influ-



Complex issue

How can Here be mismatches? 15 Is that a normative ferm?

ence of water  $\rightarrow$  humans and humans  $\rightarrow$  water, and it is possible that in some cases one-way influences are all that exists. The spatial scale on which a sociohydrologic system is conceptualized can also influ-


ence the way that coupling emerges. For example, national food prices can influence the number of acres planted for agricultural production, with flow-on effects on irrigation water demands and streamflow availability. Energy extraction technology and market dynamics have made hydraulic fracking much more attractive in many regions, which may then impact the local sociohydrologic system through water requirements and pollution concerns. While regional or global models can internalize these dynamics, smaller-scale models may be forced to treat them as external, and thus one-way, drivers of sociohydrology.

Finally, several examples where human and water systems are tightly coupled, but only develop on an intermittent basis, can be found. Kumar (2011) call this intermittency "dynamic connectivity", arising along a continuum or as threshold behavior. This appears to be particularly true for human-water interactions in the flooding context, but hydrology also appears to be dynamically connected to society under conditions that can lead to conditions of water crisis. The clear challenge, of course, is predicting when such crises - and thus tight sociohydrologic coupling - will arise.

#### 2.1 Feedbacks within a sociohydrologic system

Sociohydrologic systems are embedded within complex socio-ecologic systems, and the clear identification of the pathways by which water influences social change, and social actions alter the water cycle is complicated by separation in timescales, in spatial scales, and by the presence of indirect pathways of influence through other components of the SES. Unsurprisingly, therefore, only a susbet of the studies in the literature describe the idealized, fully-coupled sociohydrologic system (Sivapalan et al., 2012). Instead, a suite of dynamical structures are described, as illustrated conceputally in Fig. 1. In some cases, the coupling is direct; in others it is indirect through another system, such as institutions, economic factors, or even infrastructure (Fig. 1b and c).

3323



Discussion

Paper

Discussion

Paper

**Discussion** Paper


Discussion Paper

In others, an element of the coupling may be dynamic and the feedback can only occur under certain conditions (Fig. 1d). Table 1 provides a summary of feedbacks in the studies in this Special Issue.

#### 2.1.1 **One-directional influence**

The majority of the papers in the special issue focus on one-way influences, with many studies remaining within the "natural systems paradigm" in which human action is externalized and treated as a perturbation to a natural hydrologic regime. For example, studies considered the effects of land use change altering the hydrologic regime, through increased irrigation in the Heihe River in China (Zhang et al., 2014), alterations to the water cycle through tile drainage (Yaeger et al., 2013), irrigation from groundwater in the midwestern US (Zeng and Cai, 2013), and deforestation in eastern Mexico (Muñoz-Villers and McDonnell, 2013). The one-way nature of influence in these studies likely results from a timescale separation between the rapid timescales of human intervention in the water cycle, and the longer timescales on which these interventions alter agricultural productivity. It is also possible in water-rich areas that the feedback from water → humans is very weak or non-existent; this remains an open question in sociohydrology.

The spatial-scale separation challenge also results in some sociohydrologic studies in the special issue focusing primarily on one-way influences. For example, Konar et al. (2013) examined how changing spatial patterns of crop yield would affect the water footprint of trade in the coming decades. However, the separation in spatial scale between international trade and local farmer decision-making highlights the need to understand interactions of human actions at different scales, which remains a challenge in the fields of micro- and macro-economics. In other words, it is important to evaluate how our understanding of "top-down" (i.e. relatively large spatial scale) and "bottom-up" (i.e. relatively small spatial scale) human processes can be reconciled. Alternatively, changes in water availability were treated as an external driver of the pattern of human settlement in the Tarim River basin in China, prior to the development of 3324





this is where some hydro comes in, the manipulation of aridity by water infrastructure (Lin et al., 2014). This basin's extreme aridity limited human settlements, and it is reasonable to hypothesize that this has also occurred in other arid regions of the world.

#### 2.1.2 Two-directional coupling

Use stuff from

14 cs often about the rhy thus, not

Several studies explored two-way coupling: in Chennai, India (Srinivasan, 2015); Portland, Oregon in the US (Chang et al., 2014); the Murrumbidgee in eastern Australia (Elshafei et al., 2014; Kandasamy et al., 2014; van Emmerik et al., 2014); the Toolibin catchment in western Australia (Elshafei et al., 2014); and Saskatchewan in Canada (Gober and Wheater, 2014). In the majority of these studies, the focus was on water scarcity due to human water demands, but some studies focused on the human-water systems coupling in the context of flooding (Di Baldassarre et al., 2013b; O'Connell and O'Donnell, 2014). Many of these examples conform to the notion of a sociohydrologic system that is embedded in a larger SES, resulting in an indirect coupling between water and society (Fig. 1c). Identifying the complete suite of interactions that constitute the pathways of influence between changes in water and changes in a social metric remains a significant challenge in these studies. For example, Chang et al. (2014) explored the feedback between water quality and house prices, and land use policy and water quality. Although there is likely to be a relationship between home prices and land use policy as well, which would allow the feedback loop to be "closed", this relationship is not yet identified, making it difficult to determine the complete set of relationships between land use, house prices and water quality.

Two-way coupling is more evident in studies that outline the history of human-water systems, illustrating how the systems changed together over time. A common inference drawn from these studies is that two-way coupling between the human and water systems has tended to strengthen over time as human water demands grew (analogous to the nonlinear dynamics situation in which a forward process becomes progressively inhibited by a strengthening negative feedback). For example, in the Tarim River, the arid hydroclimatology of the basin initially limited human settlement. People could only settle 3325

Do we go for statistical relations? or mechanistic relations?

Discussion 12, 3319-3348, 2015 1 Paper Moving sociohydrology 1 forward: a synthesis Discussion across studies T. J. Troy et al. Paper Title Page ----Abstract Discu ussion Tables Figures Paper Close Discussion Full Screen / Esc Printer-friendly Version 1 Paper Interactive Discussion  $\odot$   $\odot$ 

Discussion

Paper

Discussion

Paper

Discussion

Paper

Disc

HESSD

12, 3319-3348, 2015

Moving

sociohydrology

forward: a synthesis

across studies

T. J. Troy et al.

Title Page

Full Screen / Es

Printer-friendly Version

Interactive Discussion

- see that this a mathe

The are on

two way feedbacks

Abstract

Tables

HESSD

along oases and the river; the mean annual precipitation of  $50-100 \, \text{mm} \, \text{yr}^{-1}$  was insufficient to support human development elsewhere in the basin. During the 19th and 20th centuries, irrigated agriculture and its associated infrastructure allowed human activities to affect the hydrologic regime, with the infrastructure releasing the water resources

- constraints previously placed on human settlement. Growing population and water demands eventually outpaced the water availability, leading to environmental degradation and a re-prioritization of water resources (Liu et al., 2014), in a situation where water is strongly managed by people and where water limitations strong limit human activity in the region. Other basins displayed similar transitions. In the Murrumbidgee in Australia during the first half of the 20th century, human water appropriation for irrigation
- was the dominant dynamic. Only when water stress and environmental degradation reached an unacceptable threshold were legislative and social norms applied to modulate water use, resulting in a tightly coupled sociohydrologic system (Kandasamy et al., 2014). Notably, the effect of changing hydrology on social systems in these studies
- emerged on decadal to century timescales (Kandasamy et al., 2014), and frequently only manifested in social change in recent years. Typically, these social changes occurred in response to some form of social "sensitivity" to the condition of the water system. This sensitivity takes the form of a normative shift towards increased societal valuation of the environment and the water system, typically in response to the experience of degradation or scarcity.

Ribeiro Neto et al. (2014) laid out a hypothesized sequence of coupled human-water system development. First human water demands exceed the locally available water supply, leading to infrastructure development to stabilize and/or enhance the local supply. Eventually, the water demands grow beyond the infrastructure capacity, leading to new infrastructure that captures the non-local supplies. They point out that this leads to sociohydologic system transitions. This hypothesized sequence allows for dynamic connectivity, with the system switching between one-way and two-way feedbacks depending on the balance between supply and demand. The rate at which sensitivity

about we should be careful with - which are? 3326 defing pre-structured defing pre-structured særenosi, as this wel provide she ipput-atput problem

not showing,


develops, and the extent to which social uses of water respond to this sensitivity, is strongly socially mediated.

#### 2.1.3 Dynamic connectivity

should not state works 3327

Nelobiatras are constructions

Dynamic connectivity between human and water systems was evident in several of the studies in the special issue. Gober and Wheater (2014) showed that hydrology is continually modified by human activity, with these modifications increasing as populations grow and water resources become fully allocated. Not until drought revealed the extent of water scarcity crisis was a feedback to decision-making about water activated. Under drought crisis conditions, decision-makers were willing to explore changes to the infrastructure and governance used to manage the water resources. Similarly, Di Baldassarre et al. (2013a) showed that flooding significantly reduced the floodplain population density for some years afterwards; however with the fading memory of the flood, the population did eventually return to a state of growth in the floodplain. In this case, there was an immediate feedback (population decline) whose importance diminished over time. O'Connell and O'Donnell (2014) indirectly examined the effects of this intermittency in floodplains, exploring how flood-rich (when water → society feedbacks are stronger) and flood-poor periods (when these feedbacks are eroded) might affect the kinds of decisions made about flood management. Intermittency in coupling appears to arise when thresholds are crossed: thresholds related to changing community values about the environment (Elshafei et al., 2014), water scarcity (Gober and Wheater, 2014), infrastructure development (Liu et al., 2014), or acute environmental damage (Di Baldassarre et al., 2013a). This intermittency could be viewed as another manifestation of social sensitivity to the state of the water system - but in this case induced by the experience of extreme events, and often non-stationary, decreasing in strength and importance over time (Di Baldassarre et al., 2013b).



Discussion

Paper

Discussion

Discussion

Paper

#### 2.2 What comprises a sociohydrologic system?

The definition of sociohydrology as the study of a two-way coupling between human and water systems is clearly challenged by the observation that sociohydrologic systems are embedded in a broader SES, subject to time and spatial scale separations and to intermittency in the very existence of a two-way coupling. With this background, a case can be made that studies considering exogenous effects of people on hydrologic systems, without a consideration of feedback mechanisms, should form part of the scope of sociohydrologic research - and indeed, important insights about the nature of human-imposed change on water systems can be derived from such studies. Clearly,

however, sociohydrology cannot be limited to studies within such a "natural systems" paradigm.

It would be equally problematic, however, to confine sociohydrologic studies to consideration of situations where consistent, strong two-way human-water feedbacks arise. Based on the studies in the special issue, such "tight coupling" is a special case - arising only in systems with very simple water and social infrastructure - such as irrigated subsistence agriculture in a water-limited region - or in situations where some form of water crisis (or other threshold) is reached. Below such a threshold, most sowhy? 20 would not use she 25 material we 25 have so for have so for to reach this conclusion ciohydrologic systems appear to be strongly one-way in terms of human influence on hydrology, with little or weak coupling from water to human systems. Thresholds may be stochastically determined - e.g. by drought (Gober and Wheater, 2014) or by flooding (Di Baldassarre et al., 2013b). Moreover, it is not inevitable that thresholds exist - they are presumably a function of the socio-ecological system that is being considered. For example, the Aral Sea retreat that began under the Soviet Union and has since continued imposes significant costs on the communities and environments near the former shoreline, yet this environmental catastrophe has not been sufficient to alter patterns of water use (Micklin, 2007). The fact that no feedback on the water use mechanisms has occurred reflects the relative political weight given to the environment and local population vs. the maintenance of upstream irrigated agriculture. Social responses to

The Aral Sa was sacrificed by the Soviets



hydrologic crises may be significantly delayed (Kandasamy et al., 2014), and different societies and political systems may be more sensitive to certain hydrologic impacts than others. Yet the lack of an evident two-way feedback mechanism should not exclude such important examples from being considered sociohydrological. Instead, the framework of viewing sociohydrology as a subset of a broader socio-ecological system, a complex system in which multiple pathways of influence link hydrological and social dynamics, offers a conceptual model that can encompass many different forms of influence between human and water systems.

#### 3 Research methodologies

Japue and at correct at fle source 10 If sociohydrology should be conceived of as a field of study that focuses on one set of components of a complex system, a suite of methodological consequences arise. The field of complex systems science has developed empirical, modeling and analytical techniques that apply to complex systems. Some of these approaches are already being applied by researchers in sociohydrology, while other kinds of methodologies represent new opportunities for discovery. More fundamentally, however, sociohydrology poses significant challenges for data collection and data generation.

#### 3.1 Sociohydrologic data

Detailed hydrologic data has a finite history, with the majority of the instrumented hydrological record having been collected in the past 100 years. Longer term analyses typically require the use of proxy data, whether physical (e.g. sedimentology) or historical (e.g. tax records, oral histories of flooding). Social datasets are broader in their potential scope, and while they may extend for long periods of time, data availability is likely to place a strong constraint on the kinds of sociohydrologic questions that can be addressed. Given the observation that evidence of social changes in response

3329

to changing water dynamics typically emerges over long timescales, or in response 25

## HESSD

12, 3319-3348, 2015

Discussion

1 Paper

Discussion Paper

\_\_\_\_

Discussion


Paper

Discussion

Paper

Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.




to specific episodes, the availability of long-term records of both water and people's interaction with water is likely to be essential.

To date two different approaches have been used to address data availability. The first of these is an attempt to assemble a historical archive of physical and human data

over sufficiently long timescales to reveal key dynamics (Dermody et al., 2014). Physically, there is a broad suite of proxy data that can be used to extend physical records into historical or even deep time. Even where the data are not speficially hydrologic, a combination of paleoclimatological methods and hydrologic modeling can provide a plausible representation of historical flow regimes and hydrologic behavior (French et al., 2012).

Data regarding social dynamics may need to be pieced together from multiple sources, such as narrative information, numerical records (crop planting dates, flood levels), pictorial information, and archaeological information (flood levels and excavations) (Brázdil and Kundzewicz, 2006; Brázdil et al., 2012). Parker (2008) refer to the development of these multi-sourced datasets as the creation of a "human archive" for the historical period. Robust and reliable techniques to generate physical and human historical archives represents an important area of methodological development in sociohydrology: for example, Ertsen et al. (2014) detail several different ways to collect data from archaeological data on irrigation systems, including looking at the sedimentation in the canals and climate reconstruction with tree-ring data. Similarly, Zlinszky and

Timár (2013) laid out a methodology for the analysis of historical maps that specifically addresses the correction of errors resulting from cartography in the pre-photographic era. Even when detailed data are unavailable, historical studies can illuminate sensitivity and correlation in a broad sense. For example, social and economic contraction, 25 simplification, and periods of destruction in the Kingdom of Angkor (in present day Cambodia) coincided with droughts of sufficient severity and duration to deplete the kingdom's water storage and supply mechanisms (Buckley et al., 2010); while worldwide incidents of rebellion in the seventeenth century were often coincident with extreme weather phenomena (Parker, 2008). The diversity of potential approaches and HESSD



10 app are publical Data the fead Taylor a fish

3330

Read Edwards

data sources suggests that methodological questions in the compilation of sociohydrologic datasets will be a rich and challenging component of the field. An alternative approach that circumvents the challenges in assembling a long data

record is to undertake comparative studies over relatively short time periods but across

multiple sites. In the absence of controlled experiments, comparative studies provide opportunities to generate insights based on systematic differences arising in different

locations and watersheds. Comparative studies can be primarily qualitative, investi-

gating a limited number of sites in great detail, with the goal of generating conceptual

understanding. In this mode, Scott et al. (2014) compared three agricultural catchments

to understand the relationship between irrigation efficiency improvements and basin re-

silience. Across three cases, they find that expanding irrigation efficiency without limits on use or irrigated area may increase production, but it could worsen resilience to water

scarcity. Similarly, Wescoat Jr. (2013) presented a comparative analysis of the "duty of

water" concept, a standard governing application of irrigation water. Although the duty of water concept was applied in both British India and the US in order to maximize

the utilization of irrigation water, its use evolved in opposite directions, because of the

An alternative comparative methodology leverages the greater statitsical power as-

different social conditions prevailing in each nation.

1erp

### Discussion HESSD 12.3319-3348.2015 Paper Moving sociohydrology forward: a synthesis Discussion across studies T. J. Trov et al. Paper Title Page Abstract Introduction Conclusions References Tables

Full Screen / Esu

Printer-friendly Version

Interactive Discussion

 $\odot$ 

**Discussion** Paper

Discussion

Paper

Discussion

Paper

Discussion

1 Paper

Discussion

Paper

**Discussion** Paper

sociated with a large number of data points as a technique to overcome the inherent heterogeneity of catchments. Comparative hydrology was initiated in the late 1980s (Falkenmark and Chapman, 1989). For sociohydrologic analysis, the approach is ex-Pavor ave? have? this vie stereotype tended to incorporate social variables in addition to environmental and climatic drivers. ideally exploring behavior across important gradients in social factors. Wutich et al. (2014) compared cross-cultural water management choices across gradients of water scarcity and per capita income. They found that people in less developed sites favored small-scale, decentralized, community based water management solutions, while people in more developed sites favored large-scale, centralized, infrastructure and regulatory solutions. A conceptual framework for undertaking such comparative studies was presented in Thompson et al. (2013), although the challenges inherent in

3331

check Hent's back

this approach have also been highlighted, such as data availability and sharing protocols (Gupta et al., 2014). Comparative studies may be most effective where they can be used to test specific hypotheses. For example, the hypothesis proposed for the Murrumbidgee of irrigation moving upstream and then back downstream due to development and then a re-prioritizing of water usage (Sivapalan et al., 2012; Kandasamy

et al., 2014) could be explored across many locations to evaluate if it is an evolutionary pattern specific to the case study or whether it is illustrative of a broader phenomenon arising as a consequence of the intersection of development pathways, water usage priorities, and environmental attitudes during the past century. While potentially powerful, comparative studies are data intensive, and the generation of appropriately curated, quality assured and meaningful social datasets that could be included in such studies

remains a major challenge to widespread use of such aproaches.

#### 3.2 Causal inference

5

15

If the data availability and reliability challenges associated with sociohydrology can be What we want the intervent of the intervent of the approach that may be suitable to use when quantitative data are unavailable. The determination of the directionality, delays and strenght of the network is that they tend to be highly data demanding (Shalizi, 2006). 3332 overcome, there are a broad swathe of techniques that are available to analyze the data. Of particular interest are the tools available to recognize the complex-systems nature of the problem. Complex system studies have developed a very broad toolkit for data analysis, including techniques to evaluate causal relationships (e.g. information theory, synchronicity and time-delays, and entropy based measures; Thompson et al., 2013), to reconstruct the underlying complex system based on timeseries measures (e.g. attractor reconstruction, recurrence metrics, etc., Shalizi, 2006), and even to analyze timeseries based on object-oriented occurrences of "patterns" in the timeseries (an approach that may be suitable to use when quantitative data are unavailable) (Das et al., 1998). This is an enormous and growing field, summarized in both the "big data" and "complex systems science" literature. The key benefits to sociohydrology are likely to be in the determination of the directionality, delays and strenght of the networks of cause and effect between components of a system. The major limitation to these

# HESSD

12, 3319-3348, 2015

Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.

Title Page

Printer-friendly Version

Interactive Discussion

 $\odot$   $\odot$ 

Abstract

Conclusions


An alternative pathway towards the determination of causality can be drawn from the medical science and economic literature. Although randomized controlled trials (RCT) form a gold standard for inference in these fields, they are frequently impossible to implement (Stock and Watson, 2010). Econometric methods - a suite of empiricalstatistical techniques to identify causal understanding - are becoming increasingly important as an alternative basis for causal inference (Angrist and Pischke, 2009). The main goal of econometric methods for causal inference is to employ an "identification strategy" to approximate an RTC with real-world, empirical data. When selection is random (i.e. as in an RCT), the difference in outcomes across treatment groups represents the causal impact of the treatment. This differs from a statistical regression in that selection within a regression is not random, meaning that regressions provide information only about correlations but not causation.

Causal inference employs statistical methods in an attempt to try to force random selection onto a dataset in which random selection does not clearly exist. In other words, the goal of causal inference is to overcome selection bias (which is present without random sampling) in order to determine the causal effect of the treatment of interest. The core econometric techniques are regression discontinuity designs, instrumental variables methods for the analysis of natural experiments, and differences-in-differences methods that take advantage of changes in policy (Angrist and Pischke, 2009). Econo-

metric methods for causal inference were originally developed to gain intuition in complex socio-economic systems, which share many similarities with sociohydrologic systems. Econometric methods are not yet widely used in the sociohydrologic studies represented by the special issue, but could potentially provide a powerful alternative to the data-intensive causality metrics developed in nonlinear science fields.

#### 3.3 Modeling

The final methodological area for sociohydrology is mathematical modeling. Mathematical models were proposed for several specific coupled human-water systems in the special issue (see Table 1). Modeling approaches range from "toy" models consisting of 3333




a few coupled differential equations, to detailed, region-specific models. A broad review of coupled human-environmental models can be found in Kelly et al. (2013). In most studies, the model was developed or parameterized for a specific location, allowing for specificity but not necessarily generalizability.

Existing models used in the special issue, such as the Soil and Water Assessment Tool (SWAT) (Zhang et al., 2014; Zeng and Cai, 2014), land surface hydrologic models (Kummu et al., 2014), or policy models (van Soesbergen and Mulligan, 2014), can be used to provide detailed descriptions of hydrological response to exogenous human drivers. Clearly these modeling approaches, while informative, do not strictly depart from the current hydrological paradigm.

In an effort to treat human systems as part of the water cycle, systems dynamics models have been proposed to describe the sociohydrologic system. Srinivasan (2015) developed a model for how water-human systems developed in Chennai, India. Elshafei et al. (2014) developed a conceptual model that accounted for water demands and evolving community awareness to environmental conditions, testing it over two idealized catchments. A dynamical modeling approach allows for full coupling, either directly between the human and water systems, as in water withdrawals, or indirectly. For example, several models conceptualized a dynamic social awareness of the environment (Elshafei et al., 2014; Di Baldassarre et al., 2013b; van Emmerik et al., 2014). The representation of complex aspects of a social system is clearly a major challenge to these models, although empirical observations of the modeled system can incorporate specific details of household behavior, the water distribution system, pricing and their influence on water use Srinivasan (2015).

Understanding sociohydrology through the lens of complex systems suggests an expanded role for modeling in future work. Features such as dynamic connectivity, threshold behavior, and multiple stable states are characteristic of nonlinear systems, and models that can reproduce these behaviors are likely to provide useful insights into potential modes of sociohydrologic behavior. To date, modeling studies suffer a little from either being too specific - and thus hard to generalize beyond a given case

# HESSD 12, 3319-3348, 2015




study - or too general, and thus dependent upon the construction of "environmental sensitivity" metrics, which are challenging to measure, model or describe in concrete terms. In future studies, the use of data analytics to unravel networks of cause and effect, in conjunction with numerical modeling to explore the potential behaviors that such networks can produce, could provide a robust and generalizable approach to understanding these systems.

#### 4 Norms and ethics

Sociohydrology presents many new challenges for hydrologists, one of which being that sociohydrologic research now explicitly explores and influences the lives of people within a studied system. Traditionally, hydrologists have tended to view themselves 10 as impartial observers of the systems they study, avoiding the need to address ethical questions about their role as researchers. In at least some sociohydrologic studies,

- this position is likely to become untenable. Instead, sociohydrologists may need to confront questions about social norms (collectively held beliefs on how individuals should behave in a particular context), values (benefit derived by an individual from a par-
- ticular good or service) and their influence in sociohydrologic research (Lane, 2014; Wescoat Jr., 2013; Ertsen et al., 2014). These challenges are most pressing for researchers studying contemporary systems at small spatial and temporal scales. These researchers are necessarily both participants and observers, because their research
- could influence decision-making and policy and therefore social futures. The poten-20 tial for the research outcomes to directly impact people's lives raises a clear ethical dimension to sociohydrology. This dimension is less urgent for researchers studying historical sociohydrologic systems over timescales of hundreds or thousands of years can investigate dynamics and feedbacks as impartial observers. Although some would
- argue that any research reflects the researcher's own values and biases, in this case the researcher's framing arguably has less direct real-world implications.





When researchers study contemporary sociohydrologic systems, the issue of norms arises because the research itself could influence real-world outcomes. The choices hydrologists make on what to study and therefore what information to provide decisionmakers are not "scientific" or objective. This raises two concerns: the framing of research questions, and the validity and legitimacy of the research undertaken.

#### 4.1.1 Value-laden framing of research questions


Many studies in the hydrologic literature are motivated by studying water problems faced by society, from floods and drought, to the impacts of climate change, to predicting water resource availability. When sociohydrologists engage in research with the objective of informing decision makers, their research outputs could affect the trajec-


tory of the coupled human-water system. Prediction in hydrologic modelling must be thought through carefully because of "the power that it has to shape the landscape" (Lane, 2014). However, despite good intentions, researchers, particularly natural scientists, often do not acknowledge the values implicit in their study design.

This subjectivity raises ethical questions because decisions on what to study are value laden. This is particularly important when the hydrologist is an outsider to the region of study; there may be a divergence between the hydrologist's own values and those of the majority of the local community at the research site. For instance, some scholars have critiqued western researchers for imposing their views on large dams on

the developing world, arguing that it has constrained them from developing their own infrastructure to developed world levels (Muller, 2010).

There is also a tendency to assume that model equations and variables are "scientifically chosen". However, the model structure and spatial and temporal scale of variables may implicitly privilege some water users. For instance, the decision to focus on aggregate measures like water resources at the basin scale and availability to a "representative" water user, overlooks the fact that low stream-flows in dry years may





HESSD

12, 3319-3348, 2015

Moving sociohydrology forward: a synthesis

across studies

T. J. Troy et al.

Title Page

Abstract

**Discussion** Paper

Discussion

Paper

Discussion

1 Paper

Discussion


**Discussion** Paper

# HESSD

12, 3319-3348, 2015

Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.



See Juner (in pigrass)

3336

disproportionally affect poorer, vulnerable populations. Others may focus on preserving ecological flows and fail to recognize that dry season flows for agriculture are the biggest constraint. Many researchers do not openly acknowledge the implications of the choice of model variables and the value judgements implicit in them.

#### 4.1.2 Validity and legitimacy of research


Most hydrologic research is designed to incorporate data and assumptions in forms that scientists recognize - stream gage data, groundwater level data from water level sensors, hydro-climatic data from weather stations etc. But often sociohydrologic knowledge is distributed. Scientific studies have no way of incorporating sometimes profound knowledge of the water system that "lay" people have (Lane, 2014). Particularly in data scarce regions, modellers often prefer to use simplistic assumptions that turn out to be incorrect, rather than risk relying on unconventional sources of information.

To address these concerns, Gober and Wheater (2014) suggest that sociohydrology can play a role in considering community values and local knowledge in scientific studies by eliciting the views of stakeholders. Lane (2014) recommends calling on "noncertified" experts; local resources users who have tremendous understanding of the system who could validate and contribute to such assumptions arguing that such "coproduction" of knowledge between researchers and society could result in more robust hydrologic prediction. Several previous studies have highlighted how such collaborative modelling exercises between stakeholder communities and researchers could be 20 undertaken.

#### 4.2 Researchers as impartial observers

When researchers study the historical dynamics of sociohydrologic systems over long time scales of hundred of years (Pande and Ertsen, 2014; Ertsen et al., 2014; Kandasamy et al., 2014; Liu et al., 2014; Di Baldassarre et al., 2013a), the assumption of an impartial observer is probably a reasonable one. Here, the research cannot influ-

3337



ence the social outcomes observed and so the concerns are more pedantic. Several papers have used stylized or toy models to study the dynamics of sociohydrologic systems. In the majority of these modelling studies norms are not explicitly discussed; rather they are implicit in model equations and derived from secondary literature. Only

Indeed

a few studies have attempted to empirically investigate social norms using primary data or textual analysis of historical or linguistic records.

#### 4.2.1 Values as model feedbacks

problemate, problemate, wirs it

In these studies, social norms express how societies adapt themselves to environmental change. Di Baldassarre (2013a) examine sociohydrologic responses to flood over long periods of time. In their sociohydrological model of flooding, social norms are expressed through the "awareness" variable. The memory of devastation gets imprinted in collective social memory and prevents societies from settling close to the river in the aftermath of a flood. As the memory fades, the norms weaken and societies once again settle closer to the river.

Several studies have highlighted how changing values in favor of the environment have resulted in water being reallocated from human uses to restore ecological flows. In fact, hydrologic flows in these systems could not be predicted without understanding how preferences have changed. Kandasamy et al. (2014) analyze the dynamics of the Murrumbidgee over a 100 year time period. They find that social values and norms have shifted in favour of preserving the environment. This has resulted in reductions in anthropogenic water abstractions and more water being reallocated to the environment. Liu et al. (2014) report similar dynamics in the Tarim River Basin in China, where they refer to changing norms as a balancing or restorative force. Elshafei et al. (2014) propose a general model to capture the dynamics in such systems using a "community sensitivity state variable", which captures the perceived level of threat to a community's quality of life. The community sensitivity variable reflects social norms about the s This is lacetly what needs to be carefully done: ty several to see effects, do not try several to see effects, do not assume 1 value environment.

3338

They exter the science on by assumptions on human agene

### HESSD 12, 3319-3348, 2015

Discussion

Paper

Discussion

1 Paper

Discussion

1 Paper

Moving sociohydrology forward: a synthesis across studies

### T. J. Troy et al.

Title Page

Full Screen / Es

Printer-friendly Version

Interactive Discussion

Figures

Abstract

Conclusions

Tables

#### 4.2.2 Values emergent from empirical analysis

In the papers described above, both social values and norms are deduced from the decisions societies make in response to environmental variables (floods or ecosystem decline). However, the norms and values themselves are not the subject of study. Only

a few studies have investigated social norms over water empirically. Wescoat Jr. (2013) examines how norms vary, by examining how the same norm - "duty of water" - was applied very differently in colonial India (as a maximum amount of water applicable to a given amount of land) vs. western USA (as the minimum standard for private water rights appropriation and use.) In a contemporary setting, Wutich et al. (2014) examine how both environmental and socio-economic variables influence community perceptions of what types of infrastructure solutions are feasible. The study finds that community norms and therefore how communities invest in infrastructure are shaped by water resource availability. Chang et al. (2014) take an economic approach (hedonic value estimation) using property sales as a proxy to estimate how people value water quality improvements and consequently enforcement of water quality regulations.

The modelling and empirical approaches are somewhat complementary. One weakness of many of the toy or stylized models, is the absence of validation against realworld observations. The methods used by these empirical studies could be used by modellers to justify or derive model equations and parameters. For instance, the behaviour of the "community sensitivity" variable might be verified by analyzing newspaper articles or government documents over time to analyze the frequency and usage of key words.

### 5 Discussion and future directions

The special issue provided an unique opportunity to reflect on current research in sociohydrology, as well as the state of the field more genereally. The papers in the special issue are varied, but they all focus on improving our knowledge of coupled human-

3339



12, 3319-3348, 2015

ussion

Paper

Discussion

Paper

Discussion

Paper


Discussion

1 Paper

Discussion Paper

Moving sociohydrology forward: a synthesis across studies

T. J. Trov et al.



HESSD

12, 3319-3348, 2015

Moving

sociohydrology

forward: a synthesis

across studies

T. J. Trov et al.

Title Page

Printer-friendly Version

Interactive Discussion

 $\odot$   $\odot$ 

Abstract

" Collective outcomes" is not the same

as the field continues to grow and develop. Our assessment of the literature highlights two major themes that need to be reconciled by future researchers. The first of these relates to the observation that sociohydrology cannot focus on two-way feedbacks between human and water systems without acknowledging that these feedbacks are embedded in a complex web of cause and effect represented by socio-ecologic systems. This recognition suggests that the modes of interaction between hydrologic variables and social variables will be mul-

water systems to address important societal challenges, a key aspect of sociohydrol-

ogy. These papers have highlighted some of the important issues that must be explored

tifaceted, difficult to isolate, variable from system to system, and nested in terms of both spatial and temporal scales. Thus, definitions of sociohydrology that focus on the clear identification of two-way feedbacks between human and water systems are likely to be challenging to work with in practice, because the identification of such two-way feedbacks is a non-trivial problem.

The second consequence of recognizing that sociohydrology arises from a complex 15 system is the opportunity to draw on the huge developments in complex-systems science and data analysis. While we have not comprehensively reviewed this field, the range of tools for inferring causality and for reconstructing elements of a nonlinear dynamical system from incomplete observations are highly pertinent to analyzing the behavior of sociohydrologic systems - provided data limitations can be overcome. Alternative interpretations of causality, as embodied by econometric approaches, offer

further approaches towards analyzing these systems. These data analysis techniques have not been implemented in sociohydrologic studies to date, and they represent a significant opportunity to formalize understanding of the relationship between human activity and hydrologic variability.

While the theme of sociohydrology as a complex systems science identifies opportunities at the cutting edge of quantitative analysis and modeling, the other emergent theme - that of sociohydrologic research as a value-laden, human activity - pulls researchers in the opposite direction. While social scientists routinely address the ethical

it only stresses which is the ethics. which is good. implications of their work - particularly work that incorporates intervention and experimentation - hydrologists typically lack awareness and a framework for evaluating the ethical consequences of their studies. The human implications of the research choices that hydrologists make may need to be incorporated into the research toolkit of socio-5 hydrologists.

Sociohydrology as a science of people and water has emerged primarily from the hydrological literature. This poses numerous oppositional challenges: the desire to be quantitative but to incorporate (often qualitative and specific) knowledge from social science disciplines; the challenge of reconciling numerical data with descriptive histories;

the need to base analyses on empirical facts but to develop generalizable understanding; the desire to observe and predict the behavior of a system while being a part of that system. As Ertsen et al. (2014) lays out, there are two potential approaches to modeling human agency. One approach is to start at the largest scale possible, society itself, with time steps of years to decades, depending on the time scale of decisions/changes made by society; we can think of this as a top-down approach. The other approach is start at the level of human beings themselves, with institutions developing in the model through personal relationships of the individual humans; this would be a bottom-up

#### approach. These are choices that are going to be confronted in many sociohydrologic studies, particularly those focused on modeling.

The breadth, depth and sheer number of papers contributed to the special issue suggests that sociohydrology is vibrant, exciting and relevant to many authors working at the interface of hydrology and social systems. While data, methodologies, norms, ethics and the hurdles of interdisciplinarity present non-trivial challenges to achieving the vision of understanding coupled human-water systems, there are also tremendous opportunities to be seized by drawing on social-ecological systems thinking, complex systems science, econometrics, and the detailed disciplinary expertise required to describe these systems in isolation. These opportunities have the potential to greatly increase our understanding of sociohydrologic systems, thereby allowing for better understanding and prediction of water problems.

hydrolgic we can leave the socio ont

## HESSD

Discussion

Paper

\_

Discussion

Paper

Discussion

Paper

Discussion

1 Paper


Discussion

Paper

12, 3319-3348, 2015

Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.



#### References

30

Any chieve in between is problematic

Angrist, J. D. and Pischke, J.-S.: Mostly Harmless Econometrics: An Empiricist's Companion, 1st Edn., Princeton University Press, Princeton, NJ, USA, 2009. 3333 Brázdil, R. and Kundzewicz, Z. W.: Historical hydrology, Hydrolog. Sci. J., 51, 733–738,

doi:10.1623/hysj.51.5.733, 2006. 3330

Brázdil, R., Chromá, K., Valášek, H., and Dolák, L.: Hydrometeorological extremes derived from taxation records for south-eastern Moravia, Czech Republic, 1751-1900 AD, Clim. Past, 8, 467-481, doi:10.5194/cp-8-467-2012, 2012. 3330 Buckley, B. M., Anchukaitis, K. J., Penny, D., Fletcher, R., Cook, E. R., Sano, M., Nam, L. C.,

Wichienkeen, A., Minh, T. T., and Hong, T. M.: Climate as a contributing factor in the demise of Angkor, Cambodia, P. Natl. Acad. Sci. USA, 107, 6748–6752, 2010. 3330


- Chang, H., Thiers, P., Netusil, N. R., Yeakley, J. A., Rollwagen-Bollens, G., Bollens, S. M., and Singh, S.: Relationships between environmental governance and water quality in a growing metropolitan area of the Pacific Northwest, USA, Hydrol. Earth Syst. Sci., 18, 1383-1395, doi:10.5194/hess-18-1383-2014, 2014. 3325, 3339
- Cumming, G. S., Cumming, D. H., and Redman, C. L.: Scale mismatches in social-ecological systems: causes, consequences, and solutions, Ecol. Soc., 11, 14, 2006. 3322 Das, G., Lin, K.-I., Mannila, H., Renganathan, G., and Smyth, P.: Rule discovery from time
- series, Proceedings of the 4th international conference of knowledge discovery and data mining, AAAI Press, 16-22, 1998. 3332
- Dermody, B. J., van Beek, R. P. H., Meeks, E., Klein Goldewijk, K., Scheidel, W., van der Velde, Y., Bierkens, M. F. P., Wassen, M. J., and Dekker, S. C.: A virtual water network of the Roman world, Hydrol. Earth Syst. Sci., 18, 5025-5040, doi:10.5194/hess-18-5025-2014, 2014. 3330
- 25 Di Baldassarre, G., Kooy, M., Kemerink, J. S., and Brandimarte, L.: Towards understanding the dynamic behaviour of floodplains as human-water systems, Hydrol. Earth Syst. Sci., 17, 3235-3244, doi:10.5194/hess-17-3235-2013, 2013a. 3327, 3337, 3338
- Di Baldassarre, G., Viglione, A., Carr, G., Kuil, L., Salinas, J. L., and Blöschl, G.: Sociohydrology: conceptualising human-flood interactions, Hydrol. Earth Syst. Sci., 17, 3295-3303, doi:10.5194/hess-17-3295-2013, 2013b. 3325, 3327, 3328, 3334
- Elshafei, Y., Sivapalan, M., Tonts, M., and Hipsey, M. R.: A prototype framework for models of socio-hydrology: identification of key feedback loops and parameterisation approach, Hydrol.

HESSD

12, 3319-3348, 2015

Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.



Earth Syst. Sci., 18, 2141–2166, doi:10.5194/hess-18-2141-2014, 2014. 3325, 3327, 3334, 3338

Ertsen, M. W., Murphy, J. T., Purdue, L. E., and Zhu, T.: A journey of a thousand miles begins with one small step – human agency, hydrological processes and time in socio-hydrology, Hydrol. Earth Syst. Sci., 18, 1369–1382, doi:10.5194/hess-18-1369-2014, 2014. 3330, 3335,


Hydrol. Earth Syst. Sci., 18, 1369–1382, doi:10.5194/hess-18-1369-2014, 2014. 3330, 3335, 3337, 3341

Falkenmark, M. and Chapman, T.: Comparative Hydrology: An Ecological Approach to Land and Water Resources, The UNESCO Press, Paris, 1989, 3331

French, K. D., Duffy, C. J., and Bhatt, G.: The hydroarchaeological method: a case study at the Maya site of Palenque, Lat. Am. Antiq., 23, 29–50, 2012. 3330

- Gober, P. and Wheater, H. S.: Socio-hydrology and the science–policy interface: a case study of the Saskatchewan River basin, Hydrol. Earth Syst. Sci., 18, 1413–1422, doi:10.5194/hess-18-1413-2014, 2014. 3325, 3327, 3328, 3337
  Gupta, H. V., Perrin, C., Blöschl, G., Montanari, A., Kumar, R., Clark, M., and Andréassian, V.:
- Gupta, H. V., Perrin, C., Bloschi, G., Montanari, A., Kumar, R., Clark, M., and Andréassian, V.:
   Large-sample hydrology: a need to balance depth with breadth, Hydrol. Earth Syst. Sci., 18, 463–477, doi:10.5194/hess-18-463-2014, 2014. 3332
- Kandasamy, J., Sounthararajah, D., Sivabalan, P., Chanan, A., Vigneswaran, S., and Sivapalan, M.: Socio-hydrologic drivers of the pendulum swing between agricultural development and environmental health: a case study from Murrumbidgee River basin, Australia, Hydrol.
   Earth Syst. Sci., 18, 1027–1041, doi:10.5194/hess-18-1027-2014, 2014. 3325, 3326, 3329,
  - 3332, 3337, 3338
    Kelly, R. A., Jakeman, A. J., Barreteau, O., Borsuk, M. E., ElSawah, S., Hamilton, S. H., Henriksen, H. J., Kuikka, S., Maier, H. R., Rizzoli, A. E., van Delden, H., and Voinov, A. A.: Selecting among five common modelling approaches for integrated environmental assessment
- and management, Environ. Modell. Softw., 47, 159–181, 2013. 3334 Konar, M., Hussein, Z., Hanasaki, N., Mauzerall, D. L., and Rodriguez-Iturbe, I.: Virtual water trade flows and savings under climate change, Hydrol. Earth Syst. Sci., 17, 3219–3234, doi:10.5194/hess-17-3219-2013, 2013. 3324
- Kumar, P.: Typology of hydrologic predictability, Water Resour. Res., 47, W00H05, doi:10.1029/2010WR009769, 2011. 3323, 3348
- Kummu, M., Gerten, D., Heinke, J., Konzmann, M., and Varis, O.: Climate-driven interannual variability of water scarcity in food production potential: a global analysis, Hydrol. Earth Syst. Sci., 18, 447–461, doi:10.5194/hess-18-447-2014, 2014. 3334

3343



- Lane, S. N.: Acting, predicting and intervening in a socio-hydrological world, Hydrol. Earth Syst. Sci., 18, 927–952, doi:10.5194/hess-18-927-2014, 2014. 3335, 3336, 3337
- Levin, S. A.: Ecosystems and the biosphere as complex adaptive systems, Ecosystems, 1, 431-436, 1998. 3321
- Liu, J., Dietz, T., Carpenter, S. R., Alberti, M., Folke, C., Moran, E., Pell, A. N., Deadman, P., Kratz, T., Lubchenco, J., Ostrom, E., Ouyang, Z., Provencher, W., Redman, C. L., Schneider, S. H., and Taylor, W. W.: Complexity of coupled human and natural systems, Science, 317, 1513–1516, 2007. 3322
- Liu, Y., Tian, F., Hu, H., and Sivapalan, M.: Socio-hydrologic perspectives of the co-evolution of humans and water in the Tarim River basin, Western China: the Taiji–Tire model, Hydrol. Earth Syst. Sci., 18, 1289–1303, doi:10.5194/hess-18-1289-2014, 2014. 3325, 3326, 3327, 3337, 3338
- Micklin, P.: The Aral sea disaster, Annu. Rev. Earth Pl. Sc., 35, 47-72, 2007. 3328
- Muller, M.: Fit for purpose: taking integrated water resource management back to basics, Irrig. Drain. Syst., 24, 161–175, 2010. 3336
- Muñoz-Villers, L. and McDonnell, J. J.: Land use change effects on runoff generation in a humid tropical montane cloud forest region, Hydrol. Earth Syst. Sci., 17, 3543–3560, doi:10.5194/hess-17-3543-2013, 2013. 3324
   O'Connell, P. E. and O'Donnell, G.: Towards modelling flood protection investment as a coupled
- burnen, F. and O bornen, G. Towards modelining hold protection investment as a coupled human and natural system, Hydrol. Earth Syst. Sci., 18, 155–171, doi:10.5194/hess-18-155-2014, 2014. 3325, 3327
- Ostrom, E.: A general framework for analyzing sustainability of social-ecological systems, Science, 325, 419–422, 2009. 3321
- Pande, S. and Ertsen, M.: Endogenous change: on cooperation and water availability in two ancient societies, Hydrol. Earth Syst. Sci., 18, 1745–1760, doi:10.5194/hess-18-1745-2014, 2014. 3337
  - Parker, G.: Crisis and catastrophe: the global crisis of the seventeenth century reconsidered, Am. Hist. Rev., 113, 1053–1079, 2008. 3330
- Ribeiro Neto, A., Scott, C. A., Lima, E. A., Montenegro, S. M. G. L., and Cirilo, J. A.: Infrastructure sufficiency in meeting water demand under climate-induced socio-hydrological transition in the urbanizing Capibaribe River basin Brazil, Hydrol. Earth Syst. Sci., 18, 3449–3459, doi:10.5194/hess-18-3449-2014, 2014. 3326



Disc

Paper

Discussion

Paper

Discussion Paper

**Discussion** Paper

12, 3319-3348, 2015

Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.



- Scott, C. A., Vicuña, S., Blanco-Gutiérrez, I., Meza, F., and Varela-Ortega, C.: Irrigation efficiency and water-policy implications for river basin resilience, Hydrol. Earth Syst. Sci., 18, 1339-1348, doi:10.5194/hess-18-1339-2014, 2014. 3331
- Shalizi, C. R.: Methods and Techniques of Complex Systems Science: An Overview, Springer, New York, 2006. 3332
- Sivapalan, M., Savenije, H., and Blöschl, G.: Socio-hydrology: a new science of people and water, Hydrol. Process., 26, 1270–1276, doi:10.1002/hyp.8426, 2012. 3320, 3323, 3332 Solé, R. V. and Bascompte, J.: Self-Organization in Complex Ecosystems. (MPB-42), Princeton University Press, Princeton, NJ, USA, 2006. 3321
- Srinivasan, V.: Reimagining the past use of counterfactual trajectories in socio-hydrological modelling: the case of Chennai, India, Hydrol. Earth Syst. Sci., 19, 785– 801,doi:10.5194/hess-19-785-2015, 2015. 3322, 3325, 3334
- Stock, J. H. and Watson, M. W.: Introduction to Econometrics, 3rd Edn., Addison-Wesley, Boston, MA, USA, 2010. 3333
- Thompson, S. E., Sivapalan, M., Harman, C. J., Srinivasan, V., Hipsey, M. R., Reed, P., Montanari, A., and Blöschl, G.: Developing predictive insight into changing water systems: useinspired hydrologic science for the Anthropocene, Hydrol. Earth Syst. Sci., 17, 5013–5039, doi:10.5194/hess-17-5013-2013, 2013. 3320, 3331, 3332
- van Emmerik, T. H. M., Li, Z., Sivapalan, M., Pande, S., Kandasamy, J., Savenije, H. H. G., Chanan, A., and Vigneswaran, S.: Socio-hydrologic modeling to understand and mediate the competition for water between agriculture development and environmental health: Murrumbidgee River basin, Australia, Hydrol. Earth Syst. Sci., 18, 4239-4259, doi:10.5194/hess-18-4239-2014, 2014, 3325, 3334
- van Soesbergen, A. J. J. and Mulligan, M.: Modelling multiple threats to water security in the Peruvian Amazon using the WaterWorld policy support system, Earth Syst. Dynam., 5, 55-65, doi:10.5194/esd-5-55-2014, 2014. 3334
- Wescoat Jr., J. L .: Reconstructing the duty of water: a study of emergent norms in sociohydrology, Hydrol. Earth Syst. Sci., 17, 4759-4768, doi:10.5194/hess-17-4759-2013, 2013. 3331, 3335, 3339
- Wutich, A., White, A. C., White, D. D., Larson, K. L., Brewis, A., and Roberts, C.: Hard paths, soft paths or no paths? Cross-cultural perceptions of water solutions, Hydrol. Earth Syst. Sci., 18, 109–120, doi:10.5194/hess-18-109-2014, 2014. 3331, 3339

3345



Discussion

Paper

Discussion

Paper

Discussion

Paper

Discu

noissr

Paper


Discussion

Paper

12, 3319-3348, 2015

Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.



- Yaeger, M. A., Sivapalan, M., McIsaac, G. F., and Cai, X.: Comparative analysis of hydrologic signatures in two agricultural watersheds in east-central Illinois: legacies of the past to inform the future, Hydrol. Earth Syst. Sci., 17, 4607–4623, doi:10.5194/hess-17-4607-2013, 2013. 3324
- Zeng, R. and Cai, X.: Analyzing streamflow changes: irrigation-enhanced interaction between aquifer and streamflow in the Republican River Basin, Hydrol. Earth Syst. Sci. Discuss., 10, 7783-7807, doi:10.5194/hessd-10-7783-2013, 2013. 3324, 3347

Zeng, R. and Cai, X.: Analyzing streamflow changes: irrigation-enhanced interaction between aquifer and streamflow in the Republican River basin, Hydrol. Earth Syst. Sci., 18, 493-502, doi:10.5194/hess-18-493-2014, 2014. 3334

- Zhang, Z., Hu, H., Tian, F., Yao, X., and Sivapalan, M.: Groundwater dynamics under watersaving irrigation and implications for sustainable water management in an oasis: Tarim River basin of western China, Hydrol. Earth Syst. Sci., 18, 3951-3967, doi:10.5194/hess-18-3951-2014, 2014. 3324, 3334
- Zlinszky, A. and Timár, G.: Historic maps as a data source for socio-hydrology: a case study of the Lake Balaton wetland system, Hungary, Hydrol. Earth Syst. Sci., 17, 4589–4606, doi:10.5194/hess-17-4589-2013, 2013. 3330



Moving sociohydrology forward: a synthesis across studies

T. J. Troy et al.




Table 1. Site-specific coupled human-water models.

Citation	Feedbacks	Description of feedbacks	Exogenous Drivars	Type of Model
Chang et al.	Water Qual- ity → Humans	Scientific knowledge and human perceptions about local water quality influence policy	Climate, urban- ization, demog- raphy	Statistical
	Humans → Water Qual- ity	Governance in turn affects local water quality over time in urban areas through the type and extent of monitoring etc.		
Di Ba'dassarre et al.	Humans → Hydrology	Flood damage depends on distance of settlement from river, settlement size, and height of levees	Technology, cul- ture	Toy: assump- tions from literature
	Hydrology → Humans	Economic activity (which grows/shrinks slowly) abruptly shrinks after major floods. Human decisions on settlement and investment in levees depend on the memory of last flood and economic and technological factors.		
Elsha'ei et al.	Hydrology → Ecosystem Services	Ecosystem services are a function of water qual- ity, environmental flows and vegetation.	Climate, politi- cal, cultural and socio-economic factors	Toy: assump- tions from literature
	Ecosystem Ser- vices → Humans	Loss of ecosystem services along with external factors like politics, economic growth, drive com- munity sensitivity to the environment.		
	Humans $\rightarrow$ Hydrology	Humans abstract water for productive uses. Com- munities also act to restore water systems if the level of sensitivity to the environment exceeds productive demands for water.		
O'Connell and O'Dornell	$Hydrology \to Humans$	Damage function as a function of food magnitude and level of protection.	Climate change, Flood protection	Statistical
	$Humans \to Hydrology$	Inclusion of an ABM to model flood protection de- cisions discussed but not implemented		
Sririvasan	Humans → Hydrology	People with wells extract groundwater depending on availability of water from other sources. Invest- ment in reservoir storage depends on the ability of the water utility to make investments		Process-based using site- specific data
	Hydrology → Humans	When the water table drops, people's wells go dry and they are forced to buy water from other sources. Investment in wells increases/decreases depend- ing on reliability of piped water.		
Zang et al.	Humans → Hydrology	Land use change, irrigation expansion and cli- mate variability influence the flows of green and blue water	Land use change, irriga- tion expansion, climate	Process-based
Yoshikawa et al.	Hydrology → Ecosystems	Fish species richness (FSR) depends on flow characteristics of river, which are expected to al- ter with climate change	Climate charige	Statistical
Zeng and Cai (2013)	Humans $\rightarrow$ Hydrology	Land use change accompanied by irrigation expansion	Climate, Land use patterns	Process-based using site specific data





Is this helpful?

**Discussion** Paper

**Discussion** Paper

Discussion Paper

**Discussion** Paper

HESSD

12, 3319-3348, 2015

Moving sociohydrology

forward: a synthesis

across studies T. J. Troy et al.

Title Page

Introduction

References

Figures

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion


 $\odot$ 

Abstract

Conclusions

Back

Tables



wh?

Figure 1. Multiple forms of coupling between a water system and a target study popultion of people can arise. In the simplest case (a) both the water system and the target population are tightly and directly coupled to each other – as might arise for subsistence farmers in a water in the water system, but also by a suite of other issues, meaning that changes to the target of water on the target population are indirect and filtered through other institutions, spatial scales and social or environmental systems, meaning that isolating the effects of water from the whole complex system is difficult. Because of the time, spatial and insitutiontal separations in scale between water and human populations, tight coupling between water systems and human responses often arises only intermittently (d) as a "dynamic connection" (sensu Kumar, 2011), often in response to a crises (e.g. critical water scarcity or severe flooding).

3348 we only look at the idean were effects, the idean were sploods are a window of three before sploods are a window of opportunits for flood policies

.