

This manuscript provides a detailed assessment of changes in the hydrological response of the Wadi Abd, a 2480 km² catchment in Algeria, based on a record of precipitation, flow and sediment load extending back over 40 years. Particular emphasis is placed on sediment load, which, looking more generally, has received much less attention than flow. The findings reported are important since:

- (a) Their emphasis is on sediment load;
- (b) There have been few studies of this nature undertaken on catchments in semi-arid areas and particularly catchments in North Africa;
- (c) The catchment has evidenced a shift from perennial flow to intermittent flow, which again has received little attention to date
- (d) The lengthy record (40 years) is also an important feature of the study.
- (e) The study catchment has not experienced other major changes over the past 40 years due to human impact (e.g. major land use change) and therefore provides a good dataset for evaluating the impact of climate change.

The study builds on a previous paper by the authors published in 2007. This paper dealt with the 22 year record from 1973 to 1995. The current paper covers the 40 year period from 1970-2010 and therefore represents an important update on the previous publication.

Overall, I would suggest that the manuscript is rather 'heavy going' and too long and that the authors should focus on reporting the changes that have occurred in selected key indicators of changes in the behaviour of the catchment. This is what readers are likely to find most useful. I have, for example, indicated below that the discussion of changes in the parameters a and b of the rating curves should be curtailed. I would recommend suggest that the ms should be shortened by about 15-20%. This would strengthen its message. The results presented should be of general interest to readers of HESS.

I have little further to say in terms of the analysis and results presented. However, four e issues need further attention.

- I. Since the ms places emphasis on changes in the sediment yield of the study catchment, section 2.1 should provide a much fuller and clearer description of the landscape of the catchment and more particularly the main erosion processes and sediment sources and their likely relative importance. Is the catchment surface or the channel system the main sediment source. Are there gullies etc etc. Some of this information may be presented in the 2007 paper but I do not think that it is acceptable that the reader has to search out another paper to find key information.
- II. The authors rightly stress that their study is important because they are able to look at the impact of climate change without having to distinguish this from other human impacts on the catchment. I think that there is a need to provide an explicit discussion of the lack of change in other drivers of the hydrological response of the catchment. Has there really been no land use change? Have there been changes in livestock densities? Has the construction of small reservoirs etc caused changes in the flow regime? This discussion should be linked back to I above.
- III. I am concerned that the authors prefer to lump all the sediment data together to produce a rating curve for the entire period which is then used to calculate annual sediment loads. This seems unacceptable when they claim that they are looking at a

non-stationary system demonstrating the effects of climate change. This issue needs to be explicitly discussed.

- IV. I found the discussion and interpretation of the parameters a and b in the sediment rating curve unconvincing and contrived. I would strongly suggest that this part of the manuscript should be deleted or at least greatly reduced. I do not believe that these two parameters provide information on the relative importance of the catchment surface and the channel system in controlling catchment response. The authors suggest that the changes in a and b reflect increased erosion of the watershed and decrease in the erosive power of the river. I would see the changes in a and b and simply reflecting the shift of the river regime from perennial flow to intermittent flow. As a result of this change flows will decline to zero and sediment concentrations associated with lower flows during storm events will increase. Parameter a represents the concentration associated with a flow of 1. Since flows decline to zero after storms, high concentrations can be recorded at low flows on the rising limb of the hydrograph when flow resumes during storm events. Therefore parameter a will increase. There is no need to invoke an increase in erosion within the watershed. If parameter a increases the slope of the line (i.e. b) will inevitably decrease. Again there is no need to invoke a change in the erosive power of the river. The authors refer to the work of (Wang et al. 2008) on the Yangtze below the Three Gorges Dam as providing further evidence of the potential to use the two parameters to identify changes in the relative contribution of the basin surface and the river. Dam construction is a special case, which is very different from the response of a more natural catchment. If a dam is constructed upstream, the suspended sediment load and concentration are likely to decline due to sediment trapping by the dam. As a result sediment concentrations for a given flow will decline and a would decrease. If a decreases, b is likely to increase and this will also reflect scour of the channel below the dam during high flows due to the low sediment load (i.e. Kondolf's hungry water) which will reduce any decline of sediment concentrations at high flows.

My remaining comments relate, firstly, to the need for revision to deal with the use of terms which are likely to be unclear to native English speakers and which probably reflect terms used in France and, secondly, to other improvements in the text and minor queries. The terms that need attention are:

- (a) RUPTURE This term is used very frequently in the ms. to refer to break points or change points in the double mass curve and similar contexts. Its use with this meaning will not be familiar to readers of the ms. 'Shift' is a word that might be appropriate in some places.
- (b) The term SPECIFIC DEGRADATION, although commonly used in French (degradation specifique) will not be familiar to most readers. If the term 'sediment yield' is used for the total load i.e. $t \text{ year}^{-1}$, then the term specific sediment yield should be used to refer to $t \text{ km}^{-2} \text{ year}^{-1}$.
- (c) SEDIMENT WASH-DOWN (page 10460 line 3) It is not clear what you mean by the ratio of sediment wash-down to river discharge. What is sediment wash-down. What is the ratio? Is it effectively load/discharge i.e. concentration?
- (d) AGGLOMERATIONS Page 10461 line 25. What are agglomerations?
- (e) GAPS On line 11 page 10471 you use this word when you really mean 'differences'

- (f) UNDERGROUND WATER LAYERS You refer to this on line 6 page 10472. I think you probably mean 'underground storage'.
- (g) PARTICLES not PARTICULES (page 10481 line 15

There are many other instances of poor English which need to be dealt with. The ms needs careful editing by a native English speaker with expertise in hydrology. It may be necessary to make use of commercial scientific editing service. Some suggested corrections and comments are listed below.

- 1) Page 10458 line 14. 'scatter' of what??
- 2) Page 10459 'patterns involved in' change this to 'factors controlling'
- 3) Page 1046 line 26 Change to 'relationship between sediment load and runoff over...'
- 4) Page 10463 lines 1-3. It is not clear how the mean daily values are obtained from the instantaneous values. There is a need to specify key procedures used and not to expect the reader to search out other papers to find this information.
- 5) Page 10464. Lines 10-25. The argument here seems counterintuitive and questionable. I do not think it is acceptable to use a rating relationship developed for the 40 years of data when the system is clearly not stationary. You are identifying important changes but then apparently ignoring them by using a lumped rating relationship.
- 6) Page 19465 line 3. 'to understand better..' Avoid the spilt infinitive.
- 7) Page 10468 line 3. Avoid using the words 'sediment delivery' since they are often used to refer to the processes operating between sediment mobilisation in the catchment and the sediment load at the catchment outlet i.e. conveyance losses and storage. You are referring to sediment output, sediment load or sediment yield.
- 8) Page 10469 Page 10469 lines 1-3. It is not clear why you need daily values of concentration and discharge to calculate average values of SPM*. If this is load -weighted mean (i.e. Load/Discharge) you need to make this clear. You also need to make it clear whether the daily concentration data are measured data or extrapolated values obtained using the rating curve relationship.
- 9) Page 10469 lines 24 and 25. The wording needs improving. I think that you mean '..showed that, over 22 years, 71% of the variance of the annual SPM valueswas accounted for by the annual discharge.. and 73% by the 95th percentile ... "
- 10) Page 10472 line 5 '...runs into...' Line 14 reword '..and the water level in the aquifers will be lowered.' Line 26 '...suspended sediment loads were greater in the autumn during the 2000s..'Lines 27-28 reword to ' shifted from.....to a regime with one dominant season in the 2000s'.
- 11) Page 10475 Line 9 'the Maghreb' Line 10 '...correlated with..' Line 14. Do you mean '..on the highest discharges than on the average discharge'. Line 27 '...of 0.226 when correlated with ...'
- 12) Page 10476 line 2 'is responsible for..' Lines 6-7 'consequences for'. Line 24. It is not clear what is meant by 'averaged per decade'. How can a single value of average flow provide information on the date of the first flood?
- 13) Page 10477 Line 1 'starts on average on the 6th September..' Line 4 ' the first flood of summer'. Line 8 'was observable'. Line 10 'gave the following results for...'. Line 24. Give reference for NQAA.

- 14) Page 10478 Line 3. Please check the Langbein and Schumm paper. I think the relationship was with annual effective rainfall rather than annual rainfall. The two are different. Line 18 'fluvial sediment rather than 'riverine sediment'. Line 23. It is not clear what is meant by 'parameter evolutions'
- 15) Page 10481 line 3 'after' rather than 'posterior to'
- 16) Page 10482 Line 6. 'favour' and 'as a sediment source..' Line 16 'correlation with...'
- 17) Page 10483 line 2 'estimation'? line 5 'coefficient of determination'. Lines 6 and 7. '.established for only the last decade did not provide a reliable estimate of the soild discharge...'. Line 17 reword '...rating curves, water discharge must be recorded at frequent intervals, although measurements of ...'. Line 23 meaning of 'advance' not clear. Line 24 '..increased variability at both the inter-annual and intra-annual levels.
- 18) Page 10484 lines 9-12. As noted above you need to provide some indication of the likely relative importance of the catchment surface and the channel system as sediment sources. Line 18 . What are INSTANT models?? Line 23 Should it be 'marl'?
- 19) Page 10485 Line 1 wording needs correction. '..makes us think that...' Line 20 'due to..'
- 20) Page 10486 line 2 '..in the Maghreb..'
- 21) Page 10496 Table 2 avoid the term specific degradation - refer to specific sediment yield. Degradation could involve chemical weathering.
- 22) Page 10497 Table 3 title. Delete 'sediment delivery' and insert 'sediment output' or 'sediment yield'.
- 23) Page 10499 Figure 2 title. '...mean annual temperatures...'
- 24) Page 10502 Figure 5 title. See 22 above.
- 25) Figure 6 title. Refer to 'flowing water' not 'running water' . Running water comes out of a tap!
- 26) Page 10504 Figure 7 y axis. The units cannot be t. It must be a multiple of t. The unit should be tonnes not tons.
- 27) Page 10505 Figure 8 title. Find an alternative term to 'sediment delivery parameters'. As indicated above, do not use 'specific degradation' in the title and on the y axis Bb.
- 28) Page 10506 figure 9. Change labelling of y axis in Fig. 9C to 'Seasonal contribution to mean annual sediment load (%) (9 year average).
- 29) Figure 13 title. Provide a reference to GSS
- 30) Page 10513 The key should refer to r^2 and not R^2 . You are plotting simple bivariate relationships. R^2 is used for multiple correlation.