

Interactive comment on “Consumptive water use associated with food waste: case study of fresh mango in Australia” by B. G. Ridoutt et al.

M. Aldaya

m.m.aldaya@ctw.utwente.nl

Received and published: 17 September 2009

Arjen Y. Hoekstra, Winnie Gerbens-Leenes, Maite M. Aldaya

University of Twente, Department of Water Engineering and Management P.O. Box 217, 7500 AE, Enschede, The Netherlands

There is an increasing interest within the LCA community in water (Koehler, 2008; Milà i Canals et al., 2009). The paper ‘Consumptive water use associated with food waste: case study of fresh mango in Australia’ by Ridoutt et al. addresses the important topic of water implications of food waste. They conclude that the generation of large waste streams that go along with the production and consumption of mango in Australia is not

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



efficient from the perspective of water. We can very well follow this argument, but have difficulty with the methodological side of the manuscript. The paper claims to introduce a more advanced version of the water footprint (WF) methodology. The authors make a caricature of the established WF definition and method by suggesting that it ignores important issues like source of water used and spatial detail. Unfortunately, the paper fails to acknowledge that the existing methodology is advanced, well established in scientific literature, widely adopted and successfully practiced in a wide variety of applications (national water studies, catchment studies, corporate water footprint studies, product water footprint studies, risk analysis, IO modelling, local impact assessment studies). The paper lacks a proper review that would be necessary before proposing a revision that claims to advance the concept. Moreover, the revision proposed is absolutely useless for most WF applications, so cannot be proposed as an improvement.

A number of LCA authors have suggested redefining the WF from a volumetric measure to an index that results from multiplying volumes by impact factors (Pfister et al., 2009; Ridoutt et al., 2009). The current manuscript by Ridoutt et al. follows up along the same argument. By framing the argument within the logic of LCA, the primary and established role of the WF in water resources management (WRM) is ignored. Redefining the WF does not make sense from the WRM perspective, which requires spatially and temporally explicit information on WFs in real volumes and impacts in real terms. Aggregated indices without physical interpretation are meaningless in a WRM context aimed at reducing WFs and their local impacts.

The WF has been devised as a comprehensive indicator of freshwater appropriation (Hoekstra, 2003; Hoekstra and Chapagain, 2008). The WF of a product is the volume of freshwater used to produce the product over the full supply chain. It shows, specified in space and time, water consumption volumes by source (green, blue –ground and surface- WFs) and polluted volumes (grey WF) by type of pollution. WF studies serve two discourses in WRM. First, data on WFs of products, consumers and producers inform the discourse about sustainable, equitable and efficient freshwater use

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

and allocation (Hoekstra and Chapagain, 2007, 2008). The concept has been widely adopted to study water issues in national, river basin and international context (WWAP, 2009; Garrido et al., in press). Freshwater is scarce; its annual availability is limited. It is relevant to know who receives which portion and how water is allocated over various purposes. That is what volumetric accounts show. Water used for e.g. bioenergy cannot be utilized for food (Gerbens-Leenes et al., 2009). Second, WF accounts help to estimate local environmental, social and economic impacts. Environmental impact assessment should include a comparison of each WF component to available water at relevant locations and time minus environmental water requirements and inaccessible flood and remote flows.

The call for an aggregated impact index is justified from an LCA perspective. To serve both WRM and LCA, one best distinguishes three steps (Table 1). From LCA viewpoint, step 1 contributes to life-cycle inventory; steps 2-3 are part of life-cycle impact assessment. The proposal to use the term WF for the final aggregated index obtained in step 3 is confusing. This may be instrumental for LCA but not helpful for other purposes. The WF can best be used solely in its original and well-established meaning, which means it excludes impact. The non-volumetric index obtained in step 3 is not a WF, but an aggregated, weighted WF Impact Index.

The paper by Ridoutt et al. claims that the established and widely used volumetric and empirical definition of the WF is misleading. They propose to replace it by a weighted indicator that would reflect impacts of water use. For this purpose, they follow the weighting methodology proposed by Pfister et al. (2009). They prefer to replace volumetric, empirical and spatiotemporally explicit WF accounts that form a very sound basis for multi-dimensional impact assessment by a zero-dimensional weighted impact factor that fails to reflect real issues and includes so many arbitrary assumptions and implicit trade-offs that one really has no idea about how to interpret the resulting figures. So we would rather reverse the claim made and argue that the so-called revised definition of the WF concept introduces a highly disputable and meaningless number.

References

- Garrido, A., Llamas, M.R., Varela-Ortega, C., Aldaya, M.M., Novo, P. and Rodríguez-Casado, R. (in press) Water Footprint and Virtual Water Trade in Spain. Springer, NY.
- Gerbens-Leenes, P.W., Hoekstra, A.Y. and Van der Meer, T.H. (2009) The water footprint of bioenergy. Proceedings of the National Academy of Science (PNAS) (106) 25, 10219-10223.
- Hoekstra, A.Y. (2003) (ed.) Virtual water trade: Proceedings of the International Expert Meeting on Virtual Water Trade, Value of Water Research Report Series No.12, UNESCO-IHE, Delft, The Netherlands.
- Hoekstra, A.Y. and Chapagain, A.K. (2007) Water footprints of nations: water use by people as a function of their consumption pattern, Water Resources Management. 21(1): 35-48.
- Hoekstra A.Y. and Chapagain A.K. (2008) Globalization of water: Sharing the planet's freshwater resources. Blackwell Publishing, Oxford, UK.
- Koehler, A. (2008) Water use in LCA: managing the planet's freshwater resources, International Journal of Life Cycle Assessment, 13(6): 451-455.
- Milà i Canals, L., Chenoweth, J., Chapagain, A., Orr, S., Antón, A., and Clift, R. (2009) Assessing freshwater use impacts in LCA: Part I—inventory modelling and characterisation factors for the main impact pathways, Journal of Life Cycle Assessment, 14(1) 28-42.
- Pfister S., Koehler A. and Hellweg S. (2009) Assessing the environmental impacts of freshwater consumption in LCA. Environmental Science and Technology 43: 4098-4104.
- Ridoutt B.G., Eady S.J., Sellahewa J., Simons L. and Bektash R. (2009) Water footprinting at the product brand level: case study and future challenges. Journal of

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Cleaner Production 17(13): 1228-1235.

WWAP (2009) The United Nations World Water Development Report 3: Water in a changing world. World Water Assessment Programme, UNESCO Publishing, Paris / Earthscan, London.

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 6, 5085, 2009.

HESSD

6, C2067–C2072, 2009

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C2071



Table 1: The three subsequent water footprint assessment steps and how they feed different discourses

Step	Outcome	Physical meaning	Resolution	Usefulness	Field
1. Water footprint accounting	Blue, green and grey water footprints (volumetric)	Water volume consumed or polluted per unit of product	Spatio-temporal explicit	Discourse on sustainable, equitable and efficient water utilisation	Water resources management
2. Water footprint impact assessment	Environmental, social and economic impacts	Various measurable impact variables	Spatio-temporal explicit	Discourse on reducing local impacts	
3. Aggregated water footprint impact assessment	Aggregated water footprint impact index	None	Non spatio-temporal explicit	Discourse on aggregated environmental impacts of products	Life cycle assessment

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

Fig. 1.

