

## 1References

- 2Aarts, E. H. L., and Korst, J.: Simulated Annealing and Boltzmann Machine, Wiley & Sons,  
3Chichester, England, 1989.
- 4Agyare, W. A., Park, S. J., and Vlek, P. L. G.: Artificial neural network estimation of  
5saturated hydraulic conductivity, *Vadose Zone Journal*, 6, 423-431, 2007.
- 6Aller, L. T., Bennet, T., Lehr, J. H., and Petty, R. J.: DRASTIC: a standardized system for  
7evaluating ground water pollution potential using hydrogeologic setting, US EPA Robert S.  
8Kerr Environmental Research Laboratory, EPA/600/287/035, Ada, OK, 1987.
- 9Arangino, F., Aru, A., Baldacchini, P., and Vacca, S.: I suoli delle aree irrigabili della  
10Sardegna. In Regione Autonoma della Sardegna, Piano Generale delle Acque Cagliari, 1986.
- 11Arya, L. M.: Wind and hot-air methods, in: *Methods of soil analysis, Part 4, Physical*  
12*methods*, SSSA Book Ser. 5, Madison, WI, 916–926, 2002.
- 13Arya, L. M., and Paris, J. F.: A physicoempirical model to predict the soil moisture  
14characteristic from particle-size distribution and bulk density data, *Soil Sci. Soc. Am. J.*, 45,  
151023–1030, 1981.
- 16Bartholmes, J., and Todini, E.: Coupling meteorological and hydrological models for flood  
17forecasting, *Hydrol. Earth Syst. Sci.*, 9, 333–346, 2005.
- 18Basile, A., and D’Urso, G.: Experimental corrections of simplified methods for predicting  
19water retention curves in clay-loamy soils from particle-size determination, *Soil Techn.*, 10,  
20261-272, 1997.
- 21Basile, A., De Mascellis, R., and Terribile, F.: Il suolo e la protezione degli acquiferi: studio  
22pedologico e idrologico dei suoli della piana del F. Sarno (Campania), *Quaderni di Geologia*  
23*Applicata*, 1, 251-261, 1999.
- 24Beven, K.: Changing ideas in hydrology ~ The case of physically-based models, *J. Hydrol.*,  
25105, 157-172, 1989.
- 26Bittelli, M., and Flury, M.: Errors in water retention curves determined with pressure plates,  
27*Soil Sci. Soc. Am. J.*, 73, 1453-1460, 2009.

1Bonfante, A., Basile, A., Acutis, M., De Mascellis, R., Manna, P., Perego, A., and Terribile,  
2F.: SWAP, CropSyst and MACRO comparison in two contrasting soils cropped with maize in  
3Northern Italy, *Agr. Water Manage.*, 97, 1051–1062, 2010.

4Bouma, J.: Soil morphology and preferential flow along macropores, *Agr. Water Manage.*, 3,  
5235–250, 1981.

6Bouma, J.: Hydropedology as a powerful tool for environmental policy research, *Geoderma*,  
7131, 275-286, 2006.

8Campling, P., Gobin, A., and Feyen, J.: Logistic modeling to spatially predict the probability  
9of soil drainage classes, *Soil Science Society of America Journal*, 66, 1390–1401, 2002.

10Carré, F., McBratney, A. B., Mayr, T., and Montanarella, L.: Digital soil assessments:  
11Beyond DSM, *Geoderma*, 142, 69–79, 2007.

12Chaplot, V., Walter, C., and Curmi, P.: Improving soil hydromorphy prediction according to  
13DEM resolution and available pedological data, *Geoderma* 97, 405– 422, 2000.

14Cialella, A. T., Dubayah, R., Lawrence, W., and Levine, E.: Predicting soil drainage class  
15using remotely sensed and digital elevation data, *Photogrammetric Engineering and Remote*  
16*Sensing*, 63, 171–178, 1997.

17Ciarapica, L., and Todini, E.: TOPKAPI: A model for the representation of the rainfall-runoff  
18process at different scales, *Hydrolog. Process.*, 16, 207–229, 2002.

19Coppola, A., Basile, A., Comegna, A., and Lamaddalena, N.: Monte Carlo analysis of field  
20water flow comparing uni- and bimodal effective hydraulic parameters for structured soil,  
21*Journal of Contaminant Hydrology*, 104, 153-165, 2009.

22D’Urso, G., and Basile, A.: Physico-empirical approach for mapping soil hydraulic behaviour,  
23*Hydrology and Earth System Science*, 4, 915-923, 1997.

24de Bruin, S., and Stein, A.: Soil-landscape modelling using fuzzy c-means clustering of  
25attribute data derived from a Digital Elevation Model (DEM), *Geoderma*, 83, 17-33, 1998.

26Dent, D., and Young, A.: *Soil survey and Land evaluation*, George Allen & Unwin, London,  
27UK, 278 pp., 1981.

1Diomede, T., Nerozzi, F., Paccagnella, T., and Todini, E.: The use of meteorological  
2analogues to account for LAM QPF uncertainty, *Hydrol. Earth Syst. Sci.*, 12, 141–157,  
32008a.

4Diomede, T., Davolio, S., Marsigli, C., Miglietta, M. M., Moscatello, A., Papetti, P.,  
5Paccagnella, T., Buzzi, A., and Malguzzi, P.: Discharge prediction based on multi-model  
6precipitation forecasts, *Meteorol Atmos Phys*, 101, 245–265, 2008b.

7Dobos, E., Carré, F., Hengl, T., Reuter, H. I., and Tóth, G.: Digital Soil Mapping : as a  
8support to production of functional maps, Office for Official Publication of the European  
9Communities, Luxembourg, 2006.

10Dokuchaev, V. V.: Russian Chernozems (Russkii Chernozem), *Israel Prog. Sci. Trans.*  
11Jerusalem, 1967, Transl. from Russian by N. Kaner, Available from U.S. Dept. of Commerce,  
12Springfield, Va, 1883.

13Döll, P., Kaspar, F., and Lehner, B.: A global hydrological model for deriving water  
14availability indicators: model tuning and validation, *J. Hydrol.*, 270, 105–134, 2003.

15Dunne, T.: Field studies of hillslope flow processes, in: *Hillslope Hydrology*, Kirkby, M. J.,  
16Wiley, New York, 227–293, 1978.

17FAO: Guidelines for Soil Profile Description, 4, FAO, Rome, 2006.

18Grayson, R., and Blöschl, G.: Spatial modelling of catchment dynamics, in: *Spatial Patterns in*  
19*Catchment Hydrology: Observations and Modelling*, Cambridge University Press, 51–81,  
202000.

21Jenny, H.: *Factors of soil formation*, McGraw-Hill, New York, USA, 1941.

22Joel, A., Wesstrom, I., and Messing, I.: Mapping suitability of controlled drainage using  
23spatial information of topography, land use and soil type, and validation using detailed  
24mapping, questionnaire and field survey, *Hydrology Research*, 40, 406-419, 2009.

25Jones, A., Montanarella, L. and Jones, R.: *Soil atlas of Europe*. European Soil Bureau  
26Network, European Commission, Ispra, 128 pp., 2005.

27Jost, G., Heuvelink, G. B. M., and Papritz, A.: Analysing the space-time distribution of soil  
28water storage of a forest ecosystem using spatio-temporal kriging, *Geoderma*, 128, 258-273,  
292005.

- 1Kravchenko, A. N., Bollero, G. A., Omonode, R. A., and Bullock, D. G.: Quantitative  
2mapping of soil drainage classes using topographical data and soil electrical conductivity, *Soil*  
3*Science Society of America Journal*, 66, 235–243, 2002.
- 4Lagacherie, P., and Voltz, M.: Predicting soil properties over a region using sample  
5information from a mapped reference area and digital elevation data: a conditional probability  
6approach, *Geoderma*, 97, 187–208, 2000.
- 7Lin, H., Bouma, J., Pachepsky, Y., Western, A., Thompson, J., van Genuchten, R., Vogel, H.  
8J., and Lilly, A.: *Hydropedology: Synergistic integration of pedology and hydrology*, *Water*  
9*Resour. Res.*, 42, 2006.
- 10Lin, H. S., Brooks, E., McDaniel, P., and Boll, J.: *Hydropedology and Surface/Subsurface*  
11*Runoff Processes*, in: *Encyclopedia of Hydrologic Sciences*, Anderson, M. G., and  
12McDonnell, J. J., John Wiley & Sons, Chichester, 1-25, 2008.
- 13Liu, Z., and Todini, E.: Towards a comprehensive physically-based rainfall-runoff model,  
14*Hydrology and Earth System Sciences*, 6, 859-881, 2002.
- 15Liu, Z., Martina, M. L. V., and Todini, E.: Flood forecasting using a fully distributed model:  
16application of the TOPKAPI model to the Upper Xixian catchment, 9, 347-364, 2005.
- 17Liu, Z. Y., Tan, B. Q., Ta, X., and Xie, Z. H.: Application of a distributed hydrologic model  
18to flood forecasting in catchments of different conditions, *Journal of Hydrologic Engineering*,  
1913, 378-384, 2008.
- 20Manna, P., Basile, A., Bonfante, A., De Mascellis, R., and Terribile, F.: Comparative Land  
21Evaluation approaches: An itinerary from FAO framework to simulation modelling,  
22*Geoderma*, 150, 367-378, 2009.
- 23Martina, M. L. V., Todini, E., and Libralon, A.: A Bayesian decision approach to rainfall  
24thresholds based flood warning, *Hydrology and Earth System Sciences*, 10, 1-14, 2006.
- 25Martina, M. L. V., Todini, E., and Liu, Z.: Preserving the dominant physical processes in a  
26lumped hydrological model, *Journal of Hydrology*, 399, 121-131, 2011.
- 27McBratney, A. B., Mendoça Santos, M. L., and Minasny, B.: On digital soil mapping,  
28*Geoderma*, 117, 3–52, 2003.
- 29McDonnell, J. J., Sivapalan, M., Vaché, K., Dunn, S., Grant, G., Haggerty, R., Hinz, C.,  
30Hooper, R., Kirchner, J., Roderick, M. L., Selker, J., and Weiler, M.: Moving beyond

1heterogeneity and process complexity: a new vision for watershed hydrology, *Water*  
2*Resources Research* 43, W07301. DOI: 10.1029/2006WR005467, 2007.

3McKenzie, N. J., and Austin, M. P.: A quantitative Australian approach to medium and small  
4scale surveys based on soil stratigraphy and environmental correlation, *Geoderma*, 57, 329–  
5355, 1993.

6McKenzie, N. J., and Ryan, P. J.: Spatial prediction of soil properties using environmental  
7correlation, *Geoderma*, 89, 67–94, 1999.

8McKenzie, N. J., Grundy, M. J., Webster, R., and Ringrose-Voase, A. J.: Guidelines for  
9surveying soil and land resources, CSIRO Publishing, Melbourne, Australia, 557 pp., 2008.

10Minasny, B., McBratney, A., and Salvador-Blanes, S.: Quantitative models for pedogenesis  
11— A review. *Geoderma*, 144, 140–157, 2008.

12Oberthur, T., Goovaerts, P., and Dobermann, A.: Mapping soil texture classes using field  
13texturing, particle size distribution and local knowledge by both conventional and  
14geostatistical methods, *European Journal of Soil Science*, 50, 457– 479, 1999.

15Pachepsky, Y. A., and Rawls, W. R.: Development of Pedotransfer Functions in Soil  
16Hydrology, Elsevier, New York, 2004.

17Reynolds, W., Elrick, D., Youngs, E. G., Amoozegar, A., Bootlink, H. W. G., and Bouma, J.:  
18Laboratory methods, in: *Methods of Soil Analysis, Part 4, Physical Methods*, SSSA Book Ser.  
195, Soil. Sci. Soc. of Am., Madison, WI, 802–816,. 2002.

20Ritsema, C. J., van Dam, J. C., Dekker, L. W., and Oostindie, K.: A new modelling approach  
21to simulate preferential flow and transport in water repellent porous media: model structure  
22and validation, *Aust. J. Soil Res.*, 43, 361–369, 2005.

23Rossiter, D. G.: Digital soil resource inventories: status and prospects, *Soil Use &*  
24*Management*, 20, 296-301, 2004.

25Rouse, J. W., Haas, R. H., Schell, J. A., Deering, D. W., and Harlan, J. C.: Monitoring the  
26vernal advancement of retrogradation of natural vegetation, NASA/GSFC type II, Progress  
27Report RSC 1978-1, Greenbelt, MD, 371 pp., 1973.

28Salvador-Blanes, S., Minasny, B., and McBratney, A. B.: Modelling long-term in situ soil  
29profile evolution: application to the genesis of soil profiles containing stone layers, *European*  
30*Journal of Soil Science*, 58, 1535–1548, 2007.

- 1 Samouëlian, A., and Cornu, S.: Modelling the formation and evolution of soils, towards an  
2 initial synthesis, *Geoderma*, 145, 401–409, 2008.
- 3 Shrestha, M. S., Artan, G. A., Bajracharya, S. R., and Sharma, R. R.: Using satellite-based  
4 rainfall estimates for streamflow modelling: Bagmati Basin, *Journal Of Flood Risk*  
5 *Management*, 1, 89-99, 2008.
- 6 Šimunek, J., van Genuchten, M. Th., Gribb, M. M., and Hopmans, J.W.: Parameter estimation  
7 of unsaturated soil hydraulic properties from transient flow processes, *Soil Tillage Res.*, 47,  
8 27–36, 1998.
- 9 Soil Survey Staff: *Soil Survey Manual*, USDA, 1993.
- 10 Stöckle, C. O., Donatelli, M., and Nelson, R.: CropSyst, a cropping systems simulation  
11 model, *European Journal of Agronomy*, 18, 289-307, 2003.
- 12 Terribile, F., De Mascellis, R., di Gennaro, A., Ferruzzi, T., Laruccia, N., Magliulo, P., and  
13 Vingiani, S.: Carta dei suoli dell'Agro Noverino Sarnese in scala 1:50.000, Relazione finale  
14 convenzione CNR ISAFOM-Regione Campania, SeSIRCA, 2003.
- 15 Tesoriero, A. J., Inkpen, E. L., and Voss, F. D.: Assessing ground-water vulnerability using  
16 logistic regression, in: *Proceedings for the Source Water Assessment and Protection*  
17 *Conference*, Dallas, TX, 28–30 April 1998, 157-165, 1998.
- 18 Todini, E., and Ciarapica, L., The TOPKAPI model, in: *Mathematical Models of Large*  
19 *Watershed Hydrology*, Water Resources Publications, Littleton, Colorado, 471-506, 2002.
- 20 Tucker, C. J., and Sellers, P. J.: Satellite remote sensing of primary production, *Int. J. Remote*  
21 *Sensing*, 7, 1395–1416, 1986.
- 22 USBR: *Bureau of Reclamation Manual*, Vol. V, Irrigated land use, Part 2, Land classification,  
23 *Bureau of Reclamation*, Dept. of Interior, Denver Federal Center, Denver, Col. 80225, USA,  
24 1951.
- 25 USDA, Soil Survey Staff: *Keys to Soil Taxonomy*, 11th ed., USDA-Natural Resources  
26 *Conservation Service*, Washington, DC, 2010.
- 27 van Dam, J. C., Huygen, J., Wesseling, J. G., Feddes, R. A., Kabat, P., van Walsum, P.,  
28 Groenendijk, P., and van Diepen, C. A.: *Theory of SWAP version 2.0*, Dpt. of Water  
29 *Resources*, WAU, Wageningen, Netherlands, Rep. 71, 168 pp., 1997.

- 1Van Genuchten, M. Th.: A closed-form equation for predicting the hydraulic conductivity of  
2unsaturated soils, *Soil Sci. Soc. Am. J.*, 44, 892–898, 1980.
- 3Vereecken, H., Maes, J., Feyen, J., and Darius, P.: Estimating the soil moisture retention  
4characteristic from texture, bulk density and carbon content, *Soil Science*, 148, 389-403,  
51989.
- 6Vischel, T., Pegram, G., Sinclair, S., and Parak, M.: Implementation of the TOPKAPI model  
7in South Africa: Initial results from the Liebenbergsvlei catchment, *Water SA*, 34, 1–12,  
82008a.
- 9Vischel, T., Pegram, G. G. S., Sinclair, S., Wagner, W., and Bartsch, A.: Comparison of soil  
10moisture fields estimated by catchment modelling and remote sensing: a case study in South  
11Africa, *Hydrology and Earth System Sciences*, 12, 751–767, 2008b.
- 12Voltz, M., Lagacherie, P., and Louchart, X.: Predicting soil properties over a region using  
13sample information from a mapped reference area, *European Journal of Soil Science*, 48, 19–  
1430, 1997.
- 15Wagener, T., Sivapalan, M., Troch, P., and Woods, R.: Catchment classification and  
16hydrologic similarity, *Geography Compass*, 1, 901-931, 2007.
- 17Wang, J., Rich, P. M., Price, K. P., and Kettle, W. D.: Relations between NDVI and tree  
18productivity in the central great plains, *Int. J. Remote Sensing*, 25, 3127–3138, 2004.
- 19Wilson, J. P., and Gallant, J. C.: *Terrain analysis. Principles and applications*, John Wiley &  
20Sons, New York, 2000.
- 21Wösten, J. H. M., Lilly, A., Nemes, A., and Le Bas, C.: Using existing soil data to derive  
22hydraulic parameters for simulation models in environmental studies and in land use planning  
23- Final report on the European union funded project 1998, DLO Winand Staring Centre,  
24Wageningen, The Netherlands, Rep. 156, 106 pp., 1998.
- 25WRB, IUSS Working Group: *World reference base for soil resources 2006 - A framework for*  
26*international classification, correlation and communication*, 2, *World Soil Resources Reports*  
27No. 103, FAO, Rome, 2006.
- 28Zheng, D., Hunt, E. R., and Running, S. W.: Comparison of available soil water capacity  
29estimated from topography and soil series information, *Landscape Ecology*, 11, 3 –14, 1996.