Hydrol. Earth Syst. Sci. Discuss., 9, C3605–C3606, 2012

www.hydrol-earth-syst-sci-discuss.net/9/C3605/2012/ © Author(s) 2012. This work is distributed under the Creative Commons Attribute 3.0 License.



Interactive comment on "Impact of climate change and anthropogenic activities on stream flow and sediment discharge in the Wei River basin, China" by P. Gao et al.

P. Gao et al.

xmmu@ms.iswc.ac.cn

Received and published: 7 August 2012

We are grateful for your comments and changed the text in the manuscript due to your considerations.

(1) We included a justification for the selection of the flood season into the introduction (see as well tab. 3 in the manuscript). Most of the runoff in the Loess Plateau is generated by excess rain, which occurs during the many short-duration, high-intensity rainstorms in the flood season. And several studies indicate that a few intensive rainstorms in this time of the year produce most of the runoff and sediment. The sediment

C3605

discharge in the flood season accounted for nearly 90% of the total sediment for the year in the Wei River (Chen, 1996; Zhu, et al., 2008).

(2) We agree that it is important to include air temperature analysis. We included a chapter into the manuscript.

(3) The justification and additional background of the double mass curve method and change point determination was added into the text of the manuscript.

Reference:

Chen X. D.: The Yellow River Hydrology, The Yellow River Water Conservancy Press, Zhengzhou, China, 521 pp., 1996.

Zhu H. F., Kang M. Y., Zhao W. W., and Guo W. W.: Effect of human activities on flood season runoff in water and soil conservation region, Advances in Water Science, (3): 400-406, 2008.

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 9, 3933, 2012.