

Supplement of

Human amplified changes in precipitation-runoff patterns in large river basins of the Midwestern United States

Sara A. Kelly et al.

Correspondence to: Sara A. Kelly (sara.kelly@aggiemail.usu.edu)




Figure S1: Field land use and tile arrangement before (1937) and after (1952) tile installation (1948) near Mapleton, MN (adapted from Burns, 1954); aerial photograph flown in spring 2013 shows the modern tile pattern remains relatively unchanged with a corn-soybean crop rotation (2009–2010), from the Cropland Data Layer.




Figure S2. Seasonally averaged long term daily precipitation means (1981-2010) across the Upper Midwest: spring (MAM), summer (JJA), autumn (SON), and winter (DJF); USGS gage locations (Table 1) indicated by open triangles.

Comparison of monthly precipitation total (cm month^{-1}) from PRISM (used in this study) and Livneh et al. (2013) (L13) for each watershed (Figure S3). If PRISM and L13 precipitation were equivalent in every month, then all points would plot on the 1:1 line. On average (1935-2011) the difference between the two monthly precipitation datasets is 1% for each study watershed.




Figure S3. Spatially averaged, total monthly (cm m^{-1}) precipitation (1935-2011) for each watershed from PRISM (y-axis) and Livneh et al. 2013 (x-axis) plotted with 1:1 line.

Figure S4 shows a comparison of monthly (March-November during 2001-2011) ET_a estimates produced by Livneh et al. (2013) (L13) with ET_p estimates (available from: http://agwx.soils.wisc.edu/uwex_agwx/sun_water/et_wimn) produced following the methods of Diak et al. (1998) (D98) for a location in the MRB (44 N, 94 W) and the CRB (45.2 N, 91.6 W). On average, the estimates of ET_a are 19% (raw) and 26% (17% reduction in JJA ET_a) lower than estimates of ET_p in the MRB, and 16% (raw) and 24% (17% reduction in JJA ET_a) lower than estimates of ET_p in the CRB.




Figure S4. Monthly (March-November) average daily (mm d^{-1}) estimates of ET_p following methods of Diak et al., 1998 versus estimates of ET_a from Livneh et al., 2013 during 2001-2011.

Figure S5 shows average monthly ET_a from Livneh et al. (2013) compared against four AmeriFlux sites near the study watersheds (Table 2) as well as data from Bryan et al. (2015). In general, the L13 data show an earlier peak in ET_a for the cropland sites in Rosemount, MN and Bondville, IL, and overestimate average annual ET_a by 17% (raw) and 7% (17% reduction in JJA) for Bondville and 14% (raw) and 5% (17% reduction in JJA) for Rosemount. The L13 data overestimate ET_a at Willow Creek, WI (broadleaf deciduous forest) by as much as 31% (raw) and 19% (17% reduction in JJA) annually, and underestimate ET_a at Brookings, SD (grassland) by 29% (raw) and 34% (17% reduction in JJA) annually.




Figure S5. Average monthly evapotranspiration rate (mm d^{-1}) at four AmeriFlux sites (see Table 2) compared to modeled evapotranspiration rates used in this study (L13 & L13-JJA) and Bryan et al. 2015.

Table S1. Resulting p-values of 572 statistical tests (t-test and KS-test) comparing pre-period and post-period flow and precipitation based on the 1974/1975, piecewise linear regression (PwLR), and land cover transition (LCT) breakpoints for each basin (Table 3). P-values are highlighted based on their significance: bolded values are p-values with 95% confidence level or greater, grey values are p-values with less than a 95% confidence level, and black values are p-values where significance depends on the breakpoint. Italicized grey values reported for the CRB are not reliable because the post-period includes fewer than 10 years of data.

		Flow: t-test			Flow: KS-test			Precipitation: t-test			Precipitation: KS-test		
		74/75	PwLR	LCT	74/75	PwLR	LCT	74/75	PwLR	LCT	74/75	PwLR	LCT
CRB	January	0.341	0.893	0.846	0.653	0.958	0.902	0.278	0.097	0.214	0.223	0.050	0.082
	February	0.372	0.680	0.851	0.449	0.878	0.953	0.337	0.039	0.309	0.446	0.071	0.367
	March	0.566	0.871	0.525	0.219	0.749	0.205	0.188	0.369	0.574	0.234	0.348	0.700
	April	0.468	0.267	0.719	0.506	0.152	0.416	0.192	0.277	0.258	0.169	0.308	0.575
	May	0.826	0.485	0.264	0.482	0.311	0.622	0.933	0.374	0.187	0.906	0.697	0.445
	June	0.900	0.552	0.211	0.908	0.628	0.142	0.833	0.434	0.117	0.945	0.587	0.246
	July	0.706	0.775	0.308	0.584	0.893	0.606	0.463	0.609	0.358	0.567	0.794	0.360
	August	0.174	0.508	0.364	0.354	0.450	0.200	0.496	0.945	0.769	0.760	1.000	0.856
	September	0.517	0.990	0.723	0.357	0.958	0.654	0.286	0.912	0.752	0.657	0.925	0.654
	October	0.103	0.778	0.593	0.110	0.887	0.817	0.022	0.026	0.304	0.097	0.073	0.423
	November	0.240	0.894	0.713	0.337	0.887	0.902	0.510	0.905	0.806	0.375	0.944	0.874
	December	0.263	0.973	0.806	0.387	0.971	0.931	0.380	0.135	0.062	0.337	0.175	0.045
	Annual	0.499	0.793	0.340	0.721	0.918	0.291	0.243	0.571	0.295	0.246	0.764	0.614
IRB	January	0.123	0.030	0.092	0.136	0.079	0.265	0.543	0.250	0.529	0.454	0.425	0.211
	February	0.355	0.082	0.184	0.353	0.043	0.216	0.224	0.108	0.764	0.433	0.359	0.899
	March	0.035	0.062	0.045	0.104	0.114	0.099	0.649	0.777	0.619	0.619	0.836	0.828
	April	0.174	0.438	0.158	0.335	0.479	0.353	0.780	0.832	0.588	0.883	0.947	0.638
	May	0.182	0.344	0.155	0.126	0.398	0.161	0.212	0.113	0.326	0.063	0.063	0.138
	June	0.105	0.077	0.280	0.082	0.071	0.117	0.798	0.742	0.845	0.811	0.643	0.954
	July	0.451	0.411	0.525	0.518	0.436	0.614	0.453	0.585	0.214	0.585	0.519	0.443
	August	0.090	0.249	0.212	0.181	0.508	0.259	0.054	0.408	0.257	0.037	0.475	0.108
	September	0.004	0.062	0.009	0.003	0.111	0.041	0.511	0.465	0.118	0.685	0.728	0.113
	October	0.074	0.147	0.065	0.082	0.139	0.142	0.142	0.072	0.363	0.113	0.143	0.378
	November	0.034	0.007	0.041	0.075	0.008	0.074	0.023	0.004	0.109	0.053	0.013	0.045
	December	0.021	0.011	0.010	0.040	0.019	0.022	0.122	0.081	0.039	0.136	0.203	0.050
	Annual	0.011	0.019	0.017	0.012	0.018	0.020	0.086	0.075	0.085	0.117	0.141	0.183
MRB	January	0.000	0.000	0.000	0.001	0.000	0.000	0.096	0.520	0.182	0.369	0.672	0.338
	February	0.000	0.000	0.000	0.002	0.000	0.000	0.722	0.842	0.659	0.540	0.938	0.604
	March	0.007	0.005	0.002	0.089	0.055	0.074	0.017	0.394	0.060	0.107	0.515	0.148
	April	0.041	0.039	0.016	0.011	0.034	0.003	0.159	0.164	0.239	0.489	0.344	0.684
	May	0.000	0.001	0.000	0.001	0.001	0.001	0.716	0.366	0.469	0.807	0.657	0.636
	June	0.000	0.000	0.000	0.000	0.000	0.000	0.500	0.957	0.418	0.807	0.879	0.677
	July	0.002	0.007	0.000	0.021	0.020	0.003	0.300	0.107	0.151	0.351	0.230	0.223
	August	0.008	0.012	0.000	0.017	0.040	0.001	0.239	0.641	0.133	0.097	0.806	0.064
	September	0.017	0.062	0.001	0.106	0.225	0.015	0.224	0.077	0.242	0.334	0.112	0.261

	October	0.002	0.001	0.000	0.012	0.007	0.002	0.082	0.015	0.029	0.115	0.088	0.116
	November	0.001	0.000	0.000	0.006	0.000	0.001	0.262	0.418	0.380	0.260	0.519	0.445
	December	0.000	0.000	0.000	0.002	0.000	0.000	0.435	0.138	0.385	0.608	0.457	0.413
	Annual	0.000	0.000	0.000	0.001	0.001	0.000	0.033	0.072	0.011	0.098	0.199	0.051
RRB	January	0.000	0.000	0.005	0.005	0.000	0.013	0.117	0.169	0.412	0.112	0.105	0.368
	February	0.000	0.000	0.016	0.003	0.000	0.034	0.155	0.321	0.050	0.246	0.326	0.183
	March	0.006	0.012	0.171	0.011	0.005	0.217	0.050	0.108	0.021	0.062	0.247	0.054
	April	0.069	0.079	0.036	0.105	0.102	0.115	0.981	0.902	0.619	0.974	0.823	0.574
	May	0.016	0.003	0.004	0.059	0.013	0.014	0.321	0.039	0.046	0.312	0.129	0.186
	June	0.015	0.000	0.001	0.038	0.002	0.001	0.170	0.138	0.351	0.105	0.032	0.569
	July	0.000	0.000	0.001	0.001	0.000	0.005	0.288	0.251	0.886	0.244	0.418	0.943
	August	0.000	0.000	0.013	0.000	0.000	0.043	0.687	0.551	0.681	0.598	0.650	0.786
	September	0.002	0.000	0.024	0.002	0.000	0.084	0.094	0.036	0.047	0.009	0.013	0.081
	October	0.003	0.000	0.010	0.003	0.002	0.053	0.010	0.015	0.002	0.011	0.003	0.004
	November	0.000	0.000	0.001	0.000	0.000	0.003	0.409	0.560	0.918	0.270	0.341	0.943
	December	0.000	0.000	0.000	0.001	0.000	0.013	0.487	0.058	0.000	0.639	0.071	0.002
	Annual	0.000	0.000	0.000	0.000	0.000	0.005	0.019	0.004	0.009	0.010	0.008	0.027