Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2017-116-AC7, 2017 © Author(s) 2017. This work is distributed under the Creative Commons Attribution 3.0 License.



**HESSD** 

Interactive comment

## Interactive comment on "Minimum forest cover for sustainable water flow regulation in a watershed under rapid expansion of oil palm and rubber plantations" by Suria Tarigan et al.

Suria Tarigan et al.

suriatarigan2014@gmail.com

Received and published: 30 July 2017

There are at least two approaches to construct relation between the proportion of the land use/cover and the hydrological characteristics in a watershed scale, namely empirical and distributed hydrological model approaches. Empirical approach requires long-term discharge data for each of the 48 sub-watersheds in our study area. These data are lacking particularly in our study area. The distributed hydrological model approach uses sets of physical-hydrological laws and collected bio-physical parameters such as soil, topography and land use/cover for model inputs. We used the hydrological model approach in our study. We validated the model results following standard proce-

Printer-friendly version

Discussion paper



dures for the calibration and validation processes of the SWAT hydrological model. In addition, we also carried out some field experiment and data collection to validate the C and BFI values as it was explained in the manuscript.

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2017-116, 2017.

## **HESSD**

Interactive comment

Printer-friendly version

Discussion paper

