

1 **Estimating long-term groundwater storage and its controlling factors in cold**
2 **regions**

3

4 *Soumendra N. Bhanja¹, Xiaokun Zhang², Junye Wang¹*


5

6 ¹Athabasca River Basin Research Institute (ARBRI), Athabasca University, 1 University Drive,
7 Athabasca, Alberta T9S 3A3, Canada

8 ²School of Computing & Information System, Athabasca University, 1 University Drive,
9 Athabasca, Alberta T9S 3A3, Canada


10 *Corresponding author: Junye Wang (junyew@athabascau.ca)

11



12

13 Figure S1: Maps of annual GWSA+SWA (i.e. after removing SMA and SNA from TWSA) from
 14 GRACE-MS estimates



15

16 Figure S2: Maps of annual GWSA+SWA (i.e. after removing SMA and SNA from TWSA) from
 17 GRACE-SH estimates

18 Table S1: Land cover percentages within major river basins in Alberta

Basin nos	1	2	3	4	5	6	7	8	9	10	11
Water	1.9	2.7	2.1	0.8	0.4	0.6	0.9	0.4	0.2	0.4	4.2
Forest	83.1	78.8	83.1	32.5	0.4	9.2	26.4	13.0	0.3	0.6	68.0
Shrubland	4.0	0.9	0.3	0.4	0.0	0.1	0.4	0.0	0.0	0.0	0.0
Savanna	6.0	2.9	1.3	1.0	0.1	0.4	1.2	0.2	0.1	0.1	1.5
Grassland	1.1	1.8	3.3	6.8	14.6	27.8	29.2	24.9	72.6	71.7	0.6

Permanent wetland	3.6	1.0	0.8	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.5
Cropland	0.2	11.8	9.1	57.5	84.3	61.8	40.2	61.1	26.5	27.1	25.1
Urban built up	0.0	0.0	0.1	0.7	0.1	0.1	1.7	0.3	0.2	0.0	0.1

19

20 Table S2: Specific yields of different aquifer materials (based on Morris and Johnson, 1967;
 21 Todd and Mays, 2005)

Aquifer materials	Specific Yield (%)
Gravel, coarse	21
Gravel, medium	24
Gravel, fine	25
Sand, coarse	27
Sand, medium	26
Sand, fine	21
Silt	8
Clay	3
Sandstone, fine grained	21
Sandstone, medium grained	27
Limestone	14
Dune sand	38
Loess	18
Peat	44
Schist	26
Siltstone	12
Till, predominantly silt	6

Till, predominantly sand	16
Till, predominantly gravel	16
Tuff	21
Sand	25
Sandstone	24
Gravel	23
Till	13
Sandy clay	3
Sandy silt	16
Sandy gravel	25
Gravelly sand	25
Clay and gravel	5
Silty sand	20
Sandy silt and clay	3
Clayey gravel	7
Clay sand	8
Clay silt	5
Silty clay	2
Shale	2

22

23 Table S3: Specific storage values for an aquifer material (based on Domenico and Mifflin, 1965;
 24 Batu, 1998)

Aquifer materials	Specific storage mean (m⁻¹)
Plastic clay	0.0023

Stiff clay	0.00192
Medium hard clay	0.0011
Loose sand	0.00076
Dense sand	0.00017
Dense sandy gravel	7.6E-05
Rock, fissured	3.6E-05
Rock, sound	1.6E-06
Sand and gravel	0.0001
Shale	0.00003
Sandstone	0.00003
Gravel	0.00007
Till	0.00007
Sand and till	0.0001
Sand and silt	0.0007
Sand and clay	0.001
Shale and gravel	0.00003
Cleyey sand and gravel	0.0004
Sand	0.0002
Coarse sand	0.0007

25

26 Table S4: Correlation analysis between precipitation and GWSA_{obs} (no lag, 1 month lag and 2
27 months lag)

BASIN ID	R	R	R
	NO LAG	1 MONTH LAG	2 MONTHS LAG
1	0.92	0.93	0.94
2	0.35	0.28	0.22
3	-0.30	-0.33	-0.36

4	-0.62	-0.59	-0.56
5	-0.32	-0.28	-0.24
6	-0.67	-0.65	-0.63
7	0.36	0.39	0.43
8	-0.23	-0.24	-0.25
9	-0.18	-0.19	-0.19
10	0.67	0.70	0.73
11	-0.41	-0.37	-0.32

28

29 Batu, V. Aquifer Hydraulics: A Comprehensive Guide to Hydrogeologic Data Analysis, John
30 Wiley & Sons, New York, 727p, 1998.

31 Domenico, P. A. and Mifflin, M. D. Water from low-permeability sediments and land
32 subsidence. Water Resources Research, 1, 563-576, 1965.

33 Morris, D. A. and Johnson, A. I. Summary of hydrologic and physical properties of rock and soil
34 materials, as analyzed by the hydrologic laboratory of the US Geological Survey, 1948-60 (No.
35 1839-D). US Govt. Print. Off., 1967.

36 Todd D. K. and Mays L. W. Groundwater hydrology. 3rd edition, John Wiley & Sons, NJ, pp.
37 636, 2005.

38

39