Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2018-202
Manuscript under review for journal Hydrol. Earth Syst. Sci.
Discussion started: 24 April 2018

Hydrology and Earth System Sciences
Open Access
Discussions

Characterizing the Potential for Drought Action from Combined Hydrological and Societal Perspectives

Erin Towler[1], Heather Lazrus[1], Debasish PaiMazumder[1,2]
[1] National Center for Atmospheric Research, P.O. Box 3000, Boulder CO 80307-3000
[2] AIG, American International Group, Cat Management & Analytics Center of Excellence, Philadelphia, PA

Correspondence to: Erin Towler (towler@ucar.edu)

Abstract

Drought is a function of both natural and human influences, but fully characterizing the interactions between human and natural influences on drought remains challenging. To better characterize parts of the drought feedback loop, this study combines hydrological and societal perspectives to characterize and quantify the potential for drought action. For the hydrological perspective, we examine historical groundwater data, from which we determine the decadal likelihoods of exceeding hydrologic thresholds relevant to different water uses. Stakeholder interviews yield data about how people rate the importance of water for different water uses. We combine these to quantify the Potential Drought Action Index (PDAI). The PDAI is demonstrated for a study site in south-central Oklahoma, where water availability is highly influenced by drought and management of water resources is contested by local stakeholders. For the hydrological perspective, we find that the historical decadal likelihood of exceedance for a moderate threshold associated with municipal supply has ranged widely: from 23% to 75%, which corresponds well with natural drought variability in the region. For the societal perspective, stakeholder interviews reveal that people value water differently for various uses. Combining this information into the PDAI illustrates that potential drought action increases as the hydrologic threshold is exceeded more often; this occurs as conditions get drier and when water use thresholds are more moderate. The PDAI also shows that for water uses where stakeholders have diverse views of importance, the PDAI will be diverse as well, and this is exacerbated under drier conditions. The variability in stakeholder views of importance is partially explained by stakeholders' cultural worldviews, pointing to some implications for managing water when drought risks threaten. We discuss how the results can be used to reduce potential disagreement among stakeholders and promote sustainable water management, which is particularly important for planning under increasing drought.

Key words
Drought feedbacks, hydrologic drought, climate variability, social perception, cultural worldviews, water management

1. Introduction

Drought can pose significant challenges to meeting the water needs of society and ecosystems, which has led to increased interest in understanding and managing drought risk now and into the future (e.g., Georgakakos et al. 2014). There are many definitions of drought, with the classic definitions including meteorological, hydrological, agricultural, and socioeconomic (Wilhite and Glantz 1985). Similarly, many different drought indices have been developed (Mishra and Singh 2010). The main driver of drought in most definitions and indices of drought is natural climate variability (Van Loon 2016a), which is where efforts to improve prediction and modeling have focused (see Mishra and Singh 2011 and references therein). Even with advances in drought prediction, drought remains one of the most expensive hazards affecting the US (NCDC 2015), reinforcing the idea that social factors must also be considered for drought planning (Wilhite and Buchanan-Smith 2005).

The need for more proactive drought planning has led to increased interest in the development of drought management plans (e.g., Wilhite et al. 2005, Knutson et al. 1998), including work to identify action triggers (Steinemann and Hayes 2005; Steinemann and Cavalcanti 2006). Further, the need to better link drought indices with impacts has been recognized (Bachmair et al. 2016). Frameworks to link drought indicators directly with impacts are emerging (Bachmair et al. 2016; Stagge et al. 2015 ; Towler and Lazrus 2016), though there is still a need for more systematic monitoring (Lackstrom et al. 2013). Ostrom (1990) found that assessments that can account for how people value, perceive, and make decisions about resources such as water, particularly when water is scarce, are critical for guiding policies that meet management goals and stakeholder needs, and thus promote sustainable management of water resources. Dessai and Sims (2010) explored public perceptions of drought and climate change to understand barriers to action and paths towards sustainable management. Lazrus (2016) examined how stakeholders perceive drought and how drought intersects with their cultural processes.

Recent work has highlighted how the natural and human causes of drought are intertwined, and that researchers must consider both in any examination of drought (Van Loon 2016a). This general notion has been echoed in the hydrologic science literature (Wagener et al. 2010), as well as the natural hazard (Jones and Preston 2011) and climate change literature (Oppenheimer et al. 2014). This has also motivated the new science of socio-hydrology, which explores the dynamics and co-evolution of human and water systems (Sivapalan 2012). Van Loon et al. (2016b) describe a new framework that explicitly acknowledges the human dimension of drought. They outline several research gaps, including a gap in our understanding of the human feedbacks on drought.

Understanding human feedbacks on drought is important, but has not been well studied, partially because of its complexity and potential for nonlinear feedbacks (Van Loon et al. 2016b). Drought feedbacks can be influenced by many factors, for example, through science and technology (Polsky and Cash 2005), historical lessons learned (McLeman et al. 2014), and management strategies (Maggioni 2015). Further, feedbacks may be positive, i.e., the drought is made worse, or negative, the drought condition is alleviated (Pulwarty 2003). In addition, these interactions and feedbacks can result in changing the normal drought reference baseline (Van Loon et al. 2016b). However, fully characterizing the feedback loops between human and natural influences on drought remains challenging.

The goal of this paper is to provide an experimental methodology towards a better characterization of several components of the drought feedback loop. To this end, we develop an index to characterize how natural influences on drought inform *potential* human actions on drought. We use the term "potential", since in this study, we do not have the data to validate whether or not human actions were actually taken as a result of these natural drought influences. In this investigation, we characterize the natural influences by taking a hydrological perspective on drought (Van Loon et al. 2016b); specifically, we examine the exceedance of relevant thresholds from historical hydrologic data. For the societal perspective, we examine stakeholder input from interviews, specifically how stakeholders rated the importance of water for different uses. In our attempt to better characterize the potential for drought action, we combine the data from the hydrological and societal perspectives, developing a new, derivative product that we call the Potential Drought Action Index (PDAI). Here, by "action", we generally mean some effort towards drought mitigation. Though the PDAI can't be directly validated, we are able to interpret the findings to provide insights to water management policy using additional interview data on stakeholder worldviews and social science theory.

We demonstrate the PDAI through a place-based assessment of drought risk in south-central Oklahoma, where water availability is highly influenced by drought and management of water resources is contested by local stakeholders; we provide some background and describe this study site in section 2. Section 3 outlines the methodology: sections 3.1 and 3.2 outline the details of the methods used to assess the hydrological and social perspectives, respectively. Details about how the PDAI is developed is provided in section 3.3. In section 3.4, we describe additional interview data on the stakeholder worldviews and provide an overview of the social science theory. Results for our study site are shown in section 4.

2. Background and Study Site

The goal of this paper is to gain insights into the potential for human action on drought, and one suggested way to do this is to study a particular water system in detail (Sivapalan 2012). As such, the PDAI is developed and demonstrated for the Arbuckle-Simpson Aquifer (ASA), a groundwater resource that underlies an area of about 520 square miles (1350 square kilometers) in south-central Oklahoma, Climate Division 8. The ASA provides water for municipal supply, ranching, and mining, and is also the source of local springs and streams that support wildlife, recreation, and tourism. Drought is part of the region's history (Silvis et al. 2014), and the ASA is recharged by rainfall, thus making it susceptible to climate variability and change. The ASA has been the center of a water management dispute that arose in 2002 when landowners began negotiations to sell their groundwater to an area outside of the ASA, near Oklahoma City. The landowners' actions were quickly contested by a local environmental group, the Citizens for the Protection of the Arbuckle-Simpson Aquifer (CPASA; Shriver and Peaden 2009; Lazrus 2016), which led to a moratorium in 2003 that suspended any activities to remove water from the basin until a hydrological study could be conducted. The study was completed in 2011 (Christenson et al. 2011), and led to a ruling that reduced the amount of water that could be removed from the aquifer annually by an order of magnitude. This further exacerbated the tensions between the landowners who see the decision as an encroachment on their individual property rights, and CPASA and other community members who see the reduction as a way to protect local water resources (Lazrus 2016). The ASA's susceptibility to drought, as well as its diverse community and contentious management issues, make it an ideal site for exploring the potential for feedback on drought.

In this paper, we explicitly combine hydrological and societal perspectives, but historically, these two perspectives would likely be examined in isolation. In fact, this work builds upon and extends two previous studies that focused on the same ASA case study, but were disciplinary in nature: Lazrus (2016) and Towler and Lazrus (2016). Lazrus (2016) describes results of stakeholder interviews collected for the ASA; it offers an anthropological lens through which to examine how stakeholders perceive drought and how those perceptions intersect with their cultural processes. Lazrus (2016) was motivated by the hydrological context of the ASA, but did not engage directly with any quantitative meteorological or hydrological analysis. On the other hand, Towler and Lazrus (2016) take a hydrological perspective, developing a generalized framework that links meteorological drought indices with hydrologic threshold exceedances that are relevant to ASA stakeholders. To identify some of the hydrological thresholds and provide social context, Towler and Lazrus (2016) draw on qualitative insights gathered from the interviews, but do not directly incorporate any of the quantitative interview results into the analysis. In this paper, we extend these two studies to offer a novel, quantitative, interdisciplinary approach, that results in a derivative product, adding value to the preceding studies. Although the PDAI is experimental, conducting this type of study is critical, given the grand challenge of engaging in interdisciplinary research at the climate-water-society interface (McNeeley et al. 2011).

3. Methodology

Figure 1 provides the conceptual overview of the study methodology. In this study, we combine a hydrological perspective using historical hydrological data (section 3.1) with a societal perspective using data from the aforementioned stakeholder interviews (Lazrus 2016; Section 3.2) to quantify the Potential Drought Action Index (PDAI; section 3.3). In Section 3.4, we further examine the data from the interviews, examining stakeholder worldviews using social science theory.

3.1 Hydrologic Perspective: Threshold Exceedance

To characterize natural influences on drought, we examine drought from a hydrological perspective. Taking a hydrological, rather than meteorological, perspective is advocated by Van Loon et al (2016b), given the closer connection of surface water and groundwater with societal use and management. Here, we use a groundwater (GW) well that has relevance to the community (Towler and Lazrus 2016), has a long available record, and is monitored by water managers in the community: the USGS Fittstown well (USGS 343457096404501). We use data from the beginning of the GW monitoring record through the year the interviews were conducted: 1959-2012. Details of this dataset can be found in Towler and Lazrus (2016).

To connect the hydrologic perspective with human action, we examine the historical groundwater data in terms of decision relevant thresholds (Jones 2001). From Towler and

Lazrus (2016), we identify two thresholds relevant to water uses asked about in the interviews (see section 3.2). The first threshold is called a "moderate" threshold: This is a groundwater level of 111 feet below the surface, which is decision relevant because it is when the aquifer begins to be closely monitored because of potential impacts to municipal supply. The second threshold is the "severe" threshold: this is when the groundwater level lowers further, to 117 feet below the surface, which is the level at which artesian springs in the area stop flowing, affecting uses such as wildlife and recreation.

To quantify the threshold exceedance, we calculate the percent frequency of exceedance[1] for each threshold in the historical record. Specifically, we calculate the number of months during each 10-year running window that the threshold was exceeded across the available record; i.e., for 1959-1968, 1960-1969, etc., all the way to 2003-2012. Henceforth, we refer to this as the decadal likelihood.

3.2. Social Perspective: Stakeholder Importance Ratings

To understand how community members in the ASA region might respond to natural influences drought, we use stakeholder interview data from a previous investigation (Lazrus 2016). Stakeholder interviews (n=38) were conducted in the summer of 2012, following a significant drought in 2011. Interviewee selection followed a targeted snowball sampling strategy whereby interviewees were selected based on their involvement in the ASA water management negotiations, their dependence on or engagement with water resources – for example, in ranching or recreation operations – and recommendations from other interviewees.

For this study, the key question examined was how people perceive the importance of water for various uses. We make the assumption that the more important water is perceived to be for a particular use, the greater the potential will be for taking action - in this case, conserving water for that use.

To understand the importance of water for various uses, interviewees were asked how important (on a Likert scale of 1-5, 5 being very important) water resources are in their community for: a) People's livelihoods, b) Recreational activities, c) Spiritual fulfillment, d) Cultural practices, e) Habitat for plants and animals, and f) Availability of drinking water. Data from these questions was used directly and called "importance ratings", which were integrated into the PDAI (see section 3.3).

3.3. Creating the Potential Drought Action Index (PDAI)

We express the PDAI as a function, *f*, of the decadal likelihood of exceeding the hydrologic threshold (P(GW<y)) and the importance ratings (Importance):

$$\text{PDAI} = f(\text{P(GW}<y), \text{Importance})$$

Here, we define *f* as the product (i.e., multiplication) of the two explanatory terms:

$$\text{PDAI} = \text{P(GW}<y) \times \text{Importance}$$

Although different *f*'s could be explored in different contexts, using a product to create a new index is based on a frequently used definition of risk, which combines the likelihood of an event and its consequence (Jones and Preston 2011).

---

[1] We note that groundwater threshold levels are negative; so here we define "exceedance" as going below (more negative) than the threshold.

Here, P(GW<y) is the decadal likelihood of exceeding a particular threshold (e.g., moderate or severe), per section 3.2. This is multiplied by the importance of water for a particular use, which is directly derived from the stakeholder ratings (section 3.1). Essentially, the importance ratings are used as a weight function to modulate the likelihood of exceedance.

3.4. Social Perspective: Stakeholder Worldviews

We are also interested in exploring *why* people perceive the importance of water for various uses differently. For this, we again interrogate the interview data using a social science theory called The Cultural Theory of Risk (CTR; Douglas 1966; McNeeley and Lazrus 2014). According to CTR, people hold different cultural worldviews about how society should be organized and how society and nature should interact. CTR predicts that people will perceive risks and consequences from hazards when their worldview is challenged. According to this understanding, perceptions are as much about social organization as they are about the physical hazard. Their worldview will also guide their preference for different risk management strategies, or in this case drought actions, making it relevant to our PDAI results. Two of the worldviews described by CTR are individualism and egalitarianism. These represent idealized categories and are useful heuristics, but in reality, people may adhere to some elements of the cultural worldviews more than others. People with individualist views favor weak social bonds and have little need for social structure, preferring individual competition and market-based transaction strategies. For them, nature is a bountiful resource robust to human uses and therefore may not need to be managed for conservation. People with egalitarian views favor strong social bonds and collective decision-making processes. For them, nature is fragile and easily impacted by humans and so must be carefully managed to avoid catastrophe (Thompson et al. 1990). By identifying the cultural processes that lead people to recognize risks and perceive consequences, CTR also helps to diagnose why disagreements arises over risk management; that is, disagreements may arise between constituent groups holding different worldviews when management strategies do not reflect elements of each constituent's predominant worldview (Verweij et al. 2006).

To this end, we examined how peoples' importance ratings from section 3.2 were related to their worldviews. If so, it would help us to understand how the PDAI could be operationalized – that is, might people respond more favorably to water management strategies that reflected their own management preferences based on their cultural worldviews? For the CTR, interview questions about worldview used previously tested measures for individualism and egalitarianism developed by Smith and Leiserowitz (2014) as well as additional questions informed by CTR that reflected the particular water management context of the ASA. These questions asked people whether they strongly agreed, agreed, neither agreed nor disagreed, disagreed, or strongly disagreed (on a 5 point Likert scale) to a series of statements. Responses were summed for each interviewee to determine a value for individualism or egalitarianism. Follow-up open-ended questions allowed interviewees to elaborate on their worldview preferences and importance ratings.

4. Results

Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2018-202
Manuscript under review for journal Hydrol. Earth Syst. Sci.
Discussion started: 24 April 2018

4.1. Threshold Exceedance Likelihood

Figure 2 shows the historical monthly groundwater time series, including the moderate threshold (111 feet below the surface) and severe threshold (117 feet below the surface) introduced in Section 3.2. The decadal likelihood of exceedance is calculated as the number of months during the 10-year running window that the groundwater level went below a particular threshold. Figure 3 shows the decadal likelihood for the moderate and severe threshold. As expected, the higher the threshold, the higher the likelihood of exceedence (i.e., a moderate threshold is exceeded more often than the severe threshold). Further, the likelihoods are correlated (r=.94). We also point out the very close association between the hydrologic threshold exceedance likelihoods and select drought indices for the region (i.e., Oklahoma south-central climate division 8): Table 1 shows that for meteorological, agricultural, and hydrological drought indices, for which 10-year running averages were also calculated, the correlations with the moderate threshold exceedance is >-.9 and with the severe threshold is >-.8. This underscores the notion that for this case study, the hydrological perspective is a good indicator of the natural influences on drought. This is the case because currently, groundwater use in the area is low (Christenson et al., 2011); however, we note that that this may not be the case for other groundwater aquifers that are more affected by human extraction (e.g., Tarhule and Bergey 2006). This point is further discussed in the Conclusions.

Table 2 shows the exceedance likelihoods of select decades from the historical record for both moderate and severe. Arguably the most relevant decade is the one most recent to when the interviews were conducted: 2003-2012. For 2003-2012, the moderate threshold was exceeded 61% of the time. In the next most recent decades, the exceedance likelihood decreased to 35% (1983-1992) and 31% (1993-2002). Given the close association with drought (Table 1), this suggests that in the decades of the last 30-years, stakeholders experienced relatively dry (2003-2012), relatively average (1983-1992), and relatively wet (1993-2002) decades; these are referred to as the “dry/recent”, “average/recent”, and “wet/recent” decades, respectively. To put into context, for the moderate threshold, the decade with the lowest exceedance likelihood was 23% (1985-1994), which we call the “very wet” decade, and highest exceedance was 75% (1959-1968), or “very dry” decade. Results follow similar patterns for the severe threshold (Table 2).

4.2. Stakeholder Importance Ratings

Stakeholder interviews reveal that there is more consensus on the importance of water for some water uses than others (Figure 4). On average, water was deemed most important for drinking water, followed closely by habitat for wildlife, and supporting livelihoods. The importance of water for these uses was similar for most stakeholders interviewed, as evident by the tightness of the box plot (Figure 4). On the other hand, there was a spread in responses for recreation, cultural practices, and spiritual fulfillment. Some of the spread in responses on these measures may be due to how interviewees interpreted the water uses (Lazrus 2016).

The spread in responses indicates that different stakeholders place different levels of importance on some water uses, such as water for recreation which shows a broader spread than water for drinking water, habitat, or livelihood. For example, one interviewee underscored the importance of water, describing that “Murray County is one of the top tourist attractions with Arbuckle Lake and Chickasaw National Recreation area. So water is the absolute key" (Interview 1). demonstrating a very different perspective, another interviewee noted that "Recreation and water are not critical to me. I mean in this part of the world, they don't necessarily go hand-in-hand because it's a relatively dry place, and there are not that many places to really go and play in the water" (Interview 5).

4.3 Potential Drought Action Index (PDAI)

To calculate the PDAI, we take the product of the decadal likelihood of exceeding a threshold relevant for a water use (section 4.1) and the importance ratings for a water use (section 4.2). To demonstrate the PDAI, we examine two different water uses: drinking water and recreation.

First, we focus on drinking water, which is an example of a water use which exhibited more consensus among interviewees (Figure 4). For drinking water, to calculate the PDAI, we use the moderate threshold, since this is the threshold at which municipal supply is monitored (see Section 3.1). Figure 5 shows the PDAI for drinking water for the different drought conditions (e.g., wet/recent, dry/recent, etc) from Table 1. Results are shown as empirical Cumulative Density Functions (eCDFs) to reflect the discrete nature of the importance ratings. In the eCDFs, the vertical lines represent the PDAI values, and the horizontal lines represent the percentage of data that are equal or less than that value. In Figure 5, as the eCDF moves across drought conditions from very wet to very dry, the PDAI shifts towards higher values, reflecting the increased potential for action under drier conditions. Specifically, the very wet decade has an average PDAI value of 1.1, and the very dry decade has an average PDAI value of 3.7. Given the stakeholder consensus on the importance for drinking water, for each drought condition there is very little range – that is, the eCDFs are fairly vertical.

Next, we focus on the PDAI for Recreation (Figure 6), a water use that shows diverse importance ratings from stakeholders (Figure 4). For recreation, to calculate the PDAI, we use the severe threshold, since that is the threshold at which artesian springs no longer flow (see Section 3.1). Figure 6 shows the PDAI for recreation for the select decadal drought conditions, using the severe threshold likelihoods from Table 1. Similar to drinking water, we see that as we move from wetter to drier, the PDAI also increases; for example, from wet/recent to dry/recent, the average PDAI values are 0.3 and 1.5, respectively. However, given the stakeholder diversity in importance ratings, as we move towards drier conditions, the PDAI becomes more diffuse, spanning a great range of values: in the wet/recent, the PDAI spans from .08 to .4, or for 0.32 units of the PDAI scale, and in the dry/recent it spans from 0.4 to 1.9, or 1.5 units on the PDAI scale, indicating a wide range in stakeholder appetite for potential action.

In Figure 6, we also looked at recreation under the possibility of a new "normal" drought baseline (Van Loon 2016b). It has been suggested that human adaptation to new drought normals can be illustrated by changing thresholds (Vidal et al. 2012; Wanders et al. 2015); here, we show how this could influence the PDAI. To this end, we look at a more extreme threshold (i.e., GW levels below 120 feet, see Figure 2), under the dry/recent period: the eCDF curve shifts back to the left, towards lower action potential, with average PDAI of 0.9, reflecting this new normal. This is relevant given climate change projections that suggest that the ASA will likely become drier in the future (Towler et al. 2016; Liu et al. 2012).

Finally, in Figure 7, we narrow our focus to the most recent decade (i.e., dry/recent, 2003-2012), and compare both drinking water and recreation with the moderate and severe thresholds, respectively. From Figure 7, we see that drinking water has a higher action potential than recreation: the average PDAI for drinking water is 3, while it is about 1.5 for recreation. This is an artifact of the thresholds selected for each respective water use (i.e., moderate for drinking water and severe for recreation). This makes sense from a human standpoint, since drinking water is a primary consumptive use, and recreation is a more discretionary use. However, this could be more subjective for other water uses (e.g., spiritual fulfillment). Although it may seem counterintuitive at first, we purposely pair the moderate threshold with the primary use to indicate this hierarchy, but this does not mean that exceedance of the severe threshold would not also prompt action (or further action) to ensure adequate drinking water supplies. However, it does make the assumption that for a more discretionary use, like recreation, action would not be prompted until this severe threshold was exceeded.

Another key point from Figure 7 is that drinking water spans a smaller range (~.6) on the PDAI scale than recreation (~1.5), which is more diffuse. Specifically, for drinking water, the eCDF only falls between 2.4 and 3.5; this is due to the agreement across respondents on the importance of water to this use (i.e., Figure 4). On the other hand, the recreation PDAI eCDF covers of a larger range of values – here it spans from 0.4 to 1.9, similarly reflecting the range of stakeholder responses. This shows that for water uses where values are diverse, the appetite for potential action will be diverse as well.

In summary, the key points from these results: the PDAI increases with (1) drier decadal drought conditions and (2) water use thresholds that are exceeded more often. Further, it shows that for water uses where perceived importance is diverse among stakeholders, the PDAI will be diverse as well, and this is exacerbated under drier conditions.

4.4. Management Implications based on Worldviews

To understand the management implications, we need to look at the results alongside of CTR. Results from the CTR questions show that both individualist and egalitarian worldviews were represented by the interviewees (Figure 8) and that some of the spread in the importance responses can be explained by worldview (Table 3). Although not all of the results are statistically significant, the sign of each correlation coefficient is opposite between the egalitarianism and individualism measures, indicating that people holding each worldview have opposing importance ratings (Table 3). The water use that showed the most variance explained by worldview was recreation: r^2=20% (16%) for Egalitarianism (Individualism). These correlations provide initial insight about the role of worldview in how people assess the importance of water and, by extension, their appetite for potential drought action.

Results from the CTR questions, along with the PDAI, point to some implications for water management policy. CTR posits that disagreement over resource management strategies may arise among constituents with diverse worldviews for two reasons (McNeeley and Lazrus 2014): first, as demonstrated in Table 3, worldviews explain some of the variance in how important people think that local water resources are for different activities - and thus presumably *whether or not* maintaining water for those activities should be prioritized by water management. For example, in recreation, because of the large spread in importance ratings, which can partially be explained by CTR, there is an increase in the PDAI categories from the wet/recent to average/recent to dry/recent decades; this implies that people will disagree on whether or not water should be managed for recreation, potentially leading to disagreements that could hinder sustainable water management. Second, is *how* water should be managed, even when people agree on its importance. In drinking water, there is consensus on importance – even among people with different worldviews – presumably indicating that people agree that water needs to be managed for drinking water. However, because of the different worldviews, there is still potential for disagreement over how it should be managed. That is, those with egalitarian preferences advocate for management that is collectively debated, implemented, and enforced whereas those with individualist preferences favor management that is individually enacted and market-based. We see this in our qualitative data: for example, one interviewee with individualist preferences said: "we have to have a set of rules that everyone understands. And once those rules are set you can't have a bunch of water Nazis trying to make judgment calls about how someone's using their water. So, if I can use a certain amount - tell me what that amount is, and then stay the hell out of my business" (Interview 2). The finding means that disagreement is not solely due to threats to water resources – such as more frequent drought – but rather that it can also arise from disagreement about the strategies designed to manage water and address drought.

5. Conclusions

Our study implements a conceptual methodology combining hydrological and societal perspectives to understand drought action potential (Figure 1). Results from stakeholder interviews in the study site reveal that people perceive the relative importance of water for various uses differently, as shown by the notable variability that existed across certain water uses (Figure 4). A retrospective analysis of groundwater threshold exceedance shows that in recent decades, stakeholders experienced a wide range of likelihoods of exceeding relevant thresholds (Figure 2, Figure 3, Table 2), and these corresponded drought conditions (Table 1). These pieces of information are brought together through the PDAI. We find that for a given water use, drier conditions increase the frequency of exceeding the threshold, and hence increase the PDAI (Figure 5, Figure 6). The PDAI is tied to the threshold selected for each water use: we find that the PDAI is higher for more moderate thresholds, i.e., thresholds that are exceeded more often (Figure 7). And conversely, as thresholds become more extreme, which can illustrate human adaptation to new drought normal, the PDAI decreases (Figure 6). Finally, we find that for water uses where stakeholder values are diverse, the PDAI will be diverse as well, and this is exacerbated under drier conditions (Figure 6 and Figure 7).

We can also ask why values might be diverse, and what that might mean about how people are affected by water scarcity and how they will respond. To this end, the study also examined worldview, as measured by the CTR, which can help to diagnose *why* disagreement may arise over water management and point to some implications for water management policy. In the stakeholder sample, we found a diverse range of worldviews on the individualist/egalitarian spectrum (Figure 8). Further, for some water uses, the importance people attribute to water can be partially explained by worldview

(Table 3). This implies that there are two potential sources for disagreement over water management: first, where there is variability in people's perception of importance, there may be disagreement over whether or not a water resource needs to be managed (e.g., with water for recreation). Second, even where there is consensus on people's perceived importance, there is still potential for disagreement over how these water resources should be managed according to different preferences of worldviews (e.g., with drinking water). We are careful to say *potential* disagreement because (i) our analysis only investigates CTR as one of the many factors explaining importance and (ii) by understanding stakeholder worldviews, potential disagreement across sectors can be predicted and ideally avoided. The latter finding suggests that water management policies will be more successful if they follow a strategy whereby elements of each worldview are represented in the solution (Verweij et al. 2006).

Although reducing disagreement is always important for promoting sustainability, it is particularly important for management planning under potentially increasing drought due to climate change, as has been predicted for this area (Towler et al. 2016; Liu et al. 2012). We examined this by examining possible adaptation to a new normal, where we illustrate how a more extreme threshold lowers the PDAI (Figure 7).

Although previous studies have noted that both the natural and human aspects of drought must be considered (e.g., Van Loon 2016a), few concrete examples exist. In this paper, for the natural influence on drought, we take a hydrological perspective, which in this case is very closely related to natural climate variability. We recognize that this is not the case for many groundwater aquifers, where human activities, such as groundwater extraction, may trump the natural climate signal (e.g., Tarhule and Bergey 2006). Nevertheless, this case study and the PDAI provides a base case to which complexities can be added. As such, we note that the PDAI, as well as the best data to use to calculate it, will depend on the needs and perceptions of the community with whom we are trying to communicate, as well as the water system context. Although the methodology to develop the PDAI is experimental, we posit that explicit efforts to combine natural and human perspectives is critical to gaining a deeper and more nuanced understanding of drought feedbacks, and this paper provides a novel contribution to this end.

Data Availability

Groundwater data from the USGS Fittstown well (USGS 343457096404501) is available from the USGS National Water Information System Web Interface https://nwis.waterdata.usgs.gov/nwis/gw. Drought index data for Oklahoma Climate Division 8 is available from: http://www7.ncdc.noaa.gov/CDO/CDODivisionalSelect.jsp Inquiries on the stakeholder data from the interviews can be sent to hlazrus@ucar.edu

Acknowledgements

Thank you to community members in the Arbuckle-Simpson Aquifer area, Julie Demuth, and Rebecca Morss. This study is supported by National Oceanic and Atmospheric Administration grant NA11OAR4310205 and National Science Foundation EASM grants AGS-1048829 and AGS-1419563. NCAR is sponsored by the National Science Foundation.

References

Bachmair, S., Stahl, K., Collins, K., Hannaford, J., Acreman, M., Svoboda, M., … Overton, I. C.: Drought indicators revisited: the need for a wider consideration of environment and society, Wiley Interdisciplinary Reviews: Water, http://doi.org/10.1002/wat2.1154, 2016.

Christenson, S., Osborn, N.I., Neel, C.R., et al.: Hydrogeology and simulation of groundwater flow in the Arbuckle-Simpson Aquifer, South-Central Oklahoma. Sci. Invest. Rep., 2011–5029, 2011.

Dessai, S. and Sims, C.: Public perception of drought and climate change in southeast England, Environmental Hazards, 9(4), 2010.

Douglas, M: Purity and Danger. Routledge, London, 1966.

Georgakakos, A., Fleming, P., Dettinger, M., et al: Ch. 3: Water resources. In Melillo JM, Richmond T, Yohe GW (eds) Climate change impacts in the United States: The third national climate assessment. US Global Change Research Program, pp 69-112, 2014.

Jones, R.N.: An environmental risk assessment/management framework for climate change impact assessments, Nat. Hazards, 23, 197–230, 2001.

Jones, R.N. and Preston, B.L.: Adaptation and risk management, Wiley Interdiscip Rev: Clim Chang, doi:10.1002/wcc.97, 2011

Knutson, C. L., Hayes, M. J., and Philipps, T.: How to Reduce Drought Risk, Western Drought Coordination Council, Prepared- ness and Mitigation Working Group, Lincoln, 10 pp., available at: http://drought.unl.edu/portals/0/docs/risk.pdf (last access: 18 May 2016), 1998.

Lackstrom, K., Brennan, A., Ferguson, D., Crimmins, M., Darby, L., Dow, K., … Smith, K.: The Missing Piece: Drought Impacts Monitoring. Report from a Workshop in Tucson, AZ, 2013.

Lazrus, H.: “Drought is a Relative Term:” Drought Risk Perceptions and Water Management Preferences among Diverse Community Members in Oklahoma, USA, Hum Ecol, 44:595, doi:10.1007/s10745-016-9840-y, 2016.

Liu, L., Hong, Y., Bednarczyk, C.N., Yong, B., Shafer, M.A., Riley, R., Hocker, J.E.: Hydro-climatological drought analyses and projections using meteorological and hydrological drought indices: a case study in Blue River Basin, Oklahoma, Water Resour. Manage, 26 (10), 2761–2779, http://dx.doi.org/10.1007/s11269-012-0044-y, 2012

Maggioni, E.: Water demand management in times of drought: What matters for water conservation, Water Resour. Res., 511, 125–139, 2015.

McLeman, R., Dupre, J., Ford, L., Ford, J., Gajewski, K., and Marchildon, G.: What we learned from the Dust Bowl: lessons in science, policy, and adaptation, Popul. Environ., 35, 417–440, doi:10.1007/s11111-013-0190-z, 2014.

McNeeley, S. and Lazrus, H.: The Cultural Theory of Risk for Climate Change Adaptation, Weather, Climate, and Society, 6(4): 506-519, 2014.

McNeeley, S. M., Tessendorf, S. A., Lazrus, H., Heikkila, T., Ferguson, I. M., Arrigo, J. S., … Brugger, J.: Catalyzing Frontiers in Water-Climate-Society Research: A View from Early Career Scientists and Junior Faculty. *Bulletin of the American Meteorological Society*, http://doi.org/10.1175/BAMS-D-11-00221.1, 2011.

Mishra, A. K. and Singh, V. P.: Drought modeling – A review, *Journal of Hydrology*, *403*(1–2), 157–175, http://doi.org/10.1016/j.jhydrol.2011.03.049, 2011.

Mishra, A. K. and Singh, V.P.: A review of drought concepts. Journal of Hydrology 391(1-2):202–216. doi:10.1016/j.jhydrol.2010.07.012, 2010.

NCDC: Billion-Dollar Weather and Climate Disasters, Available online: http://www.ncdc.noaa.gov/billions, 2015.

Oppenheimer, M., Campos, M., Warren, R., et al: Emergent risks and key vulnerabilities. In: Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Field CB, Barros VR, Dokken DJ, et al (eds)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 1039-1099, 2014.

Ostrom, E: Governing the commons: The evolution of institutions for collective action, Cambridge University Press, New York, NY, 1990.

Polsky, C., and Cash, D. W.: Drought, Climate Change, and Vulnerability: The Role of Science and Technology in a Multi-Scale, Multi-Stressor World. In D. A. Wilhite (Ed.), *Drought and Water Crises: Science, Technology, and Management Issues*, Taylor and Francis, 2005.

Pulwarty, R.: Climate and Water in the West: Science, Information and Decision-making, Water Resources, 124: 4–12, 2003.

Shriver, T. E., and Peaden, C.: Frame Disputes in a Natural Resource Controversy: The Case of the Arbuckle Simpson Aquifer in South-Central Oklahoma, *Society & Natural Resources*, *22*(2), 143–157, http://doi.org/10.1080/08941920801973789, 2009.

Silvis, V., McPherson, R.A., and Lazrus, H.: Climatology of the Arbuckle-Simpson Aquifer region: A report of the water decisions for sustainability of the Arbuckle-

Simpson project, NCAR Technical Note NCAR/TN-510+STR, doi: 10.5065/D6Z31WN9, 2014.

Sivapalan, M., Savenije, H. H. G., and Blöschl, G: Socio-hydrology: A new science of people and water, *Hydrological Processes*, *26*(8), 1270–1276, http://doi.org/10.1002/hyp.8426, 2012.

Smith, N. and Leiserowitz, A.: Role of emotion in global warming policy support and opposition, Risk Analysis, doi: 10.1111/risa.12140, 2014.

Stagge, J. H., Kohn, I., Tallaksen, L. M., and Stahl, K.: Modeling drought impact occurrence based on meteorological drought indices in Europe, Journal of Hydrology, 530, 37–50, http://doi.org/10.1016/j.jhydrol.2015.09.039, 2015.

Steinemann, A., and Cavalcanti, L.: Developing multiple indicators and triggers for drought plans, *Journal of Water Resources Planning and Management*, http://ascelibrary.org/doi/abs/10.1061/(ASCE)0733-9496(2006)132%3A3(164), 2006.

Steinemann, A. C., and Hayes, M. J.: Drought Indicators and Triggers. In *Drought and Water Crises: Science, Technology, and Management Issues,* 71–92, 2005.

Tarhule, A., and Bergey, E.A.: Springs in time: comparison of present and historical flows, Report to the Oklahoma Water Resources Institute, 2006.

Thompson, M., Ellis, R., and Wildavsky, A.: Cultural Theory, Westview Press, Boulder, 1990.

Towler, E. and Lazrus, H.: Increasing the usability of drought information for risk management in the Arbuckle Simpson Aquifer, Oklahoma, *Clim Risk Manage*, doi:10.1016/j.crm.2016.06.003, 2016.

Towler, E., PaiMazumder, D., and Holland, G.: A framework for investigating large-scale patterns as an alternative to precipitation for downscaling to local drought, *Climate Dynamics*, doi:10.1007/s00382-016-3116-5, 2016.

Van Loon, A. F., Gleeson, T., Clark, J., Van Dijk, A. I. J. M., Stahl, K., Hannaford, J., … Van Lanen, H. A. J.: Drought in the Anthropocene, *Nature Geoscience*, *9*(2), 89–91, http://doi.org/10.1038/ngeo2646, 2016a.

Van Loon, A. F., Stahl, K., Di Baldassarre, G., Clark, J., Rangecroft, S., Wanders, N., … Van Lanen, H. A. J.: Drought in a human-modified world: Reframing drought definitions, understanding, and analysis approaches, *Hydrology and Earth System Sciences*, *20*(9), 3631–3650, http://doi.org/10.5194/hess-20-3631-2016, 2016b.

Verweij, M., Douglas, M., Ellis, R., Engel, C., Hendriks, F., Lohmann, S., Ney, S., Rayner, S., and Thompson, M: Clumsy solutions for a complex world, Public Administration, 84(4), 847–843, 2006.

Vidal, J.-P., Martin, E., Kitova, N., Najac, J., and Soubeyroux, J.- M.: Evolution of spatio-temporal drought characteristics: val- idation, projections and effect of adaptation scenarios, Hydrol. Earth Syst. Sci., 16, 2935–2955, doi:10.5194/hess-16-2935- 2012, 2012.

Wagener, T., Sivapalan, M., Troch, P. A., McGlynn, B. L., Harman, C. J., Gupta, H. V., and Wilson, J. S.: The future of hydrology: An evolving science for a changing world. Water Resour. Res., 46, W05301, doi:10.1029/2009WR008906, 2010.

Wanders, N., Wada, Y., and Van Lanen, H. A. J.: Global hydrological droughts in the 21st century under a changing hydrological regime, Earth Syst. Dynam., 6, 1–15, doi:10.5194/esd-6-1-2015, 2015.

Wilhite, D. A., and Buchanan-Smith, M.: Drought as Hazard: Understanding the Natural and Social Context, In Drought and Water Crises: Science, Technology, and Management Issues, 2005.

Wilhite, D. A., and Glantz, M. H.: Understanding the drought phenomenon: The role of definitions, Water International, 10(3):111–120, 1985.

Wilhite, D. A., Hayes, M. J., and Knutson, C. L.: Drought Preparedness Planning: Building Institutional Capacity, In Drought and Water Crises: Science, Technology, and Management Issues, 2005.

Tables

Table 1. Correlation Between Select Drought Indices* and the Likelihood (P) of Groundwater (GW) Level Going Below Moderate (Mod) and Severe (Sev) Thresholds

Drought Index		Correlation	
Type	Name	P(GW<Mod)	P(GW<Sev)
Agricultural	Palmer Drought Severity Index (PDSI)	-0.92	-0.83
Hydrological	Palmer Hydrological Drought Index (PDHI)	-0.95	-0.84
Meteorological	Standardized Precipitation Index - 6 monht (SP06)	-0.94	-0.82

* Drought indices for Oklahoma Climate Division 8 downloaded from: http://www7.ncdc.noaa.gov/CDO/CDODivisionalSelect.jsp

Table 2. Decadal Likelihood (P) of Groundwater (GW) Level Going Below Moderate (Mod) and Severe (Sev) Thresholds for Recent Decades, as Well as Very Dry, Median, and Very Wet Decades.

Decade	P(GW<Mod) (%)	P(GW<Sev) (%)	Comment
2003-2012	61	38	Dry/recent decade; most recent decade to interviews
1983-1992	35	14	Average/recent decade; third most recent decade
1993-2002	31	8	Wet/recent decade; second most recent decade
1959-1968	75	38	Very dry decade; highest exceedance likelihood
1999-2008	50	24	Median decade; median exceedance likelihood
1985-1994	23	13	Very wet decade; lowest exceedance likelihood

Table 3. Correlation and Statistical Significance of Worldviews, as Quantified by the Egalitarian and Individualist Measures, with Importance Ratings for Each Water Use.

Water Use	Egalitarian	Individualist
Drinking Water	-0.20	0.27*
Habitat	0.24*	-0.25*
Livelihood	0.13	-0.09
Recreation	0.45**	-0.40**
Cultural Practices	0.42**	-0.29*
Spiritual Fulfillment	0.18	-0.23*

* = Significant at the 90% percentile
**= Significant at the 99% percentile

Figures



Figure 1. Conceptual overview of the methodology that combines a hydrological perspective from historical groundwater data with a societal perspective from stakeholder interview data to quantify the Potential Drought Action Index (PDAI); stakeholder worldviews from the interviews and social science theory are used to explore management implications.



Figure 2. Monthly groundwater time series; blue line is smoother average, green line is the moderate threshold (= -111 feet) and the orange line is severe threshold (=-117 feet); the red line is an extreme threshold (= -120 feet) that is used to illustrate a possible new normal drought threshold.



Figure 3. Decadal likelihood (P) of the depth to groundwater level (GW) going below the moderate (y=-111 ft) and severe thresholds (y=-117 ft).



Figure 4. Rated importance of water for each water use from stakeholder surveys (N=38). Responses are shown as box plots, where the box represents the 25th and 75th percentile, the line is the median, and the whiskers are the 5th and 95th percentile. Outliers are shown as points outside the box and whiskers.

Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2018-202
Manuscript under review for journal Hydrol. Earth Syst. Sci.
Discussion started: 24 April 2018



Figure 5. Empirical cumulative density functions (eCDFs) for the PDAI (Potential Drought Action Index) for drinking water using the moderate threshold under the very wet (1985-1994), wet/recent (1993-2002), normal/recent (1983-1992), median (1999-2008), dry/recent (2003-2012), and very dry (1959-1968) historical decades.



Figure 6. Empirical cumulative density functions (eCDFs) for the PDAI (Potential Drought Action Index) for recreation under the wet/recent (1993-2002), normal/recent (1983-1992), and dry/recent (2003-2012) for the severe threshold, as well as the dry/recent for the extreme threshold.

Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2018-202
Manuscript under review for journal Hydrol. Earth Syst. Sci.
Discussion started: 24 April 2018



Figure 7. Empirical cumulative density functions (eCDFs) for the PDAI (Potential Drought Action Index) for recreation (Rec) using the severe threshold and for drinking water (DW) using the moderate threshold for the dry/recent decade (2003-2012).



Figure 8. Summed responses for individualism versus egalitarianism for each interviewee (n=38) show that both individualist and egalitarian worldviews were represented by the interviewees . The egalitarianism and individualism measures were strongly inversely correlated (r=-0.84).