Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018 © Author(s) 2018. CC BY 4.0 License.





1

- 2 Flooded by jargon: how the interpretation of water-related terms differs
- 3 between hydrology experts and the general audience

45 Authors

- 6 Gemma J. Venhuizen¹, Rolf Hut², Casper Albers³, Cathelijne R. Stoof⁴, Ionica
- 7 Smeets¹
- 8 ¹ Science Communication and Society, Leiden University, the Netherlands
- 9 ² Delft University of Technology, the Netherlands
- ³ Heymans Institute for Psychological Research, University of Groningen, the
- 11 Netherlands
- ⁴ Soil Geography and Landscape Group, Wageningen University, PO box 47, 6700
- 13 AA Wageningen, the Netherlands

14

15 16

17

Abstract

- 18 Communication about hydrology-induced hazards is important, in order to keep
- 19 the impact of floods, droughts et cetera as low as possible. However, sometimes
- 20 the boundary between specialized and non-specialized language can be vague.
- 21 Therefore, a close scrutiny of the use of hydrological vocabulary by both experts
- 22 and laypeople is necessary. In this study, we compare the expert and lay
- definitions of 12 common water-related terms and 10 water-related pictures to
- 24 see where misunderstandings might arise both in text and pictures. Our primary
- objective is to analyze the degree of agreement between experts and laypeople in
- 26 their definition of the used terms. In this way, we hope to contribute to
- 27 improving the communication between these groups in the future. Our study
- was based on a survey completed by 34 experts and 119 laypeople.
- 29 Especially concerning the definition of water-related words there are some
- 30 profound differences between experts and laypeople: words like 'river' and
- 'river basin' turn out to have a thoroughly different interpretation between the
- 32 two groups. Concerning the pictures, there is much more agreement between the
- 33 groups.

3435

1. Introduction

- Water related natural hazards have impacted society throughout the ages.
- 37 Floods, droughts and changing river patterns all had their influence on where
- and how people lived. One thing that has changed throughout the last centuries,

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018





- 39 however, is the way these hazards are communicated to the general public. The
- 40
- availability of newspapers, magazines, traision, radio and the internet has enabled better hydrogeocommunication is possibly contributing to a safer 41
- 42 society.
- In specific, communication about hydrology-induced hazards is becoming more 43
- and more important. A key aspect of increasing climate change is the expectation 44
- 45 that water-related natural hazards, like floods and levee breaches, will occur
- 46 more frequently in the future (IPCC, 2014).
- Geoscientific studies (e.g. hydrological studies) are sometimes being ignored in 47
- policy and public action, partly because of the fact that scientists often use 48
- 49 complicated language that is difficult to understand (Liverman, 2008). Other
- studies show that policy makers are more willing to take action if they 50
- understand why a situation could be hazardous (Forster and Freeborough, 51
- 2006). To be effective, early warning systems for natural hazards like floods 52
- need to focus on the people exposed to risk (Basher, 2006). 53
- 54 One way to improve communication with non-experts is to avoid professional
- 55 jargon (Rakedzon et al., 2017). However, sometimes the boundary between
- specialized and non-specialized language can be vague. Some terms are used 56
- 57 both by experts and by laypeople, but in a slightly different way. A term like
- 'flood' might not be considered jargon since it's quit commonly used, but could 58
- 59 still have a different meaning in the scientific lingo than in day-to-day language.
- In the health sciences, clear communication by doctors has been linked to better 60
- comprehension and recall by patients (Boyle, 1970; Hadlow and Pitts, 1991; 61
- Castro et al., 2007; Blackman and Sahebjalal, 2014). Similar benefits from 62
- effective communication can be expected in other scientific areas as well. An 63
- 64 important factor is the degree to which people have the capacity to understand
- basic information in the health sciences, this is referred to as health literacy 65
- 66 (Castro et al., 2007) and in the geo-sciences as geo literacy (Stewart and Nield,
- 67 2013). No studies have been done about the extent to which geoscientists use
- jargon in interaction with the general audience (Hut et al., 2016). 68
- Therefore, a close scrutiny of hydrological vocabulary and the interpretation of 69
- 70 common water related terms by both experts and laypeople is necessary. Health
- 71 scientific studies show that a significant difference in the interpretation of
- specific definitions (both in text and illustration) can be found between docto 72
- 73 and patients (Boyle, 1970). A similar difference between experts and laymen can
- 74 be expected in the communication in other scientific areas, e.g. hydrology.
- 75 Experts can be unaware of using jargon, or they may overestimate the
- 76 understanding of such terminology by people outside their area of expertise
- 77 (Castro et al., 2007).
- 78 Knowledge about which terms can cause misunderstanding could help
- 79 hydrogeoscientists in understanding how to get their message across to a broad

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

115

116

117

118119120







80 audience and will benefit the public. 81 82 Since there is no specific definition of jargon in hydrology, we adopt the definition from medical sciences (Castro et al., 2007) in which jargon is defined 83 as both (1) technical terms with only one meaning listed in a technical 84 85 dictionary, and (2) terms with a different meaning in lay contexts. In other words, jargon has a broader definition than some scientists think. It can be 86 87 expected that hydrogeological terms sometimes have a less strict meaning for laypeople than for experts, meaning that hydrologists should be aware of the 88 89 second type of jargon (Hut et al., 2016). In this article, we compare the expert and lay definitions of some common water-90 related terms, in order to assess whether or not these terms can be considered 91 jargon and to see where misunderstandings might arise. With this goal in mind, 92 93 we developed a questionnaire to assess the understanding of common water-94 related words by both hydrology experts and laypeople. Our primary objective is 95 to analyze the degree of agreement between these two groups in their definition 96 of the used terms. In this way, we hope to contribute to improving the 97 communication between these groups in the future. 98 To our knowledge, no study has measured the agreement in understanding of 99 common water-relaters between hydrology experts and laypeople. A common vocabulary could increase successful (hydro)geoscientific 100 communication. 101 102 103 2. Methodology 104 We started by analysing the hydrologic terms frequented in the twelve 'Water 105 Notes' (Europeas Commission, 2008). These Notes contain the most important 106 107 information from the European Water Framework Directive (European Parliament, 2000), a European Union directive which commits European 108 109 Union member states to achieve good qualitative and quantitative status of all water bodies. This was done by counting for each water related term how 110 often it appeared in the text. We chose these Notes because they are a good 111 representation of hydrogeocommunication: are meant to inform laypeopl 112 about the Framework Directive. From this list, twenty of the most frequented 113 terms were chosen (ten of these were also present in the definition list of the 114

Framework Directive itself), such as river, river basin, lake and flood. The

Although the word 'water' was the hydrological term most frequently used in the

A focus group was carried out at the American Geophysical Union fall meeting in

Notes, we decided to exclude this from the survey, because it is a too generic

questionnaire (including the chosen terms) can be found in Appendix A.

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





San Francisco in December 2016. Eight participating hydrology experts were 121 asked to describe the above mentioned hydrologic terms on paper, and to 122 discuss the outcomes afterwards. This discussion was audio recorded, with 123 consent of the participants. This focus group was important because we wanted 124 to generate reasonable answers for our survey. Ten of the terms that turned out 125 to be too Framework Directive specific (for example 'transit waters', which was 126 not recognized as common hydrological lingo by the focus group participants) 127 128 were left out of the survey. The ten other terms, which generated some 129 discussion (like whether the word 'dam' only relates to man-made constructions) were deemed to be fit for the survey, because they were 130 recognized as common water-related words by the experts. Two additional, less 131 frequented terms (discharge and water table) were also chosen, based on the 132 focus group. The focus was only on textual terms; the ten pictorial questions (see 133 below) were chosen by ourselves, based on water related pictures we came 134 across in various media outlets. 135 Survey 136 137 Our survey contained 22 multiple choice questions about commonly used terms by water experts. Twelve rese were 'textual' questions: participants were 138 asked to choose (out of 4 options) which answer described a specific hydrologic 139 term best, in their opinion. Ten of these were pictorial questions: pythipants 140 were asked to choose (out of 4 options) which photo (full colour) depicted a 141 specific hydrologic term best, in their opinion. In addition, we asked some 142 background questions (gender, age, level of educa postcode area + country). 143 The complete survey can be found in appendix A. 144 Pictures were found using the Wikimedia Commons feature. An example of both

types of questions can be found in Figure 1.

146 147

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





(a) What is, in your opinion, the best definition of a dam?

- A. Barrier constructed across a valley to store water or raise the water level
- B. Barrier that prevents a river to flow into a lake
- C. Man-made, giant concrete structure to regulate water flow
- D. Man-made object to keep rivers or seas from overflowing land

(b) Which of the following photos is, in your opinion, the best depiction of a geyser?



148 Figure 1: 149 Example of a textual multiple choice question (a) and a pictorial question (b) from

151

152

153

154155

156

157

158

159

160

161

162163

164165

166

167

168

150

Participants

the survey

We developed a flyer with a link to the survey, which we handed out to experts at the international hydrology conference IAHS in South Africa in July 2017. Furthermore, the link to the survey was sent via email to hydrology experts around the globe: members of the hydrology division of the European Geosciences Union, and professional hydrologists (studying for PhD or higher) at various universities. The total number of respondents from the experts was n = 34.

The laypeople were approached in a different way. In the first week of September, 2017, one researcher went to Manchester to carry out the survey on various locations on the streets, to make sure that native English speaking laypeople would participate. Manchester was chosen because it is a large city in the UK, meaning that it would be convenient to find participants from a general population who were also native English speakers. In total, the number of laypeople that were incorporated in the study was n = 119. In the initial Google form results, the number of laypeople was n = 131, but 22 participants were

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

169

© Author(s) 2018. CC BY 4.0 License.





accidentally sent the same electronic form twice or thrice (in that case, only one 170 of their forms was incorporated in the study). 171 172 The participants could fill out the survey on an iPad. If there were more 173 participants at the same time, one would fill the survey out on the iPad and the other ones filled out an A4-sized printed full-colour hand-out. In this way, 174 multiple participants could fill out the survey at the same time. 175 176 All participants, both experts and laypeople, were asked to fill out an electronic consent form stating that they were above 18 years of age and were not forced 177 178 into participating. The questionnaire was of the forced-choice type: participants were instructed to guess if they did not know the answer. 179 180 181 **Analysis** 182 In order to detect interpretation differences between experts and laypeople, we 183 184 wanted to analyse to what extent their answers differed from each other for each 185 question. As pointed out before, it was not about giving the 'right' or 'wrong' answer, but about analysing the match between the resemblance between the 186 187 answering patterns of the laypeople and the experts. 188 189 For each term, the hypotheses were as follows: 190 191 H₀: Laypeople answer the question the same as experts; H_1 : Laypeople answer the question differently than experts. 192 193 A statistical analysis was carried out in R (R Core Team, 2017), by using Bayesian 194 195 contingency tables. A contingency table displays the frequency distribution of different variables, in this case a 2 by 4 table showing how often which definition 196 197 of a specific term was chosen by experts and laypeople. For each term, the hypothesis is tested using a so-called Bayes Factor (BF; 198 199 computed using Morey & Rouder, 2015). A value BF < 1 is evidence towards H₀: it is more likely that lay le answer questions the same as experts than that 200 there are differences. A varue BF > 1 is evidence towards H₁: now, d ences are 201 more likely than similarities. The BF can be interpreted as the so-called 202 203 likelihood-ratio: a RE-score of 2 means that H₁ is twice as probable as H₀, given the data. BF = $\frac{1}{12}$ hs that H₀ is twice as probable as H₁. An example: aquifer 204 205 has BF = 7801. This means it's almost 8000 times as probable with these data 206 that there is indeed a difference between laypeople and experts in defining this

excluded because they didn't fill out the electronic consent or because they

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018







207 term. As the values can become very large, one often interprets their logarithm instead. 208

209

210 The Bayes Factors can be interpreted as follows:

211

- * BF > 10 : strong evidence for H_1 against H_0 212
- * 3 < BF < 10 : substantial evidence for H₁ against H₀ 213
- * 1/3 < BF < 3: no strong evidence for either H_0 or H_1 214
- * 1/10 < BF < 1/3: substantial evidence for H_0 against H_1 215
- * BF < 1/10: strong evidence for H₀ against H₁ 216



- 217 An additional benefit of the use of Bayes Factors is that, unlike their frequentist
- counterpart, no corrections for multiple testing are necessary (Bender & Lange, 218
- 219 1999).

220 221

- In addition to a Bayes Factor for the 'significance' of the difference, we also
- calculated the misfit: the state of the difference. The misfit was calculated by a 'DIF' score, in which DIF means 'perfect match', and DIF = 1 means 222
- 223
- maximum difference. This DIF-score was operationalised as 224

$$DIF = \sqrt{\frac{1}{2} \sum_{i=1}^{4} (p_{E,i} - p_{L,i})^2}$$

225

- 226 where $p_{E,i}$ is the proportion of experts choosing option i, and $p_{L,i}$ is the
- proportion of laypeople making that choice. Thus, DIF is based on a sum-of-227
- 228 squares comparison between the answer patterns of laypeople and experts.
- Subsequently, we plotted the posterior distribution of DIF, for each term. This 229
- 230 posterior distribution indicates the likelihood for a range of DIF-scores, based on
- the observed data. 231

232

- For example, if the answering pattern would be A: 50%, B: 50%, C: 0% and D: 0% 233
- 234 for both the experts and the laypeople, there would be a perfect match (DIF = 0).
- The misfit was plotted in graphs, ranging from the largest to the smallest misfit. 235
- 236 The higher the misfit, and the higher the BF, the more meaningful a difference
- 237 between laypeople and experts. Low values of misfit indicate agreement
- 238 between laypeople and experts. The R-code and data used for the analyses is
- available from https://osf.io/wk9s6/. 239

240

241 3. Results

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





For the overall view of all the 22 terms (both texts and illustrations), there is 242 extreme evidence for differences between laypeople and experts. This can be 243 quantified by multiplying the BF's with each other, leading to a 10 log-value of 244 33.50 (H_1 is approximately $3*10^{33}$ more probable than H_0). 245 246 247 However, this difference is only visible when looking at the textual questions, with a combined 10 log-value of 46.14. For the pictorial questions, there is a 248 very strong evidence for the absence of differences, with a negative 10 log-value -249 250 12.63. 251 Interestingly enough, there was a lot of internal disagreement for both experts 252 253 and laypeople on the term stream (47% agreement of experts on the most 254 chosen answer, C: 'Small river with water moving fast enough to be visible with 255 the naked eye', 37% agreement of laypeople on the most chosen answer, D: 256 'General term for any body of flowing water') and on the picture of a sewer (56% agreement of experts on answer D*, 55% agreement of laypeople on answer D). -257 * see Appendix A for the picture 258 259 Concerning the text questions, there was no internal disagreement at all between 260 261 the experts on 'discharge' (100% agreement, N = 33 answered B, N = 1 answered blank) and hardly any disagreement on 'downstream' (97% agreement, N = 33 262 263 answered D). 264 265 Concerning the pictures, there was no disagreement at all between the experts on 'geyser' (100% agreement, N = 34 answered B) and on 'river' (100% 266 267 agreement, N = 34 answered B). Hardly any disagreement was found on the pictures 'flood' (97% agreement, N = 33 answered C), 'hydro power' (97% 268 agreement, N = 33 answered D). and 'reservoir' (97% agreement, N = 33 269 270 answered D). The complete table with an overview of the multiple choice 271 answers (and the number of laypeople and experts that chose that specific 272 answer) can be found in Table 1. 273

274 Table 1: Answer distribution for textual questions

| Term with possible definitions | Answer distribution (| | | | |
|--------------------------------|-------------------------|----------------------|--|--|--|
| • | Lay people ^a | Experts ^b | | | |
| 1. River | <u>.</u> | • | | | |

Discussion started: 25 June 2018





| A. | Path of fresh water flowing into the ocean | 71 | 9 |
|------------|---|----|----|
| B. | Water flowing only on the surface of the land and never underground | 4 | 3 |
| C. | Large stream which serves as the natural drainage for a basin | 15 | 88 |
| D. | Flow of surface water within a straight channel | 10 | 0 |
| 2. River l | basin | | |
| A. | Area having a common outlet for its surface runoff | 13 | 94 |
| В. | Dry river channel which may be flooded during high water events | 13 | 0 |
| C. | Catchment which a river flows into | 47 | 6 |
| D. | Body of water (lake, sea, ocean) a river flows into | 27 | 0 |
| 3. Groun | dwater | | |
| A. | All water stored in the ground | 28 | 15 |
| В. | All water which is in direct contact with the ground | 21 | 0 |
| C. | Water flowing under ground | 15 | 6 |
| D. | Subsurface water occupying the saturated zone | 36 | 79 |
| 4. Aquife | r | | |
| A. | Subsurface water body | 11 | 24 |
| В. | Groundwater that reaches the surface through a permeable rock layer | 25 | 0 |
| C. | Geological formation capable of storing, transmitting and yielding water | 47 | 76 |

Discussion started: 25 June 2018





| D. | Man-made structure first built by the Romans to transport water | 17 | 0 |
|----------|---|----|----|
| 5. Lake | | | |
| A. | Man-made body of standing surface water of significant extent | 6 | 0 |
| В. | Inland body of standing surface water of significant extent | 53 | 85 |
| C. | Small body of water encompassed by high mountains | 10 | 0 |
| D. | Area of variable size filled with water | 31 | 15 |
| 6. Dam | | | |
| A. | Barrier constructed across a valley to store water or raise the water level | 47 | 62 |
| В. | Barrier that prevents a river to flow into a lake | 9 | 3 |
| C. | Man-made, giant concrete structure to regulate water flow | 33 | 15 |
| D. | Man-made object to keep rivers or seas from overflowing land | 11 | 20 |
| 7. Delta | | | |
| A. | Feature resulting from an alluvial deposit at a rivermouth | 25 | 61 |
| В. | River mouth that spreads out a little bit, like the shape of a Greek letter Delta | 35 | 15 |
| C. | Triangular shaped island in a river | 12 | 0 |
| D. | Landform that forms from deposition of sediment carried by a river | 28 | 24 |
| 8. Downs | stream | | |
| A. | Heavy intensity rain water falling down | 12 | 0 |

Discussion started: 25 June 2018





| B. D | virection from which a fluid is moving | 26 | 3 |
|-------------|--|----|-----|
| C. S | tream that branches off from the main stream | 4 | 0 |
| D. Di | irection in which a fluid is moving | 58 | 97 |
| 9. Flood | | | |
| A. L | arge wave of moving water | 2 | 0 |
| _ | verflow of water onto lands that are not ormally covered by water | 88 | 76 |
| | ise in the water level to a peak from which it ecedes at a slower rate | 5 | 18 |
| | nusually large run-off event that leads to conomic damage | 5 | 6 |
| 10. Stream | | | |
| | iver that drains into another river and not into lake, sea or ocean | 11 | 3 |
| | Vatercourse that flows into a larger vatercourse or into a lake | 34 | 24 |
| | mall river with water moving fast enough to be isible with the naked eye | 37 | 26 |
| D. Ge | eneral term for any body of flowing water | 18 | 47 |
| 11. Dischar | ge | | |
| | olume of water that passes through the whole iver in one day | 29 | 0 |
| | olume of water flowing through a river cross- ection per unit time | 45 | 100 |
| | Vater with enough sediment in it to limit isibility to less than 1 feet | 13 | 0 |

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





| D. Flowing water in a reservoir used to generate electricity | 13 | 0 |
|--|----|----|
| 12. Water table | | |
| A. Top surface of the zone of saturation | 56 | 82 |
| B. Saturated part of an aquifer | 15 | 3 |
| C. Tide table kept at water authority | 16 | 0 |
| D. Height to which water raises in a well | 13 | 15 |

^a The number of lay respondents varied from 115 to 119: N=115 for aquifer, water table;N=116 for lake, delta; N=117 for stream; N=118 for river basin, groundwater, dam, downstream, flood, discharge; N=119 for river. ^b The number of experts respondents was N=33 for delta and discharge and N=34 for all other terms.

278279

280

275

276

277

Figure 2: Answer distribution of pictorial questionsa

Sciences Discussions

Hydrology and ♀ Éarth System



Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018






| 282 283 284 285 | $^{\rm a}$ The number of lay respondents was 115 to 117: N=115 for hydro power, reservoir; N=116 for geyser, pond, swamp, dike, dew; N=117 for sewer, flood, river. $^{\rm b}$ The number of expert respondents was N=34 for all terms. |
|--------------------------|---|
| 286 | |
| 287 | 3.1 Misfits between laypeople and experts |
| 288 | The biggest misfit between lappipple and experts was found in the textual |
| 289 | questions, for subsequently river basin (log-10 BF 14.9), river (log-10 BF 11.9), |
| 290 | discharge (log-10 BF 6.2), aquifer (log-10 BF 3.9) and groundwater (log-10 3.4) |
| 291 | (for more BF-values, see table in appendix B). |
| 292 | |
| 293 | For these words, we have clear proof that there is disagreement between experts |
| 294 | and laypeople on the interpretation. This can be 👝 in Figure 3. The pictorial |
| 295 | questions are marked with an asterisk. None of these pictorial questions made it |
| 296 | to the 'top 10' of biggest misfire. The pictorial questions that lead to the biggest |
| 297 | misfits were subsequently hower, reservoir, dike, sewer and swamp. |
| 298 | |
| 299 | Figure 3: Graph showing the posterior distribution of the misfit between laypeople |
| 300 | and experts. |

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.







The broader and flatter the distribution, the stronger the Bayes Factor. If both experts and laypeople have a high internal agreement (above 90%) the misfit is smaller than if there's a lot of internal disagreement.

This can be seen in the graph: the posterior distribution of the 'misfit' parameter is visible. It is important to note that under H_0 , the misfit is not exactly equal to 0, because there is a certain degree of 'randomness'. In other words: the misfit describes to what extent the answering patterns of the laypeople and the experts are similar to each other.

4. Discussion and conclusion

In total, we collected 119 questionnaires from native English-speaking laypeople and 34 questionnaires from (not necessarily native English-speaking) experts. 15 of the experts were native English/American speakers (2 others came from South Africa, where English is also a major language, 2 others didn't fill this

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018





- question out and the rest of the experts came from the Netherlands, Belgium,
- 317 Germany, Turkey, Switzerland, Luxembourg, Brazil, France and Italy. A perts
- were of PhD level or above and were thus considered to have enough knowledge
- of the English scientific language. Nevertheless, two participants wrote in the
- 320 comments that they found some of the terms difficult to understand due to the
- 321 fact that they were non-native English-speakers.
- This could be a limitation to our study, because possibly the non-native English-
- 323 speaking experts would have answered differently if they had been native
- English-speaking experts. However, since the majority of the experts (n=32)
- 325 didn't have trouble understanding the questions (or at least did not write a
- 326 comment about this), we don't consider this a major limitation.
- Our definition from jargon is adopted from a study by Castro et al. (2007), in
- which it is described as both (1) technical terms with only one meaning listed in
- a technical dictionary, and (2) terms with a different meaning in lay contexts.
- Therefore, this definition is not influenced by a distinction between native and
- 331 non-native English-speakers. However, it can be expected that hydrogeological
- terms sometimes have a less strict meaning for non-native English speakers in
- 333 general, and especially for non-native English speaking lay people, due to the
- difference in understanding between laypeople and experts (Hut et al., 2016).
- 335 This is why we excluded non-native English-speaking laypeople.
- 336 A disadvantage of the survey was that some of the text questions were still quite
- 337 ambiguous. The interpretation of some terms changes depending on the context
- and the specific background. Due to the limitations of a multiple choice format, in
- some cases none of the definitions might seem to have a perfect fit, whereas with
- 340 the pictures it is the other way around and sometimes more than one picture
- could fit a generic term. Giving only 4 predefined options could seem a bit
- 342 leading and restricted Moreover, non-native speaking experts could be confused
- 343 by some of the English definitions.
- Concerning the surveys of the laypeople, a disadvantage of the hand-outs was the
- fact that the pictures could not be enlarged. In addition, the prints were two-
- 346 sided, and in some cases participants overlooked some of the questions. Even
- 347 though the survey was of the forced type, not all people did answer all the
- 348 questions.
- 349 The answering pattern within a group (laypeople or experts) could be inherent
- 350 to the specific answers. In some cases, the answers were quite similar to each
- other, in other cases, the difference was quite big. However, this could not
- explain the misfit between laypeople and experts, since they both filled out the
- 353 same survey.
- 354 Of course, this research is only a first step in investigating the possibilities of a
- common vocabulary. By introducing our method to the scientific community
- 356 (and making it accessible via open access) we hope to encourage other scientists
- 357 to carry out this survey with other terminology as well.
- $\,$ Since relatively little is known about the interpretation of jargon by laypeople



Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

395

References





| 359 360 | and experts (especially in the natural sciences), additional research in this field is recommended. |
|------------|---|
| 361 362 | Concluding, thi dy shows that there exists a strong difference in the interpretation of common droll rological terms between laypeople and experts. |
| 363 | This difference is only present when the terms are presented in a textual way. |
| 364 | When they are presented in a visual way, we have shown that the answer |
| 365 | patterns by laypeople and experts are the same. |
| | |
| 366 | Therefore, the most important finding of this study is that pictures are more |
| 367 | clear than words when it comes to science communication. We strongly |
| 368 369 | recommend to use relevant pictures whenever possible when communicating about a scientific to laypeople. |
| 307 | about a scientific to my people. |
| 370 | Our findings differ from medical jargon studies which take into account both |
| 371 | textual terms and illustrations. For example, Boyle (1970) finds that there is a |
| 372 | significant difference between doctors and patients when it comes to the |
| 373 | interpretation of both terms and illustrations. However, these illustrations |
| 374 | differed in various ways from the pictures in our study: they were hand drawn, |
| 375 | and only meant to indicate the exact position of a specific bodily organ. |
| 376 | What makes a 'good' picture for science communication purposes would be an |
| 377 | interesting topic for further research. Also, more research could be done on the |
| 378 | textual terms: how could the existing interpretation gap between experts and |
| 379 | laypeople be diminished? What impact would the combination of pictures and |
| 380 | textual terms have - would the text enhance the pictures and vice versa? All in all, |
| 381 | a broader research which incorporates more terminology and pictures (from |
| 382 | various scientific disciplines) would be a very valuable starting point. Also, in |
| 383 | line with Hut et al. (2016), it would be interesting to analyse the understanding |
| 384 | of motion pictures (e.g. documentaries) in geoscience communication, while TV |
| 385 | is a powerful medium. |
| 386 | |
| 387 | 6. Acknowledgements |
| 388 | Our special thanks goes to dr. Salar mingworth, senior lecturer in Science |
| 389 | Communication at Manchester Metropolitan University, for contributing to this |
| 390 | project in various ways: from thinking along about the questionnaire to helping |
| 391 | out with the logistics while carrying out the survey in Manchester. |
| 392 | Also, we would like to express our thanks to all the participants in the survey and |
| 393 | to the members of the AGU focus group. |
| 204 | |
| 394 | |

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





Liverman, D. G., E. (2008) Environmental geoscience - communication 396 challenges. Geological Society, London, Special Publications, 305, 197-209, 30 397 October, https://doi.org/10.1144/SP305.17 398 Forster, A. & Freeborough, K. (2006) A guide to the communication of 399 400 geohazards information to the public, British Geological Survey, Nottingham, Urban Geoscience and Geohazards Programme, Internal Report IR/06/009 401 402 403 Basher, R (2006) Global early warning systems for natural hazards: systematic and people-centred. Phil. Trans. R. Soc. A (2006) 364, 2167-2182 404 doi:10.1098/rsta.2006.1819 405 Bender, R. & Lange, S. (1999). Adjusting for multiple testing-when and how? 406 Journal of Clinical Epidemiology, 54(4), 343-349, DOI:10.1016/S0895-407 4356(00)00314-0 408 409 410 Blackman, J. & Sahebjalal, M. (2014). Patient understanding of frequently used cardiology terminology. British Journal of Cardiology. 21. 10.5837/bjc.2014.007. 411 412 Boyle, C.M. (1970) Difference Between Patients' and Doctors' Interpretation of 413 Some Common Medical Terms. Br Med J. 2(5704): 286-289. 414 Castro CM1, Wilson C, Wang F, Schillinger D. (2007) Babel babble: physicians' 415 use of unclarified medical jargon with patients. Am J Health Behav. Sep-Oct;31 416 417 Suppl 1:S85-95. DOI:10.5555/ajhb.2007.31.supp.S85 Hadlow, J. and Pitts M. (1991). The understanding of common health terms by 418 419 doctors, nurses and patients. Soc Sci Med. 1991;32(2):193-6. 420 421 Hut R., Land-Zandstra A.M., Smeets I., Stoof C.R. (2016). Geoscience on television: a review of science communication literature in the context of geosciences. 422 423 Hydrol. Earth Syst. Sci., 20, 2507-2518, doi:10.5194/hess-20-2507-2016 424 425 IPCC, 2014: Climate Change 2014: Synthesis Report. Contribution of Working 426 Groups I, II and III to the Fifth Assessment Report of the Intergovernmental 427 Panel on Climate Change [Core Writing Team, R.K. Pachauri and L.A. Meyer 428 (eds.)]. IPCC, Geneva, Switzerland, 151 pp. 429 Jeffreys H. (1961). Theory of probability. Oxford, UK: Oxford University Press 430 Morey R. D. and Rouder J. N. (2015). Bayes Factor: Computation of Bayes Factors for Common Designs. https://CRAN.R-project.org/package=BayesFactor 431

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018

453

© Author(s) 2018. CC BY 4.0 License.





R Core Team (2017). R: A language and environment for statistical computing. R 432 433 Foundation for Statistical Computing, Vienna, Austria. https://www.Rproject.org/ 434 Rakedzon T, Segev E, Chapnik N, Yosef R, Baram-Tsabari A (2017) Automatic 435 jargon identifier for scientists engaging with the public and science 436 communication educators. PLoS ONE12(8): e0181742. 437 438 https://doi.org/10.1371/journal.pone.0181742 439 Stewart I.S. and Nield T. (2013) Earth stories: context and narrative in the 440 communication of popular geoscience. Proceedings of the Geologists' 441 Association. Volume 124, Issue 4, June 2013, Pages 699-712. 442 https://doi.org/10.1016/j.pgeola.2012.08.008 443 European Water Framework Directive: 444 445 http://ec.europa.eu/environment/water/water-framework/index_en.html **USGS Glossary:** 446 447 https://water.usgs.gov/edu/dictionary.html Water Notes: 448 http://ec.europa.eu/environment/water/participation/notes_en.htm 449 450 WMO Glossary: http://www.wmo.int/pages/prog/hwrp/publications/international_glossary/3 451 452 85_IGH_2012.pdf

Manuscript under review for journal Hydrol. Earth Syst. Sci.

Discussion started: 25 June 2018







454 Appendix A: questionnaire

455

| Q | ue | STI | or | ۱n | ıa | ılr | e | n | yc | iro | OIC | og | ICa | al 1 | ter | m | าร |
|---|----|-----|----|----|----|-----|---|---|----|-----|-----|----|-----|------|-----|---|----|
| | | _ | | | | | | | | | | | | | | | |

Thank you for participating in this survey! We will ask you some questions about water and

| terminology. We are not looking for a 'right' answer, but for the answer that is, in your opinion, the best definition. It will take approx. 5 minutes to participate. Have fun! |
|---|
| 1. What is, in your opinion, the best definition of a river? |
| A: Path of fresh water flowing into the ocean |
| B: Water flowing only on the surface of the land and never underground |
| C: Large stream which serves as the natural drainage for a basin |
| D: Flow of surface water within a straight channel |
| 2. What is, in your opinion, the best definition of a river basin? |
| A: Area having a common outlet for its surface runoff |
| B: Dry river channel which may be flooded during high water events |
| C: Catchment which a river flows into |
| O: Body of water (lake, sea, ocean) a river flows into |
| |

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





| | 3. What is, in your opinion, the best definition of groundwater? |
|-----|---|
| | A: All water stored in the ground |
| | B: All water which is in direct contact with the ground |
| | C: Water flowing under ground |
| | D: Subsurface water occupying the saturated zone |
| | |
| | 4. What is, in your opinion, the best definition of an aquifer? |
| | A: Subsurface water body |
| | B: Groundwater that reaches the surface through a permeable rock layer |
| | C: Geological formation capable of storing, transmitting and yielding water |
| | D: Man-made structure first built by the Romans to transport water |
| 457 | 5. What is, in your opinion, the best definition of a lake? |
| | 5. What is, in your opinion, the best definition of a lake? |
| | A: Man-made body of standing surface water of significant extent |
| | B: Inland body of standing surface water of significant extent |
| | C: Small body of water encompassed by high mountains |
| | D: Area of variable size filled with water |
| 458 | |

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





| | 6. What is, in your opinion, the best definition of a dam? | | | | |
|-----|--|--|--|--|--|
| | A: Barrier constructed across a valley to store water or raise the water level | | | | |
| | B: Barrier that prevents a river to flow into a lake | | | | |
| | C: Man-made, giant concrete structure to regulate water flow | | | | |
| | D: Man-made object to keep rivers or seas from overflowing land | | | | |
| | 7. What is, in your opinion, the best definition of a delta? | | | | |
| | 7. What is, in your opinion, the best definition of a delta: | | | | |
| | A: Feature resulting from an alluvial deposit at a rivermouth | | | | |
| | B: River mouth that spreads out a little bit, like the shape of a Greek letter Delta | | | | |
| | C: Triangular shaped island in a river | | | | |
| | O: Landform that forms from deposition of sediment carried by a river | | | | |
| | | | | | |
| | 8. What is, in your opinion, the best definition of downstream? | | | | |
| | A: Heavy intensity rain water falling down | | | | |
| | B: Direction from which a fluid is moving | | | | |
| | C: Stream that branches off from the main stream | | | | |
| | D: Direction in which a fluid is moving | | | | |
| | | | | | |
| | 9. What is, in your opinion, the best definition of a flood? | | | | |
| | A: Large wave of moving water | | | | |
| | B: Overflow of water onto lands that are not normally covered by water | | | | |
| | C: Rise in the water level to a peak from which it recedes at a slower rate | | | | |
| 459 | D: Unusually large run-off event that leads to economic damage | | | | |
| 460 | | | | | |

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.






| 10. What is, in your opinion, the best definition of a stream? | | | | | |
|--|---|--|--|--|--|
| 0 | A: River that drains into another river and not into a lake, sea or ocean | | | | |
| 0 | B: Watercourse that flows into a larger watercourse or into a lake | | | | |
| 0 | C: Small river with water moving fast enough to be visible with the naked eye | | | | |
| 0 | D: General term for any body of flowing water | | | | |
| 11. \ | What is, in your opinion, the best definition of discharge? | | | | |
| O A | A: Volume of water that passes through the whole river in one day | | | | |
| O E | 3: Volume of water flowing through a river cross-section per unit time | | | | |
| 0 | C: Water with enough sediment in it to limit visibillity to less than 1 feet | | | | |
| O: Flowing water in a reservoir used to generate electricity | | | | | |
| 12. \ | What is, in your opinion, the best definition of a water table? | | | | |
| 0 | A: Top surface of the zone of saturation | | | | |
| O E | 3: Saturated part of an aquifer | | | | |
| 0 | C: Tide table kept at water authority | | | | |
| O [| D: Height to which water raises in a well | | | | |
| | | | | | |

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.








Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.








Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.








Discussion started: 25 June 2018








Discussion started: 25 June 2018







Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





| 23. Do you have any comments concerning the questions? | | | |
|--|--|--|--|
| Your answer | | | |
| | | | |
| 24. What is your gender? | | | |
| ○ Female | | | |
| ○ Male | | | |
| Other or prefer not to say | | | |
| 25. What is your age? | | | |
| Your answer | | | |
| 26. What is your country and postcode area? Your answer | | | |
| | | | |
| 27. What is your highest completed education level? | | | |
| Your answer | | | |

472 473

Appendix B

474475

476 Table 2: Bayes Factors (BF) and their base-10 logarithms.

| Term | BF | Log 10 BF |
|-------------|-----------|-----------|
| Aquifer | 7.801e+03 | 3.892 |
| River basin | 7.428e+14 | 14.871 |
| Dam | 8.783e-01 | -0.056 |
| Delta | 1.273e+02 | 2.105 |
| Dew | 1.798e-02 | -1.745 |
| Dike | 3.685e-01 | -0.434 |
| Discharge | 1.531e+06 | 6.185 |
| Downstream | 1.841e+02 | 2.265 |

Discussion started: 25 June 2018

© Author(s) 2018. CC BY 4.0 License.





| Flood (text) | 4.165e-03 | -2.380 |
|-----------------|-----------|---------|
| Flood (picture) | 6.403e-02 | -1.194 |
| Geyser | 5.209e-03 | -2.283 |
| Groundwater | 2.418e+03 | 3.383 |
| Hydro power | 4.070e+00 | 0.610 |
| Lake | 6.324e+00 | 0.801 |
| Pond | 5.069e-03 | -2.295 |
| Reservoir | 1.274e+00 | 0.105 |
| River (text) | 2.784e-02 | -1.555 |
| River (picture) | 7.094e+11 | 11.851 |
| Sewer | 4.790e-02 | -1.3197 |
| Stream | 8.046e+00 | 0.906 |
| Swamp | 4.601e-02 | -1.337 |
| Water table | 1.360e+01 | 1.134 |