Response to referees' comments (hess-2019-281)

1

We would like to thank the reviewers for their professional, detailed and constructive comments, which improved our manuscript considerably. We have carefully revised the manuscript following their comments point by point. Our revisions and explanations have been inserted in blue, and all amendments are also highlighted in the version of revised manuscript. Additionally, the writing of our revised manuscript are also under carefully editing by English native speaker with specialized in hydrology.

7 Anonymous Referee #1

The manuscript "Widespread decline in terrestrial water storage and its link to teleconnections across Asia and 8 Eastern Europe" by Liu et al., submitted to HESS, analyses the terrestrial water storage (tws) for regions with 9 declining tws based primarily on GRACE, hydrological modelling data and literature values, links it to a huge 10 number of teleconnections and separate tws both in seasonality and compartments and link it as well to 11 teleconnections. While the manuscript started promising (and the idea of linking TWS dynamics to teleconnections 12 is interesting), it has several drawbacks both structural and content-wise. Simultaneously, I have the impression 13 14 that the manuscript was not prepared carefully and properly reviewed by the co-authors before the submission. 15 Otherwise I could not understand the number of the major and minor very obvious problems that made it hard to focus on the content of the manuscript. In sum, I have doubts, if a major revision could lead to an acceptable 16 17 improvement for the high journal standard and therefore recommend to reject the manuscript but I of course leave 18 it up to the editor if the chance for improvement should be given.

19 Response: Thank you for your comment. We feel sorry for the confusion and inconvenience we have brought to 20 you. In the revised manuscript, we have substantially revised our manuscript according to the reviewers' 21 comments.

22 Major comment

(1) The general objective of the paper is interesting (especial the link to teleconnections) but how the authors
 structured the manuscript is not convincing.

25 Response: Thank you for your comment. We have reorganized the data and method, result and discussion section 26 according to referee's comments, particularly in the result interpretation and discussion content.

(2) The method section does not provide the details that are needed to understand the results. Should the reader
know every single teleconnection? What are the methodological details of assessing water storage changes for lakes
(e.g. are reservoirs included?), how are glaciers included (a reference to literature does not allow a reader to really
get a clue how specifically the data has been included in this study)? Wetland and river storage seem to be missing

31 at all in the study – at least those are not indicated in the definition or in data sets used.

- 32 Response: Thank you for your comments. In our revised manuscript, we have tabulated the datasets used in our
- 33 study. The lakes and glaciers that considered in our study are listed in the table (Table 1). The rivers and reservoirs
- 34 indeed not included in our study, we have discussed the associated uncertainties in discussion section. We also
- 35 made a methodology flow diagram of data processing in our revised manuscript (Figure 2, marked by the figure
- 36 number in the revised manuscript, hereafter).

37 **Table 1:** Descriptions of datasets used in this study

Datasets	Variables	Time span	Resolution	Source
GRACE	JPL-M	2002-2017	monthly and 0.5°	The Jet Propulsion Laboratory (Watkins et al., 2015) and the Center for
	CSR-M			Space Research (Save et al., 2016)
GLDAS	Canopy	2002-2017	monthly and 0.25°	The Global Land Data Assimilation
	Soil moisture			System data (Rodell et al., 2004)
	Snow water			
Lakes	Caspian sea	2002-2017	ten days and site	The Database for Hydrological Time
	Aral Sea (East)			Series of Inland Water (Schwatke et al.,
	Aral Sea (West)			2015) and Hydroweb (Crétaux et al.,
	Aral Sea (North)			2011)
Glacier	Tien Shan	2000-2016	year and regional	literature (Brun et al., 2017)
	Hindu Kush			
	Spiti Lahaul			
	East Nepal			
	Bhutan			
	Nyainqentanglha			
Teleconnections	AO, NAO, EA, EAWR, WP,	2002-2017	monthly and global	The Climate Prediction Center of the
	polarEA, PNA, IOD, AMO,			U.S. National Oceanic and
	PDO, ENSO, SCAND			Atmospheric Administration

38



40 **Figure 2:** Methodology flow diagram of data processing in this study.

(3) The results section contains a too short and selective description of the results, often followed by an interpretation. Should it be up to the reader what the result of the study or the interpretation is? There are questionable interpretation included, for example that the (very small) changes in precipitation is responsible for the (one magnitude higher) change in TWS, or that glacier melt leads to soil moisture increase – without citing any reference.

46 Response: Thank you for your comment. We have substantially modified the inappropriate phrasing in results 47 interpretation, and also added citations for each interpretation. Notably, the trend in precipitation was mistake 48 in our former version of manuscript, we have recalculated and reproduced the spatiotemporal changes of 49 precipitation over the study area (Figure 3).

Trend(mm yr

 $10 \sim 15$





Figure 3: Spatiotemporal changes in TWS as obtained from GRACE (a) and precipitation as obtained from CRU (b)
across the Asian and Eastern European regions during 2002-2017. The trend is obtained from the removed seasonal
cycle time series.

(4) In the discussion section, the arguments of the results section are partly repeated. The authors are not embedding
the findings of their study to the literature (except a very few examples), so it is hard to get a proper information of
the robustness of their findings.

- 57 Response: Thank you for your comment. We have reorganized the discussion section according to reviewers'
- 58 comments in our revised manuscript.

(5) Most disappointing I found is that for nearly every figure, major problems arise. Most of the diagrams do not even have a proper axis naming / labelling, so I have hard times to understand the results and the text that is based on it, all that made it hard to review the content.

- 62 **Response:** Thank you for your comment. We feel sorry for the inconvenience we have caused to you. In the revised
- 63 manuscript, we have reproduced all figures according to the detail comments. We have attached all figures at the
- 64 end of this response.

65 (6) More specific, there are (other than mentioned in the state of the art) already a number of global / large scale 66 studies that deal with those or a subset of those regions or even on global scale but often directly include 67 anthropogenic impacts (by the way, those regions could have names), e.g. Wada et al, 2010, Döll et al, 2014,

- Scanlon et al, 2018, 2019, Syed et al, 2008, Tangdamrongsub et al., 2018, Zhang et al, 2017 and more, those and
 some of the references therein should be considered when re-designing the manuscript.
- Response: Thank you for your comment. We have carefully read these papers and properly cited them in our
 revised the manuscript.

72 Specific comments

73 (1) For the distinguishing of water storage compartments, a single mascon-solution and a single hydrological model 74 is being used. Few years earlier that would have been state of the art, but now, and especially as a number of 75 GRACE solutions (spherical harmonics and masons) and a large number of hydrological / land surface models are 76 available, this kind of study should be done in a multi-model/multi-data setting to be able to verify the results, 77 provide uncertainty information which then might lead to a valuable scientific contribution. To reduce the approach 78 of the manuscript it to the minimum, the GRACE tws was reduced by NOAH soil moisture, snow and canopy, by 79 lakes and glaciers; the leftovers are then groundwater and/or human interventions. Why have not the authors used a hydrological model (or better more) that consider human interventions, to allow direct assessment of trends / 80 residuals? There are a number of global-scale studies that are using GRACE data in combination with global water 81 82 models (Scanlon et al., 2018, Döll et al., 2014), especial to trends which contains also a huge list of references 83 within for some of the regions of this study.

Response: Thank you for your constructive comment. The spherical harmonic solutions generally suffer from 84 85 correlated errors that manifest longitudinal striping in the gravity solution (Rodell et al., 2018). Although largely successful in removing errors, the post-processing also damps and smooths real geophysical signals (Landerer 86 87 and Swenson, 2012). Recent advances in GRACE data processing have shown that solving for gravity anomalies 88 in terms of mass concentration (mascon) functions with carefully selected regularization results in superior 89 localization of signals on an elliptical Earth (Save et al., 2016). Therefore, two publicly available GRACE mascon 90 solutions are employed in our study: Jet Propulsion Laboratory mascons RL05M (Watkins et al., 2015) (JPL-M) 91 and Center for Space Research mascons RL05M (Save et al., 2016) (CSR-M). Notably, JPL-M has the unique characteristic that each 3° mascon element is relatively uncorrelated with neighboring mascon elements, whereas 92 93 the 1° mascon elements in CSR-M solutions is highly correlated with their neighbors. Moreover, three degrees 94 correspond approximately to the 'native' resolution of GRACE. Therefore, in this work we mainly used JPL-M 95 for trend analysis and mapping.

- 96 (2) Line 72: The Mount Kilimanjaro comes unexpected in this list isn't it located in Tansania (Africa), or is there
 97 also one in Asia?
- 98 Response: Thank you for your comment. The Mount Kilimanjaro is indeed located in Africa, we have corrected
 99 the mistake in our revised manuscript.

- 100 (3) Line 75: The sentence "Under the combined..." needs references or does it belong to the hypotheses?
- 101 Response: Thank you for your comment. We have rewritten the study area section and deleted this sentence in
- 102 our revised manuscript.
- (4) Line 79ff: GRACE data, especially in the months at the end of the orbit time shows an increasing error in the
 signal have you considered this in your analyses?
- 105 Response: Thank you for your comment. There are indeed certain months during which the GRACE orbit is in a
- 106 near-repeat pattern. This phenomenon leads to sub-optimal spatial sampling and thus typically leads to larger
- 107 errors in the higher spherical harmonic coefficients. The mascon solutions used in this study have already
- 108 considered the measurement errors and leakage errors in the final data analyses data product.
- 109 (5) Lines 86-94 should be rewritten as it is repeating partly itself
- 110 Response: Thank you for your comment. We have rewritten the data section in our revised manuscript.
- (6) Line 95: Whereas I agree that two things are comparable in general, please be concise in wording. One can compare an apple with an orange but this is not a good comparison. Comparing full TWS from GRACE with TWS from Noah that consists only of soil, snow and canopy leaves out important compartments such as water bodies, groundwater and glaciers. Of course, this is written in the next sentence but the word "directly comparable" is misleading.
- 116 Response: Thank you for your comment. We have rewritten this section and revised the word "directly 117 comparable" in our revised manuscript.
- (7) Lines 98 ff: the description of how lake level and glacier change have been used in this study is much to short described. For lake levels – which lakes are included? Only the large ones? Are reservoirs included? Are wetlands included? Which time series are assessed? For example, Wang et al., (2018) ends in 2016, the time series of this manuscript exceeds this.
- 122 Response: Thank you for your comment. We have listed the lakes and glaciers used in our study in table 1. But 123 we did not include reservoirs and rivers parts in our study. We have discussed the associated uncertainties in 124 discussion section as follows. Multiple uncertainties remain in understanding the changes in TWS and its 125 components over the Asian and Eastern European regions. These may include the unaccounted for reservoir and 126 rivers in surface water storage, which may induce uncertainties in a certain area in estimating the groundwater 127 by deducting the surface water and soil moisture from TWS. The glacier data used here is during 2000-2016, this 128 inconsistent with our study period (2002-2017) may also cause uncertainties in separating the water components 129 from TWS.
- (8) Line 101: If SW does not include wetlands or rivers (at least this information is missing in the manuscript), then
 the residual of GRACE TWS minus SW and SM cannot be groundwater only.

132 Response: Thank you for your comment. We indeed not consider rivers and reservoirs parts in our study. We

133 have added the uncertainties in discussion section in our revised manuscript.

(9) Lines 105 ff: The description of the TCs is not very informative. Please provide more details, e.g. for which
 region they are defined, how they are characterized (e.g. briefly in the supplement).

136 Response: Thank you for your comment. We have supplemented the briefly introduction of the TCs in data section
137 in our revised supplement.

(10) Lines 113 f: to which TWS does the section refers to? I guess to GRACE TWS, right? The section needs to be reformulated and streamlined for better readability and enriched by references, it reads confused in the current shape. What does the (totaltrend-seasonality) mean? Is it a mathematical equation? Please provide details why by using the cross-correlation of the TWS residuals and TC the interference with (...) are reduced. This is similarly repeated in lines 144 f.

143 **Response:** Thank you for your comment. Yes, this section refers to GRACE TWS, we have revised the statement.

144 Also, we have reformulated and streamlined this section according to your useful comment in our revised

145 **manuscript**.

146 (11) Line 144: For which GRACE solution the numbers are standing for? The mean of both? Fig 2c shows not 147 "expected" changes in precipitation. And again, such a small precipitation trend in that region as shown in Fig 2b 148 should not affect the tws signal drastically. Similar interpretation problems are following for the next case studies. 149 Response: Thank you for your comment. Both JPL-M and CSR-M show similar spatiotemporal pattern of 150 changes in TWS (Figure 3 and Figure S3). Since the JPL-M solution has the merit of lack of correlation between 151 neighboring mascon elements in the retrieval, in this work we use JPL-M for trend analysis and mapping. Notably, 152 the trend in precipitation was mistake in our former version of manuscript, we have recalculated and reproduced 153 the spatiotemporal changes of precipitation over the study area.

(12) Line 158: The comparison of Nort-West-India with one single reference is misplaced in the results section.
Due to the reason the authors explain, it is not possible to assess the reason for the difference. I suggest to properly
frame the trends into the various estimates that are available from the literature and then, in the discussion section
of the paper to discuss it.

- 158 Response: Thank you for your comment. We agree with your suggestions, and we have revised the sentences 159 according to the comment in our revised manuscript.
- 160 (13) Line 161: What is the assessment of Caspian Sea Level is based on? Is that focus of the paper?
- 161 Response: Thank you for your comment. In this paper, we estimated the surface water loss by assessing the decline
- 162 in water body level of Caspian Sea. The sharply declined in Caspian Sean level could better understand the loss
- 163 of surface water storage.

164 (14) Line 163 ff: A mix of (selected) interpretation and presenting results, not easy to follow.

165 Response: Thank you for your comment. We have redesigned this paragraph in our revised manuscript.

166 (15) Line 169 ff: It is hard to accept that general conclusion that change in two correlates with natural variability

just because of (the magnitude lower) precipitation trend. This needs to be analysed in much more detail, especiallythe role of human interventions needs to be considered here (with data/modelling).

- 100 the fole of numar met ventions needs to be considered here (with data moderning).
- 169 Response: Thank you for your comment. The trend in precipitation was mistake in our former version of
- 170 manuscript, we have recalculated and reproduced the spatiotemporal changes of precipitation over the study area.
- 171 Challenges remain in separating the long-term relative roles of natural climatic variation and anthropogenic
- 172 forcing on TWS changes. Well-designed experiments and coupled human-natural system models are still needed
- 173 to clarify the quantitative contributions of each influencing factor on TWS in our future study.

(16) Line 170 f: A data product that base on the same satellite input but with a different processing is expected to lead to similar results (at least for the broad picture) especially for the highly human impacted regions. This does not allow justification of the results in my eyes. It could provide an uncertainty information, not more. A different measurement system (e.g. GPS displacement analysis) could be a real justification.

- 178 Response: Thank you for your comment. We have rephrased this sentence, and rewritten the results section in
 179 our revised manuscript.
- 180 (17) Lines 182 f (Most regions...): I do not agree to the described pattern.
- 181 Response: Thank you for your comment. We have revised this statement in our revised manuscript.
- (18) Lines 194 ff: it reads like a new finding that at those locations, groundwater depletion occurs. There is a wide
 range of previous literature that directly assess regions with groundwater depletion based on GRACE (and
 hydrological models), e.g. Döll et al., 2014, Wada et al., 2010 and references therein.
- 185 Response: Thank you for your comment. We have carefully read these papers and properly cited in our revised
 186 manuscript.
- (19) Line 199 f: is there any reference that the glacier melt leads to higher soil moisture or is it an interpretation of the results? I am not an expert in glacier hydrology but would assume that the effect of a melting glacier to soil moisture increase is only locally effective and as soon as the glacier water is within a river, soil moisture is affected probably only weak, especially at a larger spatial scales.
- 191 Response: Thank you for your comment. In addition to the glacier melt water, the increase in precipitation could
- 192 also contribute to the increase in soil moisture (Figure 3). We have revised this sentence in our revised manuscript.



193

Figure 3: Spatiotemporal changes in TWS as obtained from GRACE (a) and precipitation as obtained from CRU
(b) across the Asian and Eastern European regions during 2002-2017. The trend is obtained from the removed
seasonal cycle time series.

- (20) Line 202: irrigated agriculture contributes to more than a half of tws loss? How has this been assessed? Is assumed that irrigation only stems from groundwater resources? The following lines are already a discussion, it is hard to assess what is the specific contribution of this study.
- 200 Response: Thank you for your comment. Actually, groundwater contributes to more than a half of TWS loss in
- 201 region2 instead of irrigated agriculture. We have rewritten this part in our revised manuscript.
- (21) Line 208: the authors refer to a meteorological drought the first time in the manuscript. Is it referring to
 declining precipitation from Fig 2b? Trends in precipitation does not necessarily imply a drought, this should be
 clarified.
- Response: Thank you for your comment. We indeed inferred drought from declining precipitation, and we have
 rectified the statement in our revised manuscript.
- 207 (22) Line 210: again, everything is comparable. But not everything is similar/equal. Please be concise with wording.
- Response: Thank you for your comment. We have replaced the word "comparable" of "similar" in our revised
 manuscript.
- 210 (23) Line 214: which drought definition? TWS is not "recharged", groundwater can be recharged. What does the
- 211 word "will" mean? Climate projection? Water use projection? This is not clear.
- 212 Response: Thank you for your comment. We have replaced the word "recharged" of "changed", and we also
- 213 rephrased this sentence in our revised manuscript.
- 214 (24) Line 241: unit?
- 215 Response: Thank you for your comment. We have rectified the unit in our revised manuscript.
- 216 (25) Section 3.2: I have hard times interpreting and justifying the results. First, maximum correlations are relatively
- low (Fig. S5) and I guess, only the TC with the dominant correlation is displayed in Fig 2. However, how to interpret
- plausible, if a correlation coefficient is, let's assume 0.20 and the next TC has 0.19? The interpretation (such as
- time lag discussion) solely considers the maximum correlation even though it is in a large part of the study area

- 220 very low. A correlation coefficient of 0.2 implies that this specific TC explains 20% of the TWS signal, is this
- 221 correct? This needs more attention and maybe cutting out dominant TCs below a meaningful threshold.
- Response: Thank you for your thoughtful comment. We indeed adopt the maximum correlation coefficient as the dominant TC. We also agree with your comment, and the situation mentioned above could occur in data processing. However, the pixel is independent each other. For each pixel, we could extract the maximum correlation coefficient between TWS and TCs, but we could not obtain the area proportion of each dominant TC
- 226 during extraction process. Therefore, we adopted maximum correlations to interpretation, and we also discussed
- 227 this uncertainty in discussion section of our revised manuscript.
- (26) Section 4.1 repeats mainly the interpretation of the results section. The last paragraph does not provide any
 scientific insights in terms of a discussion.
- 230 Response: Thank you for your comment. We have reorganized the discussion section according to the both
- 231 reviewers' comments in our revised manuscript.
- 232 (27) Section 4.2 is a description of the TC and in last two sentences it is stated that those TCs are impacting TWS.
- The reader does not have a much better idea how TWS is affected. And yes, there are methodological questions tosolve.
- Response: Thank you for your comment. We have added the possible impacts of TCs on TWS according to
 reviewers' comments in our revised manuscript.
- (28) Line 297 f: what is meant with TWS dynamics attributions? I fully agree that coupled human-natural approaches have to be done to better understand to which part TWS dynamics are due to natural or due to anthropogenic variations. This could be then connected with a link to TCs.
- Response: Thank you for your comment. We have revised the statement in our revised manuscript. The coupled
 human-natural model is a promising and challenging issue that need pay more attention in our future work.
- 242 (29) The arrangement of Figures is not consistent. Fig 2f is referred to before 2c-e, Figure S6 is referred to before
- referring to S3 etc. Please follow the journal guidelines which improves the readability. It seems that Fig S6 is the
- same like Fig 2f is there any reason for this repetition? Fig. 2e is not referred to in the manuscript.
- 245 Response: Thank you for your comment. We have reproduced all figures, and rearranged the sequence of figures
- 246 in our revised manuscript. We have attached all figures at the end of this response.
- (30) Fig 1 and lines ~75: sources are missing for definition of humidity and for area equipped for irrigation
- 248 Response: Thank you for your comment. We have supplemented the sources for definition of humidity and for
- 249 area equipped for irrigation in figure caption.
- 250 (31) Fig 2a and b and line 149 ff: I try to make sense out of the numbers and colours. TWS trend seems to be a
- magnitude larger then precipitation trend. How does a precipitation change of < 1 mm/yr can be the cause for 10

to 20 mm tws change? Precipitation can be a cause, yes, but if the numbers are correct, then I cannot agree that this is the reason and similarly I not agree that there where the pattern looks differently, human impact is the (only) reason. This needs by far more discussion and thorough analysis. From Table S1 some differences are visible for the two Mascon solutions. I suggest to display the two Mascon solutions in Fig 2. The regions in Table S1 could get names.

Response: Thank you for your comment. We feel sorry for the mistake in trend analysis of precipitation in our
 former version of manuscript, we have recalculated and reproduced the spatiotemporal changes of precipitation

259 over the study area (Figure 3).



Figure 3: Spatiotemporal changes in TWS as obtained from GRACE (a) and precipitation as obtained from CRU (b) across the Asian and Eastern European regions during 2002-2017. The trend is obtained from the removed seasonal cycle

time series.

- 264 (32) Fig 2c: check spelling of header text
- 265 Response: Thank you for your careful comment. We have revised the spelling of header text in our revised
- 266 manuscript.
- (33) Fig 2f: a legend is missing, and I can only see 4 lines and a mess of shaded area which does not allow any
- 268 meaningful assessment. Please re-arrange (e.g. splitting it up to 5 single plots with same Y-axis) and it would be
- 269 meaningful to use month/years for x-axis.
- 270 Response: Thank you for your comment. Since this figure mainly presented the TWS trend for five hotspots,
- 271 which is similar to the figure 5 (see below). Therefore, we have deleted this figure in our revised manuscript.



283

273 Figure 5: Contributions of different hydrological storages to TWS changes in five hotspots. Uncertainties represent

- the 95% confidence intervals.
- 275 (34) Fig 3: Labelling of Y-Axis with "Water loss" and then negative values does it imply a water gain? Please
- 276 name it more meaningful.
- 277 Response: Thank you for your comment. We have rectified this mistake, and replaced "water loss" of "water
- 278 storage anomaly" in our revised manuscript.
- (35) Fig 4: what can be seen at both axis? It seems that the months are not consecutive (If I interpret it correctly as
- spring season), then drawing a solid line through it is misleading.
- 281 Response: Thank you for your useful comment. We have aggregated monthly data to yearly data in our revised
- 282 manuscript (Figure 6).





- (36) Fig S1: unit for Y-Axis is missing. I suggest to use month/years instead of month numbers. Why does the time
 series ends ~at month 165 whereas the other figures are ending at month ~177/181?
- 287 Response: Thank you for your comment. The total study period is during April 2002~June 2017, but we use full
- 288 years for comparison between 2003 and 2016, therefore the time series is during 1~168. We have reproduced the
- 289 figure by using month/year (Figure S1).



- 291 Figure S1. Comparison between GRACE observed terrestrial water storage and GLDAS simulated terrestrial water
- storage by summing canopy water, four layers soil moisture and snow equivalent water over the Asia and Eastern
- Europe region during 2003~2016.
- 294 (37) Fig S3: what is shown at X- and Y-Axis?
- 295 Response: Thank you for your comment. We have reproduced this figure in our revised manuscript (Figure S4).



- **Figure S4**. Changes in Caspian Sea Level during 2002-2017.
- (38) I have not checked if the references are listed in the reference list and vice versa, and also have not checkedthe reference list itself.
- 300 Response: Thank you for your comment. We have carefully read the following papers, and properly cited them
- 301 in our revised manuscript.
- 302 **References**
- Döll, P., Müller Schmied, H., Schuh, C., Portmann, F. T., & Eicker, A. (2014). Global-scale assessment of 303 304 groundwater depletion and related groundwater abstractions: Combining hydrological modeling with information well satellites. 305 from observations and GRACE Water Resources Research, 50(7), 5698-306 5720.https://doi.org/10.1002/2014WR015595
- 307 Scanlon, B. R., Zhang, Z., Save, H., Sun, A. Y., Müller Schmied, H., van Beek, L. P. H., et al. (2018). Global models
- 308 underestimate large decadal declining and rising water storage trends relative to GRACE satellite data. Proceedings
- of the National Academy of Sciences, 201704665. https://doi.org/10.1073/pnas.1704665115

- Scanlon, B. R., Zhang, Z., Rateb, A., Sun, A., Wiese, D., Save, H., Beaudoing, H., Lo, M. H., Müller Schmied, H.,
- 311 Döll, P., van Beek, R. Swenson, S., Lawrence, D., Croteau, M., Reedy, R. C. (2019). Tracking seasonal fluctuations
- in land water storage using global models and GRACE satellites. Geophysical Research Letters 46 (10), 5254-5264,
- 313 10.1029/2018GL081836
- 314 Syed T.H., Famiglietti J.S., Rodell M., Chen J., Wilson C.R. (2008). Analysis of terrestrial water storage changes
- from GRACE and GLDAS. Water Resour Res 44:W02433 Tangdamrongsub, N., Han, S.-C., Tian, S., Schmied, H.
- M., Sutanudjaja, E. H., Ran, J., & Feng, W. (2018). Evaluation of groundwater storage variations estimated from
- 317 GRACE data assimilation and state-of-the-art land surface models in Australia and the North China Plain. Remote
- 318 Sensing, 10(3). https://doi.org/10.3390/rs10030483.
- 319 Wang, J., Song, C., Reager, J.T., Yao, F., Famiglietti, J.S., Sheng, Y., MacDonald, G.M., Brun, F., Müller Schmied,
- 320 H., Marston, R.A., Wada, Y. (2018). Recent global decline in endorheic basin water storages. Nature Geoscience
- 321 11, 926-932, doi:10.1038/s41561-018-0265-7.
- 322 Zhang L, et al. (2017) Validation of terrestrial water storage variations as simulated by different global numerical
- 323 models with GRACE satellite observations. Hydrol Earth Syst Sci 21:821–837.

325 **References**

- Barnston, A. G., and Livezey, R.E.: Classification, seasonality and persistence of low-frequency atmospheric circulation
- 327 patterns. Mon. Weather Rev., 115: 1083-1126, 1987.
- Brun, F., Berthier, E., and Wagnon, P.: A spatially resolved estimate of High Mountain Asia glacier mass balances from
 2000 to 2016. Nat. Geosci., 10(9): 668-673, doi:10.1038/ngeo2999, 2017.
- 330 Crétaux, J. F., Jelinski, W., and Calmant, S.: SOLS: A lake database to monitor in the Near Real Time water level and
- 331 storage variations from remote sensing data. Adv. Space Res., 47(9): 1497-1507, doi.org/10.1016/j.asr.2011.01.004, 2011.
- Enfield, D.B., Mestas-Nunez, A. M., and Trimble P. J.: The Atlantic multidecadal oscillation rainfall and river flows in
- the continental and its relation U.S. Geophys Res Lett, 28(10): 2077-2080, 2001.
- Feng, W., Zhong, M., and Lemoine, J. M.: Evaluation of groundwater depletion in North China using the Gravity
- Recovery and Climate Experiment (GRACE) data and ground-based measurements. Water Resour. Res., 49(4): 21102118, doi: 10.1002/wrcr.20192, 2013.
- 337 Humphrey, V., Gudmundsson, L., and Seneviratne, S. I.: Assessing Global Water Storage Variability from GRACE:
- 338 Trends, Seasonal Cycle, Subseasonal Anomalies and Extremes. Surv. Geophys., 37(2): 357-395, doi: 10.1007/s10712-
- 339 016-9367-1, 2016.
- Jacob, T., Wahr, J., and Pfeffer, W.: Recent contributions of glaciers and ice caps to sea level rise. Nature, 482: 514-518,
 doi: 10.1038/nature10847, 2012.
- 342 Joodaki, G., Wahr, J., and Swenson, S.: Estimating the human contribution to groundwater depletion in the Middle East,
- 343 from GRACE data, land surface models, and well observations. Water Resour. Res., 50(3): 2679-2692, doi:
- 344 10.1002/2013wr014633, 2014.
- Landerer, F. W., and Swenson, S. C.: Accuracy of scaled GRACE terrestrial water storage estimates. Water Resour Res,
 48: w04531, doi:10.1029/2011WR011453, 2012.
- Panda, D. K. and Wahr, J.: Spatiotemporal evolution of water storage changes in India from the updated GRACE-derived
 gravity records. Water Resour. Res., 52(1): 135-149, doi: 10.1002/2015wr017797, 2016.
- Rodell, M., Famiglietti, J. S., and Wiese, D. N.: Emerging trends in global freshwater availability. Nature, 557: 651-659,
- doi: 10.1038/s41586-018-0123-1, 2018.
- Rodell, M., Houser, P. R., and Jambor, U.: The Global Land Data Assimilation System. B. Am. Meteorol. Soc., 85(3):
 381-394, doi: 10.1175/bams-85-3-381, 2004.
- Rodell, M., Velicogna, I., and Famiglietti, J. S.: Satellite-based estimates of groundwater depletion in India. Nature,
 460(7258): 999-1002, doi: 10.1038/nature08238, 2009.
- Saji, N. H., Goswami, B. N., and Vinayachandran, P. N.: A dipole mode in the tropical Indian Ocean. Nature, 401: 360363.

- 357 Salmon, J. M., Friedl, M. A., and Frolking, S.: Global rain-fed, irrigated, and paddy croplands: A new high resolution
- 358 map derived from remote sensing, crop inventories and climate data. Int. J. Appl. Earth Obs., 38: 321-334, doi:
- 359 10.1016/j.jag.2015.01.014, 2015.
- 360 Save, H, Bettadpur, S, and Tapley, B. D.: High-resolution CSR GRACE RL05 mascons. J. Geophys. Res.: Sol Ea,
 361 121(10): 7547-7569, doi: 10.1002/2016jb013007, 2016.
- Scanlon, B. R., Zhang, Z. Z., and Save, H.: Global evaluation of new GRACE mascon products for hydrologic
 applications. Water Resour. Res., 52(12): 9412-9429, doi: 10.1002/2016wr019494, 2016.
- 364 Schwatke, C., Dettmering, D., and Bosch, W.: DAHITI an innovative approach for estimating water level time series
- over inland waters using multi-mission satellite altimetry. Hydrol. Earth Syst. Sc., 19(10): 4345-4364, doi: 10.5194/hess19-4345-2015, 2015.
- Shamsudduha, M. and Panda, D. K.: Spatiotemporal changes in terrestrial water storage in the Himalayan river basins
 and risks to water security in the region: A review. Int. J. Disast. Risk Re., 35: 101068, doi: 10.1016/j.ijdrr.2019.101068,
 2019.
- Voss, K. A., Famiglietti, J. S., and Lo, M. H.: Groundwater depletion in the Middle East from GRACE with implications
- for transboundary water management in the Tigris-Euphrates-Western Iran region. Water Resour. Res., 49: 904-914, doi:
 10.1002/wrcr.20078, 2013.
- Wang, J. D., Song, C. Q., and Reager, J. T.: Recent global decline in endorheic basin water storages. Nat. Geosci., 11(12):
 926-932, doi: 10.1038/s41561-018-0265-7, 2018.
- Wang, J. X., Huang, J. K., and Blanke, A.: The Development, Challenges and Management of Groundwater in Rural
- 376 China. In Groundwater in Developing World Agriculture: Past, Present and Options for a Sustainable Future; Giordano,
- 377 M., Shah, T., Eds.; International Water Management Institute: Colombo, Sri Lanka: 37-62, 2007.
- Watkins, M. M., Wiese, D. N., and Yuan, D. N.: Improved methods for observing Earth's time variable mass distribution
- with GRACE using spherical cap mascons. J. Geophys. Res.-sol. Ea., 120(4): 2648-2671, doi: 10.1002/2014jb011547,
 2015.
- Wolter, K., Timlin, M. S.: El Niño/Southern Oscillation behaviour since 1871 as diagnosed in an extended multivariate
 ENSO index (MEI.ext). Int J Climatol, 31: 1074-1087, 2011.
- 383 Zhu, Z. C., Piao, S. L., and Xu, Y. Y.: The effects of teleconnections on carbon fluxes of global terrestrial ecosystems.
- 384 Geophys. Res. Lett., 44(7): 3209-3218, doi: 10.1002/2016GL071743, 2017.
- 385

386 Revised figures



387

Figure 1: Boundary of the Asian and Eastern European regions. Panel (a) is the spatial distribution of arid and semiarid areas based on averaged aridity index during 2002-2017. The aridity index is calculated based on the ERA-Interim dataset downloaded from European Centre for Medium-Range Weather Forecasts. Panel (b) is the percentage area of irrigated land across the study area. The percentage area of irrigated land dataset is derived from Food and Agriculture





393

394 Figure 2: Methodology flow diagram of data processing in this study.



Figure 3: Spatiotemporal changes in TWS as obtained from GRACE (a) and precipitation as obtained from CRU (b)
 across the Asian and Eastern European regions during 2002-2017. The trend is obtained from the removed seasonal
 cycle time series.







Figure 5: Contributions of different hydrological storages to TWS changes in five hotspots. Uncertainties represent the 95%

408 confidence intervals.



Figure 6: The residual time series of spring soil moisture and associated ENSO in region 3 during 2002-2017.