

### ***Response to R#1 Allan Rodhe***

R#1: Several figures have poor quality and are difficult or impossible to interpret (Figure 3 and Figures 6 - 11). Is it possible to scan the originals or better copies of the originals? The paper would be greatly improved with better figures. Explanatory captions would also be helpful.

Reply: The figure quality is improved as much as possible, and figure captions are expanded where appropriate.

R#1: Line 55-57 The author makes an important comment on the term "force". This could preferably be placed a little earlier, perhaps (slightly modified) as a footnote to line 44. With the present organization the reader gets confused by the use of "force" in the preceding paragraphs.

Reply: The term "force" is introduced earlier in the paper.

R#1: Line 121-123 The reader gets curious about data or other evidence behind the statement that "The monitoring efforts proved excellent for assessing the amount of evaporation and its dependence on precipitation and seasonality." Please describe Colding's evaluation.

Reply: Colding's evaluation is clarified and presented in a better way.

R#1: Line 150-152 What type of "water loss from a pipe with flowing water" was considered? Please explain.

Reply: "water loss" is corrected to "heat loss".

R#1: Line 215 and Figure 9 Did he really find a parabolic piezometric surface for a confined aquifer draining to open water? The shape of such surface is determined by the geometry of the confined aquifer (and the boundary conditions). The parabolic surface must be a special case. For an unconfined aquifer, on the other hand, the water table may have a parabolic surface (unconfined aquifer on a horizontal bottom, without recharge). Due to the poor quality of Figure 9 it is not possible to evaluate the experiment. Please improve the copy and explain what the figure shows.

Reply: The parabolic piezometric surface is maintained, resembling steady, uniform recharge to a horizontal confined layer of constant thickness with fixed boundary conditions. The figure is explained in a better way.

R#1: There are some proof reading errors. See lines 153, 191, 219, 226, and 315 (1976 should be 1876).

Reply: Corrected.

### ***Response to R#2 anonymous***

R#2: It is mentioned multiple times in the manuscript that Colding developed his theories simultaneously to other pioneering scientists such as Darcy, Joule et al, but was never recognized for his findings. The validity of these statements is difficult to prove and must be seen as postulates, and whether or not the experiments were purely independent can be questioned. I guess that the Code of Conduct for Research Integrity was rather fussy at that time.

Reply: The text has been expanded to account for the referee's concern.

R#2: The figures are of poor quality and give little insight into the actual experiments and development of theories. It is probably difficult to improve the quality of the original works, but a professional re-drawing might be an option if the reader should be able to make anything out of the figures.

Reply: The figure quality is improved as much as possible.

R#2: Although the original works (which are well-cited) are in Danish, it could be interesting to include some citations and quotes from his original works. Maybe in Danish with a translation into English. This could contribute to improving the validity and scientific quality.

Reply: A few citations in Danish with English translation are included in the text.

R#2: Whether the publication is suitable for the special issue on History of hydrology, I will leave for the editor to decide. The paper is interesting from a historical point of view, but it is mostly summarizing the works of Colding at a rather superficial and narrative level. The manuscript would fit well into a book on the

history of hydrology. In my view, details of experiments and development of theories could be detailed more based on the original work in order for the manuscript to have any real scientific impact.

Reply: Selected subjects have been elaborated.

***Response to Editor Keith Beven***

Editor: I hope you will be able to prepare a revision of your paper, taking account of the referees comments and improving the figures as far as possible. There some aspects in your responses to the referees comments that could usefully include in the paper (e.g. in relation to Darcy). I wonder if it might be interesting to include one example of Colding's writing if you can find something pertinent to quote – even if wordy it would give more of an impression of his style.

Reply: In the revision, I considered all the referee comments including improvement of the figures, enlargement of the section on groundwater and inclusion of a couple of examples of Colding's writing.

# Hydrology and beyond: The scientific work of August Colding revisited

Dan Rosbjerg, Department of Environmental Engineering, Technical University of Denmark,  
Bygningstorvet, Building 115, DK-2800 Kongens Lyngby

E-mail: daro@env.dtu.dk

ORCID: 0000-0003-2204-8649

**Abstract.** August Colding was one of the three pioneers, who in the mid-1800s almost simultaneously and independently formulated the first law of thermodynamics, the two others being Robert Mayer and James Joule. This first, significant achievement was followed by a sequence of other ground-breaking discoveries within a broad range of disciplines: magnetism, steam power, gas production, hydraulics, soil physics, hydrology, heating and ventilation, meteorology and oceanography. Moreover, he gave a significant contribution to the understanding of the spread of cholera. In hydrology, he used evaporation experiments to obtain water balances. Independently, he formulated Darcy's law, and ~~was the first to, as the first one, he~~ calculated the water table between drainpipes and the piezometric surface in confined aquifers. His main occupation, however, was chief engineer in Copenhagen, where he modernised the city by introducing groundwater-based water supply and building a waterworks delivering pressured, clean water into the houses, a gasworks and gas-based street lightening, and a citywide sewage system. Colding has not been recognised internationally as he might deserve, probably because most of his publications were written in Danish. Even in Denmark, he seems today almost forgotten. This paper highlights his most important scientific contributions, in particular his achievements in hydrology, hydraulics, meteorology and oceanography.

## 1. Introduction

Ludvig August Colding (1815-88) grew up on a farm close to Copenhagen but showed no interest in becoming a farmer. Instead, he was trained as a cabinet-maker after advice from Hans Christian Ørsted (the world-renowned physicist who discovered electro-magnetism) to whom his father was acquainted. This first training raised his interest for engineering, and, having passed the entrance examination, he started at the Polytechnic School, where Ørsted was director. During his study, he assisted Ørsted by measuring the heat released from compression of water. He graduated in 1841, and after a couple of years with miscellaneous teaching activities, he was employed by the city of Copenhagen, first as road/bridge inspector and from 1845 as water inspector. In 1857, he was promoted to become the first chief engineer in Copenhagen, a position he held until retirement in 1883. A photo of August Colding is seen in Fig. 1.

## 2. The first law of thermodynamics

During Colding's studies and his work as Ørsted's protégé, he became strongly interested in the nature of forces (motive force, heat, electricity and chemical forces), and their possible disappearance. In 1843, he submitted a treatise concerning forces to the Royal Danish Academy of

Sciences and Letters, but not printed before 1856 (Colding 1843/1856). He knew d'Alembert's principle for the equilibrium of lost forces. However, Colding's belief was that when and wherever a force seems to vanish in performing certain mechanical, chemical, or other work, the force then merely would undergo a transformation and reappear in a new form, but of the original amount (Caneva, 1997). Thus, Colding claimed the imperishability of forces. ‡The term "force" has here been kept in the same way as Colding did. In parallel, he also used the term "activity" of forces. In the first half of the 1800s, the term "energy" was not yet introduced as the work of a force. (i.e. the energy).

To prove his statement, he performed a series of experiments, where a sled loaded with different cannonballs was dragged on rails of different metals. By measuring the heat expansion of the rails, he concluded that when we employ a motive force to overcome the resistance, which a body experiences in sliding over other bodies of quite different nature, the heat evolved from the friction is strictly proportional to the work expended (Dahl, 1972). Later Following experiments using an improved experimental setup, see Fig. 2, enabled him to estimate the mechanical equivalent of heat (Colding, 1851a). Unfortunately, Ørsted found it difficult to follow Colding's idea of imperishability of forces, which significantly delayed the publication of the treatise. Despite this delay, Colding claimed priority to the discovery, as did Mayer and Joule (Mayer, 1842; Joule, 1843; Kragh, 2009). The general perception of today is that all three should be considered equal. In the above, the term "force" has been kept in the same way as Colding did. In parallel, he also used the term "activity" of forces. In the first half of the 1800s, the term "energy" was not yet introduced as the work of a force.

In 1851, Colding demonstrated the generality of his theorem by also taking fluids and gasses into account (Colding, 1851b), and he showed that the theorem could be used to improve the efficiency of steam engines (Colding 1851c; 1853). He expanded further by a detailed investigation of the forces involved in magnetisation of soft iron (Colding, 1851d). Much later the essence of his work on the first law of thermodynamics was translated into English and French (Colding, 1864a; 1864b; 1871a).

### 3. Responsible engineer for water supply, gas lightening and sewerage in Copenhagen

At that time, when Colding was employed by the city of Copenhagen, the water supply was insufficient and unhygienic. It was based partly on polluted wells in the city and partly on water from small surrounding lakes that was led into the city through leaky wooden pipes. Moreover, there was no sewerage, and the smell was terrible. In 1849, the city decided to remedy the situation and launched international competitions on, respectively, water supply, gas lightening and sewerage projects. Colding won the water supply competition with an innovative project suggesting that the surface water from a lake west of Copenhagen should be supplemented with groundwater from surrounding artesian wells. Sand filtering was introduced, and a water works powered by steam engines built along with a clean water consumption-equalizing reservoir close to the city.

Before the three projects were finally decided, a cholera epidemic hit Copenhagen in 1853. Almost 5000 people died. Together with a younger colleague, Julius Thomsen (a later a famous chemist), Colding immediately investigated the causes for the spread of the disease, and they found that the spread was strongly correlated to the soil water quality (pollution) and the population density in different city sections. The path-breaking work was published already the same year (Colding & Thomsen, 1853). A year later, John Snow in London gave the final proof for the of cholera to being water borne.

Colding was appointed managing engineer for all the above three projects. While the water supply and the gas lightning projects were smoothly approved and initiated, the government heavily delayed the sewerage project despite the tragic cholera epidemic by requiring extensive modifications. Colding had to revise the winning far-sighted project that was based on separation of rainwater and sewage water, a project that was 100 years ahead of its time. Instead, a combined sewer was decided without allowance for water closets. This was, however, still a significant improvement. The new water supply and the gas lightning projects were inaugurated in 1859, while the sewerage project was accomplished during the 1860s.

#### 4. The laws for water flow in filled and partly filled conduits

At the time when Colding should design the sewerage in Copenhagen, there was no established practise for dimensioning of conduits, form of the conduits (prismatic, circular or ~~fr~~ oval-shaped), and their material. In particular, the capacity of a given pipe (the flow rate) was under discussion. A sewerage commission in London had performed some full-scale experiments, where they found that Eytelwein's formula was not applicable (a pre-runner of the formula today known as the Darcy-Weisbach equation for steady, uniform flow in pipes and canals). Colding was not convinced and performed a thorough theoretical analysis coming to the opposite conclusion, i.e. that Eytelwein's formula (Eytelwein, 1842) in fact was valid and that the seemingly divergence was because the pipe system had to be filled up before the formula was applicable.

To obtain a further solid foundation for the project it was decided that Colding should perform large-scale experiments in Copenhagen with salt-glazed pipes. Two series of circular pipe experiments were carried out with dimensions of, respectively, 4 inches and 12 inches, see Fig. 3. The length of the pipes was 297 feet (almost 100 m). The experiments were carried out both with filled and partly filled pipes. The hydraulic head could be monitored at 12 stations along the pipe, and it was made possible to add water to a partly filled pipe at intakes along the conduits. Colding found that the added water only had a local effect, implying the Eytelwein formula to be applicable in general. The experimental measurements were supplemented by thorough, theoretical considerations including calculation of the friction factor (Colding, 1857).

#### 5. Evaporation, percolation and water balance

To evaluate the available amount of water for the new water supply to Copenhagen, Colding initiated precipitation measurement near four lakes around Copenhagen during a period of 12 years (1848-1859). He measured outflow from the lakes and invented a system for reliable measurements of the evaporation from a lake (Colding, 1860). A sheet metal box was placed on a float in the lake, partly submersed such that the surface of the water in the box was approximately equal to the surface of the lake. Hereby, In that way, the error due to different temperature in the lake and the box was minimised. Moreover, the box was shielded to avoid errors due to wave splash. To ~~include~~ assess the evaporation from ~~surroundings of wetlands in contact with~~ the lake, he supplemented the experiments by monitoring evaporation from wetted short and long grass, in which case he used weighting of the box, as the water level in the box was difficult to ~~assess~~ determine. ~~The monitoring efforts proved excellent for~~ By ~~assess~~ measurements of ~~ing the precipitation on a lake and~~ the amount of evaporation, and by monitoring the lake outflow, he was able to obtain rather precise estimates of the lake inflow. Moreover, and its dependence on precipitation and seasonality, in addition to monitoring of precipitation and evaporation, in parallel to the groundwater abstraction

~~programme. Colding also established two sets of tile drain experiments, one in sandy soil and one in clayey soil. By measuring the drain water flow, he could assess the infiltration and its dependence of soil type, precipitation and seasonality and establish local water balances, separating the precipitation into surface runoff, evapotranspiration and percolation, assuming that the amount of drain water under natural conditions would percolate to the aquifer. By monitoring the lake outflow, he was able to obtain rather precise estimates of the lake inflow. As the new water supply was strongly depending on groundwater utilisation, Colding was interested also in getting an estimate of percolation to the groundwater. To that purpose, he used drain experiments from which he obtained not just solid knowledge of the amount and seasonality in percolation but also insight in the dependence of the soil type. This helped Colding to assess the amount of water available for supply to Copenhagen.~~ Colding maintained a lifelong interest in evaporation, and it can be seen in his ~~left-personal~~ papers that he was ~~rather close to find~~working on an evaporation formula ~~close along the line of~~ to Penman's (Penman, 1948).

## 6. The free surface forms in conduits with constant flow

During the experiments with flow in conduits, Colding became interested in investigating the possible forms of the water table in steady, non-uniform flow in prismatic and cylindrical channels. The starting point again was Eytelwein's formula for steady, uniform channel flow. He transformed the coordinates to be parallel and perpendicular to the direction of the conduit and d initiated a complete mathematical-physical analysis. Depending of the slope of the conduit and the inflow and outflow conditions, he could calculate the surface forms. For rectangular conduits, he identified and described mathematically six different forms. In addition, the surface form due to damming of water was considered.

Cylindrical conduits were analysed to the same degree of completeness. This resulted in identification of 14 different water surface forms. This included also minor differences in the forms. Today, only principally different forms are treated in textbooks. Two examples of the surface forms in a circular conduit, a concave and a convex, are shown in Fig 4. It is likely that Colding was the first to present such a complete theory. The treatise (Colding, 1867), however, was written in Danish and ~~therefore not~~never cited in international literature.

## 7. Outflow of heat from pipes carrying hot water

The reason for Colding to engage in this problem was his disagreement with ~~a treatise by~~ Dulong and Petit who, based on a series of experiments, in 1818 ~~had published a treatise casting doubt on~~ Newton's theory for heat transport. Colding's starting point was the heat equation by Poisson, which he, by considering water heat loss from a pipe with flowing water, integrated and found in complete agreement with Newton's theory. He also carried out several series of experiments measuring the changing temperatures throughout a pipe with flowing water. The experiment were outdoor and large-scale (pipe diameter 2.5 cm and pipe length 63.5 m), see Fig. 5, and performed in wintertime. Having found complete agreement with his theoretical calculations, he continued with heat emission from the pipe after cessation of the flow. In this case, the agreement with Newton was not immediately obtained, as the results rather pointed to the correctness of Dulong and Petit. However, by taking into account the difference in heat transport between flowing and stagnant water in the pipe he could, using advanced mathematics, explain the apparent deviation (Colding, 1868).

173

## 174 8. On the laws of currents in ordinary conduits and in the sea

175 So far, Colding had successfully used Eytelwein's formula for the mean flow in prismatic and  
176 cylindrical conduits with constant slope. He was, however, also interested in the velocity distribution  
177 in a cross-section of the conduit. To that end, he used comprehensive measurements carried out by,  
178 respectively, Boileau (1854), Darcy (1858) and Bazin (1865) to develop a complete theory based on  
179 action and reaction throughout the cross section originating from the wall friction. Boileau had  
180 found that the maximum velocity in an open prismatic conduit might occur slightly below the  
181 surface, which was in accordance ~~during-with~~ some experiments. Colding showed that this was  
182 theoretical impossible without disturbances of the flow and found that even minor wind effects  
183 could be the reason. Using advanced mathematics, Colding calculated the cross sectional velocity  
184 distributions, which was convincingly verified by the French experiments (Colding, 1870). A couple of  
185 examples are shown in Fig. 6. The developed theory for steady, uniform flow was finally shown also  
186 to be valid for steady, non-uniform flow.

187 In order to extend the theory to apply for currents in the sea with no walls to confine the current, he  
188 collected all available information about the Goulf Stream (i.a., U.S. Coast Survey, 1851; 1855; 1860;  
189 Irminger, 1853; 1861; Maury, 1855; Forchhammer, 1859; Kohl, 1868). He did not agree with Maury  
190 that ~~the primary cause for~~ the Goulf Stream was caused by a larger salinity in the Caribbean Sea than  
191 at higher northern latitudes. Colding showed that the primary cause for the onset of the stream is  
192 the high water level in the Caribbean due to the effect of the trade winds. He put forward a  
193 complete physical/mathematical theory for the progress of the stream, including the total onset  
194 volume and the volumes of the different branches the stream splits into when approaching the  
195 European continent (Colding, 1870). He argued that the progress of the stream is dominated by the  
196 effect of the earth's rotation, but also affected of many other elements like the return of the polar  
197 stream, the net evaporation from the sea, and changing temperatures. Colding discussed in detail all  
198 these factors. An overview of the Goulf Stream from Colding's treatise is shown in Fig. 7. A strongly  
199 abbreviated version of the treatise was later published in *Nature* (Colding, 1871b).

200

## 201 9. On the flow of air in the atmosphere

202 Colding had a strong interest in meteorological phenomena and applied the knowledge obtained  
203 from the free currents in the sea to describe flow of air in the atmosphere. First, he showed that the  
204 mathematical description of a rotating water whirl could be used to describe the movement of air in  
205 a cyclone, see Fig. 9. The result ~~were-was~~ verified using observations of wind speed and air pressure  
206 during the Antigua cyclone of 2 August 1837 (Colding, 1871c). He then described the primary global  
207 weather phenomena using the experience from the analysis of the Goulf Stream. Unfortunately,  
208 Colding did not entirely correctly include the influence of the rotation of the earth, the Coriolis' force  
209 (Coriolis 1835) ~~completely correct~~ (not before-until the 20<sup>th</sup> century did the Coriolis force begin to  
210 be applied, first by meteorologists). This was particularly critical for the large-scale wind systems, but  
211 not for the cyclone theory. When he later realised the mistake, he initiated a revision of the free  
212 flow theory, but died before it was completed.

213 Colding used the cyclone theory once more to assess the wind speeds around St. Thomas during the  
214 cyclone that passed the island 21 August 1871. Air pressure observations from surrounding ships  
215 were included, which made Colding able to obtain a detailed description of the track of the cyclone  
216 and the wind's speeds during the passage. The island was not damaged as much as during the 1837



cyclone, which corresponded well to Colding's assessment of the wind speeds and the storm track (Colding, 1871d). The airflow theory was later published in German (Colding, 1875a).

## 10. On the laws for movement of water in soil

After establishment of a number of artesian groundwater wells with the first one drilled in 1851, Colding closely followed the yield of the wells during the following years. He observed that the yield varied seasonally with maximum in wintertime and between wet and dry years. By analysing the yield as function of the piezometric head, he found the general law for movement of water in soil, i.e. the proportionality between the head gradient and the velocity known as the Darcy equation.

To verify this findings, he established a series of experiments using a measurement box of length 350 cm, depth 42 cm and width 58 cm. The inner cross section was 2165 cm<sup>2</sup>. To distribute the inflow, the box was divided into a small inlet section of length 30 cm, leaving the length of the experimental section to 320 cm. In both ends of this section, there was a layer of pebbles to ensure uniform inflow and outflow implying that the length of soil to be investigated was 260 cm. By varying the soil type and the slope of the experimental box, Colding was able to verify the proportionality between the head gradient and the velocity and its dependence on soil type-with-water-flowing-through-soil layers-of-different-types-confirming-the-general-law. Colding knew and used the pipe experiments by Darcy, but was unaware of his groundwater work (Darcy, 1856). Thus, he independently came to the same conclusion ~~just~~ a few years later (Colding, 1972).

For a confined aquifer draining to open water, he found approximately a parabolic piezometric surface, see Fig. 9. After some calculations he arrives with an equation "... der, som man seer, er Ligningen for en Parabel, hvis Axe er vertikal og hvis Toppunkt ligger paa det Sted i Terrainet, hvor Hastigheden v = 0, og hvor altsaa Vandskjellet for de underjordiske Strømme findes, hvorfra Vandet bevæger sig til begge Sider; ... " (...which, as can be seen, is the equation for a parabola with vertical axis located where the velocity  $v = 0$ , and where the water divide for the subterranean streams can be found, and from where the water moves in both directions; ...).

The drain experiments Colding used to assess percolation was subject to a more profound analytical analysis, where he could show that the water table between the pipes was elliptic, see Fig. 10. ~~He~~ parallel to the groundwater abstraction programme, Colding also established two sets of drain experiments, one in sandy soil and one in clayey soil. As usual, Colding performed a profound analytical treatment being, "Af formel (14) fremgaar, at Grundvandsspeilet har Form som af en Ellipse, hvis ene Axe ( $\lambda$ ) er horizontal, beliggende i Strømmens Retning, og hvis anden Axe ( $U$ ) staar lodret på den første." (Formula (14) shows that the groundwater table has form of an ellipse, whose first axis ( $\lambda$ ) is horizontal, located in the direction for the stream, and second axis perpendicular to the first.) The theoretical findings for drainage through drainpipes were accompanied by general recommendations for establishment of drainpipe systems in agricultural fields. As noticed by Brutsaert (2005), Colding was the first to ~~describedetermined~~ the elliptic water table between parallel drainpipes, see Fig. 10. However, Brutseart did not provide a reference to Colding's work. Linking Colding's name to the elliptic water table ("Colding's drain model"?) might allow him a deserved recognition in hydrological science. The theoretical findings were accompanied by general recommendations for establishment of drain system in agricultural fields (Colding, 1872).

## 11. On the wind-induced currents in the sea



The background for the last ground-breaking work of Colding was a partial flooding of the southern Danish islands Lolland and Falster during a severe storm 12-14 November 1872, where 80 people died and about 500 ships stranded ~~during~~. Colding wanted to describe the cause of the flooding and hypothesized that the wind forces' impact on the sea could fully explain the incident, as the tidal influence in the Baltic Sea is minimal. As a first necessary step, he developed a complete theory for wind set-up in a wide channel including expressions for the set-up depending on the wind speed relative to the original flow velocity (Colding, 1876).

Immediately after the storm, he had initiated a wide data collection, both nationally and internationally, to get information on water levels, air pressure, and wind speed and direction. On this basis, he developed synoptic weather maps including water levels for each six hours during the storm. An example is shown in Fig. 11. For a number of sections in the Baltic Sea he subsequently calculated the wind set-up according to his previous developed theory. This resulted ~~a~~ in a remarkable match proving that in fact it was the wind that caused the flooding. Using the synoptic maps, he was able to explain the storm development ~~of the storm~~ in detail. Finally, he added calculations of the water flow through the Danish straits during the storm (Colding, 1881). Subsequent design of dikes to prevent future flooding was based on Colding's theory.

## 12. Final remarks

Every second year between 1865 and 1883 Colding taught a course at the Polytechnic School on the basic laws for discharge of sewage, water and gas supply, and heating and ventilation. His handwritten lecture notes (Colding, 1875b) are still kept, see Fig. 12. In 1869, he was appointed as Professor at the school. Two years ~~before~~ earlier he was bestowed knight of the Order of Dannebrog, and in 1871 he received ~~the~~ honorary doctoral degree at the University of Edinburgh simultaneously with Joule. Since 1856, he had been a member of the Royal Danish Society of Sciences and Letters, and in 1875, he also joined the Royal Swedish Academy of Science. It is evident that Colding nationally became highly valued in his lifetime both for his scientific achievements and for his endeavours for the city of Copenhagen. However, even though he was a scientific frontrunner in many respects, he seems nowadays almost forgotten. Maybe the above overview of his extremely diversified and original research can lead to a renewed interest and appreciation?

## References

- Bazin, H.: Recherches hydrauliques sur l'écoulement de l'eau dans les canaux découverts et sur la propagation des ondes, Paris, 1865.
- Boileau, P. P.: Traité de la mesure des eaux courantes, Paris, 1854.
- Brutsaert, W.: Hydrology – An introduction, Cambridge University Press, 2005.
- Caneva, K.: Colding, Ørsted, and the meanings of force, *Historical Studies in the Physical and Biological Sciences*, 28(1), 1-138, 1998.
- Colding, L. A.: Nogle Sætninger om Kræfterne (Treatise concerning forces), printed 1856 in *Videnskabernes Selskabs Forhandling*, 3-20, 1843/1856.

- 299 Colding, L. A.: Undersøgelse om de almindelige Naturkræfter og deres gjensidige Afhængighed  
 300 (Investigation of the common nature forces and their mutual dependency), *Videnskabernes Selskabs*  
 301 *Skrifter*, 5(2), 121-146, 1851a.
- 302 Colding, L. A.: Om de almindelige Naturkræfter og deres gjensidige Afhængighed (On the common  
 303 nature forces and their mutual dependency), *Videnskabernes Selskabs Skrifter*, 5(2), 167-188, 1851b.
- 304 Colding, A.: An examination of steam engines and the ~~and~~ the power of steam in connection with an  
 305 improvement of steam engines, Louis Klein, 15 pp., 1851c.
- 306 Colding L. A.: Om Magnetens Indvirkning på blødt Jern (On the effect of magnets on soft iron),  
 307 *Videnskabernes Selskabs Skrifter*, 5(2), 147-166, 1851d.
- 308 Colding A.: Undersøgelse over Vanddampene og deres bevægende Kraft i Dampmaskinen  
 309 (Investigation of steam and its moving force in steam engines), *Videnskabernes Selskabs Skrifter*,  
 310 5(3), 1-36, 1853.
- 311 Colding, A. & Thomsen, J.: Om de sandsynlige Årsager til Choleraens ulige Styrke i de forskellige Dele  
 312 af Kjöbenhavn og om Midlerne til i Fremtiden at formindske Sygdommens Styrke (The probable  
 313 causes of the unequal intensity of cholera in the different parts of Copenhagen and the means for  
 314 decreasing the intensity of the plague for the future), Reitzel, 112 pp., 1853.
- 315 Colding, A.: Om Lovene for Vandets Bevægelse i lukkede Ledninger, med speciel Anvendelse paa de  
 316 saltglasserede Leerrørs Vandføringsevne (On the laws for water movement in closed conduits with  
 317 special application on salt-glazed clay pipes), *Videnskabernes Selskabs Skrifter*, 5(4), 305-348, 1857.
- 318 Colding, A.: Resultaternes af nogle lagttagelser om forskellige Fugtighedsforhold i Omegnen af  
 319 Kjöbenhavn (The results of some observations of different moisture conditions in the surroundings  
 320 of Copenhagen), *Tidsskrift for Landoekonomie*, 3(8), 309-330, 1860.
- 321 Colding, A.: On the history of the principle of the conservation of energy, *Philosophical Magazine*  
 322 4(27), 56-64, 1864a.
- 323 Colding, A.: Sur l'histoire du principe de la conservation de l'énergie, *Annales de Chimie et de*  
 324 *Physique*, 4(1), 466-477, 1864b.
- 325 Colding, A.: De frie Vandspeilsformer i Ledninger med constant Vandføring (The free surface forms in  
 326 conduits with constant flow), *Videnskabernes Selskabs Skrifter*, 5(6), 1-96, 1867.
- 327 Colding, A.: Om Udstrømning af Varme fra Ledninger for varmt Vand (On outflow of heat from pipes  
 328 carrying hot water), *Videnskabernes Selskabs Skrifter* 5(7), 75-138, 1868.
- 329 Colding, A.: Om Strømningsforholdene i almindelige Ledninger og i Havet (On the flow patterns in  
 330 ordinary conduits and in the sea), *Videnskabernes Selskabs Skrifter*, 5(9), 81-232, 1870.
- 331 Colding, A.: On the universal powers of nature and their mutual dependence, *Philosophical*  
 332 *Magazine*, 4(42), 1-20, 1871a.
- 333 Colding, A.: On the laws of currents in ordinary conduits and in the sea; (I), *Nature*, 5(108), 71-73; (II),  
 334 *Nature*, 5(109), 90-92; (III), *Nature*, 5(110), 112-114, 1871b.
- 335 Colding, A.: Nogle Bemærkninger om Luftens Strømningsforhold (Some remarks on the flow of air),  
 336 *Videnskabernes Selskabs Forhandling*, 89-108, 1871c.

- 337 Colding, A.: Om Hvirvelstormen på St. Thomas den 24. August 1871 (On the cyclone that hit St.  
338 Thomas 24 August 1871), *Videnskabernes Selskabs Forhandlinger*, 109-126, 1871d.
- 339 Colding, A.: Om lovene for Vandets Bevægelse i Jorden (On the laws for movement of water in soil),  
340 *Videnskabernes Selskabs Skrifter*, 5(9), 563-622, 1872.
- 341 Colding, A.: Einige Bemerkungen zu den Strömungsverhältnissen der Luft, *Zeitschrift der*  
342 *Österreichischen Gesellschaft für Meteorologie*, 10, 133-142, 1875a.
- 343 Colding, L. A.: De almindelige Grundsætninger angaaende Afledning af skadeligt Vand, Indledning af  
344 Vand og Gas samt Opvarmning og Ventilation (The basic laws for discharge of sewage, water and gas  
345 supply, and heating and ventilation), Forelæsningsrække ved Polyteknisk Lærestalt, 310 pp.,  
346 1875b.
- 347 Colding, A.: Fremstilling af Resultaterne af nogle Undersøgelser over de ved Vindens Kraft  
348 fremkaldte Strømninger i Havet (The resulting sea water flow caused by wind friction),  
349 *Videnskabernes Selskabs Skrifter*, 5(11), 246-274, 19876.
- 350 Colding, A.: Nogle Undersøgelser over Stormen over Nord- og Mellemeuropa af 12<sup>te</sup>-14<sup>de</sup> November  
351 1872 og over den dermed fremkaldte Vandflod i Østersøen (The 1872 storm in the Baltic Sea and  
352 resulting flooding of the southern Danish islands), *Videnskabernes Selskabs Skrifter*, 6(1), 243-304,  
353 1881.
- 354 Coriolis, G.-G.: Mémoire sur les équations du mouvement relatif des systemes de corps. *Journal de*  
355 *l'école Polytechnique*, 15, 142-154, 1835.
- 356 Dahl, P. F.: Ludvig Colding and the Conservation of Energy Principle, The Sources of Science No. 104,  
357 Johnson Reprint Cooperation, 1972.
- 358 Darcy, H.: Les fontaines publiques de la ville de Dijon. Paris, Dalmont, 1856.
- 359 Darcy, H.: Recherches expérimentelles au mouvement de l'eau dans les tuyaux, Paris, 1857.
- 360 Eytelwein, J. A.: Handbuch der Mechanik Fester Körper und der Hydraulik, 3. ed., Leipzig, Koechly,  
361 1842.
- 362 Forchhammer, J. G.: Om Søvandets Bestanddele og deres Fordeling i Havet (On the constitution of  
363 sea water at different depths and in different latitudes), København, 1859.
- 364 Irminger, C.: Om Havets Strømninger m. m. (On the currents in the sea), København, 1853.
- 365 Irminger, C.: Strømninger og Isdrift ved Island (Currents and ice drift around Iceland), Tidsskrift for  
366 Søvæsen, København, 1861.
- 367 Joule, J. P.: On the calorific effects of magneto-electricity, and on the mechanical value of heat,  
368 *Philosophical Magazine*, 3(23), 263-276, 347-355, 435-443, 1843.
- 369 Kohl, J. G.: Geschichte des Golfstroms, Bremen, 1868.
- 370 Kragh, H.: Conservation and controversy: Ludvig Colding and the imperishability of "forces",  
371 *Research Publications on Science Studies* 4, Centre for Science Studies, University of Aarhus, 27 pp.,  
372 2009.
- 373 Maury, M. F.: The Physical Geography of the Sea, 3 ed., New York, 1855.

374 Mayer, J. R.: Bemerkungen Über die Kräfte der Unbelebten Natur, *Annalen der Chemie und*  
375 *Pharmacie*, 42, 233-240, 1842.

376 Penman, H. L.: Natural evaporation from open water, bare soil and grass. *Proceedings of the Royal*  
377 *Society of London A, Proc. Roy. Soc. London A*, 193, 120-145, 1948.

378 U.S. Coast Survey: Report of the Superintendent of the Coast Survey, Washington, 1851; 1855; 1860.

379

380 Note: “Videnskabernes Selskab” refers to “The Royal Danish Society of Sciences and Letters”

381

382

## Figures




Fig. 1. August Colding (Wikipedia).






Fig. 2. The experimental set-up for the first law of thermodynamics; measurements of heat expansion of rails of different metals caused by dragging a sled loaded with cannonballs along the rails- (Danish Museum of Science and Technology).



395  
396



397  
398



399  
400  
401  
402

Fig. 3. Large-scale experiments (100 m length) with filled and partly filled conduits (respectively 4 and 12 inches in diameter) including inlets along the pipe (Colding, 1857).







Fig. 4. Examples of surface forms in steady, non-uniform flow in circular conduits (theoretical results)  
 (a) convex surface; b) concave surface (Colding, 1867).







Fig. 5. The large-scale experimental set-up (pipe diameter 1 inch; pipe length 64.5 m) for measuring the heat loss from a pipe with-carrying hot water (Colding, 1868).

Fig IV





Fig.VI






Fig. 6. The cross-sectional velocity distribution in closed and open conduits (Colding, 1870).






Fig. 7. The Gulf Stream (Colding, 1870).

426



427

428



429

430

431

Fig. 8. The water whirl used as an analogue to a cyclone (Colding, 1871c).






Fig. 9. Approximate Pparabolic piezometric surface for a confined aquifer draining to open water.  
The soil surface is marked B-C-D-E-F; the piezometric surface b-c-d-e-f and the confined aquifer G-H  
 (Colding, 1872).






Fig. 10. Elliptic water table (a-b-c-d-e) between drainpipes (Colding, 1872).

442

443



444



445

446 Fig. 11. One of several Synoptic whether maps from the 1872 storm in the Baltic Sea (Colding,


447

448

449



450



451

452

Fig. 12. Front page of Colding's handwritten 310 pages long lecture notes (Colding, 1875b).