1	Socio-Hydrologichydrologic Modeling of the Dynamics of Cooperation in the
2	Transboundary Lancang-Mekong River
3	
4	You Lu ¹ , Fuqiang Tian ¹ , Liying Guo ¹ , Iolanda BorziBorzi ² , Rupesh Patil ³ , Jing Wei ¹ ,
5	Dengfeng Liu ⁴ , Yongping Wei ³ , David J. Yu ^{5,6} , and Murugesu Sivapalan ^{7,8}
6	
7	¹ Department of Hydraulic Engineering, State Key Laboratory of Hydro-science and
8	Engineering, Tsinghua University, Beijing 100084, China
9	² Department of Engineering, University of Messina, <u>ItalyVillaggio S. Agata, Messina 98166,</u>
10	Italy
11	³ School of Earth and Environmental Sciences, University of Queensland, St. Lucia, QLD
12	4072, Australia-
13	⁴ State Key Laboratory of Eco-hydraulics in Northwest Arid Region-of China, Xi'an
14	University of Technology, Xi'an 710048, China
15	⁵ Lyles School of Civil Engineering, Purdue University, West Lafayette, IN <u>47907</u> , USA ,
16	⁶ Department of Political Science, Purdue University, West Lafayette, IN <u>47907</u> , USA
17	⁷ Department of Geography and Geographic Information Science, University of Illinois at
18	Urbana-Champaign, Urbana, Illinois 61801, USA
19	⁸ Department of Civil and Environmental Engineering, University of Illinois at Urbana-
20	Champaign, Urbana, Illinois 61801, USA
21	
22	Correspondence to:
23	Fuqiang Tian, tianfq@mail.tsinghua.edu.cn
24	Submitted to Hydrology and Earth System Sciences
25	Special issue: Socio-hydrology and Transboundary Rivers
26	

27 Abstract

28 The transboundary Lancang-Mekong River Basin has experienced dynamics of cooperation 29 over the past several decades, which is a common emergent response in transboundary coupled 30 human-water systems. Downstream countries rely on Mekong River for fisheries, agriculture, 31 etc., navigation and ecological services, while upstream countries have been constructing dams 32 to generate hydropower. The dam construction and operation in upstream countries have 33 changed the seasonality of streamflow in downstream countries, affecting their economic benefits. More recently, cooperation between upstream and downstream countries has been 34 35 enhanced throughout the river basin. In this study, we introduce a quantitative socio-36 hydrological model to simulate hydrological processes, reservoir operations, economic benefits, 37 policy feedbacks and therefore dynamics of cooperation within the Lancang-Mekong River 38 basin. The model reproduces the observed dynamics of cooperation in the basin revealed by 39 sentiment analysis of news articles. Hydrological variability such as droughts and human activities associated with reservoir operations affect dynamics of cooperation between the 40 41 riparian countries, with importance attached to indirect political benefits of upstream playing 42 an important role in the enhancement of cooperation. In this way, our study generated 43 understanding of emergent cooperation dynamics in this transboundary river basin, and the 44 socio-hydrological model used here provides a useful new framework to investigate and 45 improve transboundary water management elsewhere with similar hydro-political settings. 46

47 Keywords: transboundary river basins, socio-hydrology, cooperation, emergent dynamics,
48 mechanistic modeling

2

49

50 1. Introduction

51 As Transboundary water management is an important and complex issue, transboundary water 52 management <u>that</u> has attracted increasingmuch attention and efforts globally. Transboundary rivers refer to rivers shared by two or more countries (Wolf et al., 1999), or two or more states 53 54 within individual countries. There are over 310 transboundary rivers spanning over 150 countries, covering more than 40% of the world's human population and land areas (UNEP, 55 56 2016; McCracken and Wolf, 2019). Transboundary water management in a reciprocal manner 57 is critical to ensuring regional cooperation and sustainable development and to achieving water 58 security, food security, energy security and ecosystem security for the human populations 59 residing within these river basins. From a human perspective, rivers serve multiple functions. 60 Rivers serve multiple functions that benefit human societies such as water supply, irrigation, 61 fishery, navigation, hydropower generation, and provision of numerous other ecosystem 62 services. These functions can vary spatially within a river basin, and consequently, societal 63 preferences for water use may also differ in different locations, leading to possible disputes and 64 conflicts between upstream and downstream uses. Under these circumstances, cooperation 65 among the various stakeholders is necessary critical for water security, food security, energy 66 security and ecosystem security in riparian countries or regions, which requires equitable and 67 reciprocal benefit sharing, for humans to realize the full potential of the services that rivers 68 provide. CooperationTransboundary river cooperation could take different forms (Sadoff and 69 Grey, 2005), and operating at different levels (Sadoff and Grey, 2002). Forms and levels of 70 cooperation can vary from unilateral actions and disputes, to collaboration, to joint action, and 71 to integrated and coordinated approaches (Sadoff and Grey, 2005). For example, such as

72	information sharing for flood and drought mitigation, reservoir operations adapted to the needs
73	of both upstream and downstream users, and joint ownership of water-related infrastructure and
74	institutions for basin-wide cooperation are common forms of transboundary river cooperation.
75	Compared to water resources management in domestic river basins, management of
76	transboundary river management rivers that cross national boundaries must deal with an
77	additional complexity. The complexity arises from the factstructural challenge to cooperation
78	that in transboundarysuch international river basins the different, two or more countries must
79	organize cooperation despite potential differences in preferences for water uses may be
80	separated by national or state boundaries and locational asymmetries in terms of access to water.
81	Under these circumstances, cooperation among stakeholders could be inter-twined with other
82	issues, or are limited by riparian relations, compounded by institutional limitations (Wolf et al.,
83	1999) and differing national economic and strategic interests. When combined with obstacles
84	towards enforcement (Müller et al., 2017; Espey and Towfique, 2004), cooperation is much
85	more difficult to achieve. The incompatible requirements or demands of different riparian
86	countries or states and the absence of institutional arrangements to reconcile these differences
87	may lead to sub-optimal outcomes for all stakeholders, leading to conflicts that may be harder
88	to manageEven if a formal social contract (e.g., an international treaty) can be devised among
89	stakeholders to institutionalize cooperation, enforcement of the contract remains another
90	challenge (Petersen-Perlman et al., 2017).
91	Because of the international nature of these contracts, there is usually no external body that
92	can enforce the formal arrangements for cooperation in a binding way (Müller et al., 2017;
93	Espey and Towfique, 2004). Despite the challenges in transboundary river cooperation, there

94	are examples of successful cooperation and avoidance of conflict. Having experienced great
95	losses due to environmental pollution and flooding, the countries sharing Rhine river in Europe
96	have cooperated successfully to address shared goals of environmental protection and flood
97	control over the last several decades in international rivers, including the Rhine River (Schultz,
98	2009). However, there are also examples of failures to cooperate. Due to lack of unified and
99	cooperative actions of the riparian countries, Amu Darya River and Syr Darya River in Central
100	Asia suffered over-exploitation of their water resources which resulted in consequent
101	disappearance of most water surface and ecological disaster in the once thriving Aral Sea (Tian
102	et al., 2019). Therefore, it is worth investigating the fundamental question of what made the
103	difference between examples of successful cooperation and those of conflict and failure, the
104	Columbia River (Hamlet, 2003), and the Colorado River (Bernal and Solís, 2000). At the same
105	time, there are also cases of cooperation failures, such as the Amu Darya and Syr Darya Rivers
106	(Micklin, 2004; Tian et al., 2019). Much scholarly attention has been directed towards
107	understanding what leads to success or failure in cooperation in transboundary river
108	management.
109	Over the last several years, researchers Researchers have spent considerable efforts to analyze
110	and understand the aforementioned question. Extant studies include through empirical
111	researches as well asresearch and modeling efforts (De Stefano et al., 2017; De Bruyne and

Fischhendler, 2013; Bernauer et al., 2012; Beck et al., 2014). The International Water Events Database has collected cooperative and conflictive water interactions over globalin transboundary river basins globally, and provides useful data and frameworks for further statistical studies (De Stefano et al., 2010; Munia et al., 2016) and detailed investigations in

116	specific basins (Feng et al., 2019). Statistical methods or case studies help to identify the broad
117	factors affecting transboundary river cooperation. These have included:, including natural
118	conditions (e.g., hydrological scarcity and variability) (Dinar et al., 2010; Dinar, 2009), political
119	relations (Zeitoun and Mirumachi, 2008), power dynamics (Zeitoun et al., 2011;_Petersen-
120	Perlman et al., 2017), institutional arrangements (Dinar, 2009), and the relative levels of social
121	and economic development (Song and Whittington, 2004). HydrologicalHydro-economic
122	models that involve hydrological simulation and benefit calculation and allocation through
123	benefit maximization or game theory (Li et al., 2019; Yu et al., 2019b) are also common methods
124	used to analyze the human-water interactions in transboundary river.(Li et al., 2019) are also
125	common methods used to analyze the human-water interactions in transboundary rivers. In
126	particular, multi-agent simulation models consider each riparian country as an independent
127	decision-maker and focusing on water allocation and benefit calculation (Teasley and
128	McKinney, 2011; Giuliani and Castelletti, 2013). These modeling approaches have been
129	applied to the Lancang-Mekong and the Nile river basins (Cai et al., 2003;_Ringler and Cai,
130	2006;_Arjoon et al., 2016;_Basheer et al., 2018).
131	Most <u>However, most</u> of the <u>model</u> studies <u>highlighted</u> above have viewed the cooperation in
132	transboundary rivers in a static way. However, a key aspect and as an external variable, and
133	whether to cooperate or not and the/or the extent of cooperation by social actors (in this case
134	riparian countries or states, representing the humans living in these states) is that are set as

- 135 <u>boundary conditions. In other words, they only capture the one-way effect, i.e., how</u> cooperation
- 136 itself is dynamic in nature, and takes effect on water resources and the economy, instead of
- 137 considering the two-way feedbacks including how cooperation evolves driven by different

138 factors. In reality, transboundary river cooperation is also evolutionary in nature. For example, 139 in the Colorado River Basin shared by USA and Mexico, industrialization and population 140 growth have increased the stress on surface and groundwater resources and on water quality. 141 Ground water Groundwater depletion and water pollution contributed to tension between the 142 two countries from the 1940s. Following protracted negotiations, several treaties were signed 143 and institutions built, with the result that the interactions between USA and Mexico have now 144 become more cooperative in recent years (Frisvold and Caswell, 2000). Globally, the 145 cooperative tendency reached its peak during 1971-1986, compared to the previous 1948-1970 146 and later 1987-1999 periods (Wolf et al., 2003). The relatively low cooperative tendency over 147 the 1987-1999 period is thought to continue to the 2000-2008 period (De Stefano et al., 2010). 148 The focus of transboundary water treaties, which symbolize cooperation, have been reported to 149 shift from exploitation of water resources to sustainable water management and framework 150 setting, with increased importance given to environmental health (Giordano et al., 2013). The 151 approaches used in studies to date do not accommodate the dynamic co-evolutionary nature of 152 transboundary cooperation and conflicts, as seen for example in the Colorado River Basin, and 153 are therefore not up to the task of seeking mechanistic explanations for the observed dynamics 154 of cooperation in transboundary river basins.

In this study, we aim to address this knowledge gap by adopting a process-based, sociohydrologic framework to represent transboundary cooperation in the Lancang-Mekong river basin, which involves China, Myanmar, Laos, Thailand, Cambodia and Vietnam as riparian states. Using dynamic modeling to understand the mechanisms behind cooperative or conflictive actions of riparian countries, not only in a specific river basin, but also similarities

160 and differences between basins, would help in elucidating key drivers that account for 161 differences in the cooperation level and its dynamics over time. This is a first step in this 162 direction. Increased mechanistic understanding will help increase the scope of cooperation and 163 avoidance of conflict in the future, and generate economic, social, and geopolitical diverse 164 benefits (Yu et al., 2019a; Sadoff and Grey, 2002; Yu et al., 2019a), which are expressed as "beyond the river" benefits by Sadoff and Grey (2002). Enhanced cooperation could lead to 165 harmony in human-water relations generally and regionally, including equitable and sustainable 166 167 use of water. Conversely, the continuation of conflicts could result in disordered water use, 168 over-exploitation (Tian et al., 2019) and overall loss of amenities.

169 In approaching this aim, it is critical to capture the two-way feedbacks between the social 170 system and the transboundary river system. Entering the Anthropocene era, humanHuman 171 society and hydrological systems have become ever more tightly coupled, and in the long-term, co-evolution of the resulting coupled, socio-hydrological system has been shown to result in 172 173 emergent dynamics and unintended consequences (Sivapalan and Bloschl, 2015). Examples 174 include decadal asymmetric dynamics of human water consumption in several large semi-arid 175 river basins in Asia (Tian et al., 2019), and the "pendulum swing" in agriculture water use and 176 human development in both Eastern and Western Australia (Kandasamy et al., 2014). Socio-177 hydrology as a science explores the two-way feedbacks between human and water systems, 178 necessary to understand and mimic observed emergent dynamics (Sivapalan and Bloschl, 2015). 179 Driven by both natural and social forces, a transboundary river basin can also be viewed as a 180 coupled socio-hydrological system, now with a distinct spatial (upstream-downstream) dynamics mediated by multiple riparian states. Observed patterns of cooperation and conflict 181

182	in a transboundary basin can then be seen as a special case of emergent dynamics that results
183	from interactions and feedbacks between the actions of water users or stakeholders in upstream
184	and downstream riparian states and the interplay of associated hydrological, economic, and
185	social, and geo-political processes (Di Baldassarre et al., 2019). Historical patterns of the
186	intensity or levels of cooperation between riparian states are key indicators that can be used as
187	targets of socio-hydrologic models developed with the aim of generating mechanistic
188	understanding of the co-evolutionary paths followed by transboundary river basin management.
189	In this study, we will present a coupled socio-hydrological model developed to simulate the
190	dynamics of conflict and cooperation in transboundary river systems, and its application to the
191	Lancang-Mekong river basin. The nature, which to the best of shared useour knowledge is the
192	first model to include the evolutionary transboundary river cooperation as an internal variable,
193	and couple the driven processes including hydrological variability, dam construction, political
194	benefits, etc. It differs from extant models by considering transboundary river cooperation
195	internally, dynamically and quantitatively. To attain the goal, we propose a novel quantification
196	of the waters cooperation level and political benefits, and conduct sentiment analysis of the
197	newspaper articles to validate the simulation of cooperation in Lancang-Mekong River has
198	significantly evolved over the last 60 years through cycles of cooperation and conflict.Basin.
199	The socio-hydrological model developed here is used to mimic the mechanisms of cooperation
200	and conflict in this basin in a way to gain basic understanding that may be transferred to
201	transboundary river basins elsewhere. with similar hydro-political settings.
202	The remainder of the paper is organized as follows. In Section 2, we will introduce the study

area and the history of observed dynamics of cooperation and conflict. Section 3 will present

the rationale and details of the socio-hydrological model, including the various modules and governing equations describing the various subsystems, and how they are coupled in a way to capture the dynamics of cooperation and conflict. Section 4 presents the simulation results and a discussion and interpretation of the results, followed by, in Section 5, a summary of the main conclusions and the understanding and insights gained from the study.

209 1.2. Study Area and Historical Timeline of Cooperation and Conflict Dynamics

210 Lancang-Mekong River is an important transboundary river located in Southeast Asia. As 211 shown in Figure 1, it originates from the Tibetan Plateau in China, and over its entire length of 212 4900 km it passes through Myanmar, Laos, Thailand, Cambodia, and Vietnam (Wang et al., 213 2017). The Lancang-Mekong river basin drains an area of 812,400 km² and supports the water 214 needs and livelihoods of over 65 million people (Ringler and Cai, 2006; MRC, 2018; You et al., 215 2014). The annual average discharge of Lancang-Mekong River flowing into the South China Sea is close to 475 billion m^3 /year (Campbell, 2016). The drainage area of the upstream part, 216 217 i.e., the Lancang River Basin in China, is 195,000 km², which accounts for 24% of the whole 218 basin area. The Mekong River Basin in Myanmar, Laos, Thailand, Cambodia and Vietnam 219 covers an area of around 600,000 km² (Li et al., 2017).

Starting from a relatively undeveloped basin in the 1950s, Lancang-Mekong River Basin has experienced rapid economic growth in recent decades (MRC, 2010). Although they all have many shared interests, different riparian countries within the Lancang-Mekong river basin benefit from different river functions. For example, while all riparian countries have the need to protect themselves from the negative impacts of floods and droughts and ensure the sustainability of <u>riverine</u> ecosystem, the upper riparian states of China and Laos have constructed and plan to construct many dams, mainly for hydropower generation (Keskinen et
al., 2012). For the downstream states of Thailand, Cambodia and Vietnam, agriculture and
fishery are the main uses of the Mekong River. Irrigated agriculture is a major water consumer
in the basin (MRC, 2018), and rice is the main staple crop (Campbell, 2016). In the lower
Mekong region, especially in Cambodia and Vietnam, fishery not only employs a large number
of people, but also sustains their protein demands (Campbell, 2016).

As an important and geopolitically sensitive region (Campbell, 2016), Lancang-Mekong River 232 233 Basin has experienced both conflict and cooperation since the end of World War II under the 234 impacts of changing geopolitical relationships, hydrological dynamics and socio-economic 235 conditions. With the sponsorship of the United Nations Agency ECAFE, the Committee for 236 Coordination of Investigations of the Lower Mekong Basin was initiated in 1957, and early 237 efforts included the setting up of comprehensive hydrological observations and the setting up of regional plans for hydropower, flood control and irrigation (Campbell, 2016). However, 238 239 because of the withdrawal of Cambodia in 1977 due to political reasons, Thailand, Laos and 240 Vietnam initiated the Interim Committee for Coordination of Investigations of the Lower 241 Mekong, which took limited efforts towards regional cooperation. Until 1995, the four countries 242 of the lower Mekong were part of the Agreement on the Cooperation for the Sustainable 243 Development of the Mekong River Basin, through which they established the Mekong River 244 Commission (MRC). MRC was designed to enhance cooperation on water utilization and management, socio-economic development and ecosystem conservation (MRC, 1995). 245 246 Although China signed an agreement on the provision of hydrological information on the Lancang-Mekong River in 2002, the efforts of MRC were limited due to the absence of the 247

upstream states, namely China and Myanmar. Finally, the Lancang-Mekong Cooperation
Mechanism (LMC) was initiated in 2016 to include all of the six riparian countries and thus
enhance more comprehensive cooperation (Feng et al., 2019).

251 Specifically, cooperation in Lancang-Mekong River in the 21st century has been in the spotlight 252 because of rapid changes in climatic and hydrological conditions, intensified human activity 253 and geopolitical sensitivity of the region. Dam construction principally in the two upstream 254 countries, China and Laos, has continued over three decades. Since 2010, large hydropower 255 plants have been commissioned on the mainstream of Lancang-Mekong River (Han et al., 2019). 256 Reservoir operations in the upstream increase dry season runoff and reduce runoff peaks during 257 the flood season (Hoanh et al., 2010). The resulting changes in river flow were strongest in the 258 upper Chiang Saen station in Thailand and less marked in the lower station Kratie in Cambodia 259 (MRC, 2018). The resulting change of seasonality of river flows has a significant impact on the 260 benefits of different water uses (Pokhrel et al., 2018), for example, wetland ecosystem services 261 (Dudgeon, 2000) in Vietnam, and fish capture in the largest freshwater lake in Southeast Asian, 262 Tonle Sap (Kite, 2001) located in Cambodia. Correspondingly, due to the effects of upstream 263 dam operations for hydropower generation, the downstream countries have faced concerns about benefit losses. Here the loss indicates deviation from their maximum expected benefit 264 265 instead of absolute loss, because human values outcomes as gains and losses relative to a 266 reference level (Kahneman and Tversky, 1979). To obtain indirect political benefits, which is 267 described as "diplomatic returns" in Yu et al. (2019b), the upstream country China has worked 268 to change flow regulations of their reservoirs to satisfy the demands of the downstream 269 countries and achieve regional cooperation. One example of this iswas the emergency water

270 release from China in 2016 to alleviate the effects of a severe drought in the lower Mekong
271 basin (Yu et al., 2019b). This change of hydropower dam regulations in upstream countries can
272 be regarded as an example of a cooperative response.

273 Figure 2 summarizes the hydrological and anthropogenic events in Lancang-Mekong River 274 Basin. The upstream countries China and Laos have constructed or planned and are planning to 275 construct more dams on the mainstream of Lancang-Mekong River. Two major reservoirs on 276 the mainstream, Xiaowan and Nuozhadu, went into production in 2010 and 2012 respectively. 277 The filling and operation of reservoir these reservoirs caused the alteration of hydrological 278 regimes in the downstream, i.e., increase of runoff in the dry season and reduction in the flood 279 season. Economic losses compared to expected benefits caused by the change of hydrological 280 seasonality and natural droughts, led to concerns raised by downstream countries, and tension 281 and conflict. However, cooperation has been enhanced in recent years, exemplified by some 282 cooperative actions of the upstream country China, such as emergency water release during a 283 period of drought. We will use the socio-hydrological model to simulate thethese water-related 284 events and the cooperation dynamics, and provide mechanistic explanations based on socio-285 hydrologic interpretation of the emergent dynamics.

286 **2. Model**

<u>3. We will here introduce a transboundary river cooperation socioSocio-hydrological Model</u>
 We developed a Transboundary River Cooperation Socio-Hydrological (TRCSH) model
 (TCSH model) that will be used to simulate the dynamics of cooperation and conflict observed
 in Lancang-Mekong River Basin. The causal loop presented in Figure 3 introduces the main
 components of the model. It simulates the change of river flow seasonality caused by reservoir

292 operations, which causes <u>benefit</u> loss compared to expected benefits to downstream countries 293 in different sectors. The loss compared to expected benefits leads to demands by the 294 downstream countries for more cooperation from upstream countries, to which the upstream 295 countries respond with changes to their reservoir operations. The modeled levels of cooperation, 296 and the resulting changes to reservoir operations, are determined by a balance between 297 hydropower losses and indirect gain of geopolitical benefits by the upstream countries.

298 As seen in Figure 3, the socio-hydrological model couples four main parts, i.e., hydrological simulation, reservoir operation, economic benefit calculation, and policy feedback. A 299 300 distributed catchment hydrological model is used to model natural streamflow inputs to the 301 dams and is calibrated using observations at several stations along the Lancang-Mekong River 302 and its tributaries. With available reservoir information, the reservoir operation module 303 simulates two basic scenarios, i.e., maximizing upstream benefits versus maximizing 304 downstream benefits. The results of these two operational scenarios are weight averaged to calculate actual water releases and reservoir storages. The economic benefit calculation module 305 306 estimates the economic benefits for both upstream and downstream countries covering 307 hydropower, irrigation and fishery sectors based on outcomes of the hydrological simulation and reservoir operation modules. The fourth module simulates the policy feedbacks through the 308 309 estimation of economic benefits and operation weights through two key variables, i.e., 310 cooperation demand of downstream countries and cooperation level of upstream countries. Outcomes of sentiment analysis of newspaper articles are used to evaluate the modeled 311 312 cooperation demand. The calculation step length of the model is one month. Each of these components of the model is discussed in detail in the following sections. 313

314 3.1 Hydrological simulation

315 We use the distributed hydrological model THREW to simulate natural runoff of mainstream 316 and tributaries without impacts of reservoir operations, i.e., $Q_n Q_n$ in Figure 3. The THREW 317 model has been applied to many river basins successfully, including rivers derived from 318 mountainous areas and consisting of snow and glacier melt, and large-scale basins (Tian et al., 319 2006; Tian et al., 2008; Li et al., 2012; Mou et al., 2008; He et al., 2015). Based on the 320 Representative Elementary Watershed (REW) approach (Reggiani et al., 1998), the THREW 321 model uses the REW as the sub-catchment unit for hydrological simulations (He et al., 2015). 322 The main runoff generation processes include surface runoff, groundwater flow, and snow and 323 glacier melt. 324 In this study, we divide the Lancang-Mekong basin into 651 REWs on the basis of DEM data, 325 as shown in Figure 1. The precipitation data is retrieved from TRMM data of 1998-2018. The 326 accuracy of TRMM data for hydrological simulation in this region has been proven successfully 327 (MRC, 2018). Thirty-two meteorological stations dispersed distributed around the whole basin 328 provide meteorological inputs, including temperature, wind speed, humidity and radiation to 329 calculate potential evapotranspiration based on the Penman-Monteith equation. SoilSoils data 330 is extracted from the FAO world soil database, and LAI, NDVI and snow are obtained from 331 MODIS data. Daily runoff observations of 6 stations on the mainstream of the Lancang-332 Mekong river include data of Jinghong (1998-2013), Chiang Saen (1998-2015), Luang Prabang 333 (1998-2015), Nong Khai (1998-2007), Nakhon Phanom (1998-2015) and Pakse (1998-2006). 334 TheAs the hydrological model is used to provide simulations of natural runoff without the 335 impacts of water withdrawal and reservoir operations. Therefore, we use the runoff data in the

period before large reservoir construction for parameter calibration, i.e., runoff data of the period of 1998-2009. Runoff data of the hydrological stations on the mainstream are used for distributed calibration, i.e., the<u>The</u> parameters are calibrated separately and in a spatially distributed manner. Specifically, the year of 1998 is used as a warm-up period, 1999-2004 as calibration period, and 2005-2009 is set as validation period. The simulated runoff of 2000-2018 is used as natural flow of mainstream tributaries Q_nQ_n before the impacts of human activities.

343 3.2 Reservoir operation

344 Reservoir construction in the upstream reaches of the Lancang Mekong River has accelerated 345 since 2000, and several large reservoirs on the mainstream have been constructed or are under 346 construction. Among them, the The largest two reservoirs in China with seasonal runoff 347 regulation capacity (Yu et al., 2019b), namely Xiaowan and Nuozhadu, went into operation in 348 2010 and 2012 respectively. The basic information of Xiaowan and Nuozhadu including the 349 total reservoir storage S_{total}, dead reservoir storage, and flood limited storage S_{flood} are 350 listed in Table 1. The total storage of the two major reservoirs account for 90% of the total 351 storage of the largest six reservoirs (Han et al., 2019). The cascade of reservoirs within China 352 is simplified and approximated in this study by the Xiaowan and Nuozhadu reservoirs.

353 $Laos_{total}$, dead reservoir storage, and flood limited storage S_{flood} are listed in Table 1. Laos

PDR has aimed to be the "battery of Southeast Asia" (Stone, 2016) and has(Stone, 2016) and started hydroelectric dam construction on the mainstream of the Mekong river in line with this ambition. Before that, Laos constructed many dams on its tributaries, which also impact the streamflow regimes of the Mekong River. According to MRC (2018), the expected live storage

358	of reservoirs in Laos will ultimately reach 24,257 MCM, accounting for 73% of the flows left
359	for the four downstream countries. For simplicity, we only consider the completed tributary
360	reservoirs in Laos. They are aggregated by one proxymillion m ³ (MCM), accounting for 73%
361	of the flows left for the four downstream countries. In order to couple the reservoir operation
362	module with the other modules, we need to simplify the cascade of reservoirs in both China
363	and Laos so that the optimization processes in reservoir operation module and benefit
364	calculation module could be computed. With the total storage of the Xiaowan and Nuozhadu
365	reservoirs accounting for 90% of the total storage of the largest six reservoirs (Han et al., 2019),
366	the cascade of reservoirs within China is simplified and approximated in this study by the two
367	reservoirs. For the reservoirs in Laos, since reservoirs on the mainstream have not been
368	commissioned before 2019, only the completed tributary reservoirs are considered and
369	aggregated by one virtual reservoir in the upper reaches, including some reservoir storages
370	located in the relatively lower reaches in Laos (Li et al., 2019; WLE, 2018). The storage of the
371	virtual Laos reservoir equals the sum of all Laos reservoir storages, and its hydropower
372	generation is calibrated against the statistical data of the sum of hydropower generations in
373	Laos. In the model, the proxyvirtual Laos reservoir-used is assumed to have live storage from
374	5,074 MCM in 2000 to 21,066 MCM in 2018, which was linearlinearly interpolated over this
375	time period and represents continuous dam construction in Laos.
376	Overall, these simplifications through lumping the effects of many reservoirs is deemed

378 Nuozhadu in China and the aggregated Laos Reservoir) shown in Figure 4 capture most of the

377

affects of reservoirs within the entire river basin-<u>and closely resemble the actual hydropower</u>

reasonable for the purposespurpose of this study, because three reservoirs (Xiaowan and

380 generation. As shown in Figure 4, the river system and its water diversion configuration are also simplified, where T_0, T_1, T_2 to T_6T_6 indicate natural runoff of upstream and 381 tributaries, $W4, W5, W6W_1, W_2, W_3$ are the water withdrawalwithdrawals for irrigation in 382 383 Laos, Thailand, Cambodia and Vietnam. For each node, runoff flowing to the next node is 384 calculated by the water balance equation, e.g., for Thailand, $QN4 = QN3 + T5 - W4Q_7 = Q_6 + T_5 - W_1$ 385 (1)where, $QN3Q_7$ is runoff flowing to Thailand from the upstream node, Laos, $T5T_5$ is inflow 386 from tributaries in Thailand, $W4W_1$ is irrigation withdrawal in Thailand, and $QN4Q_7$ is runoff 387 388 flowing to the downstream node, Cambodia. 389 For the operation of constructed dams, we consider two basic scenarios. The first scenario is the self-interested scenario (non-cooperation scenario, abbreviated by NC), in which the 390 391 upstream countries, China and Laos, operate the dams considering only their own hydropower 392 benefits-<u>_____</u>. $B_{\overline{h}} = \mathrm{ph} \times 9.81 \times Q_{\overline{r}} \times \Delta \mathrm{h} \times \eta \tag{2}$ 393 394 where, ph is the electricity price, Q_r is the monthly water release from the reservoir, Δh is 395 the water head difference between the upstream and downstream, which is related to the actual storage S_{π} , and η is hydropower generation efficiency. 396 $Q_{r.t} = max\{S_{r,t-1} + Q_{in,t} - S_{total}, 0, Q_{eco}\}, t = 1,2,3,4,5,11,12$ (3) 397 $-Q_{r,t} = max\{S_{r,t-1} + Q_{m,t} - S_{flood}, 0, Q_{eco}\}, t = 6,7,8,9,10$ (4) 398 Under this scenario, dams keep at their total storage S_{total} during the dry season (November 399 to May) and their flood limited storage S_{flood} in the flood season (June to October). If the 400 actual storage of the t-1 period $S_{r,t-1}$ is less than these two values the reservoir will store water 401

to reach the amount; otherwise, the reservoir will release water. There are also constraints of <u>on</u> the minimum ecological release flow Q_{eco} to satisfy the requirements of ecosystem and navigation. Actual water release under the self-interested scenario $Q_{r,NC}$ is calculated using Equations (32) and (43). The actual storage of <u>the</u> next month $S_{r,t}$ is calculated based on <u>the</u> water balance equation. With the calculated water release under the self-interested scenario $Q_{r,NC}$, the total benefits of the three downstream countries will be optimized through water allocation among them.

$$Q_{r,t} = max\{S_{r,t-1} + Q_{in,t} - S_{total}, 0, Q_{eco}\}, \ t = 1,2,3,4,5,11,12$$
(2)

410
$$= Q_{r,t} = max\{S_{r,t-1} + Q_{in,t} - S_{flood}, 0, Q_{eco}\}, \ t = 6,7,8,9,10$$
(3)

409

411 The second scenario is the altruistic scenario (full-cooperation, abbreviated by FC), where the 412 upstream countries operate the dams to accommodate downstream water demands and 413 maximize the benefits of downstream countries. The calculation of the benefits to downstream 414 countries will be introduced in Section 3.3. Under this scenario, the constraints contain maximum storage during dry season, maximum storage during flood season, minimum storage 415 416 of dead storage and minimum ecological release flow. Then the processed results of actual water 417 release $Q_{r,FC}$ will be used to calculate actual reservoir storage S_r based on the water balance 418 equation. In this study, neither the self-interested scenario nor the altruistic scenario considers 419 hedging rules in reservoir operation, although this is an extension that could be considered in 420 further extensions of this study.

421 As shown in Figure 3, with the calculated water release under the self-interested scenario $Q_{r,NC}$

422 and that under the altruistic scenario $Q_{r,FC}$, we obtain the weighted average scenario (WA

423 scenario) and final actual water release Q_r by calculating their weighted average.

424
$$Q_r = Q_{r,NC} \times \delta_1 + Q_{r,FC} \times \delta_2 \tag{54}$$

where $\delta_1 + \delta_2 = 1$, and δ_2 is calculated using the cooperation equations while δ_1 is 425 426 calculated as the residual $1 - \delta_2$, which will be introduced in section 3.4. <u>Here δ_2 reflects the</u> 427 extent to which the operating rules are adjusted to accommodate downstream water demands. 428 It should be noted that the calculated Q_r by equation (5) should be <u>4</u>) is revised if it violates 429 the constraints of maximum storage during dry and flood seasons, minimum storage of dead storage and minimum ecological release flow. And the <u>The</u> final actual reservoir storage S_r is 430 431 calculated for hydropower benefit calculation and the calculated Q_r is used to optimize the 432 total benefits of the three downstream countries. 433 3.3 Economic benefit calculation 434 In this study, we consider the hydropower benefits B_h of China and Laos, and agriculture 435 benefits B_a and fishery benefits B_f of Thailand, Cambodia and Vietnam. The hydropower benefits calculation of China and Laos were introduced are based on the water release Q_r and 436 437 <u>reservoir storage S_r, as shown in equation (5).</u>

438	$B_h \text{section 3.2.} = p_h \times 9.81 \times Q_r \times \Delta h \times \eta $ (5)
439	where, p_h is the electricity price extracted from MRC (2018), Q_r is the monthly water release
440	from the reservoir, Δh is the water head difference between the upstream and downstream
441	which is related to the actual storage S_r , and η is hydropower generation efficiency which is
442	calibrated against the annual power generation data.
1/13	Here agriculture benefits $B_{\rm c}$ only include irrigated rice without consideration of rain-fed cror

Here agriculture benefits B_a only include irrigated rice without consideration of rain-fed crop production. Agricultural water withdrawals dominate water consumption in the downstream countries, and rice is the staple crop in this area. In this study, we use the FAO 33 crop water

446 production function to calculate crop yields and irrigation benefits (Doorenbos and Kassam,447 1979).

$$B_a = \frac{pap_a}{Pa} \times Y_a \times A \tag{6}$$

448

$$(1 - \frac{Y_a}{Y_m}) = K_y \times (1 - \frac{AET}{PET}) \frac{E_A}{E_P}$$
(7)

where pa is price of rice, where p_a is price of rice and retrieved from statistical data (MRC, 450 451 <u>2018</u>), A is the rice irrigation area, Y_a and Y_m are actual and maximum crop yields, 452 respectively. K_y is crop yield response factor, and AET E_A and PET E_P are actual and 453 maximumpotential evapotranspiration respectively. The information on the price of rice, 454 irrigation area, rice yield and irrigation withdrawal of Thailand, Cambodia and Vietnam are 455 listed in Table 2. Y_m is set as 8.5 ton/ha for all three countries (FAO, 2004). AETE_A and 456 **PETE**_P are calculated based on potential evapotranspiration and irrigation amount, and the 457 detailed methods could be found in Allen et al. (1998)Allen et al. (1998) and Kaboosi and 458 Kaveh (2012).

Fishery is one of the dominant environmental water uses in the lower Lancang-Mekong River 459 460 Basin, but it is difficult to quantify fishery benefits. In general, comprehensive fisheries models 461 have many required inputs to calculate fishery benefits, such as mortality, recruitment, and fishing efforts (Baran and Cain, 2001). There are many studies focusing on the simulations of 462 463 fishery benefits through their relationships with water level (Hortle et al., 2005) and flooded 464 areas (Burbano et al., 2020). It is difficult to couple complex fishery models to our model, and 465 there is not any standard function for fishery benefits up till now. Here, for simplicity, we only 466 capture fishery benefits and do not include aquaculture benefits, since itthe latter is not 467 significantly impacted by hydropower operation. Based on literature review, an increasing function of runoff with decreasing marginal increase was adopted to calculate capture fishery
benefits, which is simple but effective in Mekong Basin (Ringler, 2001; Ringler and Cai, 2006).

470
$$\frac{iffd}{Q_{max}} = \arctan\left(\frac{Q-Q_{min}}{Q_{max}}\right) \times \left(1 - b \times \left(\frac{Q-Q_{min}}{Q_{max}} - c\right)^2\right)$$
(8)

471
$$B_f = pf \times iff - Fcost = p_f \times d - F_{cost}$$
(9)

where *iffd* is the fishery production related to actual discharge Q, minimum discharge Q_{min} , maximum discharge Q_{max} , and two parameters b and c. In equation (9) to calculate fishery benefit B_f , pf-is the fishery price and $Fcostp_f$ is the fishery price extracted from statistical data (MRC, 2018) and F_{cost} is fixed fishery cost. Overall, fishery benefits for downstream countries are related to actual runoff, maximum runoff, and minimum runoff. As shown in Figure 4, QN4, QN5, QN6 Q_7 , Q_8 , Q_9 are used as actual runoff to calculate fishery benefits for Thailand, Cambodia and Vietnam respectively.

479 3.4 Policy feedback

480 Cooperation demands U of downstream countries arise from economic losses compared to expected benefits, and the upstream countries take cooperative action to obtain indirect political 481 482 benefits, although this might reduce their hydropower generation benefits. Cooperative actions 483 of upstream countries take effect in multiple forms, such as information sharing and joint 484 investment (Sadoff and Grey, 2002). It is always difficult to quantify cooperation demand and 485 cooperation level. As a first attempt, in this study we only consider change of operation rules 486 of reservoirs as cooperative action and define the cooperation level C of upstream countries as the weight assigned to the operation rules to maximize downstream benefits when upstream 487 488 countries operate their reservoirs, i.e., δ_2 in section 3.2. When <u>the</u> cooperation level $\mathcal{L}C = 1$, 489 upstream countries operate dams to maximize the downstream benefits, i.e., the altruistic 490 scenario. If C = 0, upstream countries will follow operation rules ingiven by Equations (3) 491 and (4), which is are consistent with the self-interested scenario.

492 Following the assumption that cooperation demand is increased due to economic losses 493 compared to the reference level, larger economic losses will cause greater community concerns 494 and thus increased cooperation demands. According to the theory of reference dependence, humans evaluate gains and losses relative to a reference point (Schmidt, 2003), and the 495 496 reference point could be the status quo (Tversky and Kahneman, 1991) or the level of aspiration (Siegel, 1957). Here we value the losses relative to the expected maximum benefits of sectors 497 498 B_{amax} and B_{fmax} , i.e., as the differences between expected maximum benefits and actual 499 benefits. As shown in equation (10), we assume that the cooperation demand is proportional to 500 economic losses, but the sensitivity of each economic sector is distinct.

where ε_a and ε_f are the sensitivity of agriculture loss and fishery loss. The sensitivities indicate the importance of each sector to the overall lower basin economy, and larger sensitivity means that downstream countries are more sensitive to the sector-benefit change of the sector, and the unit sector loss could lead to severermore severe negative impacts. In this model we assigned both ε_a and ε_f as 0.5 so that the agriculture and fishery losses are treated equally.

507 The expected maximum benefits B_{amax} and B_{fmax} are also used for normalization.

For the cooperation level of upstream countries, we use a logit dynamics model (McFadden,
1981; Hofbauer and Sigmund, 2003) taken from environmental economics practice. This model
is used to relate economic losses and benefits with the probability of cooperation. It has been
widely used and proven effective to relate natural system dynamics with cooperation dynamics,

e.g., the simulations of cooperation on pollution control among stakeholders, who behave responding to <u>the behaviors of</u> other stakeholders' <u>behaviors</u> and their own benefits (Iwasa et al., 2007; Suzuki and Iwasa, 2009a, b). In the logit dynamics model, the probability of cooperation $\Pr_r P_r$ could be calculated as below:

$$\frac{Pr}{e^{\beta \times B_{\mathcal{C}}}} = \frac{e^{\beta \times B_{\mathcal{C}}}}{e^{\beta \times B_{\mathcal{C}}} + e^{\beta \times B_{\mathcal{N}}}} P_r = \frac{e^{\beta \times B_{\mathcal{C}}}}{e^{\beta \times B_{\mathcal{C}}} + e^{\beta \times B_{\mathcal{N}}}}$$
(12)

517 where β is a shape parameter ranging from 0 to 1, B_C is the benefit of cooperation, and B_N 518 is the benefit without cooperation.

516

519 Similarly, for upstream countries, if they choose not to cooperate, their benefit B_N will be 520 hydropower generation benefits under self-interested scenario $B_{h,NC}$ and benefits from other sectors. low indirect political benefit $B_{p,NC}$. If they choose to cooperate, besides the 521 hydropower benefits under the altruistic scenario $B_{h,FC}$ and benefits of other sectors, the 522 523 upstream country will also gain indirect political benefits, which is related to the cooperation 524 demands of downstream countries. Here we assume that the political benefit is proportional to 525 cooperation demand U and a political factor P_{-} , the upstream country will gain higher indirect political benefits $B_{p,FC}$. Here we define the political benefit B_p as the benefit from avoidance 526 527 of conflicts (Sadoff and Grey, 2002) and proportional to cooperation demand U and a political factor P as shown in equation (13). When the cooperation demand U is high, and the cost 528 due to unsatisfactory of downstream and potential conflicts is high, the political benefit B_p 529 530 will be low. If the upstream country values the political relations with downstream countries 531 and regards diplomatic benefits as important, as China has demonstrated in recent years, the 532 value of political factor P will be higher-, and the cooperation demand U will play a more 533 important role in decision making. Therefore, the equation to calculate the actual cooperation level *C* for China is as described below, and the cooperation level for Laos should consider
agriculture benefits additionally.in equation (14).

$$\frac{dC}{dt} = s \times \left[\frac{e^{\beta \times (U \times P + \varepsilon_h \times \frac{B_{h,FC}}{B_{h,max}})}}{e^{\beta \times (U \times P + \varepsilon_h \times \frac{B_{h,FC}}{B_{h,max}} + e^{\beta \times \varepsilon_h \times \frac{B_{h,NC}}{B_{h,max}}}} - C \right]$$
(13)

537

538

536

$$B_p = -U \times P$$
(13)

$$\frac{dC}{dt} = s \times \left[\frac{e^{\beta \times (\frac{B_{h,FC}}{B_{hmax}} - U_{FC} \times P)}}{e^{\beta \times (\frac{B_{h,FC}}{B_{hmax}} - U_{FC} \times P)} + e^{\beta \times (\frac{B_{h,NC}}{B_{hmax}} - U_{NC} \times P)}} - C \right]$$
(14)

539 where *s* is the responsive change rate reflecting the response speed of upstream countries, $\frac{c_{h}}{dt}$ is the sensitivity of hydropower loss, and $\frac{dC}{dt}$ and $\frac{dC}{dt}$ indicates the change of cooperation 540 level compared to the last period. $B_{h,FC}$ and $B_{h,NC}$ are calculated on the basis of water release 541 542 and reservoir storage under altruistic scenario and self-interested scenario respectively by 543 equation (5). Overall, cooperation levels *C* are related to downstream cooperation demand *U*, 544 political factor P reflecting how much upstream countries value the indirect political benefits 545 that can be gained from downstream countries, upstream benefits when cooperating or not $B_{h,FC}$ and $B_{h,NC}$, and the responsive change rate s. Compared to Laos, China regards the 546 547 geopolitical values and diplomatic relations as more important (Urban et al., 2018). Therefore, 548 the political factor P of China and Laos are set as 2 and 1, respectively, while the change rate 549 <u>s</u> is assigned as 0.5. As mentioned before, the cooperation level C equals the weight δ_2 , so 550 the cooperation demand and cooperation level will affect reservoir regulations, and in this way 551 will drive the co-evolution of the coupled transboundary socio-hydrological system. The parameters in the policy feedback are defined a priori because there is limited research and 552 553 knowledge at present on the quantification of cooperation and political benefits, which need 554 further investigation.

555 The parameterization of the model could lead to uncertainty of simulations. In order to analyze 556 the uncertainty of simulated cooperation demand caused by parameters, we choose six critical 557 parameters shown in Table 3. Besides the values used in simulations, we choose two alternative 558 values for each parameter, and simulate cooperation demand of downstream under each 559 parameter combination. For each value of one parameter, there are 243 simulations with the 560 other five parameters unfixed, which are used for uncertainty analysis.

561 3.5 Sentiment Analysis and Validation

562 Empirical observational data is needed to evaluate the simulation of policy feedbacks. It is 563 difficult to measure cooperation demand, particularly the cooperation among countries on a specific item, i.e., reservoir operation and water resources management. Sentiment analysis is 564 565 an emerging tool to quantify social data, which exploits the denotation of words and assigns 566 sentimental value to text strings by an algorithm (Bravo-Marquez et al., 2014; Abdul et al., 567 2018). It has already been used to provide information of the attitudes of Chinese citizens towards dam construction (Jiang et al., 2016). In this study we use the method of sentiment 568 569 analysis of newspaper articles in Thailand, which are assumed to reflect the changes in 570 cooperation demands of downstream countries. Newspaper articles could reflect public opinion 571 on issues of interest to the community, which have been used in previous socio-hydrologic 572 studies to monitor the evolution of environmental awareness vis a vis economic livelihood (Wei et al., 2017). In this study, we use the sentiment analysis of newspaper articles in downstream 573 574 countries in Lancang-Mekong River Basin to reflect the changes in cooperation demands of 575 downstream countries. The sentiment analysis is used to demonstrate the validity of the socio-576 hydrological model.

577	We used the Lexis Nexis database to extract relevant information in English newspapers in
578	Thailand The detailed steps of sentiment analysis of newspaper articles and its application in
579	Lancang-Mekong River have been introduced in Wei et al. (2020, this speical issue), and we
580	will introduce the general steps briefly as follows. We used the Lexis-Nexis database to extract
581	relevant information in English newspapers (Weaver and Bimber, 2008), sorted the data
582	manually and conducted sentiment analysis. Although the English newspapers could omit some
583	information when compared to local language newspapers, they are important sources to
584	analyze the dynamics of local public opinions. Although the English newspapers have the
585	potential to miss some information when compared to local language newspapers, they are
586	considered a reference to the government's foreign policy, and they can reflect national interests
587	and political responses that riparian countries want to deliver to the international public (Wei et
588	al., 2020). Firstly, key words for search (e.g., Mekong, water, dam, etc.) and search limitations
589	(e.g., location of publisher) are set for this study, and data retrieval is conducted automatically.
590	Secondly, manual data sorting was used to remove duplicates and irrelevant news. Thirdly, the
591	sorted data was analyzed through coding to get the sentiment of each piece of news and
592	corrected manually. This method has been used widely to explore the perspectives towards
593	specific topics and the detailed steps have been introduced in Wei et al. (2020). Finally, each
594	piece of valid data will provide information of news titles, publication year, sentiment category
595	(positive or negative) and sentiment values. The sentiment values range from -1 to 1, with
596	positive values indicating positive sentiment of the news towards the topic. We will use the then
597	corrected manually. Finally, sentiment category (positive or negative) and sentiment values of
598	each piece of valid data -1 to 1 were obtained, with positive values indicating positive sentiment
I	

599 of the news towards the topic. We will then use the annual average sentiment values to evaluate

600 simulated cooperation demand of downstream countries.

- 601 Because the analyzed newspaper needs to be in English due to the difficulty to deal with local
- 602 languages, we could obtain continuous and relevant English newspapers only in Thailand
- among the downstream countries, and the other riparian countries did not have English
- 604 language newspapers with broad coverage. The data processing is similar with that used in Wei
- 605 et al. (2020), but we adjusted the key words and filtering rules to fit our goals. From the database
- 606 of Lexis-Nexis, we extracted in total 4,622 pieces of data with keywords related to the dam
- 607 constructions and regulations in China and Laos, published in Thai newspapers. Then we
- 608 selected 592 pieces of relevant articles by removing duplicates and irrelevant news manually.
- 609 The 592 valid pieces of news cover the period of 2000-2018. Through automatic analysis and
- 610 manual correcting, the sentiment values of each piece of news are chosen for statistical analysis,
- 611 <u>averaged for each year.</u>

612 **3.4. Results**

613 **3.14.1** Hydrological simulation and reservoir operation

As major mainstream dams commissioned after 2010, the runoff data before that time could roughly represent the natural runoff in Lancang Mekong River. We use the observed runoff data of 1999-2005 at As shown in Figure 5, the simulations at Jinghong, Chiang Saen, Luang Prabang and Pakse for parameter calibration of hydrological model, and use the rest of the data for validation. As shown in Figure 5, the simulations at the four stations perform well with NSEs above 0.8 for the calibration period. The NSEs of validation period at Jinghong, Chiang Saen, Luang Prabang and Pakse<u>the four stations</u> are 0.83, 0.80, 0.79 and 0.87 respectively. For 621 most years, the simulations of troughs during dry seasons and peaks during flood seasons are 622 reproduced rather well, except for some extreme flood events when simulations underestimated 623 the flow. The accuracy over the dry and flood seasons is important for later simulation of water 624 availability and economic benefits. Besides, we also use observations at two other stations, 625 Nong Khai (1998-2007), and Nakhonphanom (1998-2009), for validation of the hydrological 626 model. The NSEs at these three stationsunder-estimated the flow. The NSEs at these Nong Khai 627 and Nakhonphanom reach to 0.81 and 0.75 respectively, which indicates the applicability of the 628 THREW model at different locations across the Lancang-Mekong river basin.

629 According to the observations and simulations, the annual discharge from China to downstream 630 countries at Jinghong station ($QL3Q_3$ in Figure 4) accounts for 66% of the discharge at Chiang 631 Saen ($QN2Q_4$ in Figure 4) and 20% of the discharge at Pakse ($QN4Q_7$ in Figure 4). As 632 simplified in Figure 4, runoff observed in Laos and Thailand account for 23% and 57% of the 633 discharge at Pakse. The proportions of China and Laos in Pakse runoff are higher during nonflood seasons (November to May), and the change of seasonality of discharge in China and 634 635 Laos caused by reservoir operations could affect the discharge and thus economic benefits in 636 downstream countries.

637 Two basic scenarios of reservoir operations were set up. The first basic scenario is the self-638 interested scenario, when upstream China and Laos operate reservoirs following their own 639 operation rules guided by self-interest only, as introduced in section 3.2. The other basic 640 scenario is the altruistic scenario, when upstream countries China and Laos operate reservoirs 641 to maximize the benefits of downstream three countries. Based the two basic scenarios, the 642 weighted average scenario (WA scenario) is also analyzed. Water release from Xiaowan, Nuozhadu and the proxy Laos reservoir vary under the three<u>Water releases from Xiaowan</u>, Nuozhadu and the virtual Laos reservoir vary under the three scenarios, i.e., NC, FC and WA scenarios, and we compare them with natural water release without reservoir operation (NR scenario) induring non-flood seasons. We set the initial reservoir storage to maximum storage at the beginning of the year and simulate the water release under two natural hydrological conditions, i.e., dry year of 2015 and normal year of 2017. Initial value of cooperation level of China and Laos are both set to 0.5.

650 As shown in Figure $6(a c and g i)_{2}$ for both dry and normal years, the NC scenario keeps the 651 largest storages and the FC scenario keeps the lowest storages. In a dry year like 2015, with the 652 same cooperation level as in the normal year of 2017, reservoir storages under FC and WA 653 scenarios are lower to satisfy the demands of downstream countries. Water releases from the 654 three reservoirs under different scenarios in non-flood seasons in 2015 and 2017 are shown in 655 Figure 7. The final weighted average water releases (WA scenario) from Nuozhadu and Laos Reservoirs to downstream countries are higher than natural water releases (NR scenario) during 656 657 non-flood season (December to May), especially in the dry year of 2015. It is consistent with 658 the phenomenon that reservoir operations increase discharge during non-flood seasons in 659 downstream countries in recent years.

As shown in Figure 8, the simulated reservoir storages under <u>the</u> continuous WA scenario are lower than the simulated storages under <u>the</u> continuous NC scenario in all three reservoirs. As a cooperative action, reservoir regulations under the continuous WA scenario keep releasing more water, particularly during dry years when the demands of downstream countries are high. The simulated storage of Xiaowan and Nuozhadu under continuous WA scenario keep a relatively low level, because China values the indirect political benefits from downstream
 countries, which leads to high cooperation level of China, as it will be introduced in detail in
 section 4.3.

668 **3.24.2 Economic benefit**

669 China and Laos operate reservoirs to obtain hydropower benefits, and the agriculture benefits 670 of Laos are also calculated. For each of the three downstream countries, benefits of agriculture, 671 fishery and wetlands are simulated individually. Overall, the economic benefits<u>Overall, the</u> 672 <u>economic benefit</u> simulations under WA scenario in each country and sector are reasonable 673 compared to statistical data, as listed in Table 3.

674 4. Under the continuous WA scenario, China and Laos have obtained increasing benefits mainly 675 due to ongoing dam construction. As Figure 9 shows, the simulated hydropower benefits of 676 China approached 1,8002,000 million USD in 2018, which is reasonable since while the annual 677 generation of the two reservoirs is close to 40 billion kWh (Yu et al., 2019b). The Laos reservoir 678 generated hydropower around 1,100976 million USD while the statistical estimation of 679 hydropower benefit to Laos in 2015 is 1,076 million USD (MRC, 2018), proving the validity 680 of economic benefit simulations in Laos. In Figure 9(a), the hydropower benefit of China under WA scenario is lower than NC scenario and higher than the FC scenario after 2012, indicating 681 682 that cooperation actions (WA and FC) could harm the hydropower benefit of China. It is similar 683 in Laos, as shown in Figure 9(b), but the benefits under WA resemble NC scenario are more due to the low cooperation level of Laos. The differences between the blue and red lines indicate 684 685 the losses China and Laos need to bear if they cooperate altruistically to satisfy downstream 686 demands and maximize downstream benefits.

687	When the two major reservoirs in China went into operation and cooperation levels increased
688	after 2012, the total benefits of downstream three countries under WA scenario are higher than
689	the NC scenario, although they cannot reach the high level of the FC scenario when China and
690	Laos operate reservoirs merely for downstream benefits, as shown in Figure 10(a). The increase
691	of downstream benefits under WA scenario is remarkable compared to NC scenario (e.g.,
692	420685 million USD in 2018), indicating the significance of cooperation of upstream countries
693	for the benefits in downstream countries.). The losses China and Laos need to bear is less than
694	the gain of downstream countries in most years, which help to rationalize the cooperation
695	actions to enhance regional benefits and is consistent with the outcomes of simulations in other
696	studies (Yu et al., 2019b; Li et al., 2019; Do et al., 2020). Notably, in the dry years of 2015-
697	2016, cooperative action of upstream countries could mitigate the losses of downstream
698	countries, but theirdownstream benefits would still be lower compared to those in normal years.
699	The downstream benefits of agriculture and fishery under the WA scenario are shown in Figure
700	10(b). Simulated agriculture benefit in 2018 is around 4,0003,600 million USD with irrigation
701	withdrawals of 3539 billion m ³ , while the statistical irrigation withdrawal of the three countries
702	is 47 billion m ³ (FAO, 2019). The simulated agriculture benefits of Thailand, Cambodia and
703	Vietnam are 1, 355, 595<u>263, 593</u> and <u>2,011<u>1,728</u> million USD respectively, which are consistent</u>
704	with the statistical values for irrigated rice in Table 4, i.e., 1,314, 592 and 2,727 million USD-
705	Statistical values for irrigated rice are calculated by the irrigation areas (Cramb, 2020), irrigated
706	rice production per unit area and rice price (MRC, 2018).(Cramb, 2020; MRC, 2018).
707	As for the capture fishery benefits, the losses during the years of reservoir filling and droughts
708	are remarkable, approaching $\frac{224215}{224215}$ and $\frac{181162}{181162}$ million USD in 2010 and 2015, respectively.

709 The reduction of fishery capture is consistent with the outcomes of study by Orr et al. (2012), 710 which estimated that losses of fishery capture could reach to 20% with the impacts of the 711 upstream dams. In 2018, the simulated fishery benefits of Thailand, Cambodia, Vietnam and 712 the total fishery benefit are $\frac{116}{118}$, 1, $\frac{146}{178}$, 160, 179, and 1, $\frac{440457}{1100}$ million USD, while the 713 corresponding statistical values are 120, 1,188, 195 and 1,503 million USD. The statistical fishery values are estimated on the basis of fishery production (Burbano et al., 2020) and fishery 714 715 prices (MRC, 2018). Overall, the simulated benefits of downstream countries in the three economic sectors are basically consistent with statistical values. 716

717

3.34.3 Cooperation demand and level

718 As introduced in section 3.4, two key variables in the policy feedbacks contain cooperation 719 demand of downstream countries and the actual cooperation level of upstream countries. In the 720 model, cooperation demand of downstream countries was assumed to be related to the losses 721 in the different sectors compared to maximum possible benefits, and the sensitivity to 722 agriculture loss and fishery loss, expressed in terms the parameters $c_{\overline{a}}$ and $c_{\overline{x}}$. We calculated 723 the cooperation demands of the three downstream countries based on benefit calculations, 724 and Figure 11(a), the simulated cooperation demands reached to high levels in 2004-2005, 2008, 725 2010, 2012-2013, 2015-2016 (Figure 11). These peaks are caused by benefit losses compared 726 to other years. The losses in 2004-2005 and 2015-2016 arose from recorded droughts (MRC, 727 2018), while the losses in 2010 and 2012-20142013 are related to the constructions and 728 operations of Xiaowan and Nuozhadu dam.

729 Cooperation levels of China and Laos are simulated separately so that they could decide their 730 own weights used in reservoir operations. Cooperation levels are related to downstream

73:	1 cooperation demand U, political factor P reflecting how much upstream countries value the
732	2 indirect political benefits that can be gained from downstream countries, upstream benefits
733	3 when cooperating or not, and the change rate s that reflecting the response speed of upstream
734	4 countries. As shown in Figure 11(a), the cooperation level of Laos increased from the start at a
73	5 slow speed and exceeded 0.33 in 2018. The recent fluctuation-Compared to Laos, China regards
73	6 the geopolitical values and diplomatic relations as more important (Urban et al., 2018).
73	7 Therefore, the political factor <i>P</i> and change rate <i>s</i> of China are set as 2 and 0.1, respectively.
738	8 while those of Laos are 1 and 0.02, respectively. As shown in Figure 11, the cooperation level
739	9 of Laos increased from the start at a slow speed and exceeded 0.17 in 2018. The slowly
74(0 increasing trend of cooperation level of Laos could be reflected by the on-going disputes and
742	1 negotiations between Laos and other MRC members in respect of reservoir construction by
742	2 Laos on the mainstream of Mekong River since 2009 (Hensengerth, 2015). The cooperation
743	3 <u>levels of China finished increased since the completion of</u> the first major dam construction in
744	4 2010. The cooperation level of China exceeded that of Laos in 2016, and the increase of
74	5 cooperation levels started then. Compared to Laos, the increase rate is much higher, especially
746	6 when the major reservoirs were constructed and China adjusted their operational rules before
74	7 2015. The rapid increase of cooperation level of China could be provenevidenced by the China's
748	8 cooperative actions from China in recent years. China initiated, including initiation of Lancang-
749	9 Mekong Cooperation (LMC) framework in 2015, which is a much broader framework that goes
750	0 beyond water cooperation. When the historically severe drought hit Mekong Basin in 2015 and
75:	1 2016, China implemented, and implementation of emergency water release to mitigate the
752	2 negative impacts of droughts in downstream when the historically severe drought hit Mekong
•	

753 Basin in 2015 and 2016 (Middleton and Allouche, 2016).

754	To evaluate the simulation outcomes of cooperation demands of downstream, we conducted
755	sentiment analysis towards the reservoir constructions and operations in upstream China and
756	Laos. Because the analyzed newspaper needs to be in English due to the language difficulty,
757	and we can only obtain continuous and relevant English newspapers in Thailand among the
758	downstream countries, we selected Thailand newspaper articles for the sentiment analyses used
759	for evaluation. As shown in Figure 11(b). The data processing is similar with that used in Wei
760	et al. (2020), but we adjusted the key words and filtering rules to fit our goals. From the database
761	of Lexis-Nexis, we extracted in total 4,622 pieces of data with keywords related to the dam
762	constructions and regulations in China and Laos, which are published by Thai newspapers.
763	Then we selected 592 pieces of relevant articles by removing duplicates and irrelevant news
764	manually. The 592 valid pieces of news cover the period of 2000-2018. Through coding and
765	manually correcting, the sentiment values of each piece of news are provided for statistical
766	analysis. As shown in Figure 12, the number of news articles concerning the impacts of
767	upstream reservoirs increased significantly after 2010, from less than 20 pieces each year to
768	over 70 pieces in recent years. The means of sentiment values fluctuate greatly in early years,
769	which is caused by relatively small numbers of pieces of news. In 2004, 2010-2012 and 2015,
770	sentiment results reached low values through the years, reflecting that the concerns and
771	criticisms from Thailand towards China and Laos on dam operation were high compared to
772	normal years. The dynamics of sentiment values are basically consistent with the simulations
773	of cooperation demand $\frac{\text{of Thailand}}{\text{shown}}$ in Figure $\frac{12.11(c)}{12.11(c)}$. Simulated cooperation $\frac{\text{demands}}{12.11(c)}$
774	of Thailanddemand are high during 2005, 2009-2008, 2010, 2012-2013, 2015-2016. Similar to

the cooperation demand of the three downstream countries introduced before, the peaks of 775 776 cooperation demand and concerns from downstream in 2005 and 2015 are ascribed to droughts 777 and losses, while the concerns in 2010 and 2012 are due to the effects of dam constructions at 778 Xiaowan and Nuozhadu during these two years. According to Wei et al. (2020), topic analysis 779 shows that most of the negative publications in Mekong countries are related to the 780 constructions and operations of dams, which is consistent with our results. Besides the factors 781 mentioned above, based on the text information of news, another reason why concerns 782 increased in 2010-2012 is that Laos started to construct Xayaburi dam, which is the first dam 783 Laos constructed on the mainstream of Mekong River and is regarded as a violation of the 1995 784 Mekong Agreement (Herbertson, 2013). Overall, our simulations of cooperation demands 785 reflect the empirical dynamics of downstream countries obtained through sentiment analyses. 786 Uncertainty analysis in Figure 12 shows that although the selection of these six critical parameters could lead to uncertainty of simulated cooperation demand of downstream, the trend 787 and fluctuation pattern of the simulations are consistent, which proves the reliability of the 788 789 simulations.

790 4.5. Discussion and Conclusions

This paper presented the development and application of a <u>coupled</u> socio-hydrological model to simulate the dynamics of cooperation and conflict in the transboundary Lancang-Mekong river basin in Southeast Asia. Lancang-Mekong is a typical transboundary river where the upstream mountainous area is rich in hydropower and lower plain areas are suitable for irrigation and are rich in fisheries. Dam construction and operations in upstream countries (China, Laos) have changed the seasonality of downstream river flows, which have impacted
797 the benefits gained by downstream countries, notably in terms of agriculture and fishery, both 798 of which rely on the discharge of rivers. When downstream countries faced benefit losses 799 compared to maximum benefits as a result, they led to community concerns, which they tend to blame on upstream countries. Once the dams were constructed and were in place, the most 800 801 available and effective cooperative action to avoid regional conflicts was to operate the reservoirs in a way to achieve basin-wide synergy between upstream and downstream countries 802 803 (Do et al., 2020). While upstream countries may have lost some economic benefits by 804 sacrificing some of their hydropower generation to benefit downstream countries, by doing so they also stood to gain more indirect political and economic benefits, e.g., better diplomatic 805 806 relations and more investment opportunities in downstream countries (Sadoff and Grey, 2002). 807 The socio-hydrological model presented in this paper captured was able to capture the dynamics 808 of such cooperation and conflict through the coupling of modules representing hydrology, 809 reservoir operation, economic benefits and policy, which is simple but comprehensive. The 810 interplay among hydrological, economic and political factors is important, because 811 hydrological variability and human activities could impact the dynamics of cooperation jointly. 812 The model simulations were evaluated by usingperform well against empirical observations of 813 runoff-and, published statistics of economic benefits in the different sectors. The model 814 simulated cooperation demands by downstream countries reached to high levels during dry 815 years of 2004-2005 and 2015-2016, and the dam filling years of 2010 and 2012. These patterns were consistent with outcomes of, and sentiment analysis carried out based on articles 816 817 published in English language newspapers in one downstream country, Thailand, proving the 818 validity of policy feedbacks embedded in the socio-hydrological model results.

819	A novel feature of the model is the quantification of policy feedbacks between upstream and
820	downstream countriescooperation dynamics in the form of a logit dynamics model. The logit
821	dynamics model operates in a way that willingness to cooperate increases when there are greater
822	benefits to be gained if the parties cooperated and fewer benefits if they do not. A particular
823	strength of the logit model is that it could explicitly include geopolitical factors that add to the
824	indirect benefits that upstream countries may gain through increased cooperation. The potential
825	benefit increase for upstream countries through cooperation, which may include direct
826	economic benefits such as eco-compensation and indirect political benefits, is assumed to boost
827	their willingness to cooperate. When upstream countries value the indirect political benefits
828	more and are thus more responsive to the downstream concerns, the cooperation level would
829	increase, which is quantified in the model to represent to what extent the upstream country
830	would like to accommodate downstream water demands in reservoir operation. The increase of
831	simulated cooperation level is consistent with the cooperative actions taken by China in recent
832	years. Over the last two decades, cooperation demands of the downstream countries increased
833	over drought years and over the years of reservoir filling. The surge of downstream concerns
834	towards upstream countries needs to be treated appropriately, otherwise the concerns could turn
835	into more severe conflicts. The losses of the downstream relative to maximum expected benefits
836	could be mitigated by cooperative actions of upstream countries, i.e., change of reservoir
837	regulation, which will lead to less concern and less criticism from downstream countries.
838	Compared with the extant models, this socio-hydrological model is the first one, to the best of
839	our knowledge, to include the coevolutionary transboundary river cooperation as an internal
840	variable instead of as a static and external variable in coupled hydrology-economic models.

841 <u>This particular feature enables the model to analyze the mid- and long-term cooperation</u> 842 <u>dynamics in transboundary rivers.</u>

The cooperation dynamics in the Lancang-Mekong river basin described in the socio-843 844 hydrologic model are common in many other transboundary river basins. In particular, benefit 845 losses to downstream countries by the actions of upstream countries such as dam construction, 846 water extraction and pollution, can be counterbalanced by the willingness to cooperate by 847 upstream countries, by sharing some economic benefits with downstream countries as 848 compensation for their loss of economic benefits, in return from indirect geopolitical benefits 849 and investment opportunities. By capturing these mechanisms and by accounting for the effects 850 of hydrologic variability and reservoir releases on the economic benefits of the various water 851 uses in the quantification of willingness to cooperate, the socio-hydrological model presented 852 in this paper provides an objective scientific framework to underpin transboundary water 853 management and negotiations elsewhere.concerns and less criticism from downstream 854 countries.

855 As an early version transboundary river socio-hydrological model, there is significant room for 856 further improvement in the model formulation. With limited research and knowledge on the quantification of cooperation and political benefits, the parameterization of policy feedback 857 858 module such as the political factor is relatively primitive. As the model is applied to more cases, 859 these policy feedback parameters could be investigated to find some general patterns, which could be then used to determine the corresponding parameters *a priori* when 860 861 applying to new cases. The current model simulated the effect of hydroelectric power generation in multiple dams in China and Laos in a lumped manner, which has a negative 862

863	impact on the accuracy of reservoir releases, and hence on benefit calculation for downstream
864	countries. The situation can be improved in the future through more distributed simulation of
865	athe cascade of reservoirs. Additionally, in order to integrate the complex hydro-economic
866	relationships into the model, agriculture and fishery benefits are calculated in the present model
867	with rather simplified equations. There is room for significant improvement in these benefit
868	calculations. Flood control is one of the most important functions of existing and planned future
869	dams, but has been ignored in this study, which may have under estimated benefits to both
870	upstream and downstream countries. In future studies, with inclusion of more accurate reservoir
871	operation rules, hydro-economic relationships and consideration of flood losses and impacts on
872	ecosystem, a more advanced model could be used for sensitivity and scenario analyses under
873	future scenarios of possible climatic, socio-economic and political changes. Sensitivity analysis
874	will help to identify dominant influential factors and explore the consequences of changes to
875	the coupled human nature system and upstream downstream feedbacks. Climate change and
876	the expansion of human activities, including reservoir construction and irrigation area
877	expansion, will affect the water supply, water demand, economic benefits and cooperation
878	dynamics in transboundary rivers.led to under-estimation of the benefits to both upstream and
879	downstream countries. Simulations under different scenarios of climate change and human
880	activities could provide projections of the dynamics of transboundary river cooperation and
881	conflict. The results of both sensitivity analysis, and scenario analysis willthus provide useful
882	insights for transboundary river management in the future-and can help the riparian countries
883	to enter into regional cooperative behavior to maximize collective benefits synergistically and
884	advance water resource sustainability.

885	Finally, the kinds of transboundary dynamics that transpired in the Lancang Mekong river-
886	basin and described in the socio-hydrologic model are commonly found in many-
887	transboundary river basins. In particular, benefit losses to downstream countries by the
888	actions of upstream countries such as dam construction, water extraction and pollution, can be
889	counterbalanced by the willingness to cooperate by upstream countries, by sharing some
890	economic benefits with downstream countries as compensation for their loss of economic-
891	benefits, in return from indirect geopolitical benefits and investment opportunities. By-
892	capturing these mechanisms and by accounting for the effects of hydrologic variability and
893	reservoir releases on the economic benefits of the various water uses in the quantification of
894	willingness to cooperate, the socio-hydrological model presented in this paper provides an
895	objective scientific framework to underpin transboundary water management and negotiations
896	elsewhere.

898 Code/Data availability

899 The data is available on request from the corresponding author (tianfq@mail.tsinghua.edu.cn). 900

901 Author contribution

You Lu, Fuqiang Tian, Liying Guo, Iolanda BorziBorzì and Rupesh Patil discussed the
framework of the socio-hydrologic model. You Lu developed the model code and performed
the simulations. Jing Wei, Dengfeng Liu, Yongping Wei and David J. Yu discussed and revised
the model. You Lu, Fuqiang Tian and Murugesu Sivapalan prepared the manuscript, with
significant inputs and edits by Yongping Wei and David J. Yu and Murugesu Sivapalan, with

907	contributions	from all	co-authors.

909 **Competing interests**

910 The authors declare that they have no conflict of interest.

911

912 Acknowledgements

913 We would like to acknowledge the projects sponsored by the Ministry of Science and

914 Technology, China (2016YFA0601603) and National Natural Science Foundation of China

915 (51961125204, 51779203) for the their financial support. We also acknowledge the support

- 916 from the 2019 Summer Institute on Socio-hydrology and Transboundary Rivers held in Yunnan
- 917 University, China.
- 918

919 **Reference**

920

Abdul, G. N., Suraya, H., Abaker, T. H. I., and Ejaz, A.: Social Media Big Data Analytics: A Survey,
Computers in Human Behavior, 2018.

Allen, R. G., Pereira, L. S., Raes, D., and Smith, M.: Crop evapotranspiration-Guidelines for
computing crop water requirements-FAO Irrigation and drainage paper 56, Fao, Rome, 300,
D05109, 1998.

Arjoon, D., Tilmant, A., and Herrmann, M.: Sharing water and benefits in transboundary river basins,
Hydrology & Earth System Sciences, 20, 2016.

928 Baran, E., and Cain, J.: Ecological approaches of flood-fish relationships modelling in the Mekong

- River, Proceedings of the National workshop on Ecological and Environmental Modelling, 2001,3-4,
- Basheer, M., Wheeler, K. G., Ribbe, L., Majdalawi, M., Abdo, G., and Zagona, E. A.: Quantifying and
 evaluating the impacts of cooperation in transboundary river basins on the Water-Energy-Food
 nexus: The Blue Nile Basin, Science of the Total Environment, 630, 1309-1323, 2018.

934 Beck, L., Bernauer, T., Siegfried, T., and Böhmelt, T.: Implications of hydro-political dependency for

935 international water cooperation and conflict: Insights from new data, Political Geography, 42, 23 -

936 33, 10.1016/j.polgeo.2014.05.004, 2014.

- 937 Bernal, J. M., and Solís, A. H.: Conflict and Cooperation on International Rivers: The Case of the 938 Colorado River on the US-Mexico Border, International Journal of Water Resources Development, 939 16, 651-660, 2000. 940 Bernauer, T., Böhmelt, T., Buhaug, H., Gleditsch, N. P., Tribaldos, T., Weibust, E. B., and Wischnath, 941 G.: Water-related intrastate conflict and cooperation (WARICC): a new event dataset, International 942 Interactions, 2012. 943 Bravo-Marquez, F., Mendoza, M., and Poblete, B.: Meta-level sentiment models for big social data 944 analysis, Knowledge Based Systems, 69, 86-99, 2014. 945 Burbano, M., Shin, S., Nguyen, K., and Pokhrel, Y.: Hydrologic changes, dam construction, and the 946 shift in dietary protein in the Lower Mekong River Basin, Journal of Hydrology, 581, 2020. 947 Cai, X., McKinney, D. C., and Lasdon, L. S.: Integrated hydrologic-agronomic-economic model for 948 river basin management, Journal of water resources planning and management, 129, 4-17, 2003. 949 Campbell, I. C.: Integrated management in the Mekong River Basin, Ecohydrology & Hydrobiology, 950 16, 255-262, 2016. 951 Cramb, R.: The Evolution of Rice Farming in the Lower Mekong Basin, 2020. 952 De Bruyne, C., and Fischhendler, I.: Negotiating conflict resolution mechanisms for transboundary 953 water treaties: A transaction cost approach, Global Environmental Change, 23, 1841-1851, 954 10.1016/j.gloenvcha.2013.07.009, 2013. 955 De Stefano, L., Edwards, P., de Silva, L., and Wolf, A. T.: Tracking cooperation and conflict in 956 international basins: historic and recent trends, Water Policy, 12, 871-884, 10.2166/wp.2010.137, 957 2010. 958 De Stefano, L., Petersen-Perlman, J. D., Sproles, E. A., Eynard, J., and Wolf, A. T.: Assessment of 959 transboundary river basins for potential hydro-political tensions, Global Environmental Change, 960 45, 35-46, 10.1016/j.gloenvcha.2017.04.008, 2017. 961 Di Baldassarre, G., Sivapalan, M., Rusca, M., Cudennec, C., Garcia, M., Kreibich, H., Konar, M.,
- Ju Daluassarre, G., Sivapaian, IVI., Kusca, IVI., Cudennec, C., Garcia, MI., Kreidich, H., Konar, M.,
- Mondino, E., Mård, J., Pande, S., Sanderson, M. R., Tian, F., Viglione, A., Wei, J., Wei, Y., Yu, D. J.,
 Srinivasan, V., and Blöschl, G.: Sociohydrology: Scientific Challenges in Addressing the Sustainable
 Development Goals, Water Resources Research, 55, 6327-6355, 10.1029/2018wr023901, 2019.
- Dinar, A., Blankespoor, B., Dinar, S., and Kurukulasuriya, P.: Does precipitation and runoff variability
 affect treaty cooperation between states sharing international bilateral rivers?, Ecological
 Economics, 69, 2568-2581, 10.1016/j.ecolecon.2010.07.036, 2010.
- Dinar, S.: Scarcity and cooperation along international rivers, Global Environmental Politics, 9, 109 -135, 2009.
- 970 Do, P., Tian, F., Zhu, T., Zohidov, B., Ni, G., Lu, H., and Liu, H.: Exploring Synergies in the Water-
- 971 Food-Energy Nexus by Using an Integrated Hydro-Economic Optimization Model for the972 Lancang-Mekong River Basin, Science of the Total Environment, 2020.
- 973 Doorenbos, J., and Kassam, A. H.: FAO Irrigation and Drainage Paper 33, 1979.
- 974 Dudgeon, D.: Large-scale hydrological changes in tropical Asia: prospects for riverine biodiversity:
- the construction of large dams will have an impact on the biodiversity of tropical Asian rivers andtheir associated wetlands, BioScience, 50, 793-806, 2000.
- 977 Espey, M., and Towfique, B.: International bilateral water treaty formation, Water Resources978 Research, 40, 2004.
- 979 FAO: Rice and narrowing the yield gap, Rome Italy: Plant Production and Protection Division, Crop
- 980 and Grassland Service, 2004.

- 981 FAO: Crop Water Information. Food and Agriculture Organization of the United Nations Statistics 982 Division. Retrieved from: http://www.fao.org/land-water/databases-and-software/crop-983 information/en/., 2019. 984 Feng, Y., Wang, W., Suman, D., Yu, S., and He, D.: Water Cooperation Priorities in the Lancang-985 Mekong River Basin Based on Cooperative Events Since the Mekong River Commission 986 Establishment, Chinese Geographical Science, 29, 58-69, 10.1007/s11769-019-1016-4, 2019. 987 Frisvold, G. B., and Caswell, M. F.: Transboundary water management Game-theoretic lessons for 988 projects on the US-Mexico border*, Agricultural Economics, 24, 101-111, 2000. 989 Giordano, M., Drieschova, A., Duncan, J. A., Savama, Y., De Stefano, L., and Wolf, A. T.: A review of 990 the evolution and state of transboundary freshwater treaties, International Environmental 991 Agreements: Politics, Law and Economics, 14, 245-264, 10.1007/s10784-013-9211-8. 2013. 992 Giuliani, M., and Castelletti, A.: Assessing the value of cooperation and information exchange in 993 large water resources systems by agent-based optimization, Water Resources Research, 49, 3912-994 3926, 10.1002/wrcr.20287, 2013. 995 Hamlet, A. F.: The Role of Transboundary Agreements in the Columbia River Basin, 2003. 996 Han, Z., Long, D., Fang, Y., Hou, A., and Hong, Y.: Impacts of climate change and human activities 997 on the flow regime of the dammed Lancang River in Southwest China, Journal of 998 Hydrology, 570, 96-105, 10.1016/j.jhydrol.2018.12.048, 2019. 999 He, Z., Tian, F., Gupta, H. V., Hu, H., and Hu, H.: Diagnostic calibration of a hydrological model in 1000 a mountain area by hydrograph partitioning, Hydrology and Earth System Sciences, 19, 1807, 2015. 1001 Hensengerth, O.: Where is the power? Transnational networks, authority and the dispute over the 1002 Xayaburi Dam on the Lower Mekong Mainstream, Water International, 40, 911-928, 2015. 1003 Herbertson, K.: Xayaburi Dam: How Laos Violated the 1995 Mekong Agreement, International 1004 Rivers, Berkeley, Calif., www. internationalrivers. org/blogs/267/xayaburi-dam-how-laos-1005 violated-the-1995-mekong-agreement, 2013. 1006 Hoanh, C. T., Jirayoot, K., Lacombe, G., and Srinetr, V.: Impacts of climate change and development 1007 on Mekong flow regimes. First assessment-2009, International Water Management Institute, 2010. 1008 Hofbauer, J., and Sigmund, K.: Evolutionary game dynamics, Bulletin of the American mathematical 1009 society, 40, 479-519, 2003. 1010 Hortle, K., Pengbun, N., Rady, H., and Sopha, L.: Tonle Sap yields record haul, Catch and Culture, 1011 10, 2-5, 2005. 1012 Iwasa, Y., Uchida, T., and Yokomizo, H.: Nonlinear behavior of the socio-economic dynamics for 1013 lake eutrophication control, Ecological Economics, 63, 219-229, 2007. 1014 Jiang, H., Lin, P., and Qiang, M.: Public-Opinion Sentiment Analysis for Large Hydro Projects, 1015 Journal of Construction Engineering & Management, 2016. 1016 Kaboosi, K., and Kaveh, F.: Sensitivity analysis of FAO 33 crop water production function, Irrigation 1017 Science, 30, p.89-100, 2012. 1018 Kahneman, D., and Tversky, A.: Prospect Theory: An Analysis of Decision Under Risk, Econometrica, 1019 47, 263-291, 1979. 1020 Kandasamy, J., D., S., P., S., A., C., S., V., and M., S.: Socio-hydrologic drivers of the pendulum swing 1021 between agricultural development and environmental health: a case study from Murrumbidgee
- 1022 River basin, Australia, Hydrology and Earth System Sciences, 18, 1027-1041, 2014.
- 1023 Keskinen, M., Kummu, M., Käkönen, M., and Varis, O.: Mekong at the crossroads: Next steps for 1024 impact assessment of large dams, Ambio, 41, 319-324, 2012.

- 1025 Kite, G.: Modelling the Mekong: hydrological simulation for environmental impact studies, Journal1026 of hydrology, 253, 1-13, 2001.
- Li, D., Long, D., Zhao, J., Lu, H., and Hong, Y.: Observed changes in flow regimes in the Mekong
 River basin, Journal of Hydrology, 551, 217-232, 2017.

Li, D., Zhao, J., and Govindaraju, R. S.: Water benefits sharing under transboundary cooperation in
the Lancang-Mekong River Basin, Journal of Hydrology, 577, 123989,
10.1016/j.jhydrol.2019.123989, 2019.

- Li, H., Sivapalan, M., and Tian, F.: Comparative diagnostic analysis of runoff generation processes
 in Oklahoma DMIP2 basins: The Blue River and the Illinois River, Journal of Hydrology, 418, 901034 109, 2012.
- Müller, M. F., Müller-Itten, M. C., and Gorelick, S. M.: How J ordan and S audi A rabia are avoiding
 a tragedy of the commons over shared groundwater, Water Resources Research, 53, 5451-5468,
 2017.
- McCracken, M., and Wolf, A. T.: Updating the Register of International River Basins of the world,
 International Journal of Water Resources Development, 35, 732-782,
 1040 10.1080/07900627.2019.1572497, 2019.
- McFadden, D.: Econometric models of probabilistic choice, Structural analysis of discrete data witheconometric applications, 198272, 1981.
- 1043 Micklin, P.: The Aral Sea Crisis, Springer Netherlands, 2004.
- 1044 Middleton, C., and Allouche, J.: Watershed or powershed? Critical hydropolitics, China and the 1045 'Lancang-Mekong cooperation framework', The International Spectator, 51, 100-117, 2016.
- Mou, L., Tian, F., Hu, H., and Sivapalan, M.: Extension of the Representative Elementary Watershed
 approach for cold regions: constitutive relationships and an application, 2008. Hydrology and Earth
 System Sciences, 12, 565-585, 2008.

MRC: Agreement on the cooperation for the sustainable development of the Mekong River Basin,
Mekong River Commission Secretariat, 1995.

- 1051 MRC: Assessment of Basin-Wide Development Scenarios—Main Report, Mekong River 1052 Commission, 2010.
- 1053 MRC: Summary State of the Basin Report 2018, Mekong River Commission1728-3248, 2018.
- Munia, H., Guillaume, J. H. A., Mirumachi, N., Porkka, M., Wada, Y., and Kummu, M.: Water stress
 in global transboundary river basins: significance of upstream water use on downstream stress,
 Environmental Research Letters, 11, 014002, 10.1088/1748-9326/11/1/014002, 2016.
- 1057 Orr, S., Pittock, J., Chapagain, A., and Dumaresq, D.: Dams on the Mekong River: Lost fish protein
 1058 and the implications for land and water resources, Global Environmental Change, 22, 925-932,
 1059 2012.
- Petersen-Perlman, J. D., Veilleux, J. C., and Wolf, A. T.: International water conflict and cooperation:
 challenges and opportunities, Water International, 42, 105-120, 10.1080/02508060.2017.1276041,
 2017.
- Pokhrel, Y., Burbano, M., Roush, J., Kang, H., Sridhar, V., and Hyndman, D. W.: A review of the
 integrated effects of changing climate, land use, and dams on Mekong river hydrology, Water, 10,
 266, 2018.
- 1066 Reggiani, P., Sivapalan, M., and Hassanizadeh, S. M.: A unifying framework for watershed 1067 thermodynamics: balance equations for mass, momentum, energy and entropy, and the second
- 1068 law of thermodynamics, Advances in Water Resources, 22, 367-398, 1998.

- 1069 Ringler, C.: Optimal allocation and use of water resources in the Mekong River Basin: Multi-country1070 and intersectoral analyses, 2001.
- 1071 Ringler, C., and Cai, X.: Valuing fisheries and wetlands using integrated economic-hydrologic
- 1072 modeling—Mekong River Basin, Journal of Water Resources Planning and Management, 132, 4801073 487, 2006.
- Sadoff, C., and Grey, D.: Beyond the river: the benefits of cooperation on international rivers, Water
 policy, 4, 389-403, 2002.
- Sadoff, C., and Grey, D.: Cooperation on International Rivers A Continuum for Securing and Sharing
 Benefits, Water International, 30, 1-8, 2005.
- Schmidt, U.: Reference dependence in cumulative prospect theory, Journal of MathematicalPsychology, 47, 122-131, 2003.
- Schultz, B.: Development of trans-boundary cooperation in the Rhine River Basin, Mekong RiverCommission, 314, 2009.
- 1082 Siegel, S.: Level of aspiration and decision making, Psychological review, 64, 253, 1957.
- Sivapalan, M., and Bloschl, G.: Time scale interactions and the coevolution of humans and water,Water Resources Research, 51, 6988-7022, 2015.
- Song, J., and Whittington, D.: Why have some countries on international rivers been successful
 negotiating treaties? A global perspective, Water Resources Research, 40, 10.1029/2003wr002536,
 2004.
- 1088 Stone, R.: Dam-building threatens Mekong fisheries, in, American Association for the
 1089 Advancement of Science Science, 354, 1084-1085, 2016.
- Suzuki, Y., and Iwasa, Y.: The coupled dynamics of human socio-economic choice and lake water
 system: the interaction of two sources of nonlinearity, Ecological research, 24, 479-489, 2009a.
- Suzuki, Y., and Iwasa, Y.: Conflict between groups of players in coupled socio-economic and
 ecological dynamics, Ecological Economics, 68, 1106-1115, 2009b.
- 1094Teasley, R. L., and McKinney, D. C.: Calculating the Benefits of Transboundary River Basin1095Cooperation: Syr Darya Basin, Journal of water resources planning and management, 137, 481-1096490, 10.1061/(ASCE)WR.1943-5452.0000141., 2011.
- Tian, F., Hu, H., Lei, Z., and Sivapalan, M.: Extension of the Representative Elementary Watershed
 approach for cold regions via explicit treatment of energy related processes, 2006-Hydrology and
 <u>Earth System Sciences</u>, 10, 619-644, 2006.
- 1100 Tian, F., Hu, H., and Lei, Z.: Thermodynamic watershed hydrological model: Constitutive 1101 relationship, Science in China Series E: Technological Sciences, 51, 1353-1369, 2008.
- 1102 Tian, F., Lu, Y., Hu, H., Kinzelbach, W., and Sivapalan, M.: Dynamics and driving mechanisms of
- 1103 asymmetric human water consumption during alternating wet and dry periods, Hydrological
- 1104 Sciences Journal, 64, 507-524, 2019.
- 1105 Tversky, A., and Kahneman, D.: Loss aversion in riskless choice: A reference-dependent model, The1106 quarterly journal of economics, 106, 1039-1061, 1991.
- 1107 UNEP: Transboundary river basins: Status and trends, United Nations Environment Programme1108 (UNEP), Nairobi, Kenya, 3, 1-12, 2016.
- 1109 Urban, F., Siciliano, G., and Nordensvard, J.: China's dam-builders: Their role in transboundary river
- management in South-East Asia, International journal of water resources development, 34, 747-770, 2018.
- 1112 Wang, W., Lu, H., Ruby Leung, L., Li, H. Y., Zhao, J., Tian, F., Yang, K., and Sothea, K.: Dam

- 1113 Construction in Lancang-Mekong River Basin Could Mitigate Future Flood Risk From Warming-1114 Induced Intensified Rainfall, Geophysical Research Letters, 44, 10,378-310,386, 2017.
- 1115 Weaver, D. A., and Bimber, B.: Finding news stories: a comparison of searches using LexisNexis and
- 1116 Google News, Journalism & Mass Communication Quarterly, 85, 515-530, 2008.
- Wei, J., Wei, Y., and Western, A.: Evolution of the societal value of water resources for economic
 development versus environmental sustainability in Australia from 1843 to 2011, Global
 Environmental Change, 42, 82-92, 2017.
- Wei, J., Wei, Y., Tian, F., Nott, N., Witt, C. d., Guo, L., and Lu, Y.: An Analysis of Conflict and
 Cooperation Dynamics over Water Events within the Lancang-Mekong River Basin, Hydrology &
 Earth System Sciences Discussions, under review, 2020.
- WLE: CGIAR Research Program on Water, Land and Ecosystems Greater Mekong: Dataset on the
 Dams of the Irrawaddy, Mekong, Red and Salween River Basins. https://wlemekong.cgiar.org/maps/, in, Vientiane, Lao PDR, 2018.
- Wolf, A. T., Natharius, J. A., Danielson, J. J., Ward, B. S., and Pender, J. K.: International River Basins
 of the World, International Journal of Water Resources Development, 15, 387-427,
 10.1080/07900629948682, 1999.
- Wolf, A. T., Yoffe, S. B., and Giordano, M.: International waters: identifying basins at risk, Water
 Policy, 5, 29–60, 10.2166/wp.2003.0002, 2003.
- You, Z., Feng, Z., Jiang, L., and Yang, Y.: Population Distribution and Its Spatial Relationship with
 Terrain Elements in Lancang-Mekong River Basin, Mountain Research, 032, 21-29, 2014.
- Yu, Y., Tang, P., Zhao, J., Liu, B., and Mclaughlin, D.: Evolutionary cooperation in transboundaryriver basins, Water Resources Research, 2019a.
- Yu, Y., Zhao, J., Li, D., and Wang, Z.: Effects of Hydrologic Conditions and Reservoir Operation on
 Transboundary Cooperation in the Lancang–Mekong River Basin, Journal of Water Resources
 Planning and Management, 145, 2019b.
- Zeitoun, M., and Mirumachi, N.: Transboundary water interaction I: reconsidering conflict and
 cooperation, International Environmental Agreements: Politics, Law and Economics, 8, 297-316,
 10.1007/s10784-008-9083-5, 2008.
- Zeitoun, M., Mirumachi, N., and Warner, J.: Transboundary water interaction II: the influence of
 'soft' power, International Environmental Agreements: Politics, Law and Economics, 11, 159-178,
 10.1007/s10784-010-9134-6, 2011.
- 1144
- 1145
- 1146

1147 List of Figure Captions

1149	Figure 1. Map of Lancang-Mekong River Basin, Subbasin Division and Hydrological Stations
1150	Figure 2. Timeline of hydrological and anthropogenic events in Lancang-Mekong River Basin
1151	Figure 3. Framework of Transboundary River Cooperation Socio-Hydrological Model. (a)
1152	Reservoir operations with regulation rules, constraints and operation weights. (b) Economic
1153	benefit calculations in hydropower, agriculture and fishery. (c) Cooperation calculations based
1154	on economic benefits. (d) Cooperation feedbacks to change operation weights, $\delta_2 = C_{\cdot}$
1155	Figure 4. Framework of simplified water system in Lancang-Mekong River Basin
1156	Figure 5. Daily Runoff simulations at Jinghong (a), Chiang Saen (b), Luang Prabang (c) and
1157	Pakse (d)
1158	Figure 6. Reservoir storage and water release simulations of Xiaowan, Nuozhadu and Laos
1159	Reservoirs in 2015 (a-and 2017. Reservoir storages in 2015 for Xiaowan (a), Nuozhadu (b) and
1160	Virtual Laos reservoir (c). Water Release in 2015 for Xiaowan (d), Nuozhadu (e) and Virtual
1161	Laos reservoir (f) and 2017). Reservoir storages in 2017 for Xiaowan (g-), Nuozhadu (h) and
1162	Virtual Laos reservoir (i). Water Release in 2017 for Xiaowan (j), Nuozhadu (k) and Virtual
1163	Laos reservoir (1).Figure 7. Water release of Xiaowan, Nuozhadu and virtual Laos reservoir in
1164	non-flood seasons in 2015 (dry year) and 2017 (norm year) under different scenarios.
1165	Figure 7. Water release of Xiaowan, Nuozhadu and Laos Reservoirs in non-flood seasons in-
1166	2015 (dry year) and 2017 (norm year) under different scenarios
1167	Figure 8. Simulated storage dynamics of Xiaowan (a), Nuozhadu (b) and virtual Laos
1168	reservoirsreservoir (c). Total storage in (c) indicates total active storage of the virtual Laos

1169	reservoir.
1170	Figure 9. Benefit of upstream China (a) and Laos (b) under the three different
1171	scenarios weighted average scenario, non-cooperation scenario and full-cooperation scenario.
1172	Figure 10. Agriculture and fishery benefit of downstream (a) Benefits of Thailand, Cambodia
1173	and Vietnam under the three different scenarios weighted average scenario, non-cooperation
1174	scenario and full-cooperation scenario. (b) Agriculture and fishery benefits of downstream
1175	under weighted average scenario.
1176	Figure 11. (a) Simulation of cooperation demand of downstream and cooperation level of
1177	China and Laos
1178	Figure 12. (b) Newspaper sentiment analysis of Thailand. (c) Simulation of cooperation
1179	demand and newspaper sentiment analysis of Thailand.
1180	Figure 12. Uncertainty analysis of critical parameters in the Socio-Hydrological model. (a)
1181	Sensitivity of agriculture loss. (b) Sensitivity of fishery loss. (c) China political factor. (d) Laos
1182	political factor. (e) Responsive change rate. (f) Shape parameter.
1183	

Reservoir	Commissioned	Total Reservoir Storage	Flood Limited	Dead Reservoir
	Year	(MCM)	Storage (MCM)	Storage (MCM)
Xiaowan	2010	15,300	13,104	5,946
Nuozhadu	2012	21,749	19,344	10,414

Table 1. Reservoir information of Xiaowan and Nuozhadu

Table 2.Irrigated agriculture information of Thailand, Cambodia and Vietnam

	Thailand	Cambodia	Vietnam	Data Source
Rice price (USD/ton)	243.8	267.6	248.0	MRC (2018)
Irrigated Area (million ha)	1.425	0.505	1.921	Cramb (2020)
Rice yield (ton/ha)	3.78	4.38	5.72	MRC (2018)
Irrigation withdrawal (MCM)	16240	1680	29120	AQUASTAT

Table 3. Critical parameters and values for uncertainty analysisSimulated economic benefits-

in 2018 and statistical benefits

Unit: Million	Simulated benefitParameter		Benefit f	rom-	Alternative Value
USD Denotation			statistic	cal-	
			data <u>Va</u> l	lue	
China hydropower		1,767 –			2,000
Laos hydropower		1,083 -			1,076
ε _a	Thailandsensitivity of		<u>1,3550</u>	0 <u>.5</u>	1,31 4 <u>0.4, 0.6</u>
	agriculture <u>loss</u>				

ε _f	Thailandsens	<u>itivity of</u> fishery_	116-<u>0</u>.	<u>5</u>	120<u>0.4, 0.6</u>
]	loss			
Cambodia-	595<u>China political factor</u>		<u>5922</u>	<u>.</u>	1.5, 2.5
agricultureP _c					
Cambodia-	Laos political factor		1 ,14(÷	<u>0.8,</u> 1 ,188 .2
fisheryP _l					
S	responsive change rate		<u>0.5</u>		<u>0.4, 0.6</u>
Vietnam	2,011shape parameter		1.5		<u>1, 2,727</u>
agricultureβ					
Vietnam fishery		178			195 -

Table 4. Simulated economic benefits in 2018 and statistical benefits

Unit: Million USD	Simulated benefit	Benefit from statistical data
China hydropower	<u>1,954</u>	<u>2,000</u>
Laos hydropower	<u>976</u>	<u>1,076</u>
Thailand agriculture	<u>1,263</u>	<u>1,314</u>
Thailand fishery	<u>118</u>	<u>120</u>
Cambodia agriculture	<u>593</u>	<u>592</u>
Cambodia fishery	<u>1,160</u>	<u>1,188</u>
Vietnam agriculture	<u>1,728</u>	<u>2,727</u>
<u>Vietnam fishery</u>	<u>179</u>	<u>195</u>

1193			
1194			























1223 Figure 5. Daily Runoff simulations at Jinghong (a), Chiang Saen (b), Luang Prabang (c) and

1224 Pakse (d)




























