

1 **Socio-hydrologic Modeling of the Dynamics of Cooperation in the Transboundary**

2 **Lancang-Mekong River**

3

4 You Lu ¹, Fuqiang Tian ¹, Liying Guo ¹, Iolanda Borzì ², Rupesh Patil ³, Jing Wei ¹, Dengfeng

5 Liu ⁴, Yongping Wei ³, David J. Yu ^{5,6}, and Murugesu Sivapalan ^{7,8}

6

7 ¹ Department of Hydraulic Engineering, State Key Laboratory of Hydro-science and
8 Engineering, Tsinghua University, Beijing 100084, China

9 ² Department of Engineering, University of Messina, Villaggio S. Agata, Messina 98166, Italy

10 ³ School of Earth and Environmental Sciences, University of Queensland, St. Lucia, QLD
11 4072, Australia

12 ⁴ State Key Laboratory of Eco-hydraulics in Northwest Arid Region, Xi'an University of
13 Technology, Xi'an 710048, China

14 ⁵ Lyles School of Civil Engineering, Purdue University, West Lafayette, IN 47907, USA

15 ⁶ Department of Political Science, Purdue University, West Lafayette, IN 47907, USA

16 ⁷ Department of Geography and Geographic Information Science, University of Illinois at
17 Urbana-Champaign, Urbana, Illinois 61801, USA

18 ⁸ Department of Civil and Environmental Engineering, University of Illinois at Urbana-
19 Champaign, Urbana, Illinois 61801, USA

20

21 Correspondence to:

22 Fuqiang Tian, tianfq@tsinghua.edu.cn

23 Submitted to *Hydrology and Earth System Sciences*

24 Special issue: Socio-hydrology and Transboundary Rivers

25

26 **Abstract**

27 The transboundary Lancang-Mekong River Basin has experienced dynamics of cooperation
28 over the past several decades, which is a common emergent response in transboundary coupled
29 human-water systems. Downstream countries rely on Mekong River for fisheries, agriculture,
30 navigation and ecological services, while upstream countries have been constructing dams to
31 generate hydropower. The dam construction and operation in upstream countries have changed
32 the seasonality of streamflow in downstream countries, affecting their economic benefits. More
33 recently, cooperation between upstream and downstream countries has been enhanced
34 throughout the river basin. In this study, we introduce a quantitative socio-hydrological model
35 to simulate hydrological processes, reservoir operations, economic benefits, policy feedbacks
36 and therefore dynamics of cooperation within the Lancang-Mekong River basin. The model
37 reproduces the observed dynamics of cooperation in the basin revealed by sentiment analysis
38 of news articles. Hydrological variability such as droughts and human activities associated with
39 reservoir operations affect dynamics of cooperation between the riparian countries, with
40 importance attached to indirect political benefits of upstream playing an important role in the
41 enhancement of cooperation. In this way, our study generated understanding of emergent
42 cooperation dynamics in this transboundary river basin, and the socio-hydrological model used
43 here provides a useful new framework to investigate and improve transboundary water
44 management elsewhere with similar hydro-political settings.

45

46 **Keywords:** transboundary river basins, socio-hydrology, cooperation, emergent dynamics,
47 mechanistic modeling

48

49 **1. Introduction**

50 Transboundary water management is an important and complex issue that has attracted much
51 attention and efforts globally. Transboundary rivers refer to rivers shared by two or more
52 countries (Wolf et al., 1999), or two or more states within individual countries. There are over
53 310 transboundary rivers spanning over 150 countries, covering more than 40% of the world's
54 human population and land areas (UNEP, 2016; McCracken and Wolf, 2019). Rivers serve
55 multiple functions that benefit human societies such as water supply, irrigation, fishery,
56 navigation, hydropower generation, and provision of numerous other ecosystem services. These
57 functions can vary spatially within a river basin, and consequently, societal preferences for
58 water use may also differ in different locations, leading to possible disputes and conflicts
59 between upstream and downstream uses. Under these circumstances, cooperation among the
60 various stakeholders is critical for water security, food security, energy security and ecosystem
61 security in riparian countries or regions, which requires equitable and reciprocal benefit sharing
62 for humans to realize the full potential of the services that rivers provide. Transboundary river
63 cooperation could take different forms (Sadoff and Grey, 2005), and operating at different levels
64 (Sadoff and Grey, 2002), such as information sharing for flood and drought mitigation, reservoir
65 operations adapted to the needs of both upstream and downstream users, and joint ownership
66 of water-related infrastructure.

67 Compared to water resources management in domestic river basins, management of
68 transboundary rivers that cross national boundaries must deal with an additional complexity.
69 The complexity arises from the structural challenge to cooperation that in such international
70 river basins, two or more countries must organize cooperation despite potential differences in

71 preferences for water uses and locational asymmetries in terms of access to water. Under these
72 circumstances, cooperation among stakeholders could be inter-twined with other issues, or are
73 limited by riparian relations, compounded by institutional limitations (Wolf et al., 1999) and
74 differing national economic and strategic interests. Even if a formal social contract (e.g., an
75 international treaty) can be devised among stakeholders to institutionalize cooperation,
76 enforcement of the contract remains another challenge (Petersen-Perlman et al., 2017). Because
77 of the international nature of these contracts, there is usually no external body that can enforce
78 the formal arrangements for cooperation in a binding way (Müller et al., 2017; Espey and
79 Towfique, 2004). Despite the challenges in transboundary river cooperation, there are examples
80 of successful cooperation in international rivers, including the Rhine River (Schultz, 2009), the
81 Columbia River (Hamlet, 2003), and the Colorado River (Bernal and Solís, 2000). At the same
82 time, there are also cases of cooperation failures, such as the Amu Darya and Syr Darya Rivers
83 (Micklin, 2004; Tian et al., 2019). Much scholarly attention has been directed towards
84 understanding what leads to success or failure in cooperation in transboundary river
85 management.

86 Researchers have spent considerable efforts to analyze and understand the aforementioned
87 question through empirical research and modeling efforts (De Stefano et al., 2017; De Bruyne
88 and Fischhendler, 2013; Bernauer et al., 2012; Beck et al., 2014). The International Water
89 Events Database has collected cooperative and conflictive water interactions in transboundary
90 river basins globally, and provides useful data and frameworks for further statistical studies (De
91 Stefano et al., 2010; Munia et al., 2016) and detailed investigations in specific basins (Feng et
92 al., 2019). Statistical methods or case studies help to identify the broad factors affecting

93 transboundary river cooperation, including natural conditions (e.g., hydrological scarcity and
94 variability) (Dinar et al., 2010; Dinar, 2009), political relations (Zeitoun and Mirumachi, 2008),
95 power dynamics (Zeitoun et al., 2011; Petersen-Perlman et al., 2017), institutional
96 arrangements (Dinar, 2009), and the relative levels of social and economic development (Song
97 and Whittington, 2004). Hydro-economic models that involve hydrological simulation and
98 benefit calculation and allocation through benefit maximization or game theory (Li et al., 2019)
99 are also common methods used to analyze the human-water interactions in transboundary rivers.
100 In particular, multi-agent simulation models consider each riparian country as an independent
101 decision-maker and focusing on water allocation and benefit calculation (Teasley and
102 McKinney, 2011; Giuliani and Castelletti, 2013). These modeling approaches have been
103 applied to the Lancang-Mekong and the Nile river basins (Cai et al., 2003; Ringler and Cai,
104 2006; Arjoon et al., 2016; Basheer et al., 2018).

105 However, most of the model studies above have viewed cooperation in transboundary rivers in
106 a static way and as an external variable, and whether to cooperate or not and the/or the extent
107 of cooperation are set as boundary conditions. In other words, they only capture the one-way
108 effect, i.e., how cooperation takes effect on water resources and the economy, instead of
109 considering the two-way feedbacks including how cooperation evolves driven by different
110 factors. In reality, transboundary river cooperation is evolutionary in nature. For example, in
111 the Colorado River Basin shared by USA and Mexico, industrialization and population growth
112 have increased the stress on surface and groundwater resources and on water quality.
113 Groundwater depletion and water pollution contributed to tension between the two countries
114 from the 1940s. Following protracted negotiations, several treaties were signed and institutions

115 built, with the result that the interactions between USA and Mexico have now become more
116 cooperative in recent years (Frisvold and Caswell, 2000). The approaches used in studies to
117 date do not accommodate the dynamic co-evolutionary nature of transboundary cooperation
118 and conflicts, as seen for example in the Colorado River Basin, and are therefore not up to the
119 task of seeking mechanistic explanations for the observed dynamics of cooperation in
120 transboundary river basins.

121 In this study, we aim to address this knowledge gap by adopting a process-based, socio-
122 hydrologic framework to represent transboundary cooperation in the Lancang-Mekong river
123 basin, which involves China, Myanmar, Laos, Thailand, Cambodia and Vietnam as riparian
124 states. Using dynamic modeling to understand the mechanisms behind cooperative or
125 conflictive actions of riparian countries, not only in a specific river basin, but also similarities
126 and differences between basins, would help in elucidating key drivers that account for
127 differences in the cooperation level and its dynamics over time. This is a first step in this
128 direction. Increased mechanistic understanding will help increase the scope of cooperation and
129 avoidance of conflict in the future, and generate diverse benefits (Sadoff and Grey, 2002; Yu et
130 al., 2019a). Enhanced cooperation could lead to harmony in human-water relations generally
131 and regionally, including equitable and sustainable use of water. Conversely, the continuation
132 of conflicts could result in disordered water use, over-exploitation (Tian et al., 2019) and overall
133 loss of amenities.

134 In approaching this aim, it is critical to capture the two-way feedbacks between the social
135 system and the transboundary river system. Human society and hydrological systems have
136 become ever more tightly coupled, and in the long-term, co-evolution of the resulting coupled,

137 socio-hydrological system has been shown to result in emergent dynamics and unintended
138 consequences (Sivapalan and Bloschl, 2015). Examples include decadal asymmetric dynamics
139 of human water consumption in several large semi-arid river basins in Asia (Tian et al., 2019),
140 and the “pendulum swing” in agriculture water use and human development in both Eastern
141 and Western Australia (Kandasamy et al., 2014). Socio-hydrology as a science explores the
142 two-way feedbacks between human and water systems, necessary to understand and mimic
143 observed emergent dynamics (Sivapalan and Bloschl, 2015). Driven by both natural and social
144 forces, a transboundary river basin can also be viewed as a coupled socio-hydrological system,
145 now with a distinct spatial (upstream-downstream) dynamics mediated by multiple riparian
146 states. Observed patterns of cooperation and conflict in a transboundary basin can then be seen
147 as a special case of emergent dynamics that results from interactions and feedbacks between
148 the actions of water users or stakeholders in upstream and downstream riparian states and the
149 interplay of associated hydrological, economic, and social, and geo-political processes (Di
150 Baldassarre et al., 2019). Historical patterns of the intensity or levels of cooperation between
151 riparian states are key indicators that can be used as targets of socio-hydrologic models
152 developed with the aim of generating mechanistic understanding of the co-evolutionary paths
153 followed by transboundary river basin management.

154 In this study, we will present a socio-hydrological model developed to simulate the dynamics
155 of conflict and cooperation in transboundary river systems, and its application to the Lancang-
156 Mekong river basin, which to the best of our knowledge is the first model to include the
157 evolutionary transboundary river cooperation as an internal variable, and couple the driven
158 processes including hydrological variability, dam construction, political benefits, etc. It differs

159 from extant models by considering transboundary river cooperation internally, dynamically and
160 quantitatively. To attain the goal, we propose a novel quantification of cooperation level and
161 political benefits, and conduct sentiment analysis of newspaper articles to validate the
162 simulation of cooperation in Lancang-Mekong River Basin. The socio-hydrological model
163 developed is used to mimic the mechanisms of cooperation in this basin in a way to gain basic
164 understanding that may be transferred to transboundary river basins elsewhere with similar
165 hydro-political settings.

166 The remainder of the paper is organized as follows. In Section 2, we will introduce the study
167 area and the history of observed dynamics of cooperation and conflict. Section 3 will present
168 the rationale and details of the socio-hydrological model, including the various modules and
169 governing equations describing the various subsystems, and how they are coupled in a way to
170 capture the dynamics of cooperation and conflict. Section 4 presents the simulation results and
171 a discussion and interpretation of the results, followed by, in Section 5, a summary of the main
172 conclusions and the understanding and insights gained from the study.

173 **2. Study Area and Historical Timeline of Cooperation and Conflict Dynamics**

174 Lancang-Mekong River is an important transboundary river located in Southeast Asia. As
175 shown in Figure 1, it originates from the Tibetan Plateau in China, and over its entire length of
176 4900 km it passes through Myanmar, Laos, Thailand, Cambodia, and Vietnam (Wang et al.,
177 2017). The Lancang-Mekong river basin drains an area of 812,400 km² and supports the water
178 needs and livelihoods of over 65 million people (Ringler and Cai, 2006; MRC, 2018; You et al.,
179 2014). The annual average discharge of Lancang-Mekong River flowing into the South China
180 Sea is close to 475 billion m³/year (Campbell, 2016). The drainage area of the upstream part,

181 i.e., the Lancang River Basin in China, is 195,000 km², which accounts for 24% of the whole
182 basin area.

183 Starting from a relatively undeveloped basin in the 1950s, Lancang-Mekong River Basin has
184 experienced rapid economic growth in recent decades (MRC, 2010). Although they all have
185 many shared interests, different riparian countries within the Lancang-Mekong river basin
186 benefit from different river functions. For example, while all riparian countries have the need
187 to protect themselves from the negative impacts of floods and droughts and ensure the
188 sustainability of riverine ecosystem, the upper riparian states of China and Laos have
189 constructed and plan to construct many dams, mainly for hydropower generation (Keskinen et
190 al., 2012). For the downstream states of Thailand, Cambodia and Vietnam, agriculture and
191 fishery are the main uses of the Mekong River. Irrigated agriculture is a major water consumer
192 in the basin (MRC, 2018), and rice is the main staple crop (Campbell, 2016). In the lower
193 Mekong region, especially in Cambodia and Vietnam, fishery not only employs a large number
194 of people, but also sustains their protein demands (Campbell, 2016).

195 As an important and geopolitically sensitive region (Campbell, 2016), Lancang-Mekong River
196 Basin has experienced both conflict and cooperation since the end of World War II under the
197 impacts of changing geopolitical relationships, hydrological dynamics and socio-economic
198 conditions. With the sponsorship of the United Nations Agency ECAFE, the Committee for
199 Coordination of Investigations of the Lower Mekong Basin was initiated in 1957, and early
200 efforts included the setting up of comprehensive hydrological observations and the setting up
201 of regional plans for hydropower, flood control and irrigation (Campbell, 2016). However,
202 because of the withdrawal of Cambodia in 1977 due to political reasons, Thailand, Laos and

203 Vietnam initiated the Interim Committee for Coordination of Investigations of the Lower
204 Mekong, which took limited efforts towards regional cooperation. Until 1995, the four countries
205 of the lower Mekong were part of the Agreement on the Cooperation for the Sustainable
206 Development of the Mekong River Basin, through which they established the Mekong River
207 Commission (MRC). MRC was designed to enhance cooperation on water utilization and
208 management, socio-economic development and ecosystem conservation (MRC, 1995).
209 Although China signed an agreement on the provision of hydrological information on the
210 Lancang-Mekong River in 2002, the efforts of MRC were limited due to the absence of the
211 upstream states, namely China and Myanmar. Finally, the Lancang-Mekong Cooperation
212 Mechanism (LMC) was initiated in 2016 to include all of the six riparian countries and thus
213 enhance more comprehensive cooperation (Feng et al., 2019).

214 Specifically, cooperation in Lancang-Mekong River in the 21st century has been in the spotlight
215 because of rapid changes in climatic and hydrological conditions, intensified human activity
216 and geopolitical sensitivity of the region. Dam construction principally in the two upstream
217 countries, China and Laos, has continued over three decades. Since 2010, large hydropower
218 plants have been commissioned on the mainstream of Lancang-Mekong River (Han et al., 2019).
219 Reservoir operations in the upstream increase dry season runoff and reduce runoff peaks during
220 the flood season (Hoanh et al., 2010). The resulting changes in river flow were strongest in the
221 upper Chiang Saen station in Thailand and less marked in the lower station Kratie in Cambodia
222 (MRC, 2018). The resulting change of seasonality of river flows has a significant impact on the
223 benefits of different water uses (Pokhrel et al., 2018), for example, wetland ecosystem services
224 (Dudgeon, 2000) in Vietnam, and fish capture in the largest freshwater lake in Southeast Asian,

225 Tonle Sap (Kite, 2001) located in Cambodia. Correspondingly, due to the effects of upstream
226 dam operations for hydropower generation, the downstream countries have faced concerns
227 about benefit losses. Here the loss indicates deviation from their maximum expected benefit
228 (Kahneman and Tversky, 1979). To obtain indirect political benefits, which is described as
229 “diplomatic returns” in Yu et al. (2019b), the upstream country China has worked to change
230 flow regulations of their reservoirs to satisfy the demands of the downstream countries and
231 achieve regional cooperation. One example of this was the emergency water release from China
232 in 2016 to alleviate the effects of a severe drought in the lower Mekong basin (Yu et al., 2019b).
233 This change of hydropower dam regulations in upstream countries can be regarded as an
234 example of a cooperative response.

235 Figure 2 summarizes the hydrological and anthropogenic events in Lancang-Mekong River
236 Basin. The upstream countries China and Laos have constructed and are planning to construct
237 more dams on the mainstream of Lancang-Mekong River. Two major reservoirs on the
238 mainstream, Xiaowan and Nuozhadu, went into production in 2010 and 2012 respectively. The
239 filling and operation of these reservoirs caused the alteration of hydrological regimes in the
240 downstream, i.e., increase of runoff in the dry season and reduction in the flood season.
241 Economic losses compared to expected benefits caused by the change of hydrological
242 seasonality and natural droughts, led to concerns raised by downstream countries, and tension
243 and conflict. However, cooperation has been enhanced in recent years, exemplified by some
244 cooperative actions of the upstream country China, such as emergency water release during a
245 period of drought. We will use the socio-hydrological model to simulate these water-related
246 events and the cooperation dynamics, and provide mechanistic explanations based on socio-

247 hydrologic interpretation of the emergent dynamics.

248 **3. Socio-hydrological Model**

249 We developed a Transboundary River Cooperation Socio-Hydrological (TRCSH) model to
250 simulate the dynamics of cooperation and conflict observed in Lancang-Mekong River Basin.

251 The causal loop presented in Figure 3 introduces the main components of the model. It
252 simulates the change of river flow seasonality caused by reservoir operations, which causes
253 benefit loss compared to expected benefits to downstream countries in different sectors. The
254 loss compared to expected benefits leads to demands by the downstream countries for more
255 cooperation from upstream countries, to which the upstream countries respond with changes to
256 their reservoir operations. The modeled levels of cooperation, and the resulting changes to
257 reservoir operations, are determined by a balance between hydropower losses and indirect gain
258 of geopolitical benefits by the upstream countries.

259 As seen in Figure 3, the socio-hydrological model couples four main parts, i.e., hydrological
260 simulation, reservoir operation, economic benefit calculation, and policy feedback. A
261 distributed catchment hydrological model is used to model natural streamflow inputs to the
262 dams and is calibrated using observations at several stations along the Lancang-Mekong River
263 and its tributaries. With available reservoir information, the reservoir operation module
264 simulates two basic scenarios, i.e., maximizing upstream benefits versus maximizing
265 downstream benefits. The results of these two operational scenarios are weight averaged to
266 calculate actual water releases and reservoir storages. The economic benefit calculation module
267 estimates the economic benefits for both upstream and downstream countries covering
268 hydropower, irrigation and fishery sectors based on outcomes of the hydrological simulation

269 and reservoir operation modules. The fourth module simulates the policy feedbacks through the
270 estimation of economic benefits and operation weights through two key variables, i.e.,
271 cooperation demand of downstream countries and cooperation level of upstream countries.
272 Outcomes of sentiment analysis of newspaper articles are used to evaluate the modeled
273 cooperation demand. The calculation step length of the model is one month. Each of these
274 components of the model is discussed in detail in the following sections.

275 **3.1 Hydrological simulation**

276 We use the distributed hydrological model THREW to simulate natural runoff of mainstream
277 and tributaries without impacts of reservoir operations, i.e., Q_n in Figure 3. The THREW
278 model has been applied to many river basins successfully, including rivers derived from
279 mountainous areas and consisting of snow and glacier melt, and large-scale basins (Tian et al.,
280 2006; Tian et al., 2008; Li et al., 2012; Mou et al., 2008; He et al., 2015). Based on the
281 Representative Elementary Watershed (REW) approach (Reggiani et al., 1998), the THREW
282 model uses the REW as the sub-catchment unit for hydrological simulations. The main runoff
283 generation processes include surface runoff, groundwater flow, and snow and glacier melt.

284 In this study, we divide the Lancang-Mekong basin into 651 REWs on the basis of DEM data,
285 as shown in Figure 1. The precipitation data is retrieved from TRMM data of 1998-2018. The
286 accuracy of TRMM data for hydrological simulation in this region has been proven successfully
287 (MRC, 2018). Thirty-two meteorological stations distributed around the whole basin provide
288 meteorological inputs, including temperature, wind speed, humidity and radiation to calculate
289 potential evapotranspiration based on the Penman-Monteith equation. Soils data is extracted
290 from the FAO world soil database, and LAI, NDVI and snow are obtained from MODIS data.

291 Daily runoff observations of 6 stations on the mainstream of the Lancang-Mekong river include
292 data of Jinghong (1998-2013), Chiang Saen (1998-2015), Luang Prabang (1998-2015), Nong
293 Khai (1998-2007), Nakhon Phanom (1998-2015) and Pakse (1998-2006).

294 As the hydrological model is used to provide simulations of natural runoff without the impacts
295 of water withdrawal and reservoir operations, we use the runoff data in the period before large
296 reservoir construction for parameter calibration, i.e., runoff data of the period of 1998-2009.
297 The parameters are calibrated separately and in a spatially distributed manner. Specifically, the
298 year of 1998 is used as a warm-up period, 1999-2004 as calibration period, and 2005-2009 is
299 set as validation period. The simulated runoff of 2000-2018 is used as natural flow of
300 mainstream tributaries Q_n before the impacts of human activities.

301 **3.2 Reservoir operation**

302 The largest two reservoirs in China with seasonal runoff regulation capacity (Yu et al., 2019b),
303 namely Xiaowan and Nuozhadu, went into operation in 2010 and 2012 respectively. The basic
304 information of Xiaowan and Nuozhadu including the total reservoir storage, S_{total} , dead
305 reservoir storage, and flood limited storage S_{flood} are listed in Table 1. Laos PDR has aimed
306 to be the “battery of Southeast Asia” (Stone, 2016) and started hydroelectric dam construction
307 on the mainstream of the Mekong river in line with this ambition. Before that, Laos constructed
308 many dams on its tributaries, which also impact the streamflow regimes of the Mekong River.
309 According to MRC (2018), the expected live storage of reservoirs in Laos will ultimately reach
310 24,257 million m^3 (MCM), accounting for 73% of the flows left for the four downstream
311 countries. In order to couple the reservoir operation module with the other modules, we need
312 to simplify the cascade of reservoirs in both China and Laos so that the optimization processes

313 in reservoir operation module and benefit calculation module could be computed. With the total
314 storage of the Xiaowan and Nuozhadu reservoirs accounting for 90% of the total storage of the
315 largest six reservoirs (Han et al., 2019), the cascade of reservoirs within China is simplified and
316 approximated in this study by the two reservoirs. For the reservoirs in Laos, since reservoirs on
317 the mainstream have not been commissioned before 2019, only the completed tributary
318 reservoirs are considered and aggregated by one virtual reservoir in the upper reaches, including
319 some reservoir storages located in the relatively lower reaches in Laos (Li et al., 2019; WLE,
320 2018). The storage of the virtual Laos reservoir equals the sum of all Laos reservoir storages,
321 and its hydropower generation is calibrated against the statistical data of the sum of hydropower
322 generations in Laos. In the model, the virtual Laos reservoir is assumed to have live storage
323 from 5,074 MCM in 2000 to 21,066 MCM in 2018, which was linearly interpolated over this
324 time period and represents continuous dam construction in Laos.

325 Overall, these simplifications through lumping the effects of many reservoirs is deemed
326 reasonable for the purpose of this study, because three reservoirs (Xiaowan and Nuozhadu in
327 China and the aggregated Laos Reservoir) shown in Figure 4 capture most of the effects of
328 reservoirs within the entire river basin and closely resemble the actual hydropower generation.

329 As shown in Figure 4, the river system and its water diversion configuration are also simplified,
330 where T_1 , T_2 to T_6 indicate natural runoff of upstream and tributaries, W_1 , W_2 , W_3 are the
331 water withdrawals for irrigation in Laos, Thailand, Cambodia and Vietnam. For each node,
332 runoff flowing to the next node is calculated by the water balance equation, e.g., for Thailand,

$$333 \quad Q_7 = Q_6 + T_5 - W_1 \quad (1)$$

334 where, Q_7 is runoff flowing to Thailand from the upstream node, Laos, T_5 is inflow from

335 tributaries in Thailand, W_1 is irrigation withdrawal in Thailand, and Q_7 is runoff flowing to
 336 the downstream node, Cambodia.

337 For the operation of constructed dams, we consider two basic scenarios. The first scenario is
 338 the self-interested scenario (non-cooperation scenario, abbreviated by NC), in which the
 339 upstream countries, China and Laos, operate the dams considering only their own hydropower
 340 benefits. Under this scenario, dams keep at their total storage S_{total} during the dry season
 341 (November to May) and their flood limited storage S_{flood} in the flood season (June to October).
 342 If the actual storage of the t-1 period $S_{r,t-1}$ is less than these two values the reservoir will store
 343 water to reach the amount; otherwise, the reservoir will release water. There are also constraints
 344 on the minimum ecological release flow Q_{eco} to satisfy the requirements of ecosystem and
 345 navigation. Actual water release under the self-interested scenario $Q_{r,NC}$ is calculated using
 346 Equations (2) and (3). The actual storage of the next month $S_{r,t}$ is calculated based on the
 347 water balance equation. With the calculated water release under the self-interested scenario
 348 $Q_{r,NC}$, the total benefits of the three downstream countries will be optimized through water
 349 allocation among them.

$$350 \quad Q_{r,t} = \max\{S_{r,t-1} + Q_{in,t} - S_{total}, 0, Q_{eco}\}, \quad t = 1,2,3,4,5,11,12 \quad (2)$$

$$351 \quad Q_{r,t} = \max\{S_{r,t-1} + Q_{in,t} - S_{flood}, 0, Q_{eco}\}, \quad t = 6,7,8,9,10 \quad (3)$$

352 The second scenario is the altruistic scenario (full-cooperation, abbreviated by FC), where the
 353 upstream countries operate the dams to accommodate downstream water demands and
 354 maximize the benefits of downstream countries. The calculation of the benefits to downstream
 355 countries will be introduced in Section 3.3. Under this scenario, the constraints contain
 356 maximum storage during dry season, maximum storage during flood season, minimum storage

357 of dead storage and minimum ecological release flow. Then the processed results of actual water
358 release $Q_{r,FC}$ will be used to calculate actual reservoir storage S_r based on the water balance
359 equation. In this study, neither the self-interested scenario nor the altruistic scenario considers
360 hedging rules in reservoir operation, although this is an extension that could be considered in
361 further extensions of this study.

362 As shown in Figure 3, with the calculated water release under the self-interested scenario $Q_{r,NC}$
363 and that under the altruistic scenario $Q_{r,FC}$, we obtain the weighted average scenario (WA
364 scenario) and final actual water release Q_r by calculating their weighted average.

$$365 \quad Q_r = Q_{r,NC} \times \delta_1 + Q_{r,FC} \times \delta_2 \quad (4)$$

366 where $\delta_1 + \delta_2 = 1$, and δ_2 is calculated using the cooperation equations while δ_1 is
367 calculated as the residual $1 - \delta_2$, which will be introduced in section 3.4. Here δ_2 reflects the
368 extent to which the operating rules are adjusted to accommodate downstream water demands.

369 It should be noted that the calculated Q_r by equation (4) is revised if it violates the constraints
370 of maximum storage during dry and flood seasons, minimum storage of dead storage and
371 minimum ecological release flow. The final actual reservoir storage S_r is calculated for
372 hydropower benefit calculation and the calculated Q_r is used to optimize the total benefits of
373 the three downstream countries.

374 **3.3 Economic benefit calculation**

375 In this study, we consider the hydropower benefits B_h of China and Laos, and agriculture
376 benefits B_a and fishery benefits B_f of Thailand, Cambodia and Vietnam. The hydropower
377 benefits calculation of China and Laos are based on the water release Q_r and reservoir storage
378 S_r , as shown in equation (5).

379
$$B_h = p_h \times 9.81 \times Q_r \times \Delta h \times \eta \quad (5)$$

380 where, p_h is the electricity price extracted from MRC (2018), Q_r is the monthly water release
 381 from the reservoir, Δh is the water head difference between the upstream and downstream
 382 which is related to the actual storage S_r , and η is hydropower generation efficiency which is
 383 calibrated against the annual power generation data.

384 Here agriculture benefits B_a only include irrigated rice without consideration of rain-fed crop
 385 production. Agricultural water withdrawals dominate water consumption in the downstream
 386 countries, and rice is the staple crop in this area. In this study, we use the FAO 33 crop water
 387 production function to calculate crop yields and irrigation benefits (Doorenbos and Kassam,
 388 1979).

389
$$B_a = p_a \times Y_a \times A \quad (6)$$

390
$$\left(1 - \frac{Y_a}{Y_m}\right) = K_y \times \left(1 - \frac{E_A}{E_P}\right) \quad (7)$$

391 where p_a is price of rice and retrieved from statistical data (MRC, 2018), A is the rice
 392 irrigation area, Y_a and Y_m are actual and maximum crop yields, respectively. K_y is crop
 393 yield response factor, and E_A and E_P are actual and potential evapotranspiration respectively.
 394 The information on the price of rice, irrigation area, rice yield and irrigation withdrawal of
 395 Thailand, Cambodia and Vietnam are listed in Table 2. Y_m is set as 8.5 ton/ha for all three
 396 countries (FAO, 2004). E_A and E_P are calculated based on potential evapotranspiration and
 397 irrigation amount, and the detailed methods could be found in Allen et al. (1998) and Kaboosi
 398 and Kaveh (2012).

399 Fishery is one of the dominant environmental water uses in the lower Lancang-Mekong River
 400 Basin, but it is difficult to quantify fishery benefits. In general, comprehensive fisheries models

401 have many required inputs to calculate fishery benefits, such as mortality, recruitment, and
 402 fishing efforts (Baran and Cain, 2001). There are many studies focusing on the simulations of
 403 fishery benefits through their relationships with water level (Hortle et al., 2005) and flooded
 404 areas (Burbano et al., 2020). It is difficult to couple complex fishery models to our model, and
 405 there is not any standard function for fishery benefits up till now. Here, for simplicity, we only
 406 capture fishery benefits and do not include aquaculture benefits, since the latter is not
 407 significantly impacted by hydropower operation. Based on literature review, an increasing
 408 function of runoff with decreasing marginal increase was adopted to calculate capture fishery
 409 benefits, which is simple but effective in Mekong Basin (Ringler, 2001; Ringler and Cai, 2006).

$$410 \quad d = \arctan\left(\frac{Q-Q_{min}}{Q_{max}}\right) \times \left(1 - b \times \left(\frac{Q-Q_{min}}{Q_{max}} - c\right)^2\right) \quad (8)$$

$$411 \quad B_f = p_f \times d - F_{cost} \quad (9)$$

412 where d is the fishery production related to actual discharge Q , minimum discharge Q_{min} ,
 413 maximum discharge Q_{max} , and two parameters b and c . In equation (9) to calculate fishery
 414 benefit B_f , p_f is the fishery price extracted from statistical data (MRC, 2018) and F_{cost} is
 415 fixed fishery cost. Overall, fishery benefits for downstream countries are related to actual runoff,
 416 maximum runoff, and minimum runoff. As shown in Figure 4, Q_7 , Q_8 , Q_9 are used as actual
 417 runoff to calculate fishery benefits for Thailand, Cambodia and Vietnam respectively.

418 **3.4 Policy feedback**

419 Cooperation demands U of downstream countries arise from economic losses compared to
 420 expected benefits, and the upstream countries take cooperative action to obtain indirect political
 421 benefits, although this might reduce their hydropower generation benefits. It is always difficult
 422 to quantify cooperation demand and cooperation level. As a first attempt, in this study we only

423 consider change of operation rules of reservoirs as cooperative action and define the
 424 cooperation level C of upstream countries as the weight assigned to the operation rules to
 425 maximize downstream benefits when upstream countries operate their reservoirs, i.e., δ_2 in
 426 section 3.2. When the cooperation level $C = 1$, upstream countries operate dams to maximize
 427 the downstream benefits, i.e., the altruistic scenario. If $C = 0$, upstream countries will follow
 428 operation rules given by Equations (3) and (4), which are consistent with the self-interested
 429 scenario.

430 Following the assumption that cooperation demand is increased due to economic losses
 431 compared to the reference level, larger economic losses will cause greater community concerns
 432 and thus increased cooperation demands. According to the theory of reference dependence,
 433 humans evaluate gains and losses relative to a reference point (Schmidt, 2003), and the
 434 reference point could be the status quo (Tversky and Kahneman, 1991) or the level of aspiration
 435 (Siegel, 1957). Here we value the losses relative to the expected maximum benefits of sectors
 436 B_{amax} and B_{fmax} , i.e., as the differences between expected maximum benefits and actual
 437 benefits. As shown in equation (10), we assume that the cooperation demand is proportional to
 438 economic losses, but the sensitivity of each economic sector is distinct.

$$439 \quad U = \varepsilon_a \times \frac{B_{amax} - B_a}{B_{amax}} + \varepsilon_f \times \frac{B_{fmax} - B_f}{B_{fmax}} \quad (10)$$

440 where ε_a and ε_f are the sensitivity of agriculture loss and fishery loss. The sensitivities
 441 indicate the importance of each sector to the overall lower basin economy, and larger sensitivity
 442 means that downstream countries are more sensitive to the benefit change of the sector, and the
 443 unit sector loss could lead to more severe negative impacts. In this model we assigned both ε_a
 444 and ε_f as 0.5 so that the agriculture and fishery losses are treated equally. The expected

445 maximum benefits B_{amax} and B_{fmax} are also used for normalization.

446 For the cooperation level of upstream countries, we use a logit dynamics model (McFadden,
447 1981; Hofbauer and Sigmund, 2003) taken from environmental economics practice. This model
448 is used to relate economic losses and benefits with the probability of cooperation. It has been
449 widely used and proven effective to relate natural system dynamics with cooperation dynamics,
450 e.g., the simulations of cooperation on pollution control among stakeholders, who behave
451 responding to the behaviors of other stakeholders and their own benefits (Iwasa et al., 2007;
452 Suzuki and Iwasa, 2009a, b). In the logit dynamics model, the probability of cooperation P_r
453 could be calculated as below:

$$454 \quad P_r = \frac{e^{\beta \times B_C}}{e^{\beta \times B_C} + e^{\beta \times B_N}} \quad (12)$$

455 where β is a shape parameter ranging from 0 to 1, B_C is the benefit of cooperation, and B_N
456 is the benefit without cooperation.

457 Similarly, for upstream countries, if they choose not to cooperate, their benefit B_N will be
458 hydropower generation benefits under self-interested scenario $B_{h,NC}$ and low indirect political
459 benefit $B_{p,NC}$. If they choose to cooperate, besides the hydropower benefits under the altruistic
460 scenario $B_{h,FC}$, the upstream country will gain higher indirect political benefits $B_{p,FC}$. Here
461 we define the political benefit B_p as the benefit from avoidance of conflicts (Sadoff and Grey,
462 2002) and proportional to cooperation demand U and a political factor P as shown in
463 equation (13). When the cooperation demand U is high, and the cost due to unsatisfactory of
464 downstream and potential conflicts is high, the political benefit B_p will be low. If the upstream
465 country values the political relations with downstream countries and regards diplomatic
466 benefits as important, as China has demonstrated in recent years, the value of political factor P

467 will be higher, and the cooperation demand U will play a more important role in decision
 468 making. Therefore, the equation to calculate the actual cooperation level C for China is as
 469 described in equation (14).

$$B_p = -U \times P \quad (13)$$

$$\frac{dC}{dt} = s \times \left[\frac{e^{\beta \times (\frac{B_{h,FC}}{B_{hmax}} - U_{FC} \times P)}}}{e^{\beta \times (\frac{B_{h,FC}}{B_{hmax}} - U_{FC} \times P)} + e^{\beta \times (\frac{B_{h,NC}}{B_{hmax}} - U_{NC} \times P)}}} - C \right] \quad (14)$$

472 where s is the responsive change rate reflecting the response speed of upstream countries, and
 473 $\frac{dC}{dt}$ indicates the change of cooperation level compared to the last period. $B_{h,FC}$ and $B_{h,NC}$ are
 474 calculated on the basis of water release and reservoir storage under altruistic scenario and self-
 475 interested scenario respectively by equation (5). Overall, cooperation levels C are related to
 476 downstream cooperation demand U , political factor P reflecting how much upstream countries
 477 value the indirect political benefits that can be gained from downstream countries, upstream
 478 benefits when cooperating or not $B_{h,FC}$ and $B_{h,NC}$, and the responsive change rate s .
 479 Compared to Laos, China regards the geopolitical values and diplomatic relations as more
 480 important (Urban et al., 2018). Therefore, the political factor P of China and Laos are set as 2
 481 and 1, respectively, while the change rate s is assigned as 0.5. As mentioned before, the
 482 cooperation level C equals the weight δ_2 , so the cooperation demand and cooperation level
 483 will affect reservoir regulations, and in this way will drive the co-evolution of the coupled
 484 transboundary socio-hydrological system. The parameters in the policy feedback are defined a
 485 priori because there is limited research and knowledge at present on the quantification of
 486 cooperation and political benefits, which need further investigation.

487 The parameterization of the model could lead to uncertainty of simulations. In order to analyze
 488 the uncertainty of simulated cooperation demand caused by parameters, we choose six critical

489 parameters shown in Table 3. Besides the values used in simulations, we choose two alternative
490 values for each parameter, and simulate cooperation demand of downstream under each
491 parameter combination. For each value of one parameter, there are 243 simulations with the
492 other five parameters unfixed, which are used for uncertainty analysis.

493 **3.5 Sentiment Analysis and Validation**

494 Empirical observational data is needed to evaluate the simulation of policy feedbacks. It is
495 difficult to measure cooperation demand, particularly the cooperation among countries on a
496 specific item, i.e., reservoir operation and water resources management. Sentiment analysis is
497 an emerging tool to quantify social data, which exploits the denotation of words and assigns
498 sentimental value to text strings by an algorithm (Bravo-Marquez et al., 2014; Abdul et al.,
499 2018). It has already been used to provide information of the attitudes of Chinese citizens
500 towards dam construction (Jiang et al., 2016). Newspaper articles could reflect public opinion
501 on issues of interest to the community, which have been used in previous socio-hydrologic
502 studies to monitor the evolution of environmental awareness vis a vis economic livelihood (Wei
503 et al., 2017). In this study, we use the sentiment analysis of newspaper articles in downstream
504 countries in Lancang-Mekong River Basin to reflect the changes in cooperation demands of
505 downstream countries. The sentiment analysis is used to demonstrate the validity of the socio-
506 hydrological model.

507 The detailed steps of sentiment analysis of newspaper articles and its application in Lancang-
508 Mekong River have been introduced in Wei et al. (2020, this special issue), and we will
509 introduce the general steps briefly as follows. We used the Lexis-Nexis database to extract
510 relevant information in English newspapers (Weaver and Bimber, 2008), sorted the data

511 manually and conducted sentiment analysis. Although the English newspapers have the
512 potential to miss some information when compared to local language newspapers, they are
513 considered a reference to the government's foreign policy, and they can reflect national interests
514 and political responses that riparian countries want to deliver to the international public (Wei et
515 al., 2020). Firstly, key words for search (e.g., Mekong, water, dam, etc.) and search limitations
516 (e.g., location of publisher) are set for this study, and data retrieval is conducted automatically.
517 Secondly, manual data sorting was used to remove duplicates and irrelevant news. Thirdly, the
518 sorted data was analyzed through coding to get the sentiment of each piece of news and then
519 corrected manually. Finally, sentiment category (positive or negative) and sentiment values of
520 each piece of valid data -1 to 1 were obtained, with positive values indicating positive sentiment
521 of the news towards the topic. We will then use the annual average sentiment values to evaluate
522 simulated cooperation demand of downstream countries.

523 Because the analyzed newspaper needs to be in English due to the difficulty to deal with local
524 languages, we could obtain continuous and relevant English newspapers only in Thailand
525 among the downstream countries, and the other riparian countries did not have English
526 language newspapers with broad coverage. The data processing is similar with that used in Wei
527 et al. (2020), but we adjusted the key words and filtering rules to fit our goals. From the database
528 of Lexis-Nexis, we extracted in total 4,622 pieces of data with keywords related to the dam
529 constructions and regulations in China and Laos, published in Thai newspapers. Then we
530 selected 592 pieces of relevant articles by removing duplicates and irrelevant news manually.
531 The 592 valid pieces of news cover the period of 2000-2018. Through automatic analysis and
532 manual correcting, the sentiment values of each piece of news are chosen for statistical analysis,

533 averaged for each year.

534 **4. Results**

535 **4.1 Hydrological simulation and reservoir operation**

536 As shown in Figure 5, the simulations at Jinghong, Chiang Saen, Luang Prabang and Pakse
537 perform well with NSEs above 0.8 for the calibration period. The NSEs of validation period at
538 the four stations are 0.83, 0.80, 0.79 and 0.87 respectively. For most years, the simulations of
539 troughs during dry seasons and peaks during flood seasons are reproduced rather well, except
540 for some extreme flood events when simulations under-estimated the flow. The NSEs at these
541 Nong Khai and Nakhonphanom reach to 0.81 and 0.75 respectively, which indicates the
542 applicability of the THREW model at different locations across the Lancang-Mekong river
543 basin.

544 According to the observations and simulations, the annual discharge from China to downstream
545 countries at Jinghong station (Q_3 in Figure 4) accounts for 66% of the discharge at Chiang
546 Saen (Q_4 in Figure 4) and 20% of the discharge at Pakse (Q_7 in Figure 4). As simplified in
547 Figure 4, runoff observed in Laos and Thailand account for 23% and 57% of the discharge at
548 Pakse. The proportions of China and Laos in Pakse runoff are higher during non-flood seasons
549 (November to May), and the change of seasonality of discharge in China and Laos caused by
550 reservoir operations could affect the discharge and thus economic benefits in downstream
551 countries.

552 Water releases from Xiaowan, Nuozhadu and the virtual Laos reservoir vary under the three
553 scenarios, i.e., NC, FC and WA scenarios, and we compare them with natural water release
554 without reservoir operation (NR scenario) during non-flood seasons. We set the initial reservoir

555 storage to maximum storage at the beginning of the year and simulate the water release under
556 two natural hydrological conditions, i.e., dry year of 2015 and normal year of 2017. Initial value
557 of cooperation level of China and Laos are both set to 0.5.

558 As shown in Figure 6, for both dry and normal years, the NC scenario keeps the largest storages
559 and the FC scenario keeps the lowest storages. In a dry year like 2015, with the same
560 cooperation level as in the normal year of 2017, reservoir storages under FC and WA scenarios
561 are lower to satisfy the demands of downstream countries. Water releases from the three
562 reservoirs under different scenarios in non-flood seasons in 2015 and 2017 are shown in Figure
563 7. The final weighted average water releases (WA scenario) from Nuozhadu and Laos
564 Reservoirs to downstream countries are higher than natural water releases (NR scenario) during
565 non-flood season (December to May), especially in the dry year of 2015. It is consistent with
566 the phenomenon that reservoir operations increase discharge during non-flood seasons in
567 downstream countries in recent years.

568 As shown in Figure 8, the simulated reservoir storages under the continuous WA scenario are
569 lower than the simulated storages under the continuous NC scenario in all three reservoirs. As
570 a cooperative action, reservoir regulations under the continuous WA scenario keep releasing
571 more water, particularly during dry years when the demands of downstream countries are high.
572 The simulated storage of Xiaowan and Nuozhadu under continuous WA scenario keep a
573 relatively low level.

574 **4.2 Economic benefit**

575 Overall, the economic benefit simulations under WA scenario in each country and sector are
576 reasonable compared to statistical data, as listed in Table 4. Under the continuous WA scenario,

577 China and Laos have obtained increasing benefits mainly due to ongoing dam construction. As
578 Figure 9 shows, the simulated hydropower benefits of China approached 2,000 million USD in
579 2018, while the annual generation of the two reservoirs is close to 40 billion kWh (Yu et al.,
580 2019b). The Laos reservoir generated hydropower around 976 million USD while the statistical
581 estimation of hydropower benefit to Laos in 2015 is 1,076 million USD (MRC, 2018), proving
582 the validity of economic benefit simulations in Laos. In Figure 9(a), the hydropower benefit of
583 China under WA scenario is lower than NC scenario and higher than the FC scenario after 2012,
584 indicating that cooperation actions (WA and FC) could harm the hydropower benefit of China.
585 It is similar in Laos, as shown in Figure 9(b), but the benefits under WA resemble NC scenario
586 are more due to the low cooperation level of Laos. The differences between the blue and red
587 lines indicate the losses China and Laos need to bear if they cooperate altruistically to satisfy
588 downstream demands and maximize downstream benefits.

589 When the two major reservoirs in China went into operation and cooperation levels increased
590 after 2012, the total benefits of downstream three countries under WA scenario are higher than
591 the NC scenario, although they cannot reach the high level of the FC scenario when China and
592 Laos operate reservoirs merely for downstream benefits, as shown in Figure 10(a). The increase
593 of downstream benefits under WA scenario is remarkable compared to NC scenario (e.g., 685
594 million USD in 2018). The losses China and Laos need to bear is less than the gain of
595 downstream countries in most years, which help to rationalize the cooperation actions and is
596 consistent with the outcomes of simulations in other studies (Yu et al., 2019b; Li et al., 2019;
597 Do et al., 2020). Notably, in the dry years of 2015-2016, cooperative action of upstream
598 countries could mitigate the losses of downstream countries, but downstream benefits would

599 still be lower compared to those in normal years.

600 The downstream benefits of agriculture and fishery under the WA scenario are shown in Figure
601 10(b). Simulated agriculture benefit in 2018 is around 3,600 million USD with irrigation
602 withdrawals of 39 billion m³, while the statistical irrigation withdrawal of the three countries is
603 47 billion m³ (FAO, 2019). The simulated agriculture benefits of Thailand, Cambodia and
604 Vietnam are 1,263, 593 and 1,728 million USD respectively, which are consistent with the
605 statistical values for irrigated rice in Table 4, i.e., 1,314, 592 and 2,727 million USD (Cramb,
606 2020; MRC, 2018).

607 As for the capture fishery benefits, the losses during the years of reservoir filling and droughts
608 are remarkable, approaching 215 and 162 million USD in 2010 and 2015, respectively. The
609 reduction of fishery capture is consistent with the outcomes of study by Orr et al. (2012), which
610 estimated that losses of fishery capture could reach 20% with the impacts of the upstream dams.
611 In 2018, the simulated fishery benefits of Thailand, Cambodia, Vietnam and the total fishery
612 benefit are 118, 1,160, 179, and 1,457 million USD, while the corresponding statistical values
613 are 120, 1,188, 195 and 1,503 million USD. The statistical fishery values are estimated on the
614 basis of fishery production (Burbano et al., 2020) and fishery prices (MRC, 2018). Overall, the
615 simulated benefits of downstream countries in the three economic sectors are basically
616 consistent with statistical values.

617 **4.3 Cooperation demand and level**

618 In Figure 11(a), the simulated cooperation demands reached to high levels in 2004-2005, 2008,
619 2010, 2012-2013, 2015-2016. These peaks are caused by benefit losses compared to other years.
620 The losses in 2004-2005 and 2015-2016 arose from recorded droughts (MRC, 2018), while the

621 losses in 2010 and 2012-2013 are related to the constructions and operations of Xiaowan and
622 Nuozhadu dam.

623 As shown in Figure 11(a), the cooperation level of Laos increased from the start at a slow speed
624 and exceeded 0.33 in 2018. The recent fluctuation of cooperation level of Laos could be
625 reflected by the on-going disputes and negotiations between Laos and other MRC members in
626 respect of reservoir construction by Laos on the mainstream of Mekong River since 2009
627 (Hensengerth, 2015). The cooperation levels of China increased since the completion of the
628 first major dam construction in 2010. The cooperation level of China exceeded that of Laos in
629 2016, and the rapid increase of cooperation level of China could be evidenced by China's
630 cooperative actions in recent years, including initiation of Lancang-Mekong Cooperation (LMC)
631 framework in 2015, which is a much broader framework that goes beyond water cooperation,
632 and implementation of emergency water release to mitigate the negative impacts of droughts in
633 downstream when the historically severe drought hit Mekong Basin in 2015 and 2016
634 (Middleton and Allouche, 2016).

635 As shown in Figure 11(b), the number of news articles concerning the impacts of upstream
636 reservoirs increased significantly after 2010, from less than 20 pieces each year to over 70
637 pieces in recent years. The means of sentiment values fluctuate greatly in early years. In 2004,
638 2010-2012 and 2015, sentiment results reached low values through the years, reflecting that the
639 concerns and criticisms from Thailand towards China and Laos on dam operation were high
640 compared to normal years. The dynamics of sentiment values are basically consistent with the
641 simulations of cooperation demand shown in Figure 11(c). Simulated cooperation demand are
642 high during 2005, 2008, 2010, 2012-2013, 2015-2016. Similar to the cooperation demand of

643 the three downstream countries introduced before, the peaks of cooperation demand and
644 concerns from downstream in 2005 and 2015 are ascribed to droughts and losses, while the
645 concerns in 2010 and 2012 are due to the effects of dam constructions at Xiaowan and
646 Nuozhadu during these two years. Besides the factors mentioned above, based on the text
647 information of news, another reason why concerns increased in 2010-2012 is that Laos started
648 to construct Xayaburi dam, which is the first dam Laos constructed on the mainstream of
649 Mekong River and is regarded as a violation of the 1995 Mekong Agreement (Herbertson,
650 2013). Overall, our simulations of cooperation demands reflect the empirical dynamics of
651 downstream countries obtained through sentiment analyses. Uncertainty analysis in Figure 12
652 shows that although the selection of these six critical parameters could lead to uncertainty of
653 simulated cooperation demand of downstream, the trend and fluctuation pattern of the
654 simulations are consistent, which proves the reliability of the simulations.

655 **5. Discussion and Conclusions**

656 This paper presented the development and application of a socio-hydrological model to
657 simulate the dynamics of cooperation and conflict in the transboundary Lancang-Mekong river
658 basin in Southeast Asia. Lancang-Mekong is a typical transboundary river where the upstream
659 mountainous area is rich in hydropower and lower plain areas are suitable for irrigation and are
660 rich in fisheries. Dam construction and operations in upstream countries (China, Laos) have
661 changed the seasonality of downstream river flows, which have impacted the benefits gained
662 by downstream countries, notably in terms of agriculture and fishery, both of which rely on the
663 discharge of rivers. When downstream countries faced benefit losses compared to maximum
664 benefits as a result, they led to community concerns, which they tend to blame on upstream

665 countries. Once the dams were constructed and were in place, the most available and effective
666 cooperative action to avoid regional conflicts was to operate the reservoirs in a way to achieve
667 basin-wide synergy between upstream and downstream countries (Do et al., 2020). While
668 upstream countries may have lost some economic benefits by sacrificing some of their
669 hydropower generation to benefit downstream countries, by doing so they also stood to gain
670 more indirect political and economic benefits, e.g., better diplomatic relations and more
671 investment opportunities in downstream countries (Sadoff and Grey, 2002).

672 The socio-hydrological model presented in this paper was able to capture the dynamics of such
673 cooperation and conflict through the coupling of modules representing hydrology, reservoir
674 operation, economic benefits and policy, which is simple but comprehensive. The interplay
675 among hydrological, economic and political factors is important, because hydrological
676 variability and human activities could impact the dynamics of cooperation jointly. The model
677 simulations perform well against empirical observations of runoff, published statistics of
678 economic benefits in the different sectors, and sentiment analysis results.

679 A novel feature of the model is the quantification of cooperation dynamics in the form of a logit
680 dynamics model. The logit dynamics model operates in a way that willingness to cooperate
681 increases when there are greater benefits to be gained if the parties cooperated and fewer
682 benefits if they do not. A particular strength of the logit model is that it could explicitly include
683 geopolitical factors that add to the indirect benefits that upstream countries may gain through
684 increased cooperation. When upstream countries value the indirect political benefits more and
685 are thus more responsive to the downstream concerns, the cooperation level would increase,
686 which is quantified in the model to represent to what extent the upstream country would like to

687 accommodate downstream water demands in reservoir operation. The increase of simulated
688 cooperation level is consistent with the cooperative actions taken by China in recent years. Over
689 the last two decades, cooperation demands of the downstream countries increased over drought
690 years and over the years of reservoir filling. The surge of downstream concerns towards
691 upstream countries needs to be treated appropriately, otherwise the concerns could turn into
692 more severe conflicts. The losses of the downstream relative to maximum expected benefits
693 could be mitigated by cooperative actions of upstream countries, i.e., change of reservoir
694 regulation, which will lead to less concern and less criticism from downstream countries.
695 Compared with the extant models, this socio-hydrological model is the first one, to the best of
696 our knowledge, to include the coevolutionary transboundary river cooperation as an internal
697 variable instead of as a static and external variable in coupled hydrology-economic models.
698 This particular feature enables the model to analyze the mid- and long-term cooperation
699 dynamics in transboundary rivers.

700 The cooperation dynamics in the Lancang-Mekong river basin described in the socio-
701 hydrologic model are common in many other transboundary river basins. In particular, benefit
702 losses to downstream countries by the actions of upstream countries such as dam construction,
703 water extraction and pollution, can be counterbalanced by the willingness to cooperate by
704 upstream countries, by sharing some economic benefits with downstream countries as
705 compensation for their loss of economic benefits, in return from indirect geopolitical benefits
706 and investment opportunities. By capturing these mechanisms and by accounting for the effects
707 of hydrologic variability and reservoir releases on the economic benefits of the various water
708 uses in the quantification of willingness to cooperate, the socio-hydrological model presented

709 in this paper provides an objective scientific framework to underpin transboundary water
710 management and negotiations elsewhere.

711 As an early version transboundary river socio-hydrological model, there is significant room for
712 further improvement in the model formulation. With limited research and knowledge on the
713 quantification of cooperation and political benefits, the parameterization of policy feedback
714 module such as the political factor is relatively primitive. As the model is applied to more cases,
715 these policy feedback parameters could be investigated to find some general patterns,
716 which could be then used to determine the corresponding parameters *a priori* when
717 applying to new cases. The current model simulated the effect of hydroelectric power
718 generation in multiple dams in China and Laos in a lumped manner, which has a negative
719 impact on the accuracy of reservoir releases, and hence on benefit calculation for downstream
720 countries. The situation can be improved in the future through more distributed simulation of
721 the cascade of reservoirs. Additionally, in order to integrate the complex hydro-economic
722 relationships into the model, agriculture and fishery benefits are calculated in the present model
723 with rather simplified equations. There is room for significant improvement in these benefit
724 calculations. Flood control is one of the most important functions of existing and planned future
725 dams, but has been ignored in this study, which may have led to under-estimation of the benefits
726 to both upstream and downstream countries. Simulations under different scenarios of climate
727 change and human activities could provide projections of the dynamics of transboundary river
728 cooperation and conflict, and thus provide useful insights for transboundary river management
729 in the future.

730

731

732 **Code/Data availability**

733 The data is available on request from the corresponding author (tianfq@tsinghua.edu.cn).

734

735 **Author contribution**

736 You Lu, Fuqiang Tian, Liying Guo, Iolanda Borzì and Rupesh Patil discussed the framework
737 of the socio-hydrologic model. You Lu developed the model code and performed the
738 simulations. Jing Wei, Dengfeng Liu, Yongping Wei and David J. Yu discussed and revised the
739 model. You Lu, Fuqiang Tian prepared the manuscript, with significant inputs and edits by
740 Yongping Wei and David J. Yu and Murugesu Sivapalan, with contributions from all co-authors.

741

742 **Competing interests**

743 The authors declare that they have no conflict of interest.

744

745 **Acknowledgements**

746 We would like to acknowledge the projects sponsored by the Ministry of Science and
747 Technology, China (2016YFA0601603) and National Natural Science Foundation of China
748 (51961125204, 51779203) for their financial support. We also acknowledge the support from
749 the 2019 Summer Institute on Socio-hydrology and Transboundary Rivers held in Yunnan
750 University, China.

751

752 **Reference**

753

- 754 Abdul, G. N., Suraya, H., Abaker, T. H. I., and Ejaz, A.: Social Media Big Data Analytics: A Survey,
755 Computers in Human Behavior, 2018.
- 756 Allen, R. G., Pereira, L. S., Raes, D., and Smith, M.: Crop evapotranspiration-Guidelines for
757 computing crop water requirements-FAO Irrigation and drainage paper 56, Fao, Rome, 300, 1998.
- 758 Arjoon, D., Tilmant, A., and Herrmann, M.: Sharing water and benefits in transboundary river basins,
759 Hydrology & Earth System Sciences, 20, 2016.
- 760 Baran, E., and Cain, J.: Ecological approaches of flood-fish relationships modelling in the Mekong
761 River, Proceedings of the National workshop on Ecological and Environmental Modelling, 2001,
762 3-4,
- 763 Basheer, M., Wheeler, K. G., Ribbe, L., Majdalawi, M., Abdo, G., and Zagona, E. A.: Quantifying and
764 evaluating the impacts of cooperation in transboundary river basins on the Water-Energy-Food
765 nexus: The Blue Nile Basin, Science of the Total Environment, 630, 1309-1323, 2018.
- 766 Beck, L., Bernauer, T., Siegfried, T., and Böhmelt, T.: Implications of hydro-political dependency for
767 international water cooperation and conflict: Insights from new data, Political Geography, 42, 23-
768 33, 10.1016/j.polgeo.2014.05.004, 2014.
- 769 Bernal, J. M., and Solís, A. H.: Conflict and Cooperation on International Rivers: The Case of the
770 Colorado River on the US-Mexico Border, International Journal of Water Resources Development,
771 16, 651-660, 2000.
- 772 Bernauer, T., Böhmelt, T., Buhaug, H., Gleditsch, N. P., Tribaldos, T., Weibust, E. B., and Wischnath,
773 G.: Water-related intrastate conflict and cooperation (WARICC): a new event dataset, International
774 Interactions, 2012.
- 775 Bravo-Marquez, F., Mendoza, M., and Poblete, B.: Meta-level sentiment models for big social data
776 analysis, Knowledge Based Systems, 69, 86-99, 2014.
- 777 Burbano, M., Shin, S., Nguyen, K., and Pokhrel, Y.: Hydrologic changes, dam construction, and the
778 shift in dietary protein in the Lower Mekong River Basin, Journal of Hydrology, 581, 2020.
- 779 Cai, X., McKinney, D. C., and Lasdon, L. S.: Integrated hydrologic-agronomic-economic model for
780 river basin management, Journal of water resources planning and management, 129, 4-17, 2003.
- 781 Campbell, I. C.: Integrated management in the Mekong River Basin, Ecohydrology & Hydrobiology,
782 16, 255-262, 2016.
- 783 Cramb, R.: The Evolution of Rice Farming in the Lower Mekong Basin, 2020.
- 784 De Bruyne, C., and Fischhendler, I.: Negotiating conflict resolution mechanisms for transboundary
785 water treaties: A transaction cost approach, Global Environmental Change, 23, 1841-1851,
786 10.1016/j.gloenvcha.2013.07.009, 2013.
- 787 De Stefano, L., Edwards, P., de Silva, L., and Wolf, A. T.: Tracking cooperation and conflict in
788 international basins: historic and recent trends, Water Policy, 12, 871-884, 10.2166/wp.2010.137,
789 2010.
- 790 De Stefano, L., Petersen-Perlman, J. D., Sproles, E. A., Eynard, J., and Wolf, A. T.: Assessment of
791 transboundary river basins for potential hydro-political tensions, Global Environmental Change,
792 45, 35-46, 10.1016/j.gloenvcha.2017.04.008, 2017.
- 793 Di Baldassarre, G., Sivapalan, M., Rusca, M., Cudennec, C., Garcia, M., Kreibich, H., Konar, M.,
794 Mondino, E., Mård, J., Pande, S., Sanderson, M. R., Tian, F., Viglione, A., Wei, J., Wei, Y., Yu, D. J.,
795 Srinivasan, V., and Blöschl, G.: Sociohydrology: Scientific Challenges in Addressing the Sustainable

796 Development Goals, *Water Resources Research*, 55, 6327–6355, 10.1029/2018wr023901, 2019.

797 Dinar, A., Blankespoor, B., Dinar, S., and Kurukulasuriya, P.: Does precipitation and runoff variability
798 affect treaty cooperation between states sharing international bilateral rivers?, *Ecological*
799 *Economics*, 69, 2568–2581, 10.1016/j.econ.2010.07.036, 2010.

800 Dinar, S.: Scarcity and cooperation along international rivers, *Global Environmental Politics*, 9, 109–
801 135, 2009.

802 Do, P., Tian, F., Zhu, T., Zohidov, B., Ni, G., Lu, H., and Liu, H.: Exploring Synergies in the Water–
803 Food–Energy Nexus by Using an Integrated Hydro–Economic Optimization Model for the
804 Lancang–Mekong River Basin, *Science of the Total Environment*, 2020.

805 Doorenbos, J., and Kassam, A. H.: *FAO Irrigation and Drainage Paper 33*, 1979.

806 Dudgeon, D.: Large-scale hydrological changes in tropical Asia: prospects for riverine biodiversity:
807 the construction of large dams will have an impact on the biodiversity of tropical Asian rivers and
808 their associated wetlands, *BioScience*, 50, 793–806, 2000.

809 Espey, M., and Towfique, B.: International bilateral water treaty formation, *Water Resources*
810 *Research*, 40, 2004.

811 FAO: Rice and narrowing the yield gap, Rome Italy: Plant Production and Protection Division, Crop
812 and Grassland Service, 2004.

813 FAO: Crop Water Information. Food and Agriculture Organization of the United Nations Statistics
814 Division. Retrieved from: [http://www.fao.org/land-water/databases-and-software/crop-](http://www.fao.org/land-water/databases-and-software/crop-information/en/)
815 [information/en/](http://www.fao.org/land-water/databases-and-software/crop-information/en/) , 2019.

816 Feng, Y., Wang, W., Suman, D., Yu, S., and He, D.: Water Cooperation Priorities in the Lancang–
817 Mekong River Basin Based on Cooperative Events Since the Mekong River Commission
818 Establishment, *Chinese Geographical Science*, 29, 58–69, 10.1007/s11769-019-1016-4, 2019.

819 Frisvold, G. B., and Caswell, M. F.: Transboundary water management Game-theoretic lessons for
820 projects on the US–Mexico border*, *Agricultural Economics*, 24, 101–111, 2000.

821 Giuliani, M., and Castelletti, A.: Assessing the value of cooperation and information exchange in
822 large water resources systems by agent-based optimization, *Water Resources Research*, 49, 3912–
823 3926, 10.1002/wrcr.20287, 2013.

824 Hamlet, A. F.: *The Role of Transboundary Agreements in the Columbia River Basin*, 2003.

825 Han, Z., Long, D., Fang, Y., Hou, A., and Hong, Y.: Impacts of climate change and human activities
826 on the flow regime of the dammed Lancang River in Southwest China, *Journal of hydrology*, 570,
827 96–105, 2019.

828 He, Z., Tian, F., Gupta, H. V., Hu, H., and Hu, H.: Diagnostic calibration of a hydrological model in
829 a mountain area by hydrograph partitioning, *Hydrology and Earth System Sciences*, 19, 1807, 2015.

830 Hensengerth, O.: Where is the power? Transnational networks, authority and the dispute over the
831 Xayaburi Dam on the Lower Mekong Mainstream, *Water International*, 40, 911–928, 2015.

832 Herbertson, K.: Xayaburi Dam: How Laos Violated the 1995 Mekong Agreement, *International*
833 *Rivers*, Berkeley, Calif., [www.internationalrivers.org/blogs/267/xayaburi-dam-how-laos-](http://www.internationalrivers.org/blogs/267/xayaburi-dam-how-laos-violated-the-1995-mekong-agreement)
834 [violated-the-1995-mekong-agreement](http://www.internationalrivers.org/blogs/267/xayaburi-dam-how-laos-violated-the-1995-mekong-agreement), 2013.

835 Hoanh, C. T., Jirayoot, K., Lacombe, G., and Srinetr, V.: Impacts of climate change and development
836 on Mekong flow regimes. First assessment-2009, *International Water Management Institute*, 2010.

837 Hofbauer, J., and Sigmund, K.: Evolutionary game dynamics, *Bulletin of the American mathematical*
838 *society*, 40, 479–519, 2003.

839 Hortle, K., Pengbun, N., Rady, H., and Sopha, L.: Tonle Sap yields record haul, *Catch and Culture*,

840 10, 2-5, 2005.

841 Iwasa, Y., Uchida, T., and Yokomizo, H.: Nonlinear behavior of the socio-economic dynamics for
842 lake eutrophication control, *Ecological Economics*, 63, 219-229, 2007.

843 Jiang, H., Lin, P., and Qiang, M.: Public-Opinion Sentiment Analysis for Large Hydro Projects,
844 *Journal of Construction Engineering & Management*, 2016.

845 Kaboosi, K., and Kaveh, F.: Sensitivity analysis of FAO 33 crop water production function, *Irrigation
846 Science*, 30, p.89-100, 2012.

847 Kahneman, D., and Tversky, A.: Prospect Theory: An Analysis of Decision Under Risk, *Econometrica*,
848 47, 263-291, 1979.

849 Kandasamy, J., D., S., P., S., A., C., S., V., and M., S.: Socio-hydrologic drivers of the pendulum swing
850 between agricultural development and environmental health: a case study from Murrumbidgee
851 River basin, Australia, *Hydrology and Earth System Sciences*, 18, 1027-1041, 2014.

852 Keskinen, M., Kumm, M., Käkönen, M., and Varis, O.: Mekong at the crossroads: Next steps for
853 impact assessment of large dams, *Ambio*, 41, 319-324, 2012.

854 Kite, G.: Modelling the Mekong: hydrological simulation for environmental impact studies, *Journal
855 of hydrology*, 253, 1-13, 2001.

856 Li, D., Long, D., Zhao, J., Lu, H., and Hong, Y.: Observed changes in flow regimes in the Mekong
857 River basin, *Journal of Hydrology*, 551, 217-232, 2017.

858 Li, D., Zhao, J., and Govindaraju, R. S.: Water benefits sharing under transboundary cooperation in
859 the Lancang-Mekong River Basin, *Journal of Hydrology*, 577, 123989,
860 10.1016/j.jhydrol.2019.123989, 2019.

861 Li, H., Sivapalan, M., and Tian, F.: Comparative diagnostic analysis of runoff generation processes
862 in Oklahoma DMIP2 basins: The Blue River and the Illinois River, *Journal of Hydrology*, 418, 90-
863 109, 2012.

864 Müller, M. F., Müller-Ippen, M. C., and Gorelick, S. M.: How Jordan and Saudi Arabia are avoiding
865 a tragedy of the commons over shared groundwater, *Water Resources Research*, 53, 5451-5468,
866 2017.

867 McCracken, M., and Wolf, A. T.: Updating the Register of International River Basins of the world,
868 *International Journal of Water Resources Development*, 35, 732-782,
869 10.1080/07900627.2019.1572497, 2019.

870 McFadden, D.: Econometric models of probabilistic choice, *Structural analysis of discrete data with
871 econometric applications*, 198272, 1981.

872 Micklin, P.: *The Aral Sea Crisis*, Springer Netherlands, 2004.

873 Middleton, C., and Allouche, J.: Watershed or powershed? Critical hydrogeopolitics, China and the
874 'Lancang-Mekong cooperation framework', *The International Spectator*, 51, 100-117, 2016.

875 Mou, L., Tian, F., Hu, H., and Sivapalan, M.: Extension of the Representative Elementary Watershed
876 approach for cold regions: constitutive relationships and an application, *Hydrology and Earth
877 System Sciences*, 12, 565-585, 2008.

878 MRC: Agreement on the cooperation for the sustainable development of the Mekong River Basin,
879 Mekong River Commission Secretariat, 1995.

880 MRC: Assessment of Basin-Wide Development Scenarios—Main Report, Mekong River
881 Commission, 2010.

882 MRC: Summary State of the Basin Report 2018, Mekong River Commission 1728-3248, 2018.

883 Munia, H., Guillaume, J. H. A., Mirumachi, N., Porkka, M., Wada, Y., and Kumm, M.: Water stress

884 in global transboundary river basins: significance of upstream water use on downstream stress,
885 *Environmental Research Letters*, 11, 014002, 10.1088/1748-9326/11/1/014002, 2016.

886 Orr, S., Pittock, J., Chapagain, A., and Dumaresq, D.: Dams on the Mekong River: Lost fish protein
887 and the implications for land and water resources, *Global Environmental Change*, 22, 925-932,
888 2012.

889 Petersen-Perlman, J. D., Veilleux, J. C., and Wolf, A. T.: International water conflict and cooperation:
890 challenges and opportunities, *Water International*, 42, 105-120, 10.1080/02508060.2017.1276041,
891 2017.

892 Pokhrel, Y., Burbano, M., Roush, J., Kang, H., Sridhar, V., and Hyndman, D. W.: A review of the
893 integrated effects of changing climate, land use, and dams on Mekong river hydrology, *Water*, 10,
894 266, 2018.

895 Reggiani, P., Sivapalan, M., and Hassanizadeh, S. M.: A unifying framework for watershed
896 thermodynamics: balance equations for mass, momentum, energy and entropy, and the second
897 law of thermodynamics, *Advances in Water Resources*, 22, 367-398, 1998.

898 Ringler, C.: Optimal allocation and use of water resources in the Mekong River Basin: Multi-country
899 and intersectoral analyses, 2001.

900 Ringler, C., and Cai, X.: Valuing fisheries and wetlands using integrated economic-hydrologic
901 modeling—Mekong River Basin, *Journal of Water Resources Planning and Management*, 132, 480-
902 487, 2006.

903 Sadoff, C., and Grey, D.: Beyond the river: the benefits of cooperation on international rivers, *Water*
904 *policy*, 4, 389-403, 2002.

905 Sadoff, C., and Grey, D.: Cooperation on International Rivers A Continuum for Securing and Sharing
906 Benefits, *Water International*, 30, 1-8, 2005.

907 Schmidt, U.: Reference dependence in cumulative prospect theory, *Journal of Mathematical*
908 *Psychology*, 47, 122-131, 2003.

909 Schultz, B.: Development of trans-boundary cooperation in the Rhine River Basin, *Mekong River*
910 *Commission*, 314, 2009.

911 Siegel, S.: Level of aspiration and decision making, *Psychological review*, 64, 253, 1957.

912 Sivapalan, M., and Blöschl, G.: Time scale interactions and the coevolution of humans and water,
913 *Water Resources Research*, 51, 6988-7022, 2015.

914 Song, J., and Whittington, D.: Why have some countries on international rivers been successful
915 negotiating treaties? A global perspective, *Water Resources Research*, 40, 10.1029/2003wr002536,
916 2004.

917 Stone, R.: Dam-building threatens Mekong fisheries, *Science*, 354, 1084-1085, 2016.

918 Suzuki, Y., and Iwasa, Y.: The coupled dynamics of human socio-economic choice and lake water
919 system: the interaction of two sources of nonlinearity, *Ecological research*, 24, 479-489, 2009a.

920 Suzuki, Y., and Iwasa, Y.: Conflict between groups of players in coupled socio-economic and
921 ecological dynamics, *Ecological Economics*, 68, 1106-1115, 2009b.

922 Teasley, R. L., and McKinney, D. C.: Calculating the Benefits of Transboundary River Basin
923 Cooperation: Syr Darya Basin, *Journal of water resources planning and management*, 137, 481-
924 490, 10.1061/(ASCE)WR.1943-5452.0000141., 2011.

925 Tian, F., Hu, H., Lei, Z., and Sivapalan, M.: Extension of the Representative Elementary Watershed
926 approach for cold regions via explicit treatment of energy related processes, *Hydrology and Earth*
927 *System Sciences*, 10, 619-644, 2006.

928 Tian, F., Hu, H., and Lei, Z.: Thermodynamic watershed hydrological model: Constitutive
929 relationship, *Science in China Series E: Technological Sciences*, 51, 1353-1369, 2008.

930 Tian, F., Lu, Y., Hu, H., Kinzelbach, W., and Sivapalan, M.: Dynamics and driving mechanisms of
931 asymmetric human water consumption during alternating wet and dry periods, *Hydrological
932 Sciences Journal*, 64, 507-524, 2019.

933 Tversky, A., and Kahneman, D.: Loss aversion in riskless choice: A reference-dependent model, *The
934 quarterly journal of economics*, 106, 1039-1061, 1991.

935 UNEP: Transboundary river basins: Status and trends, United Nations Environment Programme
936 (UNEP), Nairobi, Kenya, 3, 1-12, 2016.

937 Urban, F., Siciliano, G., and Nordensvard, J.: China's dam-builders: Their role in transboundary river
938 management in South-East Asia, *International journal of water resources development*, 34, 747-
939 770, 2018.

940 Wang, W., Lu, H., Ruby Leung, L., Li, H. Y., Zhao, J., Tian, F., Yang, K., and Sothea, K.: Dam
941 Construction in Lancang-Mekong River Basin Could Mitigate Future Flood Risk From Warming-
942 Induced Intensified Rainfall, *Geophysical Research Letters*, 44, 10,378-310,386, 2017.

943 Weaver, D. A., and Bimber, B.: Finding news stories: a comparison of searches using LexisNexis and
944 Google News, *Journalism & Mass Communication Quarterly*, 85, 515-530, 2008.

945 Wei, J., Wei, Y., and Western, A.: Evolution of the societal value of water resources for economic
946 development versus environmental sustainability in Australia from 1843 to 2011, *Global
947 Environmental Change*, 42, 82-92, 2017.

948 Wei, J., Wei, Y., Tian, F., Nott, N., Witt, C. d., Guo, L., and Lu, Y.: An Analysis of Conflict and
949 Cooperation Dynamics over Water Events within the Lancang-Mekong River Basin, *Hydrology &
950 Earth System Sciences Discussions*, under review, 2020.

951 WLE: CGIAR Research Program on Water, Land and Ecosystems - Greater Mekong: Dataset on the
952 Dams of the Irrawaddy, Mekong, Red and Salween River Basins. [https://wle-
953 mekong.cgiar.org/maps/](https://wle-mekong.cgiar.org/maps/), in, Vientiane, Lao PDR, 2018.

954 Wolf, A. T., Natharius, J. A., Danielson, J. J., Ward, B. S., and Pender, J. K.: International River Basins
955 of the World, *International Journal of Water Resources Development*, 15, 387-427,
956 10.1080/07900629948682, 1999.

957 You, Z., Feng, Z., Jiang, L., and Yang, Y.: Population Distribution and Its Spatial Relationship with
958 Terrain Elements in Lancang-Mekong River Basin, *Mountain Research*, 032, 21-29, 2014.

959 Yu, Y., Tang, P., Zhao, J., Liu, B., and Mclaughlin, D.: Evolutionary cooperation in transboundary
960 river basins, *Water Resources Research*, 2019a.

961 Yu, Y., Zhao, J., Li, D., and Wang, Z.: Effects of Hydrologic Conditions and Reservoir Operation on
962 Transboundary Cooperation in the Lancang-Mekong River Basin, *Journal of Water Resources
963 Planning and Management*, 145, 2019b.

964 Zeitoun, M., and Mirumachi, N.: Transboundary water interaction I: reconsidering conflict and
965 cooperation, *International Environmental Agreements: Politics, Law and Economics*, 8, 297-316,
966 10.1007/s10784-008-9083-5, 2008.

967 Zeitoun, M., Mirumachi, N., and Warner, J.: Transboundary water interaction II: the influence of
968 'soft' power, *International Environmental Agreements: Politics, Law and Economics*, 11, 159-178,
969 10.1007/s10784-010-9134-6, 2011.

970

971

972

973 **List of Figure Captions**

974

975 Figure 1. Map of Lancang-Mekong River Basin, Subbasin Division and Hydrological Stations

976 Figure 2. Timeline of hydrological and anthropogenic events in Lancang-Mekong River Basin

977 Figure 3. Framework of Transboundary River Cooperation Socio-Hydrological Model. (a)

978 Reservoir operations with regulation rules, constraints and operation weights. (b) Economic

979 benefit calculations in hydropower, agriculture and fishery. (c) Cooperation calculations based

980 on economic benefits. (d) Cooperation feedbacks to change operation weights, $\delta_2 = C$.

981 Figure 4. Framework of simplified water system in Lancang-Mekong River Basin

982 Figure 5. Daily Runoff simulations at Jinghong (a), Chiang Saen (b), Luang Prabang (c) and

983 Pakse (d)

984 Figure 6. Reservoir storage and water release simulations of Xiaowan, Nuozhadu and Laos

985 Reservoirs in 2015 and 2017. Reservoir storages in 2015 for Xiaowan (a), Nuozhadu (b) and

986 Virtual Laos reservoir (c). Water Release in 2015 for Xiaowan (d), Nuozhadu (e) and Virtual

987 Laos reservoir (f). Reservoir storages in 2017 for Xiaowan (g), Nuozhadu (h) and Virtual Laos

988 reservoir (i). Water Release in 2017 for Xiaowan (j), Nuozhadu (k) and Virtual Laos reservoir

989 (l).Figure 7. Water release of Xiaowan, Nuozhadu and virtual Laos reservoir in non-flood

990 seasons in 2015 (dry year) and 2017 (norm year) under different scenarios.

991 Figure 8. Simulated storage dynamics of Xiaowan (a), Nuozhadu (b) and virtual Laos

992 reservoir (c). Total storage in (c) indicates total active storage of the virtual Laos reservoir.

993 Figure 9. Benefit of upstream China (a) and Laos (b) under weighted average scenario, non-

994 cooperation scenario and full-cooperation scenario.

995 Figure 10. (a) Benefits of Thailand, Cambodia and Vietnam under weighted average scenario,
996 non-cooperation scenario and full-cooperation scenario. (b) Agriculture and fishery benefits
997 of downstream under weighted average scenario.

998 Figure 11. (a) Simulation of cooperation demand of downstream and cooperation level of
999 China and Laos (b) Newspaper sentiment analysis of Thailand. (c) Simulation of cooperation
1000 demand of Thailand.

1001 Figure 12. Uncertainty analysis of critical parameters in the Socio-Hydrological model. (a)
1002 Sensitivity of agriculture loss. (b) Sensitivity of fishery loss. (c) China political factor. (d) Laos
1003 political factor. (e) Responsive change rate. (f) Shape parameter.

1004

1005

Table 1. Reservoir information of Xiaowan and Nuozhadu

Reservoir	Commissioned Year	Total Reservoir Storage (MCM)	Flood Limited Storage (MCM)	Dead Reservoir Storage (MCM)
Xiaowan	2010	15,300	13,104	5,946
Nuozhadu	2012	21,749	19,344	10,414

1006

1007

Table 2. Irrigated agriculture information of Thailand, Cambodia and Vietnam

	Thailand	Cambodia	Vietnam	Data Source
Rice price (USD/ton)	243.8	267.6	248.0	MRC (2018)
Irrigated Area (million ha)	1.425	0.505	1.921	Cramb (2020)
Rice yield (ton/ha)	3.78	4.38	5.72	MRC (2018)
Irrigation withdrawal (MCM)	16240	1680	29120	AQUASTAT

1008

1009

Table 3. Critical parameters and values for uncertainty analysis

Denotation	Parameter	Value	Alternative Value
ε_a	sensitivity of agriculture loss	0.5	0.4, 0.6
ε_f	sensitivity of fishery loss	0.5	0.4, 0.6
P_c	China political factor	2	1.5, 2.5
P_l	Laos political factor	1	0.8, 1.2
s	responsive change rate	0.5	0.4, 0.6
β	shape parameter	1.5	1, 2

1010

1011

Table 4. Simulated economic benefits in 2018 and statistical benefits

Unit: Million USD	Simulated benefit	Benefit from statistical data
China hydropower	1,954	2,000
Laos hydropower	976	1,076
Thailand agriculture	1,263	1,314
Thailand fishery	118	120
Cambodia agriculture	593	592
Cambodia fishery	1,160	1,188
Vietnam agriculture	1,728	2,727
Vietnam fishery	179	195

1012

1013


1014



1015

1016 Figure 1. Map of Lancang-Mekong River Basin, Subbasin Division and Hydrological Stations


1017



1018

1019 Figure 2. Timeline of hydrological and anthropogenic events in Lancang-Mekong River Basin

1020



1021


1022 Figure 3. Framework of Transboundary River Cooperation Socio-Hydrological Model. (a)

1023 Reservoir operations with regulation rules, constraints and operation weights. (b) Economic

1024 benefit calculations in hydropower, agriculture and fishery. (c) Cooperation calculations based

1025 on economic benefits. (d) Cooperation feedbacks to change operation weights, $\delta_2 = C$.


1026



1027

1028 Figure 4. Framework of simplified water system in Lancang-Mekong River Basin


1029



1030

1031 Figure 5. Daily Runoff simulations at Jinghong (a), Chiang Saen (b), Luang Prabang (c) and

1032 Pakse (d)



1033

1034 Figure 6. Reservoir storage and water release simulations of Xiaowan, Nuozhadu and Laos

1035 Reservoirs in 2015 and 2017. Reservoir storages in 2015 for Xiaowan (a), Nuozhadu (b) and


1036 Virtual Laos reservoir (c). Water Release in 2015 for Xiaowan (d), Nuozhadu (e) and Virtual

1037 Laos reservoir (f). Reservoir storages in 2017 for Xiaowan (g), Nuozhadu (h) and Virtual Laos

1038 reservoir (i). Water Release in 2017 for Xiaowan (j), Nuozhadu (k) and Virtual Laos reservoir

1039 (l).Figure 7. Water release of Xiaowan, Nuozhadu and virtual Laos reservoir in non-flood

1040 seasons in 2015 (dry year) and 2017 (norm year) under different scenarios.




1041

1042 Figure 7. Water release of Xiaowan, Nuozhadu and virtual Laos reservoir in non-flood

1043 seasons in 2015 (dry year) and 2017 (norm year) under different scenarios

1044




1045

1046 Figure 8. Simulated storage dynamics of Xiaowan (a), Nuozhadu (b) and virtual Laos

1047 reservoir (c). Total storage in (c) indicates total active storage of the virtual Laos reservoir.

1048




1049

1050 Figure 9. Benefit of upstream China (a) and Laos (b) under weighted average scenario, non-

1051 cooperation scenario and full-cooperation scenario.

1052




1053

1054 Figure 10. (a) Benefits of Thailand, Cambodia and Vietnam under weighted average scenario,

1055 non-cooperation scenario and full-cooperation scenario. (b) Agriculture and fishery benefits

1056 of downstream under weighted average scenario.

1057




1058

1059 Figure 11. (a) Simulation of cooperation demand of downstream and cooperation level of China

1060 and Laos (b) Newspaper sentiment analysis of Thailand. (c) Simulation of cooperation demand

1061 of Thailand.

1062



1063

1064 Figure 12. Uncertainty analysis of critical parameters in the Socio-Hydrological model. (a)

1065 Sensitivity of agriculture loss. (b) Sensitivity of fishery loss. (c) China political factor. (d) Laos

1066 political factor. (e) Responsive change rate. (f) Shape parameter.