

***Interactive comment on* “The HOOPLA toolbox: a HydrOIOlogical Prediction LABORatory to explore ensemble rainfall-runoff modeling” by Antoine Thiboult et al.**

Anonymous Referee #2

Received and published: 16 March 2020

General comments

This technical note presents a toolbox for hydrological modelling and forecasting, based on a set of 20 hydrological models.

First, I found that the article looks like a user guide, not really like a scientific technical note. Many parts are very similar to the user-guide available online on the HOOPLA github space. The added-value of this paper compared to the toolbox user-guide seems limited.

Second, the authors do not explain the originality of the toolbox compared to other existing tools.

Third, I am unsure this is the right EGU journal to publish such a paper. As mentioned in the HESS guidelines for authors, “for manuscripts focused on the development and description of numerical models and model components, we recommend submission to the EGU interactive open-access journal Geoscientific Model Development (GMD)”. So the authors may better submit their paper to GMD.

Last, I found that the article is too vague and imprecise. There is very limited justification of the choices that were made, with no guidance for the users. Many parts seem to have been written too concisely.

For these reasons (and others detailed below), I found that the article is not suitable for publication as a technical note in HESS.

Detailed comments

1. L5: “user-defined hydrometeorological tools”. What do you mean here?
2. L17: Assimilation procedures can also be used for parameter updating. Is this possibility also offered by the toolbox?
3. L27: “FUSE”
4. L75: “in order not to orient users towards a certain interpretation of the results”: What do you mean? A software should offer the proper tools to help the user to interpret results. If the focus is on ensemble prediction, the authors should explain how HOOPLA provides original tools to explore the quality and characteristics of the tested ensembles.
5. Section 2.2: The authors mention in the abstract that the models can be run at multiple time steps. How was this implemented? There are probably many model equations or parameters that are time-step dependent. How was this coded?
6. L88: It is unclear on which aspects the structural differences were evaluated.
7. L94: What do you mean by “subjective programming”?

[Printer-friendly version](#)[Discussion paper](#)

8. Section 2.3: How many parameters are used in the snow routine presented here.
9. L105: How many altitudinal bands are used? Can this be parameterized?
10. L108-109: Is there any reference where these tests are explained? Why other snow routines do not work?
11. Section 2.4: Are the assimilation schemes applied to all models without any difference? I guess that, depending on the model used, not all the initial conditions of the various model stores are similarly important to update.
12. L127: Why were local methods not implemented in the toolbox? There are less demanding in terms of computing time.
13. L132: Can the optimization of 4 to 10 parameters be considered a “high-dimensional” issue?
14. L138: Do these models really require important computing resources? The computing times shown in the appendix are not that large.
15. L142: The sensitivity to potential evapotranspiration depends on the targeted variables. For low flows or long term water balance, the comment of limited sensitivity may not be valid. Besides, the authors should explain how these three formulas were selected. Is it because they perform well in different climatic environments?
16. L142: “PET” is not defined.
17. Tab. 2: Why are there two lines of inputs for the Kharrufa formula?
18. Section 3: A map of the catchment location could be introduced. A bit more could be said on the catchments (snow influences, human influences). Why a 3-hr time step was chosen? What is the range of response times for the test catchments?
19. L152: What is this website?
20. L155: Why dissimilar lengths of test periods were chosen?

[Printer-friendly version](#)

[Discussion paper](#)



21. L158: Is there any reference detailing previous results with this formula on these catchments?

22. L164: Why the parameters were not calibrated? How the default values of the parameters were determined?

23. L168-170: Is it a default of the toolbox or linked to the fact that precipitations are known with less accuracy on small catchments than on large ones? Several existing articles discuss this issue in the literature. Since a few models seem to obtain acceptable performance (>0.70), it may also be linked to the fact that there are some specific processes active on these catchments, which are well represented only by these few models.

24. L169-185: I did not understand what is called here “simulation”. It seems that the models that were previously calibrated are now applied with data assimilation. But what for? The authors update model state using the observed flow to predict the flow at the same time step. Is it what is done and evaluated? What is the objective of this application? Why is not there any classical calibration-validation scheme?

25. L174: Why every 8 time steps? How was this chosen?

26. L175-177: How these levels of uncertainty were chosen?

27. L181-182: This sentence is not fully clear for me.

28. Fig. 1 (and others). Please indicate which quantiles are shown in the boxplots. Indicate in the caption the test period used.

29. L184: How the multi-model was built? Simply by considering a super-ensemble or was there any selection or combination technique used?

30. L187-188: Are the ECMWF at the 3-hour time step used or were there some pre-processing applied?

31. L195: “the system remain an insightful predictor”: compared to what? The KGE’ is

[Printer-friendly version](#)

[Discussion paper](#)



probably poorly informative in a forecasting context on the actual model performance. The assimilation technique artificially enhances the forecast efficiency, but the forecast may be of limited value compared to some poor-man forecast (typically persistence). Besides, performance in Fig. 3 (left) seems to be as high as in Fig. 2. Any comment on this?

32. Figs. 3-4: Please harmonize the layout with the previous figures to ease visual comparison.

33. Conclusion: Very short conclusion, lack of discussion. This should be improved.

34. L215: “available for the”

35. Appendix B: It would be useful to add the typical (e.g. median over the 31 catchments) number of model runs needed for calibration with the SCE and DDS algorithms.

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., <https://doi.org/10.5194/hess-2020-6>, 2020.

Printer-friendly version

Discussion paper

