

# Supporting Information for

## Technical assessment combined with extended cost-benefit analysis for groundwater ecosystem services restoration - An application for Grand Bahama

Anne Imig<sup>1</sup>, Francesca Perosa<sup>2</sup>, Carolina Iwane Hotta<sup>2</sup>, Sophia Klausner<sup>1</sup>, Kristen Welsh<sup>3,4</sup>, Arno Rein<sup>1\*</sup>

<sup>1</sup>Chair of Hydrogeology, School of Engineering and Design, Technical University of Munich, Germany; [anne.imig@tum.de](mailto:anne.imig@tum.de),  
[sophia.klausner@tum.de](mailto:sophia.klausner@tum.de), [arno.rein@tum.de](mailto:arno.rein@tum.de)

<sup>2</sup>Chair of Hydrology and River Basin Management, School of Engineering and Design, Technical University of Munich, Germany; [francesca.perosa@tum.de](mailto:francesca.perosa@tum.de), [Carolina.hotta@tum.de](mailto:Carolina.hotta@tum.de)

<sup>3</sup>Small Island Sustainability Programme, University of The Bahamas, Nassau, Bahamas; [kristen.unwala@ub.edu.bs](mailto:kristen.unwala@ub.edu.bs)

<sup>4</sup>Geosciences Department, Oberlin College, Oberlin, Ohio, USA; [k.welsh@oberlin.edu](mailto:k.welsh@oberlin.edu)

*Correspondence to:* Arno Rein [arno.rein@tum.de](mailto:arno.rein@tum.de)

**Table S1. Description of the input data for the holistic analysis of potential sustainability measures.**

<b>Input data</b>	<b>Units</b>	<b>Value/comment</b>	<b>Sources</b>
<b>Common data</b>			
Daily precipitation rates	mm/day	Monitored time series	From meteorological station ECMWF ERA5 (1979-2000) and Freeport airport (2012-2021); provided by the meteorological department of the Grand Bahama Port Authority.
Monthly precipitation rates at the spatial level	mm/month	Maps from 1970 to 2000 (resolution: 1 km <sup>2</sup> )	WorldClim 2.1, Fick and Hijmans (2017).
Land use/land cover	-	Raster file	Esri (2021); Ruesch and Gibbs (2008).
Digital elevation model (DEM)	m a.s.l.		Eurostat DEM (Eurostat, 2013)
Building footprints	Vector file		Provided by GBUC.
<b>Evaluating the technical feasibility of MAR</b>			
Samples from a sedimentation layer	mm	grain diameter	Grain size analysis according to DIN (2017) of soil sample taken on 6 <sup>th</sup> of July 2021 in the west part of Wellfield 6 (coordinates: 26.613531, -78.542213).
Groundwater level measurements	m	below ground level	January and October 2020 (Dokou et al., 2020) January 2021, taken by IsraAID, published in the mWaterPortal ( <a href="https://portal.mwater.co/">https://portal.mwater.co/</a> )
<b>CBA common data</b>			
Discount rate	%	1-10	Flory (2013)
Reference years	years	30 (2020 to 2050)	European Commission (2015)
GB households	number of households	15140	Department of Statistics of The Bahamas (2012)
<b>Costs common data</b>			
Project manager costs	USD/hour	150	Phoenix Engineer (M. Gomez, personal communication, April 14, 2022)
Project administrator costs	USD/hour	125	as before
Work coordinator costs	USD/hour	125	as before
Financial manager costs	USD/hour	200	as before
Certificated expert for public procurement costs	USD/hour	150	as before
Study documentation costs	USD/hour	150	as before
Project documentation costs	USD/hour	100	as before
Permits obtaining costs	USD/hour	100	as before
Advertisement campaign costs	USD/unit	2180	Miller et al. (2014)

Table S1 (continued)

Input data	Units	Value/comment	Sources
<b>Ecosystem services valuations: Carbon sequestration</b>			
Carbon Pools	t C/ha	IPCC Tier 1 method	IPCC (2014, 2006)
Ecofloristic zones	Vector file		Ruesch and Gibbs (2008)
Carbon prices (social cost)	USD/tCO <sub>2</sub>	17.90; 20.00; 55.91	Smith et al. (2014); The World Bank (2021); U.S. EPA (1999)
<b>Ecosystem services valuations: Timber production</b>			
Timber parcels	km <sup>2</sup>	Assumptions: 88% survival rate when planting; 12 trees/ha left during harvesting.	Le et al. (2014) and Myers et al. (2004)
Percentage of harvesting	%	99	Myers et al. (2004)
Mass of wood harvested	ton/ha	(calculation-based) on the density of 420 kg/m <sup>3</sup> , 15 cm diameter and 30 m height for 30 year pine tree	The Engineering ToolBox (2004) and (Sanchez, 2020)
Frequency of harvest periods	years	30	Forest NSW (n.d.) (Forest NSW, n.d.)
Price of wood	USD/ton	91	Wood Resources International (2019)
Maintenance costs	USD/acre/year	0.70	Little et al. (1977)
Harvesting costs	USD/ton	11	Donagh et al. (2019)
Biomass conversion and expansion factors (BCEF)	-	range of default values	Sharp et al. (2015)
<b>Ecosystem services valuations: Drinking water supply</b>			
Water price: minimum monthly (0 – 2,000 gallons)	USD flat rate	12.83	GBUC (2022)
Water price: 2,001 – 10,000 gallons	USD/1000 gallons	4.37	GBUC (2022)
Water price: 10,001 – 20,000 gallons	USD/1000 gallons	5.25	GBUC (2022)
Water price: >20,000 gallons	USD/1000 gallons	6.16	GBUC (2022)
<b>Ecosystem services valuations: Habitat provisioning</b>			
Willingness to pay for habitat conservation	USD/ household	26.20	Wang et al. (2021)
<b>Ecosystem services valuations: Nature-based tourism</b>			
Average tourism expenditure before hurricane events	USD/quarter	Depends on year and quarter	Bahamas Ministry of Tourism (2022)
Average tourism expenditure in 2021	USD/quarter	Depends on quarter	Bahamas Ministry of Tourism (2022)

## **S1. Achievable recharge volume from rainwater harvesting**

35 The achievable recharge volume from rainwater harvesting schemes  $E_R$  [ $M^3T^{-1}$ ] in wellfield 1,3 and 4 was calculated based on recommendations by the German institute for norms (DIN, 2002):

$$E_R = A_A \times e \times h_n \times h$$

with  $A_A$ , the catchment area [ $M^2$ ],  $e$  the coefficient of yield [%] set to 0.8 for inclined hard roofs like on Grand Bahama,  $h_n$  the yearly rainfall amount [ $M$ ] and  $h$ , the hydraulic filter efficiency [%] set to 0.9 for a typical filter  
40 value.

## **S2. Method to estimate the annual average tourism expenditure**


The annual average tourism expenditure of the years before a hurricane event was calculated considering data from the years 2010 to 2015 and 2018. The total annual tourism expenditure of 2021 was estimated based on the data of  
45 the first quarter of 2021 and the averaged percentage of each quarter over multiple years (Bahamas Ministry of Tourism, 2022), as shown in Table S2.

**Table S2. Applied tourism expenditure in tourism revenue projection (Bahamas Ministry of Tourism, 2022).**

Period	Percentage	Average expenditure before hurricane events [USD]	Estimated expenditure of 2021 [USD]
First quarter of the year	27,9%	40,587,623	10,540,443
Second quarter of the year	30,1%	43,673,733	11,387,157
Third quarter of the year	22,1%	32,349,384	8,337,353
Fourth quarter of the year	19,9%	29,052,309	7,539,175
Full year	100%	145,663,049	37,804,128

### 50 S3. Risk assessment related to potential MAR scheme

Potential risks were identified for rooftop rainwater harvesting with drain trenches on Grand Bahama, based on a summary in Imig et al. (2022). Further, the risks were ranked according to the stage of MAR implementation into risks occurring in the planning phase, in the catchment of the water source, during MAR operation (infiltration, storage and recovery), or during distribution and final use (Table S3-S6). Qualitative risk scores were given using a risk matrix after Swierc et al. (2005) considering both likelihood and severity of consequences on a scale from 1 to 5 (Figure S1). Possible risk treatments were suggested by considering suggestions from DEEPWATER-CE (2020) and Nadebaum et al. (2004). The remaining risks after applying the mitigation strategies were evaluated with the risk score matrix again to determine the residual risk. Some risks occur in multiple phases, and if in the prior phase a treatment was suggested, the residual risk after treatment was used to continue with the risk in the next phase.



**Figure S1.:** Risk factor score matrix for qualitative risk assessment, relating the likelihood of hazards to the severity of consequences (Imig et al., 2022; after Swierc et al., 2005).

65

70

**Table S3.: Identified, analysed, and evaluated risks in the MAR planning phase; H: human health risk, T: technical risk; L: Likelihood, C: Severity of consequences.**

Planning Phase				
Type	Potential Risk	Score	Treatment	Residual Score
H	Surface infiltration of saltwater or water with high pollutant loads into drain during storm event	Very high (L:5/C:3)	Sealing of storm drains at the top	Moderate (L:5/C:1)
H	Inflow of saltwater or water with high pollutant loads into the gutter during storm with very high surge	High (L:4/C:3)	MAR only in elevated areas	Moderate (L:1/C:3)
H	Inflow of saltwater or water with high pollutant loads into the gutter during storm with very high surge	High (L:4/C:3)	MAR only in elevated areas	Moderate (L:1/C:3)
T	Groundwater flooding due to mounding water table	High (L:3/C:3)	Leaving enough distance to groundwater table	Moderate (L:2/C:3)
H	Roof material deteriorating water quality	Moderate (L:4/C:1)	Study on water quality	
T	Increased carbonate dissolution causing to subsidence	Moderate (L:1/C:3)	-	Moderate (L:1/C:3)
H	Mobilization of toxic substances from carbonates	Low (L:1/C:2)	-	Low (L:1/C:2)

85 **Table S4.: Identified, analysed, and evaluated risks during the runoff concentration phase in the catchment; H: human health risk, T: technical risk; L: Likelihood, C: Severity of consequences.**

Catchment Phase				
Type	Potential Risk	Score	Treatment	Residual Score
H	Surface infiltration of saltwater or water with high pollutant loads into drain during storm event	Moderate (L:5/C:1)	Adjustment of disinfection, dependent on monitoring	Low (L:2/C:1)
H	Inflow of saltwater or water with high pollutant loads into the gutter during storm with very high surge	Moderate (L:1/C:3)	Adjustment of disinfection, dependent on monitoring	Moderate (L:1/C:3)
H	Microbiological contamination and turbidity due to bird feces, dead animals, leaf litter or dust on the roof	Moderate (L:3/C:2)	Adjustment of disinfection, dependent on monitoring	Low (L:2/C:2)
H	Roof material deteriorating water quality	Moderate (L:4/C:1)	Monitoring of water quality	Moderate (L:4/C:1)
H	Mobilization of toxic substances from carbonates	Low (L:1/C:2)	Monitoring of water quality	Low (L:1/C:2)



**Table S5.: Identified, analysed, and evaluated risks in the MAR operation phase; H: human health risk, T: technical risk; L: Likelihood, C: Severity of consequences.**

Operation Phase				
Type	Potential Risk	Score	Treatment	Residual Score
T	Increased carbonate dissolution causing subsidence	Moderate (L:1/C:3)	(Hydro)geochemical and geotechnical studies	Low (L:1/C:2)
T	Groundwater flooding due to mounding groundwater table	Moderate (L:2/C:3)	Decommissioning of MAR system during wet season, control borehole to notice high water level	Low (L:2/C:2)
T	Clogging of drain trench	Moderate (L:2/C:3)	-	Moderate (L:2/C:3)
T	Unplanned costs like cleaning of drain trench (No.13’); decommissioning of drain trench (No.7’)	Moderate (L:2/C:3)	Account for economic flexibility in the budget	Low (L:2/C:2)

90

**Table S6.: Identified, analysed, and evaluated risks in the MAR operation phase; H: human health risk, T: technical risk; L: Likelihood, C: Severity of consequences.**

Distribution Phase				
Type	Potential Risk	Score	Treatment	Residual Score
H	Biological contamination of water	High (L:2/C:4)	Adjust disinfection measure	Moderate (L:2/C:3)
H	Microbial or algae growth during storage	Moderate (L:2/C:3)	Adjust storage time or disinfect only after storage	Low (L:1/C:2)
T/H	Contamination with disinfection by-products	Moderate (L:2/C:3)	Use different disinfection measure	Low (L:1/C:2)

95

#### **S4. Costs of reverse osmosis**

A reverse osmosis system was installed in Grand Bahama and the published investment cost was \$5 million (GBUC, 2021). This value was considered as a lumped sum of the measure's costs, but no detailed information on the types of costs was found. This lumped sum did not include operation costs. Therefore, the operation costs were estimated through a literature review on  
100 studies and publications describing similar projects (Abbasighadi, 2013; CDM, 2011; Sarica, 2018).

#### **S5. Costs of Rooftop rainwater harvesting (RRWH)**

Experts of the company Phoenix Engineer (M. Gomez, personal communication, April 14, 2022) provided the necessary information to estimate the investment and operation costs of the RRWH system.

105 The size of the gutter system was calculated by using the following information:

- the average length of the roof buildings, which was derived from the average roof area of the buildings in Wellfield 1 (221 m<sup>2</sup>) and in Wellfields 3 and 4 (347 m<sup>2</sup>);
- the assumption of a squared roof;
- planning the presence of four gutter sections per house.

110 The costs of the gutter system were estimated by using the following information:

- the fact that vinyl gutters have average lifespan of 25 years (Gutter professionals, 2017);
- the assumption that all buildings have one floor with an average height of 3 m;
- the average estimation of one soakaway excavation per building,
- the estimation of the total volume of gravel to be removed: corresponding to 23.8 m<sup>3</sup> for the buildings in Wellfield 1  
115 and 37.4 m<sup>3</sup> for the buildings in Wellfields 3 and 4.

Table S7 describes the costs per unit used to estimate the operation costs, like the maintenance of the system or the service of experts to replace gutters.

**Table S7. Basis for estimating investment and operation costs of the RRWH system.**

Type of cost	Price	Unit	Comment
<b>Project management and administration</b>			
Experts in the installation of the system	190.00	\$ / hour	16-hour installation per house, suggested by Phoenix Engineer
<b>Preparation of the project</b>			
Water quality analysis	160.00	\$ / hour	Assumption of 40 hours
<b>Implementation of works and equipping</b>			
Gutter (vinyl)	15.00	\$ / ft	Length based on the average size of roof
Distribution piping	10.50	\$ / ft	Length based on average height of one floor house
Filter	161.29	\$ / unit	Self-cleaning filter from (Rainy, 2023)
Excavation soakaway	4,500.00	\$ / unit	One soakaway per house
Gravel	26.40	\$ / ton	Stone 3/8’’
<b>Operation</b>			
Maintenance of system	500.00	\$ / month	
Experts in replacement of gutters	190.00	\$ / hour	Vinyl gutters have a lifetime of 25 years
Regular water quality analysis	160.00	\$ / hour	Assumption of two days per month

120

**S6. Costs of reforestation**

Jantawong et al. (2022) reported reforestation costs according to the initial stocking density. We combined these data with the number of trees in the reforestation area, information that was derived from the extent of the measure and from expert-based knowledge from Turks & Caicos Island Government (B. N. Manco, personal communication, April 1, 2022). As a result, we

125 estimated that the reforestation would involve 1000 trees per hectare.

Table S8 displays the costs for the pre-planting phase, tree planting and operation. Tree production costs were assumed to be null, as the ongoing project “Establishment of a seedling nursery and replanting for forest recovery on Grand Bahama” would cover these costs by implementing a nursery for forest recovery (University of The Bahamas, 2021). We assumed two tree-planting events of the project (one for the first and one for the second year), where all saplings would be planted in the

130 reforestation sites. For the maintenance costs, we assumed that weeding and fertilizer application would take place for two years, and that also tree-growth monitoring is needed for two years from planting.

**Table S8. Basis for estimating investment and operation costs of the reforestation scenarios from Jantawong et al. (2022)**

Type of cost	Year 1	Year 2	Unit
<b>Pre-planting</b>			
Site preparation	244.10	-	\$ / ha
Pre-planting site survey	13.07	-	\$ / ha
<b>Tree planting</b>			
Planting	2,346.20	1,218.59	\$ / ha
Materials and equipment	253.80	129.03	\$ / ha
Labour	874.00	546.56	\$ / ha
Transportation	99.55	23.94	\$ / ha
<b>Operation</b>			
Maintenance	1,398.36	693.97	\$ / ha
Monitoring	54.19	31.04	\$ / ha

## References

- Abbasighadi, A., 2013. A Cost-Benefit Analysis of a Reverse Osmosis Desalination Plant with and without Advanced Energy Recovery Devices. Institute of Graduate Studies and Research, North Cyprus.
- Bahamas Ministry of Tourism, 2022. Expenditure: Yearly Expenditure Comparisons By Qtr & Visitor Type.
- 140 CDM Camp Dresser & McKee Inc., 2011. Groundwater Supply , Sustainability Yield and Storm Surge Vulnerability.
- DEEPWATER-CE, 2020. Common methodological guidance for DEEPWATER-CE MAR pilot feasibility studies [WWW Document].  
URL <https://www.interreg-central.eu/Content.Node/DEEPWATER-CE.html>
- Department of Statistics The Bahamas, 2012. The Commonwealth of The Bahamas: Census of Population and Housing 2010.
- Deutsche Institut für Normung e.V., 2017. Geotechnical investigation and testing - Laboratory testing of soil - Part 4: Determination of  
145 particle size distribution (ISO 17892-4:2016); German version EN ISO 17892-4:2016.  
<https://doi.org/https://dx.doi.org/10.31030/2362539>
- DIN Deutsche Institut für Normung e.V., 2002. Rainwater harvesting systems Part 1: Planning, installation, operation and maintenance DIN  
1989-1:2002-04.
- Dokou, Z., Al Baghdadi, L., Mazzoni, N., Moxey, A., Nikolopoulos, E.I., 2020. The impact of hurricane Dorian on freshwater resources of  
150 Grand Bahama island, in: American Geophysical Union, Fall Meeting. American Geophysical Union, Fall Meeting 2020.
- Donagh, P. Mac, Roll, J., Hahn, G., Cubbage, F., 2019. Timber Harvesting Production, Costs, Innovation, and Capacity in the Southern  
Cone and the U.S. South, in: Concu, G. (Ed.), Timber Buildings and Sustainability. InTech.
- Esri, 2021. Esri 2020 Land Cover.
- European Commission, 2015. Guide to cost-benefit analysis of investment projects: Economic appraisal tool for cohesion policy 2014-2020.  
155 European Union, Luxembourg.
- Eurostat, 2013. EU-DEM (LAEA). GISCO.
- Fick, S.E., Hijmans, R.J., 2017. WorldClim 2: new 1km spatial resolution climate surfaces for global land areas. *Int. J. Climatol.* 37, 4302–  
4315.
- Flory, B., 2013. Updating the Discount Rate Used for Benefit-Cost Analysis at Seattle Public Utilities- Draft. Munic. Res. Serv. Cent.

- 160 Forest NSW, n.d. The pine plantation rotation [WWW Document]. URL [https://www.forestrycorporation.com.au/\\_\\_data/assets/pdf\\_file/0009/238473/pine-plantation-rotation.pdf](https://www.forestrycorporation.com.au/__data/assets/pdf_file/0009/238473/pine-plantation-rotation.pdf)
- GBUC, 2022. Metering, Rates & Tariffs: Current Rates & Charges [WWW Document]. URL <https://grandbahamautility.com/account-billing/rates/>
- GBUC Public Relations, 2021. \$5 million Reverse Osmosis System for Grand Bahama completed by GBUC.
- 165 Gutter professionals, 2017. How Long Should a Gutter System Last? [WWW Document]. URL <https://gutterprofessionalsinc.com/how-long-should-a-gutter-system-last/>
- Imig, A., Szabó, Z., Halytsia, O., Vracholi, M., Kleinert, V., Rein, A., 2022. A review on risk assessment in managed aquifer recharge. *Integr. Environ. Assess. Manag.* 18, 1513–1529. <https://doi.org/10.1002/ieam.4584>
- IPCC, 2014. 2013 Supplement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories: Wetlands, Hiraishi, ed. IPCC, 170 Switzerland.
- IPCC, 2006. IPCC Guidelines for National Greenhouse Gas Inventories: Volume 4: Agriculture, Forestry and Other Land Use, Eggleston, ed.
- Jantawong, K., Kavinchan, N., Wangpakapattanawong, P., Elliott, S., 2022. Financial Analysis of Potential Carbon Value over 14 Years of Forest Restoration by the Framework Species Method. *Forests* 13, 144. <https://doi.org/10.3390/f13020144>
- 175 Le, H.D., Smith, C., Herbohn, J., 2014. What drives the success of reforestation projects in tropical developing countries? The case of the Philippines. *Glob. Environ. Chang.* 24, 334–348. <https://doi.org/10.1016/j.gloenvcha.2013.09.010>
- Little, B., Buckley, D., Cant, R., Henry, P., Jefferiss, A., Mather, J., Stark, J., Young, R., 1977. Land resources of the Bahamas: a summary. Land Resources Division, Ministry of Overseas Development, England.
- Miller, I., Russel, C., Daniels, M., 2014. Cost Benefit Analysis of Casuarina Species Management on Eleuthera Island, The Bahamas - 180 Governor's Harbour Airport: A Case Study, in: CABI (Ed.), *Economic Impact of IAS in The Caribbean: Case Studies*. pp. 12–29.
- Myers, R., D. Wade, C. Bergh, 2004. Fire Management Assessment of the Caribbean Pine (*Pinus caribea*) Forest Ecosystems on Andros and Abaco Islands, Bahamas: GFI publication no. 2004-1.
- Nadebaum, P., Chapman, M., Morden, R., Rizak, S., 2004. A Guide To Hazard Identification & Risk Assessment For Drinking Water Supplies.

- 185 Rainy, 2023. "Rainy" filters RF80 [WWW Document]. URL <https://www.rainyfilters.com/products/rainy-filters>
- Ruesch, A., Gibbs, H.K., 2008. Global ecofloristic zones mapped by the United Nations Food and Agricultural Organization.
- Sanchez, M., 2020. Conservation genetics and biogeography of the Caribbean pine (*Pinus caribaea* var. *bahamensis*) in the Bahaman archipelago. Birbeck University of London.
- Sar'ica, A., 2018. Cost-benefit Analysis of Water Production with Seawater Reverse Osmosis System: A Case study for Mersin Free Zone and International Port. *Int. J. Econ. Financ. Issues* 8, 142–147.
- 190 Sharp, R., Tallis, H.T., Ricketts, T., Guerry, A.D., Wood, S.A., Chaplin-Kramer, R., Nelson, E., Ennaanay, D., Wolny, S., Olwero, N.: Vigerstol, K.: Pennington, D.: Mendoza, G.: Aukema, J.: Foster, J.: Forrest, J., Cameron, D., Arkema, K., Lonsdorf, E., Kennedy, C., Verutes, G., Kim, C.K., Guannel, G., Papenfus, M., Toft, J., Marsik, M., Bernhardt, J., Griffin, R., Glowinski, K., Chaumont, N., Perelman, A., Lacayo, M., Mandle, L., Hamel, P., Vogl, A.L., Rogers, L., Bierbower, W., 2015. InVEST 3.3.1. User's Guide.
- 195 Smith, P., Bustamante, M., Ahammad, H., Clark, H., Dong, H., Elsiddig, E. A., Haberl, H., Harper, R., House, J., Jafari, M., Masera, O., Mbow, C., Ravindranath, N.H., Rice, C.W., Robledo Abad, C., Romanovskaya, A., Sperling, F., Tubiello, F., 2014. Agriculture, Forestry and Other Land Use (AFOLU), in: Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel and J.C. Minx (Ed.), *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom and New York, NY, USA, pp. 811–922.
- 200 Swierc, J., Page, D., Leeuwen, J. Van, 2005. Preliminary Hazard Analysis and Critical Control Points Plan ( HACCP ) - Salisbury Stormwater to Drinking Water Aquifer Storage Transfer and Recovery ( ASTR ) Project of Montana. Water.
- The Engineering ToolBox, 2004. Wood - Densities of Various Species [WWW Document]. URL [https://www.engineeringtoolbox.com/wood-density-d\\_40.html](https://www.engineeringtoolbox.com/wood-density-d_40.html) [https://www.engineeringtoolbox.com/wood-density-d\\_40.html](https://www.engineeringtoolbox.com/wood-density-d_40.html)
- 205 The World Bank, 2021. State and Trends of Carbon Pricing 2021. Washington, DC.
- University of The Bahamas, 2021. Establishment of a seedling nursery and replanting for forest recovery on Grand Bahama: Grant Proposal Submitted to the Bahamas Protected Areas Fund.
- US EPA United States Environmental Protection Agency, 1999. Decentralized Systems Technology Fact Sheet. US Environ. Prot. Agency Washington, D.C. 1–4.

210 Wang, W., Mu, J.E., Ziolkowska, J.R., 2021. Perceived Economic Value of Ecosystem Services in the US Rio Grande Basin. Sustainability 13, 13798. <https://doi.org/10.3390/su132413798>

Wood Resources International, 2019. Pulpwood Price Indices [WWW Document]. URL <https://woodprices.com/pulpwood-price-indices/>