Hydrol. Earth Syst. Sci. Discuss., 12, C1588–C1591, 2015 www.hydrol-earth-syst-sci-discuss.net/12/C1588/2015/

© Author(s) 2015. This work is distributed under the Creative Commons Attribute 3.0 License.



HESSD

12, C1588-C1591, 2015

Interactive Comment

Interactive comment on "Variability in snow cover phenology in China from 1952 to 2010" by C. Q. Ke et al.

Anonymous Referee #1

Received and published: 18 May 2015

CONTENTS

The paper presents the climatology of snow several snow variables (snow cover days, onset and end date of snow cover), their spatio-temporal evolution, extreme years and trends from 1952-2010 in China for a prey large number of stations. The relation to temperature variables and climate patterns (Arctic Oscillation, AO) is also discussed. A good relation between temperature indices and snow pack is found (shortening of snow season), for some regions also with the AO. Trends are not as clear as on the northern hemispheric scale.

RECOMMENDATION

The paper gives a good overview of snow climatology of China with a lot of snow sta-C1588 Full Screen / Esc

Printer-friendly Version

Interactive Discussion



tions included. It also discusses the spatio-temporal evolution of several snow variables and analyses the relation with temperature and a major climate pattern. By discussing first the climatology of the mean, then the extremes and finally the trends gives the paper a good structure in my view. It is worth to be published but some major clarifications and "more consistency" in the presentation is needed before final acceptance.

MAJOR COMMENTS

Abstract L18-19: "the AO has the maximum impact" not the "AO index". An index has no impact, it is the process behind the index.

- 2.2 Methods: There is no validation of the gridding procedure applied to to your SCD, SCOD and SCED data (Fig. 2, 4 and 7). Please provide some results on how good the procedure works (e.g. by doing some kind of cross-validation).
- 3.1.2: L13-15: Is there an explanation on why the winter on the Tibetan Plateau is so scare of snow? My first guess is, that it is too cold and dry in order to produce enough snow. Can this be shown in your data?
- 3.1.2: L24: you speak of a nation-wide "snowstorm". Do you mean one event or an annual anomaly here? Please be precise here. Normally the word "snowstorm" is used for one certain event of a few days length.
- Fig. 5 and elsewhere in text: you use the terms advanced and postponed. Wouldn't it be better to used "earlier" and "later" everywhere? Especially "advanced" is a strange word to be used here in my view.

Section 4.2: In my view you could omit one of the analyses with MAT or TBZD. The two seem to have the same effect. I would shorten 4.2 to one sentence at the end of section 4.1. Very similar results are found for MAT.

An additional table with the length of measurements for the different stations and probably a figure with the distribution of the lengths of the snow series would be very helpful in my view.

HESSD

12, C1588-C1591, 2015

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



The colour tables you use in Fig. 4 and 5 are not optimal and not intuitive. Fig. 4: I suggest to use a scale that goes from green or brown to blue. Blue is often associated with lots of snow, brown and green with no snow. Fig. 5: Panel a: positive trends should be blue, negative ones red. Panel c: earlier should be red, later blue. Panel d: Use blue for positive correlation. Use earlier instead of advanced in Fig. 5 and text everywhere!

Use consistent panel labelling in all Figs., i.e. top left a, top left b etc. . . (as in Fig. 6) or left column down (a,b,c) as in Fig. 5. Do not mix them as in the current version.

The data in Fig. 6f looks very suspicious. Can you explain the strong changes in variability when comparing the 1962-1985 period with the one after 1985? (station relocation, other inhomogeneity?)

MINOR COMMENTS

P 4473 L9: Decreases in snow pack have also been found for the European Alps in the last 20 years of the 20th century (e.g. Scherrer et al. (2004)). But: very long series of snow pack suggest large decadal variability and overall weak long term trends only (cf. Scherrer et al., 2013).

P 4474 L23: Another study confirming the large influence of large scale atmospheric circulation: Scherrer and Appenzeller (2006).

P 4476 L14: change to "to identify possible breakpoints"

P 4477 L19: change to "of climate series"

P 4478 L 19: explain what you mean with annual periodicity and no annual periodicity

P 4480 L10-11: You could also add Scherrer et al. (2004) here.

Fig. 3: Can you give numbers for the seasons winter, Autumn and spring also. Please put a box around the legend or place it outside the figure.

HESSD

12, C1588-C1591, 2015

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



Fig. 6: Are the curves somehow smoothed? If so, I would prefer a direct connection between the years and no smoothing on the edges.

REFERENCES

Scherrer SC, Appenzeller C. 2006. Swiss Alpine snow pack variability: major patterns and links to local climate and large-scale flow. Climate Research 32(3): 187–199. http://www.int-res.com/articles/cr_oa/c032p187.pdf

Scherrer SC, Wüthrich C, Croci-Maspoli M, Weingartner R, Appenzeller C (2013) Snow variability in the Swiss Alps 1864-2009. Int. J. Clim, 33(15), 3162–3173. doi: 10.1002/joc.3653.

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., 12, 4471, 2015.

HESSD

12, C1588–C1591, 2015

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

