Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2018-225-RC2, 2018 © Author(s) 2018. This work is distributed under the Creative Commons Attribution 4.0 License.



Interactive comment on "Toward continental hydrologic–hydrodynamic modeling in South America" *by* Vinícius A. Siqueira et al.

G. J.-P. Schumann (Referee)

gjpschumann@gmail.com

Received and published: 12 June 2018

This paper describes in detail a much needed continental-scale cross-comparison study at the continental scale of the typical regional MGB model using not only different global scale models but also observed or observation inferred variables (e.g. TWS from GRACE, satellite altimetry). The paper is technically very sound and strong and I did not see any problems with the methods employed.

I really enjoyed reading this paper and although it is fairly long in places, I think it is written in a very comprehensive way and very well organized and presented - I applaud such work and writing. Well done! This said, there are some main points I would like to highlight and see addressed before publication.

C1

- I think it would benefit the paper a lot by listing a number of steps or recommendations to follow for large-scale hydrologic model assessment or validation

- It looks to me as though generally speaking the headwaters are difficult to get right or better said "to agree with other models", which means to me that they are generally very difficult to model correctly. This is of course not surprising given that the topographic complexity and hydrological processes in these regions are not well represented in the models. It would be useful if the authors could comprehensively outline the reasons for those "problem areas".

- As far as I understand the authors, model calibration is still challenging and therefore could also be responsible for explaining some or even most of the differences observed between different models. Logically it follows that there should be the general recommendation to define and build a set of data that should be used for calibration of large scale models, so that comparison studies later are even more valuable. I think the authors, if they can agree, should call for such a data set in their section of "Model adjustment" (section 3.3) or later in the conclusion is maybe even a better place.

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., https://doi.org/10.5194/hess-2018-225, 2018.