

Interactive comment on “Atmospheric controls on hydrogen and oxygen isotope composition of meteoric and surface waters in Patagonia” by Christoph Mayr et al.

Christoph Mayr et al.

christoph.mayr@fau.de

Received and published: 4 January 2019

Dear editors and reviewers of manuscript HESS-2018-431

we gratefully acknowledge the two reviews of our manuscript and would like to respond to the points of critique in detail before the closing date for open discussion. By doing so, we hope we can clarify some topics and stimulate discussion. We listed below all comments of the two reviewers and our detailed response below.

Kind regards on behalf of all authors, Christoph Mayr

Reply to comments of Reviewer 1:

Recommendation: re-submit Summary This paper evaluates the isotopic composition of precipitation, lentic water, and lotic waters to understand the isotopic fractionation processes associated with orographic rainout, moisture recycling, and moisture sources. The authors found that for sites upwind of the Andes and immediate downwind of Andes, the source of moisture comes from the Pacific Ocean, while for the sites at the Patagonia Atlantic coast regions, the source of moisture comes from the recycled moisture from the continent. The north of Patagonia site obtains moisture from the Atlantic coast. Furthermore, they also relate the rainout effect of water isotopes with the drying ratio and found the decrease of δD in precipitation around 80 permil from the upwind region to downwind region with drying ratio of 0.45. Assessment I have an impression in the beginning that this paper would exploit more on the atmospheric controls on the isotopic composition of surface waters in Patagonia such as rain evaporation, convection, mixing, etc (See my general comments for further explanation). Thus in my opinion the title of the paper is misleading.

Reply: Although we think that the main drivers for the observed isotope variations, i.e. rainout, moisture sources and humidity changes, are indeed related to atmospheric controls, we agree that a more general title is also adequate. Therefore, we suggest to rephrase the title: "Controls on hydrogen and oxygen isotope composition of meteoric and surface waters in Patagonia".

The works itself are interesting and a lot of efforts have been carried out to collect all the samples. While the work and findings are interesting, some improvements need to be carried out thus the readers will get clear and comprehensive overview on the works. I have several general comments below. I would ask the authors to take these comments into consideration as they re-submit the paper for publication in HESS. General Comments 1. Based on the title, I thought that the authors would use water vapor isotopic composition in their study to better quantify the atmospheric controls of surface water isotopic composition. In this paper, the authors only analyze the isotopic composition of precipitation (and other surface waters) and analyze moisture sources

[Printer-friendly version](#)[Discussion paper](#)

using backward trajectory model. I also expect to see how the water isotopes evolve from the source (e.g., Pacific Ocean) to the west side of Patagonia (see Berkelhammer et al., 2012 for example). There is no isotope analysis to confirm the moisture source. It is solely based on moisture backward trajectory analysis.

Reply: The reviewer doubts that we were able to quantify atmospheric controls. However, the primary purpose of our study is a qualitative description of the fractionation processes as schematically shown in Fig. 9, and not a quantification. Nevertheless, quantification is partly possible as shown by the humidity estimations that determine the slopes of the evaporation lines. We consider near-ground humidity as an atmospheric control and therefore we do not agree that the manuscript does not deal with “atmospheric controls”. However, the orographic effect may or may not be considered an atmospheric control and therefore we changed the title as already stated above. The reviewer states that we “only” analysed the isotopic composition of precipitation. Actually, the precipitation data are only a small fraction of the results we present in the manuscript. We contrast those data with a huge data set of isotopic composition of surface waters to infer the isotopic composition of precipitation at remote places where this data (direct measurements) is unavailable. These places, however, are the most interesting to infer the maximum drying ratio of the Andes, because they are located in the core of the Southern Westerlies. We additionally use the GNIP data to verify our assumptions about moisture sources. The intention of this approach is not primarily to use isotopes for moisture trajectory reconstructions, but rather to demonstrate that different moisture source areas and atmospheric pathways could create similar isotopic compositions in precipitation as is the case for PMO, BB and PMA in our study. Apparently this was not stated clearly enough in the text and therefore we will add a respective paragraph. Berkelhammer et al. (2012) used a fundamentally different approach by evaluating satellite data. In their study, there is neither ground-truth data given that the tropospheric $\delta^2\text{H}$ variations of vapour do not reliably reflect measured $\delta^2\text{H}$ values of precipitation near ground, nor is it proven that isotope variability on the scale of the Andes orogen are reliably captured by this method. Moreover, the

[Printer-friendly version](#)

[Discussion paper](#)



“traditional” way of analysing isotopes in surface waters, that we use in our study, integrates over longer time scales (i.e., residence times of lakes) than the given reference. The main information in our study comes from the combination of $\delta^{18}\text{O}$ AND $\delta^2\text{H}$ values as illustrated in our Fig. 9. Therefore, not only methodologies, but also spatial and temporal scales are different in our study than in Berkelhammer et al. (2012). Both methodologies may complement each other, but finding this out is beyond the focus of our study and remains to be explored in future approaches.

2. I highly recommend to rewrite the introduction section. I do like short but straight and congested introduction section. However, there are at least two topics needed to be covered in the introduction, thus the readers will have clear insight about the topic. HESS has broad readers and many of them do not have deeply understanding about water isotopes and moisture recycling. I recommend to add at least two paragraphs about: 1. Water isotopes and its fractionation processes, and briefly about Isotopes effects (amount effect, temperature effect, and latitude effect) since it is the main topic in the paper, and 2. Moisture recycling works (e.g., by van der Ent et al., 2010). There are some papers about moisture recycling that are missing in the citation.

Reply: We agree that it is useful to add the requested information and will do so in a revised version.

3. For the GNIP data, the authors used mean isotope values on a yearly basis if more than 6 months data are available in the particular year. In my opinion it can be tricky since isotope values during summer and winter, and during rainy season and dry season are completely different. If all 6 months isotope data were measured during winter/rainy season, then the δ values will be lower and do not represent δ values for that particular year. Do the authors consider this in their analysis?

Reply: Actually, we did consider it by adding the annual amount-weighted isotope value for years for which all 12 months were available. As stated in the text, there are only few such GNIP data points for which this information is available, but for those a comparison

[Printer-friendly version](#)[Discussion paper](#)

with the values of less than 12 months has been made in Fig. 3 (open compared to closed symbols). We could additionally provide a figure with average monthly isotope variations over the year to illustrate seasonal differences. However, the drying ratio at 50°S has been calculated without using GNIP data, as we used the surface waters to infer precipitation isotope values instead. Therefore, our main result, i.e. the calculation of the drying ratio at 50°S, is anyway independent from the GNIP data.

4. The use of drying ratio to express rainout process is not clear. Since the beginning the authors do not explain what does the drying ratio tell the readers? What is the purpose of using drying ratio in the analysis? I found out later in the conclusion that drying ratio describes the rainout process. Moreover, the authors also do not explain the relation between drying ratio and rainout process. Low drying ratio means low rainout process or is it vice versa? More detailed explanation about drying ratio is needed. In addition, the locations where the authors taken the upwind samples (Madre de Dios and Los Glaciares) for drying analysis are not stated in Figure 1.

Reply: We totally agree that the locations of Madre de Dios and Los Glaciares should be added in Figure 1. Actually the inserts show the Los Glaciares sites, but this is not clear to readers. We will also add the requested information about the significance of the drying ratio in the introduction or discussion.

5. I am also puzzled with the use of Rayleigh-type distillation process in the discussion. How the authors used Rayleigh distillation method is unclear. Rayleigh distillation method can be very useful to describe evaporation, rain evaporation, and condensation process during moisture transport (see Worden et al., 2007; Noone, 2012). This is not covered in the study although the formula and few explanations about Rayleigh method are written in the manuscript.

Reply: Rayleigh-type models in isotope hydrology generally describe the isotope fractionation that occurs during evaporation in a more or less hydrologically open system, such as evaporation from a lake surface. The orographic effect also can be seen as

[Printer-friendly version](#)[Discussion paper](#)

such an open system, as hardly any of the precipitating moisture re-enters the transported atmospheric moisture and kinetic fractionation dominates this process. In contrast, equilibrium fractionation is the dominant process for isotope separation during rain formation. We will add more explaining text in a revised version and adequate references for better understanding of the underlying principles.

Line by line comments L refers to line and P refers to Page. P1L18-20: Authors stated that they evaluated the stable isotopic compositions of precipitation, lentic waters, and lotic waters to understand isotopic fractionation processes associated with orographic rainout, moisture recycling, and moisture sources. I cannot find in the text how the authors used these water isotopes to understand the processes associated with moisture recycling and moisture sources. They only used backward trajectory to find the moisture sources (see my general comments).

Reply: We do not agree with the reviewer that we have not used our data set to discuss processes of moisture recycling and moisture sources (see also our reply to the general comment). Indeed, the processes, and how we understand them, are summarized in Fig. 9. These processes are related to source water variations (due to different trajectories, orographic effects), temperature (influencing isotope values of upwind precipitation via equilibrium fractionation), and evaporation (influencing lake water isotope composition). Obviously our intention and the interplay of these processes are not clearly formulated for a non-specialized audience and we will clarify this in a revised version.

P1L31-32: Rewrite the sentence. Grammatically incorrect.

Reply: Will be done in the revised version.

P3L3: The authors mentioned that they collected 4 groundwater samples. However, I do not see any results on groundwater. So maybe delete this statement?

Reply: Will be deleted in the revised version.

[Printer-friendly version](#)

[Discussion paper](#)



P3L6: Delete are. Grammatically incorrect.

Reply: Will be rephrased in the revised version.

P3: For calculation of drying ratio, I suggest to write a reason why you use formula number 4 instead number 2 and 3. The reason may be that you do not have water vapor isotopes measurements.

Reply: Actually, both equations 3 and 4 can be used. We just want to demonstrate that different formulas are published that essentially give the same results. This will be more clearly expressed in a revised version.

P4L5-7: Rewrite the sentence.

Reply: Will be rephrased in the revised version.

P4L7: You may write:using the technique introduced by Sodemann et al. (2008).

Reply: Will be rephrased according to the reviewer's suggestion in the revised version.

P4L27: Maybe remove sentence for two other Patagonian sites that are not considered in the study.

Reply: Sentence will be removed according to the reviewer's suggestion in the revised version.

P4L30: Delete respectively.

Reply: Will be deleted in the revised version.

P5L14-16: For these two sentences, can you elaborate more on the results? For example, mention about precipitation amount and temperature (related to altitude). Precipitation amount and temperature strongly influence the isotopic composition of precipitation.

Reply: We can add this information in the revised version.

[Printer-friendly version](#)

[Discussion paper](#)



P5L24-25: I am wondering if big difference between δ precipitation in Puerto Montt (PMO) and Bariloche (BAR) is due to upwind and downwind locations alone. I suggest the authors also relate δ values with precipitation amount and temperature at that particular year (1999).

Reply: We will add this information in the revised version.

P6L18-29: It will help the reader if you write the colors for all the locations. For example: Andean lakes close to Bariloche (Green) show

Reply: Colours will be added in the revised version.

P6L29: Here you mention again about Bariloche plot (green). Is it the same with previous sentence (Andean lake)?

Reply: We suggest showing the exact positions of the Andean and Extra-Andean lakes e.g. in the inserts of Fig. 1.

P7L8: Rewrite the sentence. Grammatically incorrect.

Reply: Will be rephrased in the revised version.

P7L14-15: Here you mention the δ difference between Bahia Blanca (BBL) and Bariloche (BAR). But in the next sentence, you mention about temperature difference of 0.5 degree celcius and Figure 2g and 2h. When I look to your Figure 2, then I found BBL is Figure 2g (correct) and BAR is Figure 2e (not correct). The temperature difference is also not correct.

Reply: The reviewer is right that there is a mistake in the submitted text. The comparison refers to Bahia Blanca and Puerto Madryn (not Bariloche). The reference to Fig 2g and 2h therefore is correct.

P7L15-17: I will say the discrepancy in δ is due to temperature different or altitude different, which leads to orographic isotope effect.

[Printer-friendly version](#)

[Discussion paper](#)



Reply: The difference between Bahia Blanca and Puerto Madryn is not explainable by temperature or altitudinal effects as both are at approximately the same altitude and have similar temperatures. Therefore, the statements are correct except that we erroneously mentioned Bariloche instead of Puerto Madryn. We regret that this led to confusion.

P7L21-27: For Rayleigh distillation method, please see my general comments.

Reply: We will add additional explanations about Rayleigh isotope fractionation in a revised version.

P8L4-5: Missing location for Madre de Dios and Los Glaciares. Please see my general comments.

Reply: We accept this point of critique and will add the sites in the map (Fig. 1).

P8L10: Rewrite the sentence. Grammatically incorrect.

Reply: We will rephrase the sentence in the revised version.

P8L19: You may re-write the sentence into:, respectively, using the liquid-ice fractionation values taken from Majoube.....

Reply: We will rephrase the sentence in the revised version according to the reviewer's suggestions.

P9L17: Delete word: of downwind.

Reply: We will delete it in the revised version.

P9L19: Replace "almost plots on the GMWL" with " are plotted close to GMWL".

Reply: We will rephrase the sentence in the revised version.

P14L2: missing the: the selected GNIP stations.

Reply: We will rephrase it in the revised version.

[Printer-friendly version](#)

[Discussion paper](#)



P14L6: You stated GNIP period from 1984-2014. However, Figure 2 d-f say 1970-2000. Which one is the correct one? Can you also please improve the Figure 2? I can hardly read the wind vectors.

Reply: Fig. 2d-f is not from the GNIP dataset; therefore, the time interval is different (1970-2000) and the time interval mentioned in the caption is indeed wrong. In the revised version we will adapt the time interval. We will also generally improve the figure.

P17L4: The sentence: for 1984 and 1999, respectively is not correct.

Reply: We will remove the full stop before “for 1984 and 1999, respectively.”

P18L4: missing “and”. Stars represent Patagonian sites and circles represent Pampas
.....

Reply: We will add the “and”.

P19L2:values of lentic waters for selected regions...

Reply: We will replace “of” with “for”.

P22L2: Change PUW with PDW and change stippled line into dash lines.

Reply: We will change the second “PUW” in the figure caption with “PDW” and “stippled” with “dashed”.

References Berkelhammer, M., Risi, C., Kurita, N., and Noone, D. C.: The moisture source sequence for the Madden-Julian Oscillation as derived from satellite retrievals of HDO and H₂O, *J. Geophys. Res. Lett.*, 117, 2012. Van der Ent, R. J., Savenije, H. H. G., Schaeffli, B., and Steele-Dunne, S. C.: Origin and fate of atmospheric moisture over continents, *WRR*, 46, 2010. Worden, J., Noone, D., Bowman, K., and TES team.: Importance of rain evaporation and continental convection in the tropical water cycle, *Nature*, 445, 2007. Noone, D.: Pairing measurements of the water vapor isotope ratio with humidity to deduce atmospheric moistening and dehydration in the tropical

[Printer-friendly version](#)

[Discussion paper](#)



midtroposphere, J. Clim., 25, 2012.

Reply: For the sake of completeness we will add some of the listed references where appropriate. However, we need to stress here again that the approaches and results of these references are not directly comparable to the results of our study. As a direct comparison is not possible and beyond the scope of our study, we do not intend to exhaustively discuss the satellite-inferred data.

Reply to comments of Reviewer 2:

This paper evaluates the stable isotope compositions of precipitation, lentic waters, and lotic waters in that area to characterize and understand isotope fractionation processes associated with orographic rainout, moisture recycling and moisture sources. I think this paper is relevant since it studies isotopes and the relevant literature cited, however it requires major revisions. The manuscript is interesting but written is poor. It is difficult to catch the authors' messages to readers.

Reply: The critical comments at the end of the paragraph unfortunately are rather unspecific. Thus, it is not possible to directly respond. There may be linguistic flaws in the text, but no example is given by Reviewer 2. The message to the readers will be improved by adding more background details, as suggested by the reviewer in the specific comments.

The results are original and represent an important contribution to the understanding of the controls on hydrogen and oxygen isotope composition. However, my main concern is that the problem statement is not clearly defined and that the field description is not sufficient as it is.

Reply: We will clarify the information on the research objectives and the field description in a revised version.

Specific comments: Abstract: This is mostly composed of the Introduction and Material and methods. So, I do not think the abstract is attractive.

HESSD

Interactive
comment

[Printer-friendly version](#)

[Discussion paper](#)



Reply: We agree that our results and conclusions should be highlighted in more detail in the abstract. We will do so in a revised version.

Introduction: Describe more paper about the stable isotope compositions! which problems? why is this study important?

Reply: We agree that this part could be more elaborated and will add additional information in a revised version.

Material and methods: Detail more the monitoring and describe the collection methodology.

Reply: We can add additional methodological details in a revised version.

I think the paper would be better if the authors combined the results and discussion.

Reply: We do not see a reason in the reviewer's comment for merging results and discussion to one chapter and prefer the chapter structure as it is.

Interactive comment on Hydrol. Earth Syst. Sci. Discuss., <https://doi.org/10.5194/hess-2018-431>, 2018.

Printer-friendly version

Discussion paper

